

# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=1



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=2



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=3



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=4



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=5



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=6



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=7



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=8



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=9



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=10



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=11



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=12



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=13



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=14



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=15



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=16



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=17



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=18



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=19



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=20



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded


Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital


page=21



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded  
 Hospital patients 18 years and older  
 Better quality may be associated with lower rates  
 \* Significantly below the State Rate; \*\* Significantly above the State Rate  
 (C) Comment submitted by hospital

page=22



# Postoperative Respiratory Failure: Risk-adjusted Complication Rate, 2013

Diagnosis Present on Admission (POA) included in calculations, POA exempt hospitals excluded

Hospital patients 18 years and older

Better quality may be associated with lower rates

\* Significantly below the State Rate; \*\* Significantly above the State Rate

(C) Comment submitted by hospital

page=23

