



**Pertussis Cases and Incidence Rates<sup>a</sup> in Texas, 2010-2019**

| Year            | 2010  | 2011 | 2012  | 2013  | 2014  | 2015  | 2016  | 2017  | 2018  | 2019  |
|-----------------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| Case Counts     | 2,848 | 961  | 2,218 | 3,985 | 2,567 | 1,504 | 1,286 | 1,765 | 1,168 | 1,320 |
| Incidence Rates | 11.3  | 3.7  | 8.4   | 14.8  | 9.4   | 5.4   | 4.6   | 6.1   | 4.0   | 4.5   |

<sup>a</sup>Incidence rates (IR) are calculated per 100,000 population. Population data are projected population from Texas Demographic Center's Texas Populations Projections Program; 2019 population projections were updated July 18, 2019, and 2018 & earlier population projections were from the prior version.

Data Source: Texas NEDSS Finalized Data File, 2010-2019, Texas Notifiable Conditions



**Notes:**

This is an option if you would like to produce 10 year trends. Fill in the data and the charts should :  
Remove the suppression note if your resulting table does not include any suppression.  
After you complete the table shell, save the file, and also save as a PDF. (File->Print->Adobe PDF)

## Cases:

- Whole numbers
- Commas separating the thousands
- Suppress at <5 (see note below)

## Rates:

- Always to the tenths digit (even if 18.0).
- Commas separating the thousands (if that happens)
- Suppress when the rate is based on a numerator count of <16 (see note below)

automatically populate.