



TEXAS
Health and Human
Services


**Texas Department of State
Health Services**

Tuberculosis in Texas, 2021


Tuberculosis and Hansen's Disease Unit
Texas Department of State Health Services

2021 data are preliminary

Number of TB Cases and TB Case Rates Texas, 2017-2021



Geographic Distribution of TB Cases, 2021



Texas Jurisdictions with the Most Reported TB Cases, 2021

Jurisdiction	Reported Cases	Percent of all TB cases in Texas
City of Houston	149	14.9%
Dallas County	107	10.7%
Harris County	87	8.7%
Bexar County	76	7.6%
Tarrant County	61	6.1%
Public Health Region (PHR) 8	49	4.9%
Travis County	44	4.4%
Fort Bend County	40	4.0%
Cameron County	38	3.8%
Hidalgo County	33	3.3%
Total Number of Cases	684	68.6%

TB in Texas Border Counties




TB cases in 11 of the 32 Texas border counties* represented 17.7% of all TB cases in Texas in 2021.



Texas Department of State
Health Services

TB Cases by Race/Ethnicity Texas, 2021




**Includes American Indian, Alaska Native and Pacific Islander.*



Texas Department of State
Health Services

TB Cases by Age Group (in Years) Texas, 2021




Risk Factors Among TB Cases >= 18 years old, Texas 2021*


Risk Factor	% of TB Cases
Foreign-born	61.79%
Diabetes	26.88%
Non-injection Drug Use	8.73%
Alcohol Abuse	7.42%
Correctional Facility Resident	7.22%
Homeless	5.12%
HIV Positive	4.69%
Injection Drug Use	0.90%

*Note: Individuals can have more than one risk factor.

Proportion of Non-US Born TB Cases Texas, 2017 - 2021



Number and Proportion of TB Cases Resistant to INH* or RIF^, Texas, 2011-2020[§]




Texas Department of State Health Services

*INH=Isoniazid

^RIF=Rifampin

§Includes cases resistant to INH or RIF only and not a combination of the two drugs.


Multi-Drug Resistant TB Cases, Texas, 2017 – 2021*




* Includes the following drug resistance patterns:
MDR TB: resistance to at least isoniazid and rifampin
Pre-XDR TB: resistance to isoniazid, rifampin, and a fluoroquinolone or second-line injectable
XDR TB: resistance to isoniazid, rifampin, a fluoroquinolone, and bedaquiline or linezolid




Number of Deaths Among Tuberculosis Cases in Texas by Cause of Death, 2017 -2021



TB Treatment Status at Time of Death Among TB Related Deaths in Texas, 2017 - 2021



TB Related Deaths by Age Group (in Years) Texas, 2021*



* There were no TB related deaths reported among the age groups 5-14 years and 15-24 years in 2021



Texas Department of State
Health Services

For More Information:

TBHIVSTDDATA@dshs.texas.gov



TEXAS
Health and Human
Services

Texas Department of State
Health Services