

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Central Nervous System					
Anencephaly	1999-2003	514	2.81	2.57 -	3.06
	2004-2008	462	2.33	2.12 -	2.55
	2009	122	3.04	2.50 -	3.58
	2010	108	2.80	2.27 -	3.33
	2011	98	2.60	2.11 -	3.17
	2012	107	2.80	2.27 -	3.33
	2013	90	2.32	1.87 -	2.86
	2014	85	2.13	1.70 -	2.63
	2015	75	1.86	1.46 -	2.33
	2016	100	2.51	2.04 -	3.05
Spina bifida without anencephaly	1999-2003	643	3.52	3.25 -	3.79
	2004-2008	747	3.77	3.50 -	4.05
	2009	152	3.78	3.18 -	4.39
	2010	160	4.15	3.51 -	4.79
	2011	161	4.27	3.61 -	4.93
	2012	159	4.16	3.51 -	4.80
	2013	148	3.82	3.21 -	4.44
	2014	144	3.60	3.02 -	4.19
	2015	126	3.12	2.58 -	3.67
	2016	158	3.97	3.35 -	4.58
Encephalocele	1999-2003	167	0.91	0.78 -	1.05
	2004-2008	178	0.90	0.77 -	1.03
	2009	39	0.97	0.69 -	1.33
	2010	41	1.06	0.76 -	1.44
	2011	42	1.11	0.80 -	1.50
	2012	42	1.10	0.79 -	1.48
	2013	38	0.98	0.69 -	1.35
	2014	33	0.83	0.57 -	1.16
	2015	34	0.84	0.58 -	1.18
	2016	39	0.98	0.70 -	1.34
Microcephaly, severe (head circumference <3rd percentile)	1999-2003	527	2.88	2.64 -	3.13
	2004-2008	751	3.79	3.52 -	4.07
	2009	180	4.48	3.83 -	5.14
	2010	196	5.08	4.37 -	5.79
	2011	178	4.72	4.02 -	5.41
	2012	212	5.54	4.80 -	6.29
	2013	230	5.94	5.17 -	6.71
	2014	216	5.41	4.69 -	6.13
	2015	240	5.95	5.20 -	6.70
	2016	309	7.76	6.89 -	8.62
Holoprosencephaly	1999-2003	221	1.21	1.05 -	1.37
	2004-2008	216	1.09	0.95 -	1.24
	2009	31	0.77	0.52 -	1.10
	2010	35	0.91	0.63 -	1.26
	2011	35	0.93	0.65 -	1.29
	2012	43	1.12	0.81 -	1.51
	2013	36	0.93	0.65 -	1.29
	2014	41	1.03	0.74 -	1.39
	2015	33	0.82	0.56 -	1.15
	2016	38	0.95	0.67 -	1.31

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence
Hydrocephaly without spina bifida	1999-2003	1294	7.08	6.70 - 7.47
	2004-2008	1375	6.95	6.58 - 7.32
	2009	302	7.52	6.67 - 8.37
	2010	299	7.75	6.87 - 8.63
	2011	311	8.24	7.33 - 9.16
	2012	330	8.63	7.70 - 9.56
	2013	328	8.47	7.56 - 9.39
	2014	359	8.99	8.06 - 9.92
	2015	329	8.15	7.27 - 9.04
2016	365	9.16	8.22 - 10.10	
Eye and Ear				
Anophthalmia	1999-2003	56	0.31	0.23 - 0.40
	2004-2008	66	0.33	0.26 - 0.42
	2009	14	0.35	0.19 - 0.58
	2010	13	0.34	0.18 - 0.58
	2011	19	0.50	0.30 - 0.79
	2012	8	0.21	0.09 - 0.41
	2013	10	0.26	0.12 - 0.48
	2014	6	0.15	0.06 - 0.33
	2015	8	0.20	0.09 - 0.39
2016	9	0.23	0.10 - 0.43	
Microphthalmia	1999-2003	472	2.58	2.35 - 2.82
	2004-2008	568	2.87	2.63 - 3.11
	2009	105	2.61	2.11 - 3.11
	2010	113	2.93	2.39 - 3.47
	2011	119	3.15	2.59 - 3.72
	2012	90	2.35	1.89 - 2.89
	2013	101	2.61	2.10 - 3.12
	2014	99	2.48	2.01 - 3.02
	2015	91	2.26	1.82 - 2.77
2016	112	2.81	2.29 - 3.33	
Cataract	1999-2003	297	1.63	1.44 - 1.81
	2004-2008	394	1.99	1.79 - 2.19
	2009	75	1.87	1.47 - 2.34
	2010	81	2.10	1.67 - 2.61
	2011	85	2.25	1.80 - 2.79
	2012	59	1.54	1.17 - 1.99
	2013	61	1.58	1.21 - 2.02
	2014	76	1.90	1.50 - 2.38
	2015	75	1.86	1.46 - 2.33
2016	95	2.38	1.93 - 2.91	
Anotia or microtia	1999-2003	513	2.81	2.56 - 3.05
	2004-2008	666	3.37	3.11 - 3.62
	2009	137	3.41	2.84 - 3.98
	2010	143	3.71	3.10 - 4.31
	2011	136	3.60	3.00 - 4.21
	2012	123	3.22	2.65 - 3.78
	2013	137	3.54	2.95 - 4.13
	2014	146	3.65	3.06 - 4.25
	2015	160	3.97	3.35 - 4.58
2016	167	4.19	3.56 - 4.83	

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Cardiac and Circulatory					
Common truncus	1999-2003	127	0.70	0.57 -	0.82
	2004-2008	156	0.79	0.66 -	0.91
	2009	24	0.60	0.38 -	0.89
	2010	32	0.83	0.57 -	1.17
	2011	30	0.80	0.54 -	1.14
	2012	36	0.94	0.66 -	1.30
	2013	35	0.90	0.63 -	1.26
	2014	30	0.75	0.51 -	1.07
	2015	28	0.69	0.46 -	1.00
	2016	30	0.75	0.51 -	1.07
Transposition of the great vessels	1999-2003	893	4.89	4.57 -	5.21
	2004-2008	990	5.00	4.69 -	5.31
	2009	225	5.60	4.87 -	6.33
	2010	210	5.44	4.71 -	6.18
	2011	195	5.17	4.44 -	5.89
	2012	179	4.68	3.99 -	5.37
	2013	237	6.12	5.34 -	6.90
	2014	223	5.58	4.85 -	6.31
	2015	204	5.06	4.36 -	5.75
	2016	208	5.22	4.51 -	5.93
Tetralogy of Fallot	1999-2003	617	3.38	3.11 -	3.64
	2004-2008	729	3.68	3.42 -	3.95
	2009	149	3.71	3.11 -	4.31
	2010	141	3.66	3.05 -	4.26
	2011	164	4.35	3.68 -	5.01
	2012	172	4.50	3.83 -	5.17
	2013	152	3.93	3.30 -	4.55
	2014	180	4.51	3.85 -	5.16
	2015	168	4.16	3.53 -	4.79
	2016	196	4.92	4.23 -	5.61
Ventricular septal defect	1999-2003	8325	45.56	44.58 -	46.54
	2004-2008	11563	58.43	57.36 -	59.49
	2009	2709	67.46	64.92 -	70.00
	2010	2607	67.58	64.99 -	70.18
	2011	2552	67.64	65.02 -	70.27
	2012	2499	65.34	62.78 -	67.91
	2013	2498	64.53	62.00 -	67.06
	2014	2618	65.53	63.02 -	68.05
	2015	2753	68.24	65.69 -	70.79
	2016	2674	67.11	64.57 -	69.65
Atrial septal defect	1999-2003	7753	42.43	41.48 -	43.37
	2004-2008	12376	62.54	61.44 -	63.64
	2009	2706	67.38	64.84 -	69.92
	2010	2963	76.81	74.05 -	79.58
	2011	3257	86.33	83.36 -	89.29
	2012	3194	83.52	80.62 -	86.41
	2013	3218	83.13	80.26 -	86.00
	2014	3408	85.31	82.45 -	88.17
	2015	3619	89.70	86.78 -	92.63
	2016	3656	91.76	88.78 -	94.73

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Atrioventricular septal defect (endocardial cushion defect)	1999-2003	746	4.08	3.79 -	4.38
	2004-2008	845	4.27	3.98 -	4.56
	2009	184	4.58	3.92 -	5.24
	2010	169	4.38	3.72 -	5.04
	2011	162	4.29	3.63 -	4.96
	2012	157	4.11	3.46 -	4.75
	2013	184	4.75	4.07 -	5.44
	2014	183	4.58	3.92 -	5.24
	2015	172	4.26	3.63 -	4.90
	2016	175	4.39	3.74 -	5.04
Pulmonary valve atresia or stenosis	1999-2003	1302	7.13	6.74 -	7.51
	2004-2008	1915	9.68	9.24 -	10.11
	2009	416	10.36	9.36 -	11.35
	2010	429	11.12	10.07 -	12.17
	2011	468	12.40	11.28 -	13.53
	2012	430	11.24	10.18 -	12.31
	2013	393	10.15	9.15 -	11.16
	2014	425	10.64	9.63 -	11.65
	2015	386	9.57	8.61 -	10.52
	2016	413	10.37	9.37 -	11.36
Tricuspid valve atresia or stenosis	1999-2003	281	1.54	1.36 -	1.72
	2004-2008	362	1.83	1.64 -	2.02
	2009	74	1.84	1.45 -	2.31
	2010	89	2.31	1.85 -	2.84
	2011	81	2.15	1.71 -	2.67
	2012	63	1.65	1.27 -	2.11
	2013	77	1.99	1.57 -	2.49
	2014	87	2.18	1.74 -	2.69
	2015	80	1.98	1.57 -	2.47
	2016	72	1.81	1.41 -	2.28
Ebstein anomaly	1999-2003	124	0.68	0.56 -	0.80
	2004-2008	142	0.72	0.60 -	0.84
	2009	23	0.57	0.36 -	0.86
	2010	30	0.78	0.52 -	1.11
	2011	31	0.82	0.56 -	1.17
	2012	27	0.71	0.47 -	1.03
	2013	31	0.80	0.54 -	1.14
	2014	32	0.80	0.55 -	1.13
	2015	25	0.62	0.40 -	0.91
	2016	21	0.53	0.33 -	0.81
Aortic valve stenosis	1999-2003	433	2.37	2.15 -	2.59
	2004-2008	464	2.34	2.13 -	2.56
	2009	96	2.39	1.94 -	2.92
	2010	104	2.70	2.18 -	3.21
	2011	110	2.92	2.37 -	3.46
	2012	105	2.75	2.22 -	3.27
	2013	83	2.14	1.71 -	2.66
	2014	100	2.50	2.04 -	3.04
	2015	89	2.21	1.77 -	2.71
	2016	77	1.93	1.53 -	2.42

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence
Hypoplastic left heart syndrome	1999-2003	378	2.07	1.86 - 2.28
	2004-2008	416	2.10	1.90 - 2.30
	2009	86	2.14	1.71 - 2.64
	2010	93	2.41	1.95 - 2.95
	2011	86	2.28	1.82 - 2.82
	2012	96	2.51	2.03 - 3.07
	2013	98	2.53	2.06 - 3.09
	2014	89	2.23	1.79 - 2.74
	2015	99	2.45	1.99 - 2.99
2016	91	2.28	1.84 - 2.80	
Patent ductus arteriosus	1999-2003	8056	44.09	43.12 - 45.05
	2004-2008	10881	54.98	53.95 - 56.02
	2009	2659	66.21	63.69 - 68.73
	2010	2688	69.68	67.05 - 72.32
	2011	2689	71.27	68.58 - 73.97
	2012	2666	69.71	67.06 - 72.36
	2013	2841	73.39	70.69 - 76.09
	2014	2881	72.12	69.48 - 74.75
	2015	2913	72.20	69.58 - 74.83
2016	2828	70.98	68.36 - 73.59	
Coarctation of the aorta	1999-2003	845	4.62	4.31 - 4.94
	2004-2008	1008	5.09	4.78 - 5.41
	2009	204	5.08	4.38 - 5.78
	2010	210	5.44	4.71 - 6.18
	2011	210	5.57	4.81 - 6.32
	2012	208	5.44	4.70 - 6.18
	2013	226	5.84	5.08 - 6.60
	2014	235	5.88	5.13 - 6.63
	2015	182	4.51	3.86 - 5.17
2016	205	5.14	4.44 - 5.85	
Respiratory				
Choanal atresia or stenosis	1999-2003	216	1.18	1.02 - 1.34
	2004-2008	232	1.17	1.02 - 1.32
	2009	56	1.39	1.05 - 1.81
	2010	50	1.30	0.96 - 1.71
	2011	52	1.38	1.03 - 1.81
	2012	48	1.26	0.93 - 1.66
	2013	54	1.39	1.05 - 1.82
	2014	62	1.55	1.19 - 1.99
	2015	57	1.41	1.07 - 1.83
2016	34	0.85	0.59 - 1.19	
Agenesis, aplasia, or hypoplasia of the lung	1999-2003	757	4.14	3.85 - 4.44
	2004-2008	517	2.61	2.39 - 2.84
	2009	115	2.86	2.34 - 3.39
	2010	114	2.96	2.41 - 3.50
	2011	105	2.78	2.25 - 3.32
	2012	85	2.22	1.78 - 2.75
	2013	114	2.94	2.40 - 3.49
	2014	102	2.55	2.06 - 3.05
	2015	109	2.70	2.19 - 3.21
2016	112	2.81	2.29 - 3.33	

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Oral Clefts					
Cleft palate alone (without cleft lip)	1999-2003	1054	5.77	5.42 -	6.12
	2004-2008	1189	6.01	5.67 -	6.35
	2009	257	6.40	5.62 -	7.18
	2010	271	7.03	6.19 -	7.86
	2011	211	5.59	4.84 -	6.35
	2012	193	5.05	4.33 -	5.76
	2013	235	6.07	5.29 -	6.85
	2014	219	5.48	4.76 -	6.21
	2015	235	5.82	5.08 -	6.57
	2016	224	5.62	4.89 -	6.36
Cleft lip with or without cleft palate	1999-2003	1953	10.69	10.21 -	11.16
	2004-2008	2204	11.14	10.67 -	11.60
	2009	378	9.41	8.46 -	10.36
	2010	394	10.21	9.21 -	11.22
	2011	454	12.03	10.93 -	13.14
	2012	397	10.38	9.36 -	11.40
	2013	386	9.97	8.98 -	10.97
	2014	436	10.91	9.89 -	11.94
	2015	432	10.71	9.70 -	11.72
	2016	410	10.29	9.29 -	11.29
Gastrointestinal					
Tracheoesophageal fistula / esophageal atresia	1999-2003	386	2.11	1.90 -	2.32
	2004-2008	393	1.99	1.79 -	2.18
	2009	89	2.22	1.78 -	2.73
	2010	76	1.97	1.55 -	2.47
	2011	89	2.36	1.89 -	2.90
	2012	90	2.35	1.89 -	2.89
	2013	97	2.51	2.03 -	3.06
	2014	90	2.25	1.81 -	2.77
	2015	85	2.11	1.68 -	2.61
	2016	95	2.38	1.93 -	2.91
Pyloric stenosis	1999-2003	3337	18.26	17.64 -	18.88
	2004-2008	4079	20.61	19.98 -	21.24
	2009	630	15.69	14.46 -	16.91
	2010	575	14.91	13.69 -	16.12
	2011	543	14.39	13.18 -	15.60
	2012	448	11.71	10.63 -	12.80
	2013	461	11.91	10.82 -	13.00
	2014	537	13.44	12.31 -	14.58
	2015	498	12.34	11.26 -	13.43
	2016	542	13.60	12.46 -	14.75
Stenosis or atresia of the small intestine	1999-2003	543	2.97	2.72 -	3.22
	2004-2008	668	3.38	3.12 -	3.63
	2009	139	3.46	2.89 -	4.04
	2010	147	3.81	3.19 -	4.43
	2011	129	3.42	2.83 -	4.01
	2012	115	3.01	2.46 -	3.56
	2013	132	3.41	2.83 -	3.99
	2014	141	3.53	2.95 -	4.11
	2015	137	3.40	2.83 -	3.96
	2016	125	3.14	2.59 -	3.69

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Stenosis or atresia of large intestine, rectum, or anal canal	1999-2003	960	5.25	4.92 -	5.59
	2004-2008	1049	5.30	4.98 -	5.62
	2009	222	5.53	4.80 -	6.26
	2010	201	5.21	4.49 -	5.93
	2011	209	5.54	4.79 -	6.29
	2012	196	5.13	4.41 -	5.84
	2013	204	5.27	4.55 -	5.99
	2014	215	5.38	4.66 -	6.10
	2015	190	4.71	4.04 -	5.38
2016	208	5.22	4.51 -	5.93	
Hirschsprung disease	1999-2003	218	1.19	1.03 -	1.35
	2004-2008	287	1.45	1.28 -	1.62
	2009	50	1.25	0.92 -	1.64
	2010	56	1.45	1.10 -	1.89
	2011	62	1.64	1.26 -	2.11
	2012	55	1.44	1.08 -	1.87
	2013	59	1.52	1.16 -	1.97
	2014	57	1.43	1.08 -	1.85
	2015	74	1.83	1.44 -	2.30
2016	69	1.73	1.35 -	2.19	
Biliary atresia	1999-2003	134	0.73	0.61 -	0.86
	2004-2008	143	0.72	0.60 -	0.84
	2009	33	0.82	0.57 -	1.15
	2010	27	0.70	0.46 -	1.02
	2011	30	0.80	0.54 -	1.14
	2012	25	0.65	0.42 -	0.96
	2013	21	0.54	0.34 -	0.83
	2014	21	0.53	0.33 -	0.80
	2015	32	0.79	0.54 -	1.12
2016	29	0.73	0.49 -	1.05	
Genitourinary					
Hypospadias (cases and prevalence among males)	1999-2003	5021	53.78	52.30 -	55.27
	2004-2008	5640	55.72	54.26 -	57.17
	2009	1273	62.14	58.72 -	65.55
	2010	1259	63.94	60.41 -	67.47
	2011	1230	63.81	60.24 -	67.37
	2012	1209	61.83	58.35 -	65.32
	2013	1339	67.59	63.97 -	71.21
	2014	1465	71.64	67.97 -	75.31
	2015	1377	66.85	63.32 -	70.38
2016	1485	72.95	69.24 -	76.66	
Epispadias	1999-2003	139	0.76	0.63 -	0.89
	2004-2008	174	0.88	0.75 -	1.01
	2009	40	1.00	0.71 -	1.36
	2010	44	1.14	0.83 -	1.53
	2011	39	1.03	0.74 -	1.41
	2012	53	1.39	1.04 -	1.81
	2013	80	2.07	1.64 -	2.57
	2014	49	1.23	0.91 -	1.62
	2015	61	1.51	1.16 -	1.94
2016	49	1.23	0.91 -	1.63	

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Renal agenesis or dysgenesis	1999-2003	973	5.32	4.99 -	5.66
	2004-2008	1129	5.70	5.37 -	6.04
	2009	260	6.47	5.69 -	7.26
	2010	263	6.82	5.99 -	7.64
	2011	261	6.92	6.08 -	7.76
	2012	234	6.12	5.33 -	6.90
	2013	278	7.18	6.34 -	8.03
	2014	260	6.51	5.72 -	7.30
	2015	245	6.07	5.31 -	6.83
	2016	275	6.90	6.09 -	7.72
Bladder exstrophy	1999-2003	43	0.24	0.17 -	0.32
	2004-2008	34	0.17	0.12 -	0.24
	2009	5	0.12	0.04 -	0.29
	2010	9	0.23	0.11 -	0.44
	2011	6	0.16	0.06 -	0.35
	2012	6	0.16	0.06 -	0.34
	2013	11	0.28	0.14 -	0.51
	2014	5	0.13	0.04 -	0.29
	2015	7	0.17	0.07 -	0.36
	2016	2	0.05	0.01 -	0.18
Musculoskeletal					
Congenital hip dislocation	1999-2003	836	4.58	4.26 -	4.89
	2004-2008	896	4.53	4.23 -	4.82
	2009	161	4.01	3.39 -	4.63
	2010	183	4.74	4.06 -	5.43
	2011	157	4.16	3.51 -	4.81
	2012	140	3.66	3.05 -	4.27
	2013	164	4.24	3.59 -	4.88
	2014	147	3.68	3.08 -	4.27
	2015	138	3.42	2.85 -	3.99
	2016	120	3.01	2.47 -	3.55
Talipes equinovarus / clubfoot	1999-2003	2701	14.78	14.22 -	15.34
	2004-2008	2963	14.97	14.43 -	15.51
	2009	646	16.09	14.85 -	17.33
	2010	645	16.72	15.43 -	18.01
	2011	643	17.04	15.73 -	18.36
	2012	635	16.60	15.31 -	17.90
	2013	638	16.48	15.20 -	17.76
	2014	730	18.27	16.95 -	19.60
	2015	679	16.83	15.56 -	18.10
	2016	746	18.72	17.38 -	20.07
Reduction defects of the upper limbs	1999-2003	745	4.08	3.78 -	4.37
	2004-2008	806	4.07	3.79 -	4.35
	2009	168	4.18	3.55 -	4.82
	2010	194	5.03	4.32 -	5.74
	2011	183	4.85	4.15 -	5.55
	2012	135	3.53	2.93 -	4.13
	2013	159	4.11	3.47 -	4.75
	2014	151	3.78	3.18 -	4.38
	2015	170	4.21	3.58 -	4.85
	2016	163	4.09	3.46 -	4.72

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence
Reduction defects of the lower limbs	1999-2003	353	1.93	1.73 - 2.13
	2004-2008	392	1.98	1.78 - 2.18
	2009	75	1.87	1.47 - 2.34
	2010	84	2.18	1.74 - 2.70
	2011	79	2.09	1.66 - 2.61
	2012	80	2.09	1.66 - 2.60
	2013	65	1.68	1.30 - 2.14
	2014	81	2.03	1.61 - 2.52
	2015	82	2.03	1.62 - 2.52
2016	68	1.71	1.33 - 2.16	
Craniosynostosis	1999-2003	785	4.30	4.00 - 4.60
	2004-2008	941	4.75	4.45 - 5.06
	2009	208	5.18	4.48 - 5.88
	2010	258	6.69	5.87 - 7.50
	2011	231	6.12	5.33 - 6.91
	2012	270	7.06	6.22 - 7.90
	2013	226	5.84	5.08 - 6.60
	2014	247	6.18	5.41 - 6.95
	2015	252	6.25	5.48 - 7.02
2016	226	5.67	4.93 - 6.41	
Achondroplasia	1999-2003	56	0.31	0.23 - 0.40
	2004-2008	59	0.30	0.23 - 0.38
	2009	16	0.40	0.23 - 0.65
	2010	13	0.34	0.18 - 0.58
	2011	11	0.29	0.15 - 0.52
	2012	15	0.39	0.22 - 0.65
	2013	16	0.41	0.24 - 0.67
	2014	13	0.33	0.17 - 0.56
	2015	17	0.42	0.25 - 0.67
2016	23	0.58	0.37 - 0.87	
Diaphragmatic hernia	1999-2003	496	2.71	2.48 - 2.95
	2004-2008	556	2.81	2.58 - 3.04
	2009	107	2.66	2.16 - 3.17
	2010	121	3.14	2.58 - 3.70
	2011	99	2.62	2.13 - 3.19
	2012	103	2.69	2.17 - 3.21
	2013	115	2.97	2.43 - 3.51
	2014	109	2.73	2.22 - 3.24
	2015	89	2.21	1.77 - 2.71
2016	100	2.51	2.04 - 3.05	
Omphalocele	1999-2003	396	2.17	1.95 - 2.38
	2004-2008	401	2.03	1.83 - 2.22
	2009	90	2.24	1.80 - 2.75
	2010	79	2.05	1.62 - 2.55
	2011	69	1.83	1.42 - 2.31
	2012	86	2.25	1.80 - 2.78
	2013	85	2.20	1.75 - 2.72
	2014	85	2.13	1.70 - 2.63
	2015	87	2.16	1.73 - 2.66
2016	82	2.06	1.64 - 2.55	

Texas Birth Defects Registry, Report of Birth Defects Among 1999-2016 Deliveries
 Table 2. Prevalence of Selected Birth Defects by Year, Texas, 1999-2016

Birth Defect	Year	Cases	Prevalence[†]	95% Confidence Interval for Prevalence	
Gastroschisis	1999-2003	750	4.10	3.81 -	4.40
	2004-2008	1084	5.48	5.15 -	5.80
	2009	242	6.03	5.27 -	6.79
	2010	256	6.64	5.82 -	7.45
	2011	216	5.73	4.96 -	6.49
	2012	224	5.86	5.09 -	6.62
	2013	218	5.63	4.88 -	6.38
	2014	229	5.73	4.99 -	6.47
	2015	218	5.40	4.69 -	6.12
2016	186	4.67	4.00 -	5.34	
Chromosomal					
Trisomy 21 (Down syndrome)	1999-2003	2306	12.62	12.10 -	13.13
	2004-2008	2650	13.39	12.88 -	13.90
	2009	556	13.84	12.69 -	15.00
	2010	580	15.04	13.81 -	16.26
	2011	554	14.68	13.46 -	15.91
	2012	565	14.77	13.56 -	15.99
	2013	547	14.13	12.95 -	15.31
	2014	555	13.89	12.74 -	15.05
	2015	506	12.54	11.45 -	13.64
2016	565	14.18	13.01 -	15.35	
Trisomy 13 (Patau syndrome)	1999-2003	221	1.21	1.05 -	1.37
	2004-2008	219	1.11	0.96 -	1.25
	2009	53	1.32	0.99 -	1.73
	2010	59	1.53	1.16 -	1.97
	2011	43	1.14	0.82 -	1.54
	2012	51	1.33	0.99 -	1.75
	2013	43	1.11	0.80 -	1.50
	2014	47	1.18	0.86 -	1.56
	2015	36	0.89	0.62 -	1.24
2016	53	1.33	1.00 -	1.74	
Trisomy 18 (Edwards syndrome)	1999-2003	405	2.22	2.00 -	2.43
	2004-2008	522	2.64	2.41 -	2.86
	2009	119	2.96	2.43 -	3.50
	2010	99	2.57	2.09 -	3.12
	2011	109	2.89	2.35 -	3.43
	2012	112	2.93	2.39 -	3.47
	2013	94	2.43	1.96 -	2.97
	2014	114	2.85	2.33 -	3.38
	2015	80	1.98	1.57 -	2.47
2016	103	2.59	2.09 -	3.08	
Infants and fetuses with any monitored birth defect	1999-2003	64630	353.69	350.96 -	356.41
	2004-2008	86533	437.26	434.35 -	440.17
	2009	19916	495.92	489.03 -	502.81
	2010	20726	537.30	529.98 -	544.61
	2011	20816	551.75	544.25 -	559.24
	2012	21344	558.10	550.62 -	565.59
	2013	22464	580.30	572.71 -	587.89
	2014	23918	598.73	591.14 -	606.31
	2015	24673	611.57	603.94 -	619.20
2016	27816	698.11	689.90 -	706.31	

[†] cases per 10,000 live births