

Appendix A. Denominators Used in Calculating Prevalence: Texas Resident Live Births, 1999-2017

Year	Breakdown		Texas Resident Live Births	
			Total	Males *
1999 through 2017, combined	Overall		7,322,262	3,742,182
	By Mother's Age	Less than 20 years	888,651	455,310
		20 to 24 years	1,948,614	994,297
		25 to 29 years	2,009,579	1,028,446
		30 to 34 years	1,586,662	810,074
		35 to 39 years	728,812	372,614
		40 or more years	159,356	81,151
		Unknown	588	290
	By Mother's Race/Ethnicity	White non-Hispanic	2,586,605	1,326,067
		Black non-Hispanic	832,487	423,658
		Hispanic	3,533,193	1,801,953
		Other non-Hispanic	361,586	186,122
		Unknown	8,391	4,382
	By Sex of Infant	Male	3,742,182	3,742,182
		Female	3,580,080	(NA)
	By Region of Mother's Residence at Delivery	Region 01	238,532	121,792
		Region 02	137,576	70,417
		Region 03	1,948,538	997,917
		Region 04	275,640	141,142
Region 05		191,285	97,824	
Region 06		1,797,808	917,399	
Region 07		804,813	411,234	
Region 08		723,221	369,012	
Region 09		173,078	88,727	
Region 10		270,128	137,555	
Region 11		761,643	389,163	
1999	Overall		349,157	178,451
2000	Overall		363,325	185,591
2001	Overall		365,092	186,774
2002	Overall		372,369	190,162
2003	Overall		377,374	192,581
2004	Overall		381,441	195,024
2005	Overall		385,537	197,491
2006	Overall		399,309	204,037
2007	Overall		407,453	208,222
2008	Overall		405,242	207,508
2009	Overall		401,599	204,876
2010	Overall		385,746	196,903
2011	Overall		377,274	192,766
2012	Overall		382,438	195,525
2013	Overall		387,110	198,109
2014	Overall		399,482	204,503
2015	Overall		403,439	205,972
2016	Overall		396,999	202,810
2017	Overall		381,876	194,877

* Male live births were the denominators for calculating the prevalence of hypospadias.