

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	58.9	51.1 - 66.3	137	55.2	47.4 - 62.8	176	57.0	43.7 - 69.4	38	56.8	51.6 - 61.9	351
b. Nutrition	50.2	42.1 - 58.3	136	47.6	40.2 - 55.1	176	46.7	31.3 - 62.7	38	48.5	43.3 - 53.8	350
c. Tobacco-use prevention	47.2	39.2 - 55.4	135	38.3	31.6 - 45.4	176	41.5	27.8 - 56.6	38	42.1	37.2 - 47.1	349
d. Asthma	35.0	27.7 - 43.0	135	35.5	28.9 - 42.8	176	33.7	20.2 - 50.5	38	35.2	30.4 - 40.2	349
e. Injury and violence prevention	47.5	39.7 - 55.5	135	42.4	35.4 - 49.7	176	38.9	24.9 - 55.0	38	44.1	39.1 - 49.2	349
f. HIV, STD, and teen pregnancy prevention	41.7	33.7 - 50.3	135	31.2	24.7 - 38.5	175	33.7	22.3 - 47.4	38	35.6	30.7 - 40.7	348

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	47.2	38.5 - 56.2	130	62.7	55.5 - 69.4	172	54.7	39.6 - 69.0	36	56.0	50.7 - 61.2	338
b. Physical education	50.0	41.3 - 58.7	131	62.7	55.3 - 69.6	172	58.7	43.2 - 72.6	36	57.4	52.1 - 62.6	339
c. Physical activity	45.7	37.6 - 54.1	131	59.3	52.8 - 65.6	172	52.0	36.3 - 67.2	36	53.4	48.5 - 58.2	339
d. School meal programs	42.2	34.1 - 50.7	128	43.7	36.6 - 51.1	170	47.8	32.7 - 63.3	35	43.5	38.4 - 48.8	333
e. Foods and beverages available at school outside the school meal programs	35.1	27.8 - 43.2	128	35.6	29.0 - 42.8	171	27.3	16.7 - 41.5	36	34.6	30.0 - 39.6	335
f. Health services	48.9	41.3 - 56.7	130	51.3	44.3 - 58.3	171	54.7	38.0 - 70.4	36	50.7	45.7 - 55.7	337
g. Mental health and social services	49.9	41.8 - 58.0	130	45.9	38.9 - 53.0	171	30.1	17.4 - 46.7	36	46.0	41.0 - 51.1	337
h. Healthy and safe school environment	82.6	75.7 - 87.9	130	77.0	71.0 - 82.2	172	86.3	70.8 - 94.3	36	80.1	75.9 - 83.7	338
i. Family and community involvement	83.8	76.5 - 89.1	130	84.9	79.2 - 89.2	171	85.9	69.9 - 94.1	35	84.5	80.5 - 87.9	336
j. Faculty and staff health promotion	45.0	36.8 - 53.5	130	51.0	44.1 - 57.8	171	35.8	23.5 - 50.3	36	47.3	42.3 - 52.3	337

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
61.4	53.6 - 68.7	130	66.6	59.2 - 73.3	172	62.2	46.8 - 75.5	38	64.2	59.1 - 68.9	340

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.5	85.8 - 95.1	137	94.0	89.8 - 96.5	187	97.5	85.4 - 99.6	39	93.4	90.5 - 95.4	363

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.9	62.8 - 77.8	137	66.5	59.3 - 73.1	186	84.4	72.4 - 91.8	38	69.8	64.9 - 74.3	361

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	97.7	91.7 - 99.4	92	91.7	85.5 - 95.4	123	96.9	82.5 - 99.5	32	94.6	91.1 - 96.8	247
b. Health education teachers	75.5	66.8 - 82.5	91	79.6	71.6 - 85.7	124	76.3	59.8 - 87.5	31	77.7	72.4 - 82.2	246
c. Physical education teachers	83.6	75.5 - 89.4	91	91.5	85.5 - 95.2	122	75.1	58.9 - 86.4	32	86.7	82.3 - 90.1	245
d. Other classroom teachers	72.9	62.6 - 81.2	85	78.8	71.0 - 84.8	122	90.2	73.5 - 96.8	31	77.9	72.3 - 82.6	238
e. Mental health or social services staff (e.g., school counselors)	76.9	66.9 - 84.5	87	75.6	68.0 - 81.8	121	72.3	56.5 - 84.0	30	75.7	70.2 - 80.4	238
f. Nutrition or food service staff	64.2	55.1 - 72.3	89	68.9	60.6 - 76.2	121	68.3	51.8 - 81.3	31	67.1	61.4 - 72.3	241
g. Health services staff (e.g., school nurse)	89.7	81.9 - 94.4	90	87.4	80.8 - 91.9	123	73.8	60.3 - 84.0	30	86.8	82.5 - 90.2	243
h. Maintenance and transportation staff	20.8	14.1 - 29.4	88	23.9	17.3 - 31.9	121	12.7	4.7 - 29.9	31	21.4	16.9 - 26.8	240
i. Technology staff	19.9	13.4 - 28.5	87	30.0	23.1 - 38.1	122	28.5	14.7 - 47.9	31	26.1	21.2 - 31.6	240
j. Library/media center staff	13.6	8.2 - 21.7	87	32.9	25.7 - 41.0	122	15.8	6.7 - 33.2	31	23.8	19.1 - 29.2	240
k. Student body	50.7	40.6 - 60.8	88	55.9	46.9 - 64.5	122	46.1	29.0 - 64.1	32	52.8	46.5 - 59.1	242
l. Parents or families of students	86.4	78.4 - 91.8	91	77.9	69.8 - 84.3	122	83.9	70.1 - 92.0	31	81.8	76.7 - 86.0	244

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	81.5	72.5 - 88.1	90	69.4	60.8 - 76.8	122	83.3	65.9 - 92.8	30	75.5	69.9 - 80.4	242
n. Local health departments, agencies, or organizations	50.8	40.8 - 60.7	88	46.3	37.9 - 54.9	121	30.0	15.6 - 49.8	31	46.2	40.1 - 52.3	240
o. Faith-based organizations	11.1	6.1 - 19.1	87	22.6	15.9 - 31.0	121	19.6	9.1 - 37.4	30	17.9	13.6 - 23.3	238
p. Businesses	43.5	34.6 - 52.7	88	39.6	31.2 - 48.6	122	38.0	22.2 - 56.9	31	40.9	35.0 - 47.0	241
q. Local government agencies	22.3	14.7 - 32.3	86	30.8	23.8 - 38.9	122	20.5	10.3 - 36.8	31	26.5	21.5 - 32.2	239

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	77.4	68.9 - 84.0	93	74.5	65.9 - 81.5	124	39.9	27.5 - 53.8	32	71.7	66.3 - 76.6	249
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	70.6	61.1 - 78.6	93	70.3	62.0 - 77.4	124	53.6	35.6 - 70.8	32	68.6	62.7 - 73.8	249
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	44.3	34.9 - 54.1	93	42.3	34.0 - 51.1	124	30.7	16.4 - 50.1	32	41.8	35.8 - 47.9	249
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	92.4	85.3 - 96.2	93	81.6	74.7 - 87.0	123	72.1	56.9 - 83.4	32	84.7	80.3 - 88.2	248
e. Reviewed health-related curricula or instructional materials	70.7	60.9 - 78.9	92	71.1	63.3 - 77.8	123	52.2	34.4 - 69.5	32	68.8	63.1 - 74.0	247
f. Assessed the availability of physical activity opportunities for students	77.8	68.7 - 84.8	92	77.3	69.6 - 83.5	124	58.3	42.5 - 72.7	32	75.3	70.0 - 80.0	248

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.7	66.5 - 79.9	136	56.3	49.9 - 62.6	182	34.9	22.1 - 50.3	37	61.1	56.6 - 65.4	355

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Lessons in class	79.7	72.1 - 85.7	136	80.2	74.8 - 84.7	186	78.6	61.7 - 89.3	39	79.9	75.7 - 83.5	361
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	70.3	63.3 - 76.5	137	61.8	54.9 - 68.2	184	41.9	28.8 - 56.1	39	63.2	58.5 - 67.6	360

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	51.0	42.8 - 59.2	137	42.9	35.9 - 50.2	184	39.1	26.3 - 53.7	38	45.7	40.7 - 50.8	359
b. Procedures to protect HIV-infected students and staff from discrimination	63.7	56.6 - 70.2	135	50.9	43.8 - 58.0	183	53.3	38.9 - 67.2	38	56.0	51.2 - 60.7	356
c. Maintaining confidentiality of HIV-infected students and staff	67.7	60.3 - 74.2	137	60.2	52.9 - 67.0	185	59.6	46.0 - 71.8	39	63.0	58.1 - 67.6	361

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
41.1	33.4 - 49.1	130	16.8	12.0 - 22.9	182	13.2	6.1 - 26.4	38	25.5	21.5 - 30.0	350

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	63.9	56.3 - 71.0	139	51.1	44.2 - 57.8	187	41.7	30.0 - 54.5	38	55.2	50.4 - 59.8	364
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	92.6	88.1 - 95.5	137	76.7	70.3 - 82.1	187	79.8	66.1 - 88.9	39	83.0	79.2 - 86.3	363
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	61.5	53.5 - 68.9	138	52.4	45.7 - 59.0	186	55.9	41.3 - 69.4	39	56.2	51.4 - 60.9	363
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	40.0	32.2 - 48.3	137	27.6	22.3 - 33.6	186	25.5	15.0 - 39.9	39	32.1	27.8 - 36.7	362
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	44.9	37.5 - 52.6	138	30.5	24.9 - 36.8	185	25.3	14.3 - 40.6	39	35.5	31.2 - 40.1	362

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.2	91.5 - 97.3	138	96.4	92.8 - 98.2	188	89.6	75.5 - 96.0	39	95.3	93.0 - 96.9	365

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.3	90.0 - 96.8	138	95.8	92.0 - 97.8	188	89.9	76.2 - 96.1	39	94.7	92.2 - 96.4	365

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.3	93.3 - 98.9	139	95.6	91.6 - 97.7	188	89.9	76.2 - 96.1	39	95.7	93.2 - 97.3	366

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	98.9	95.9 - 99.7	151	100.0	†	28	99.0	96.5 - 99.7	179
b. Seventh grade	§	§	§	97.8	94.5 - 99.1	174	100.0	†	38	98.1	95.3 - 99.3	212
c. Eighth grade	§	§	§	79.9	73.4 - 85.1	174	100.0	†	38	83.0	77.5 - 87.4	212
d. Ninth grade	97.1	92.9 - 98.9	132	-	-	7	94.8	82.2 - 98.6	38	96.2	92.5 - 98.1	177
e. Tenth grade	84.7	77.5 - 89.9	134	§	§	§	58.8	44.0 - 72.2	37	79.8	73.4 - 84.9	171
f. Eleventh grade	72.1	63.6 - 79.2	133	§	§	§	40.2	27.9 - 53.8	37	65.9	58.7 - 72.4	170
g. Twelfth grade	71.7	63.0 - 78.9	131	§	§	§	40.2	27.9 - 53.8	37	65.5	58.2 - 72.1	168

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.6	82.7 - 92.6	135	90.7	86.1 - 93.9	181	86.7	71.5 - 94.4	37	89.5	86.2 - 92.1	353

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	95.5	92.2 - 97.4	139	95.4	91.6 - 97.6	187	83.7	67.6 - 92.6	39	94.4	91.9 - 96.1	365
b. A chart describing the annual scope and sequence of instruction for physical education	84.4	78.9 - 88.7	138	81.7	76.3 - 86.0	187	66.0	47.3 - 80.7	39	81.3	77.5 - 84.6	364
c. Plans for how to assess student performance in physical education	90.3	84.9 - 93.9	139	87.7	82.7 - 91.4	187	87.4	72.9 - 94.7	39	88.7	85.3 - 91.3	365
d. A written physical education curriculum	84.9	78.2 - 89.8	138	83.2	77.9 - 87.4	185	71.0	54.7 - 83.3	39	82.7	78.8 - 86.0	362
e. Resources for fitness testing	96.8	92.2 - 98.8	139	97.5	94.3 - 98.9	187	94.9	82.7 - 98.7	39	97.0	94.8 - 98.3	365
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	67.3	59.5 - 74.3	135	66.7	60.4 - 72.4	186	40.7	26.9 - 56.1	39	64.5	59.9 - 68.8	360

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
21.6	16.0 - 28.5	138	34.3	28.5 - 40.6	188	48.0	34.3 - 62.0	39	30.7	26.7 - 35.1	365

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.7	45.4 - 61.8	138	60.2	54.0 - 66.0	186	34.0	20.4 - 50.8	38	55.3	50.6 - 59.9	362

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.0	85.5 - 94.6	137	89.8	85.2 - 93.2	184	87.4	72.8 - 94.7	39	90.1	86.8 - 92.6	360

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.0	54.9 - 70.4	139	57.9	51.1 - 64.3	185	62.5	45.4 - 76.9	38	60.3	55.3 - 65.0	362

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.7	57.4 - 71.3	139	64.1	58.3 - 69.6	187	50.8	36.7 - 64.8	39	63.1	58.8 - 67.2	365

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
55.2	47.2 - 62.9	139	57.3	50.0 - 64.3	187	22.7	14.0 - 34.7	39	53.3	48.3 - 58.2	365

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
99.1	94.5 - 99.9	138	95.6	91.6 - 97.7	187	100.0	†	39	97.3	95.1 - 98.6	364

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.4	92.6 - 99.1	133	94.4	90.1 - 96.9	182	100.0	†	36	96.0	93.4 - 97.6	351
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	96.7	91.8 - 98.7	133	94.4	90.0 - 96.9	181	97.3	84.2 - 99.6	36	95.5	92.8 - 97.2	350
c. Cigars	96.6	91.7 - 98.7	132	93.8	89.3 - 96.5	181	97.3	84.2 - 99.6	36	95.2	92.4 - 97.0	349
d. Pipes	95.7	90.3 - 98.1	132	93.8	89.3 - 96.5	181	97.3	84.2 - 99.6	36	94.8	91.9 - 96.7	349

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	96.7	91.8 - 98.7	133	94.3	89.9 - 96.8	178	100.0	†	36	95.7	93.0 - 97.4	347
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	96.0	90.9 - 98.3	133	94.3	89.9 - 96.8	178	97.3	84.2 - 99.6	36	95.2	92.4 - 97.0	347
c. Cigars	96.6	91.7 - 98.7	132	93.6	89.1 - 96.4	177	97.3	84.2 - 99.6	36	95.1	92.3 - 96.9	345
d. Pipes	95.7	90.3 - 98.1	131	93.6	89.0 - 96.4	176	97.3	84.2 - 99.6	36	94.7	91.8 - 96.6	343

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.4	92.6 - 99.1	133	93.7	89.1 - 96.4	178	100.0	†	36	95.7	93.0 - 97.4	347
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	96.7	91.8 - 98.7	133	92.6	87.8 - 95.6	177	97.3	84.2 - 99.6	36	94.6	91.7 - 96.5	346
c. Cigars	96.6	91.7 - 98.7	132	92.6	87.8 - 95.6	177	97.3	84.2 - 99.6	36	94.6	91.6 - 96.5	345
d. Pipes	95.7	90.3 - 98.1	132	92.5	87.6 - 95.5	175	97.3	84.2 - 99.6	36	94.2	91.1 - 96.2	343

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.1	94.3 - 99.9	133	94.9	90.7 - 97.3	181	100.0	†	36	97.0	94.6 - 98.3	350
b. During non-school hours	91.8	86.1 - 95.3	131	83.5	77.6 - 88.1	180	83.6	67.9 - 92.5	36	86.7	82.9 - 89.7	347

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.1	94.3 - 99.9	132	93.8	89.2 - 96.5	177	97.3	84.2 - 99.6	36	96.1	93.5 - 97.7	345
b. During non-school hours	84.9	78.1 - 89.9	130	78.7	72.2 - 84.0	175	78.1	61.0 - 89.1	36	81.0	76.6 - 84.7	341

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.6	93.2 - 99.2	133	93.3	88.6 - 96.1	177	97.3	84.2 - 99.6	36	95.3	92.6 - 97.1	346
b. During non-school hours	85.9	79.3 - 90.6	130	77.6	70.9 - 83.1	175	80.9	64.3 - 90.8	36	81.1	76.7 - 84.8	341

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.1	94.3 - 99.9	134	94.9	90.7 - 97.3	181	100.0	†	36	97.0	94.6 - 98.3	351
b. Outside on school grounds, including parking lots and playing fields	99.1	94.3 - 99.9	134	94.9	90.7 - 97.3	181	100.0	†	36	97.0	94.6 - 98.3	351
c. On school buses or other vehicles used to transport students	99.1	94.3 - 99.9	134	94.9	90.7 - 97.3	181	97.3	84.2 - 99.6	36	96.7	94.3 - 98.1	351
d. At off-campus, school-sponsored events	97.2	92.0 - 99.0	132	94.3	89.9 - 96.9	180	97.3	84.2 - 99.6	36	95.7	92.9 - 97.4	348

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.1	94.3 - 99.9	132	94.9	90.6 - 97.2	178	100.0	†	36	96.9	94.5 - 98.3	346
b. Outside on school grounds, including parking lots and playing fields	99.1	94.3 - 99.9	132	93.7	89.7 - 96.2	178	100.0	†	36	96.3	94.0 - 97.7	346
c. On school buses or other vehicles used to transport students	98.3	93.9 - 99.6	132	94.9	90.6 - 97.2	178	97.3	84.2 - 99.6	36	96.4	93.9 - 97.9	346
d. At off-campus, school-sponsored events	94.0	88.2 - 97.0	130	90.5	85.2 - 94.0	176	97.3	84.2 - 99.6	36	92.4	89.1 - 94.8	342

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.1	94.3 - 99.9	132	94.8	90.5 - 97.2	176	100.0	†	36	96.9	94.5 - 98.3	344
b. Outside on school grounds, including parking lots and playing fields	98.3	93.9 - 99.6	132	92.2	87.8 - 95.0	176	100.0	†	36	95.2	92.7 - 96.9	344
c. On school buses or other vehicles used to transport students	97.6	93.1 - 99.2	132	94.3	89.9 - 96.9	176	94.5	81.9 - 98.5	36	95.6	93.0 - 97.3	344
d. At off-campus, school-sponsored events	89.3	83.2 - 93.4	130	80.3	73.9 - 85.5	176	83.6	67.9 - 92.5	36	84.1	79.9 - 87.5	342

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.6	64.4 - 79.5	126	65.2	57.8 - 72.0	171	69.9	51.4 - 83.6	36	68.5	63.3 - 73.2	333

*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.2	79.5 - 90.9	132	81.5	75.4 - 86.4	176	79.0	62.1 - 89.6	38	83.1	78.9 - 86.5	346

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	13.6	9.0 - 20.1	138	11.9	8.0 - 17.2	184	2.7	0.4 - 15.5	37	11.7	8.9 - 15.4	359
b. Students	14.5	9.8 - 20.8	138	11.1	7.7 - 15.9	184	2.7	0.4 - 15.5	37	11.7	9.0 - 15.1	359

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	15.3	10.2 - 22.2	137	21.0	16.1 - 26.8	183	7.8	2.6 - 21.1	38	17.6	14.2 - 21.6	358
b. Students	15.5	10.6 - 22.2	137	16.0	12.0 - 21.1	184	7.8	2.6 - 21.1	38	15.1	12.0 - 18.7	359

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	6.4	3.7 - 11.0	136	8.0	5.1 - 12.4	187	2.5	0.4 - 14.6	39	6.9	4.9 - 9.7	362
b. Never	0.7	0.1 - 4.2	136	3.3	1.6 - 6.9	187	0.0	†	39	2.0	1.0 - 4.0	362
c. Rarely	15.2	10.8 - 20.9	136	10.4	7.1 - 14.9	187	12.9	5.4 - 27.6	39	12.4	9.8 - 15.7	362
d. Sometimes	43.4	36.0 - 51.1	136	47.1	40.7 - 53.6	187	48.0	33.2 - 63.2	39	45.8	41.2 - 50.5	362
e. Always or almost always	34.2	27.2 - 42.1	136	31.2	25.4 - 37.6	187	36.6	23.7 - 51.7	39	32.8	28.5 - 37.5	362

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.0	60.7 - 74.5	138	47.6	41.1 - 54.1	188	52.0	41.3 - 62.5	39	55.7	51.3 - 60.1	365

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	16.7	11.6 - 23.6	136	5.7	3.4 - 9.4	187	5.1	1.3 - 17.3	39	9.8	7.3 - 13.0	362
b. Other kinds of candy	16.4	11.4 - 23.0	135	7.6	4.7 - 11.9	187	10.4	4.0 - 24.5	39	11.1	8.5 - 14.5	361
c. Salty snacks that are not low in fat (e.g., regular potato chips)	26.5	20.3 - 33.9	136	14.9	10.6 - 20.5	186	5.1	1.3 - 17.3	39	18.4	14.9 - 22.4	361
d. Low sodium or “no added salt” pretzels, crackers, or chips	48.8	41.2 - 56.5	137	31.6	25.9 - 37.8	187	18.9	10.0 - 32.8	39	36.9	32.6 - 41.4	363
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	25.2	19.4 - 32.1	135	16.3	11.8 - 22.2	187	7.8	4.1 - 14.1	38	18.9	15.5 - 22.9	360
f. Ice cream or frozen yogurt that is not low in fat	26.0	19.7 - 33.6	136	21.8	17.0 - 27.5	187	15.2	8.0 - 26.9	39	22.8	19.1 - 26.9	362
g. 2% or whole milk (plain or flavored)	35.8	29.3 - 42.9	136	21.2	16.7 - 26.4	187	10.1	3.9 - 23.8	39	25.7	22.1 - 29.6	362
h. Nonfat or 1% (low-fat) milk (plain)	45.9	38.3 - 53.6	137	28.1	22.5 - 34.4	187	21.7	12.6 - 34.5	39	34.2	30.0 - 38.8	363
i. Water ices or frozen slushes that do not contain juice	9.8	5.9 - 15.9	137	9.6	6.3 - 14.5	186	5.3	1.4 - 18.2	39	9.3	6.8 - 12.6	362
j. Soda pop or fruit drinks that are not 100% juice	14.0	9.2 - 20.7	136	10.2	7.2 - 14.4	187	7.6	2.5 - 20.6	39	11.4	8.8 - 14.7	362
k. Sports drinks (e.g., Gatorade)	54.0	46.8 - 61.1	137	29.2	23.8 - 35.2	187	27.8	18.6 - 39.3	39	38.5	34.4 - 42.7	363

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	3.0	1.2 - 7.4	136	0.6	0.1 - 3.5	187	0.0	†	39	1.4	0.6 - 3.2	362
m. Bottled water	63.4	55.9 - 70.3	137	43.3	37.2 - 49.7	187	44.4	35.0 - 54.2	39	51.0	46.7 - 55.4	363
n. 100% fruit or vegetable juice	52.7	45.0 - 60.3	135	25.9	21.0 - 31.5	187	26.5	16.1 - 40.2	39	36.1	32.0 - 40.3	361
o. Foods or beverages containing caffeine	15.5	10.4 - 22.6	136	7.1	4.4 - 11.3	186	7.6	2.5 - 20.6	39	10.3	7.7 - 13.7	361
p. Fruits (not fruit juice)	42.8	36.0 - 49.9	137	26.0	21.0 - 31.8	187	16.3	7.4 - 32.4	39	31.5	27.6 - 35.7	363
q. Non-fried vegetables (not vegetable juice)	36.4	30.3 - 43.0	137	20.9	15.8 - 27.1	187	5.1	1.3 - 17.3	39	25.3	21.6 - 29.4	363

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	10.0	6.2 - 15.6	135	12.1	8.1 - 17.7	185	10.1	3.9 - 23.8	39	11.1	8.3 - 14.7	359
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	50.1	41.9 - 58.4	136	44.0	37.4 - 50.9	185	27.8	16.1 - 43.6	39	44.8	39.9 - 49.8	360
c. Provided information to students or families on the nutrition and caloric content of foods available	61.5	53.5 - 68.9	136	58.7	52.3 - 64.8	187	35.4	22.2 - 51.2	39	57.6	52.9 - 62.1	362
d. Conducted taste tests to determine food preferences for nutritious items	35.8	28.8 - 43.6	136	33.1	27.3 - 39.5	186	25.3	14.4 - 40.4	39	33.4	29.1 - 38.0	361
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	26.9	20.7 - 34.1	136	16.0	11.5 - 21.6	186	5.1	1.3 - 17.3	39	19.1	15.6 - 23.1	361
f. Served locally or regionally grown foods in the cafeteria or classrooms	20.3	14.5 - 27.7	134	19.7	14.3 - 26.4	182	31.5	19.5 - 46.6	39	21.0	17.1 - 25.6	355
g. Planted a school food or vegetable garden	20.0	14.0 - 27.6	135	20.2	15.0 - 26.6	187	23.0	12.8 - 37.8	39	20.4	16.5 - 24.8	361
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	82.4	75.5 - 87.6	136	79.0	72.9 - 84.0	186	79.8	66.1 - 88.9	39	80.3	76.2 - 83.9	361

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	66.7	59.5 - 73.3	136	68.9	62.4 - 74.7	186	53.3	38.3 - 67.7	39	66.6	62.1 - 70.9	361
j. Offered a self-serve salad bar to students	38.9	31.2 - 47.2	136	22.9	17.7 - 29.1	186	11.3	4.3 - 26.5	39	27.9	23.7 - 32.5	361
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	39.9	32.0 - 48.4	135	37.6	31.5 - 44.2	185	50.7	35.0 - 66.3	38	39.7	35.0 - 44.6	358
l. Encouraged students to drink plain water	73.5	66.7 - 79.3	136	71.0	64.5 - 76.8	188	69.7	53.2 - 82.3	39	71.8	67.4 - 75.9	363
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	49.5	41.4 - 57.7	134	44.0	37.0 - 51.2	185	41.9	27.6 - 57.6	39	45.9	40.8 - 51.0	358
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	38.5	30.5 - 47.1	135	37.7	31.0 - 44.9	186	29.2	17.7 - 44.3	39	37.2	32.4 - 42.4	360

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	77.4	69.4 - 83.8	133	80.0	73.7 - 85.1	185	64.6	50.6 - 76.5	39	77.6	73.0 - 81.5	357
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	63.7	56.5 - 70.4	134	73.0	66.3 - 78.7	186	59.6	44.4 - 73.1	39	68.2	63.6 - 72.5	359
c. On school buses or other vehicles used to transport students	78.8	71.3 - 84.7	133	80.5	74.3 - 85.6	186	64.6	50.6 - 76.5	39	78.4	74.0 - 82.2	358
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	62.1	54.2 - 69.4	134	77.7	70.8 - 83.3	187	57.7	44.0 - 70.4	38	70.0	65.2 - 74.4	359
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	66.9	58.6 - 74.3	132	76.3	69.5 - 82.0	185	51.7	37.7 - 65.5	39	70.5	65.6 - 74.9	356

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	75.6	68.0 - 81.9	131	55.5	49.1 - 61.7	180	77.5	62.1 - 87.8	37	65.1	60.6 - 69.4	348
b. Yes, in certain locations	20.4	14.4 - 27.9	131	32.3	26.5 - 38.6	180	14.6	6.1 - 30.9	37	26.1	22.1 - 30.6	348
c. No	4.0	1.7 - 9.1	131	12.3	8.4 - 17.6	180	8.0	2.7 - 21.6	37	8.8	6.3 - 12.1	348

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.0	90.9 - 98.3	131	87.7	82.4 - 91.6	180	92.0	78.4 - 97.3	37	91.2	87.9 - 93.7	348

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	95.8	90.6 - 98.2	135	96.1	92.3 - 98.1	185	94.8	82.2 - 98.6	38	95.9	93.3 - 97.5	358
b. Cafeteria during lunch	97.5	92.8 - 99.1	135	97.2	93.6 - 98.8	187	97.5	85.4 - 99.6	39	97.3	95.0 - 98.6	361
c. Gymnasium or other indoor physical activity facilities	98.2	93.4 - 99.5	136	94.5	90.9 - 96.8	186	94.9	82.7 - 98.7	39	96.0	93.6 - 97.4	361
d. Outdoor physical activity facilities and sports fields	92.7	87.9 - 95.7	133	86.4	80.9 - 90.5	183	79.8	66.1 - 88.9	39	88.2	84.7 - 90.9	355
e. Hallways throughout the school	99.1	94.3 - 99.9	134	98.3	95.1 - 99.4	187	97.5	85.4 - 99.6	39	98.5	96.6 - 99.4	360

*Among schools with that location.
N = Unweighted number of observations

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.5	70.8 - 84.6	131	80.7	75.3 - 85.1	182	36.8	27.1 - 47.8	39	75.7	71.6 - 79.3	352

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.6	0.4 - 5.8	136	0.5	0.1 - 2.8	186	0.0	†	39	0.8	0.3 - 2.5	361
b. HIV treatment	2.3	0.8 - 6.6	136	1.0	0.3 - 3.8	186	0.0	†	39	1.4	0.6 - 3.2	361
c. STD testing	1.6	0.4 - 5.8	136	0.5	0.1 - 2.8	186	0.0	†	39	0.8	0.3 - 2.5	361
d. STD treatment	3.0	1.2 - 7.4	136	1.0	0.3 - 3.8	186	0.0	†	39	1.7	0.8 - 3.6	361
e. Pregnancy testing	2.3	0.8 - 6.6	136	0.5	0.1 - 2.8	186	0.0	†	39	1.1	0.4 - 2.8	361
f. Provision of condoms	0.7	0.1 - 4.2	136	0.5	0.1 - 2.8	186	0.0	†	39	0.5	0.1 - 1.8	361
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.7	0.1 - 4.2	135	0.5	0.1 - 2.8	186	0.0	†	39	0.5	0.1 - 1.8	360
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.7	0.1 - 4.2	136	0.5	0.1 - 2.8	186	0.0	†	39	0.5	0.1 - 1.8	361
i. Prenatal care	11.0	6.8 - 17.4	136	7.9	5.2 - 11.9	186	2.5	0.4 - 14.6	39	8.6	6.3 - 11.7	361
j. Human papillomavirus (HPV) vaccine administration	0.7	0.1 - 4.2	136	0.5	0.1 - 2.8	186	0.0	†	39	0.5	0.1 - 1.8	361

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	55.8	48.1 - 63.2	134	40.0	33.7 - 46.6	185	20.2	10.1 - 36.4	39	44.1	39.5 - 48.8	358
b. HIV treatment	53.7	46.0 - 61.2	134	38.2	32.1 - 44.8	185	20.2	10.1 - 36.4	39	42.4	37.8 - 47.0	358
c. STD testing	57.2	49.5 - 64.5	134	40.5	34.1 - 47.3	185	20.2	10.1 - 36.4	39	44.9	40.3 - 49.6	358
d. STD treatment	55.1	47.4 - 62.6	134	39.4	33.0 - 46.1	185	20.2	10.1 - 36.4	39	43.5	38.9 - 48.2	358
e. Pregnancy testing	60.6	52.7 - 68.0	133	44.9	38.6 - 51.4	185	22.7	11.7 - 39.5	39	48.7	44.1 - 53.4	357
f. Provision of condoms	35.3	27.8 - 43.5	134	23.7	18.2 - 30.2	184	17.7	8.4 - 33.4	39	27.5	23.2 - 32.2	357
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	33.0	25.9 - 40.9	134	22.5	17.1 - 29.0	184	17.7	8.4 - 33.4	39	26.0	21.8 - 30.6	357
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	36.6	29.2 - 44.6	132	23.3	18.0 - 29.5	183	17.7	8.4 - 33.4	39	27.7	23.5 - 32.3	354
i. Prenatal care	64.9	57.0 - 72.0	133	44.0	37.3 - 51.0	184	22.7	11.7 - 39.5	39	49.8	45.1 - 54.6	356
j. Human papillomavirus (HPV) vaccine administration	51.1	43.6 - 58.6	134	37.8	31.3 - 44.7	185	17.7	8.4 - 33.4	39	40.9	36.3 - 45.7	358

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.8	51.4 - 67.7	131	67.6	61.0 - 73.5	180	64.2	50.3 - 76.0	36	64.3	59.5 - 68.9	347

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	95.8	92.3 - 97.8	135	97.4	94.1 - 98.9	186	94.9	82.7 - 98.7	39	96.6	94.5 - 97.9	360
b. Food allergies	96.5	92.1 - 98.5	135	96.8	93.3 - 98.5	186	97.5	85.4 - 99.6	39	96.8	94.5 - 98.1	360
c. Diabetes	96.5	92.1 - 98.5	135	97.5	94.3 - 98.9	186	97.5	85.4 - 99.6	39	97.1	95.0 - 98.4	360
d. Epilepsy or seizure disorder	96.5	92.1 - 98.5	135	97.5	94.3 - 98.9	186	94.9	82.7 - 98.7	39	96.9	94.7 - 98.2	360
e. Obesity	42.3	34.9 - 50.2	134	53.9	47.3 - 60.4	186	40.4	28.0 - 54.2	39	48.3	43.6 - 53.0	359
f. Hypertension/high blood pressure	83.7	77.9 - 88.2	134	73.9	67.3 - 79.5	186	72.0	55.9 - 83.8	39	77.4	73.1 - 81.1	359

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	58.9	51.7 - 65.7	135	55.6	48.6 - 62.4	185	27.8	15.1 - 45.5	39	54.3	49.5 - 59.0	359
b. Food allergies	58.2	50.9 - 65.2	135	54.0	47.0 - 60.9	185	27.8	15.1 - 45.5	39	53.1	48.3 - 57.9	359
c. Diabetes	58.0	50.4 - 65.2	135	55.6	48.4 - 62.6	185	33.1	19.1 - 50.9	39	54.4	49.4 - 59.3	359
d. Epilepsy or seizure disorder	57.3	49.8 - 64.5	135	54.4	47.4 - 61.3	185	25.3	13.4 - 42.4	39	52.8	48.0 - 57.6	359
e. Obesity	46.6	39.3 - 54.1	135	48.8	41.9 - 55.8	185	22.7	11.7 - 39.5	39	45.5	40.8 - 50.4	359
f. Hypertension/high blood pressure	55.9	48.3 - 63.3	135	52.3	45.1 - 59.3	185	27.8	15.1 - 45.5	39	51.3	46.4 - 56.3	359

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	23.8	17.3 - 31.9	130	32.8	26.9 - 39.3	185	10.1	3.9 - 24.0	39	27.3	23.1 - 31.9	354
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	55.6	47.7 - 63.2	133	64.5	57.9 - 70.6	185	29.7	17.2 - 46.2	37	58.0	53.3 - 62.6	355
c. Involved parents as school volunteers in the delivery of health education activities and services	24.8	18.3 - 32.7	133	34.2	28.1 - 40.8	186	26.2	14.0 - 43.8	38	29.9	25.6 - 34.7	357
d. Linked parents and families to health services and programs in the community	74.7	66.9 - 81.2	134	74.3	68.4 - 79.4	185	52.1	35.1 - 68.6	37	72.4	68.0 - 76.5	356

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
77.9	70.0 - 84.1	136	90.2	85.4 - 93.5	186	82.3	66.6 - 91.6	39	84.8	80.8 - 88.0	361

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
34.8	27.8 - 42.6	136	45.1	38.3 - 52.1	184	7.6	2.5 - 20.6	39	37.7	33.1 - 42.4	359

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.1	56.2 - 71.3	134	54.2	47.5 - 60.7	183	42.0	28.0 - 57.4	38	56.8	52.0 - 61.5	355

TEXAS

2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.2	83.9 - 92.9	135	84.9	79.9 - 88.9	183	76.1	61.3 - 86.5	38	85.8	82.3 - 88.6	356

T E X A S

**2014 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
62.8	54.5 - 70.3	134	61.6	54.8 - 67.9	182	60.7	45.1 - 74.3	39	61.9	57.0 - 66.6	355