

Temperature Recording Form for Refrigerator –Celsius

Monitor temperatures closely!

- 1. Write your initials below in "Staff Initials," and note the time in "Exact Time."
- 2. Record temps twice each workday.
- 3. Record the min / max temps once each workday— preferably in the morning.
- 4. Put an "X" in the row that corresponds to the refrigerator's temperature.
- 5. If any out-of-range temp, see instructions to the right.
- 6. After each month has ended, save each month's log for 5 years.
- 7. Enter the data logger expiration date.

Month / Year	VFCPIN
Facility Name	
TVFC Coordinator	

Take action if temp is out of range—too warm (above 8°C) or too cold (below 2°C).

- Label exposed vaccine "do not use," and store it under proper conditions as quickly as possible.
 Do not discard vaccines unless directed to by your state / local health department and / or the manufacturer(s).
- 2. Record the out-of-range temps and the room temp in the "Action" area on the bottom of the log.
- 3. Notify your vaccine coordinator, or call the immunization program at your state or local health department for guidance.
- 4. Document the action taken on the "Vaccine Storage Troubleshooting Record" on page 3.

. Inter the data rogger expiration date.																															
Day	of Month	:	1	:	2		3	4	1	į	5	(5	7	7	8	3	g	9	10)	1	1	1	2	1	3	14	4	1	15
Staf	f Initials																													1	
Exa	ct Time	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min / Max Temp (since previous reading)																															
Da	Danger! Temperatures above 8°C are too warm! Write any out-of range temps and room temp on the lines below and call your state or local health department immediately!																														
SES	8°C																														
RATU	7°C																														
TEMPERATURES	∖ 6°C																														
	mfor 5°C 5°C																														
BIE	4°C																														
ACCEPTABLE	3°C																														
AC	2°C																														
Dai	nger! Temperatur	es be	low 2	°C ar	e too	cold!	Write	any o	out-of	f-rang	e tem	ıps an	d roo	m ten	np on	the li	ines b	elow	and c	all you	ır sta	te or	local	healt	n depa	artme	nt im	media	ately!		
ACTION	Write any out-of- range temps (above 8°C or below 2°C) here:																														
	Room Temperature																														

If you have a vaccine storage issue, also complete "Vaccine Storage Troubleshooting Record" found on page 3.

Page 1 of 3

Data Logger Expiration	Date		
------------------------	------	--	--





Temperature Recording Form for Refrigerator -Celsius

Monitor temperatures closely!

- 1. Write your initials below in "Staff Initials," and note the time in "Exact Time."
- 2. Record temps twice each workday.
- 3. Record the min / max temps once each workday— preferably in the morning.
- **4.** Put an "X" in the row that corresponds to the refrigerator's temperature.
- **5.** If any out-of-range temp, see instructions to the right.
- 6. After each month has ended, save each month's log for 5 years.

Month / Year	VFCPIN	
Facility Name		

TVFC Coordinator

Take action if temp is out of range—too warm (above 8°C) or too cold (below 2°C).

- 1. Label exposed vaccine "do not use," and store it under proper conditions as quickly as possible. Do not discard vaccines unless directed to by your state / local health department and / or the manufacturer(s).
- 2. Record the out-of-range temps and the room temp in the "Action" area on the bottom of the log.
- 3. Notify your vaccine coordinator, or call the immunization program at your state or local health department for guidance.

. Enter the data logger expiration date.											4. Document the action taken on the vaccine storage moubleshooting Record on page 5.																					
Day of Month	1	L6	1	.7	:	18	1	19	2	20	2	21	2	22	2	23	2	24	2	25	2	6	2	27	2	28	2	29	3	30	3	1
Staff Initials																																
Exact Time	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min / Max Temp (since previous reading)																																/
Danger! Temperatu	res at	oove 8	3°C ar	e too	warn	n! Wri	te an	y out-	of rar	nge te	mps a	and ro	oom t	emp c	n the	lines	belov	w and	call y	our s	tate o	r loca	ıl hea	lth de	partn	nent i	mme	diatel	y!			
ន្ទ័ 8°C																														l		
7°C																																
O°C																																
Aimfor 5°C 5°C																																
4°C																																
3°C																																
2°C																																
Danger! Temperatur		low 2	2°C ar	e too	cold!	Write	e any	out-o	f-rang	e tem	nps ar	nd roc	m tei	mp on	the I	ines b	elow	and c	all yo	ur sta	ite or	local	healt	h dep	artme	ent im	ımedi	ately!				
Write any out-of- range temps (above 8°C or below 2°C) here:																																
Room Temperature																																

If you have a vaccine storage issue, also complete "Vaccine Storage Troubleshooting Record" found on page 3.

age	2	of	3

Data	Logger	Expiration	Date			
------	--------	-------------------	------	--	--	--



Vaccine Storage Troubleshooting Record (check one) □ **Refrigerator** □ **Freezer**

Use this form to document any unacceptable vaccine storage event, such as exposure of refrigerated vaccines to temperatures that are outside the manufacturers' recommended storage ranges.

D. I. O. T	C		B T	B 6								
Date & Time of Event If multiple, related events occurred,	Storage Unit Temperat		Room Temperature	Person Completing Report								
see Description of Event below.	at the time the problem wa	s discovered	at the time the problem was discovered									
Date:	Temp when discovered:		Temp when discovered:	Name:								
Time:	Minimum temp:	Maximum temp:	Comment (optional):	Title: Date:								
General description (i.e., what happened?) Estimated length of time between event and last documented reading of storage temperature in acceptable range (35° to 46°F [2° to 8°C] for refrigerator; -58° to 5°F [-50° to -15°C] for freezer) Inventory of affected vaccines, including (1) lot #s and (2) whether purchased with public (for example, VFC) or private funds (Use separate sheet if needed, but maintain the inventory with this troubleshooting record.) At the time of the event, what else was in the storage unit? For example, were there water bottles in the refrigerator and / or frozen coolant packs in the freezer? Prior to this event, have there been any storage problems with this unit and / or with the affected vaccine? Include any other information you feel might be relevant to understanding the event.												
Action Taken (Document thoroug) When were the affected vaccines p state / local health department and Who was contacted regarding the i IMPORTANT: What did you do to proceed the state of the state	laced in proper storage condition / or the manufacturer[s].) ncident? (For example, superviso	ns? (Note: Do not discard the vacor, state / local health department,	cine. Store exposed vaccine in proper conditions and	label it "do not use" until after you can discuss	with your							
Results • What happened to the vaccine? Wa	as it able to be used? If not, was	it returned to the distributor? (No	ote: For public-purchase vaccine, follow your state / I	ocal health department instructions for vaccine	disposition.)							

