

Pregnancy Risk Assessment Monitoring System (PRAMS) 2012 Data Book

Office of Program Decision Support

May 2016



Introduction

The Pregnancy Risk Assessment Monitoring System (PRAMS) is a surveillance system designed to monitor maternal attitudes and behaviors before, during, and after pregnancy. Conducted in partnership with the Centers for Disease Control and Prevention (CDC) and the Texas Department of State Health Services (DSHS), Texas PRAMS is a population-based assessment that monitors the health and behaviors of new mothers in Texas. Of the 1,578 mothers sampled in 2012, 892 completed a survey — representing a weighted response rate of 59%.

Women who are selected for PRAMS are contacted through the mail when their infants are approximately 60 to 180 days old. They receive a letter that introduces the PRAMS survey and encourages their participation. They are notified that they will be contacted through follow-up mailings that will include a copy of the PRAMS survey. Women who do not respond receive two subsequent mailings. Women who do not return the survey through the mail are moved into the telephone phase of data collection. Women are called and encouraged to complete the survey over the phone. During all communications, they are informed that their participation is voluntary, and that their data will remain confidential and anonymous. The survey is available in English or Spanish. Women who complete the survey (via mail or telephone) receive a \$20 gift certificate to Target or Walmart. This data collection cycle is repeated each month during the birth year, and approximately 200 women per month were selected for the 2012 survey.

Tables reported in this data book include overall results for each survey question, as well as results according to several sociodemographic characteristics. Percentages reported in the tables are weighted to ensure that results are representative of women who have given birth in 2012 to a live infant and are residents of Texas. The 892 women who completed the survey are representative of all 375,515 Texas residents who had a live birth in 2012.

The sampling specifications for Texas PRAMS are designed for estimating percentages at a 95% confidence level. A 95% confidence interval is an interval, or range of values, that has a 95% probability of containing the true population percentage that is being estimated. The 95% confidence interval provides information about the margin of error of an estimate.

Each table in the data book consists of several columns:

- *Weighted Frequency* — the estimated number of individuals in each population subgroup who answered the survey question for each sociodemographic variable, i.e., birthweight, race/ethnicity, marital status, WIC status, pregnancy intention, and prenatal care in the first trimester.
- Percent (*PCT*) — the estimated percentage of women who gave a particular response to a question, weighted to represent the entire population of women who are Texas residents who had a live birth in 2012.
- Confidence Interval (*95% LCL, 95% UCL*) — the margin of error for the PCT expressed as the range of expected variation with a lower confidence limit (LCL) and an upper confidence limit (UCL).

Consistent with CDC standards for reporting PRAMS survey results, we recommend that all percents (PCTs) be reported with corresponding 95% lower confidence limits (LCLs) and upper confidence limits (UCLs). The percentages in the tables are representative of women who have given birth in 2012 to a live infant and are residents of Texas. Questions regarding the data book should be directed to Dr. Tanya Guthrie, Texas PRAMS Coordinator, at 512-776-2935, or to tanya.guthrie@dshs.state.tx.us or texasprams@dshs.state.tx.us.

Below is a summary of key findings from the 2012 PRAMS Data Book, presented by topic area along with 95% confidence intervals (CI). The Data Book charts and tables offer additional analyses by sociodemographic characteristics.

Summary of Key Findings

Breastfeeding

- 86.6% (CI: 83.8-89.3%) indicated that they breastfed or pumped breast milk to feed their new baby after delivery. (Q58)

Pregnancy Intention

- 51.7% (CI: 47.6-55.8%) reported that their pregnancy was intended. (Q12)
- 28.7% (CI: 25.0-32.5%) reported that their pregnancy was mistimed. (Q12)
- 6.6% (CI: 4.6-8.6%) reported that their pregnancy was unwanted. (Q12)

Intimate Partner Violence

- 47.7% (CI: 43.6-51.8%) said that a doctor, nurse, or other health care worker talked with them about physical abuse by their husbands or partners. (Q23)
- 2.8 (CI: 1.5-4.0) reported that their husband or partner threatened them, limited their activities against their will, or made them feel unsafe before or during their pregnancy. (Q78)
- 3.5% (CI: 2.1-4.9%) reported that their husband or partner physically abused them before or during their pregnancy. (Q46,Q47)

Oral Health

- 41.5% (CI: 37.5-45.4%) had a teeth cleaning before pregnancy. (Q7)
- 35.1% (CI: 31.2-38.9%) had a teeth cleaning during pregnancy. (Q28)

Postpartum

- 85.4% (CI: 82.4-88.4%) reported having a postpartum checkup for themselves since their pregnancy. (Q72)

Prenatal Care

- 79.5% (CI: 76.1-82.9%) received prenatal care as early as they wanted. (Q19)
- 74.8% (CI: 71.2-78.5%) received prenatal care during the first trimester. (Q18)

Safe Sleep

- 71.6% (CI: 67.8-75.3%) put their baby to sleep on his or her back. (Q63)

Tobacco

- 97.0% (CI: 95.8-98.2%) reported that smoking is not allowed inside the home. (Q38)
- 16.6% (CI: 13.6-19.5%) said that they had smoked cigarettes in the three months before their pregnancy. (Q35)
- 6.5% (CI: 4.6-8.3%) reported smoking cigarettes in the last three months of their pregnancy. (Q36)
- 10.5% (CI: 8.1-12.9%) said they smoked cigarettes postpartum. (Q37)

Vaccinations

- 39.5% (CI: 35.5-43.5%) received a flu vaccination before or during pregnancy. (Q26)
- 64.2% (CI: 59.9-68.6%) received a TDAP vaccination before, during, or after pregnancy. (Q81)

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 21,227 | 85.3 | 80.4 | 90.2 | 3,650 | 14.7 | 9.8 | 19.6 |
| | Normal Birth Weight | 296,840 | 86.6 | 83.7 | 89.6 | 45,743 | 13.4 | 10.4 | 16.3 |
| Total | | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 30,944 | 87.6 | 79.9 | 95.3 | 4,386 | 12.4 | 4.7 | 20.1 |
| | Term >36 wks | 287,123 | 86.4 | 83.5 | 89.4 | 45,008 | 13.6 | 10.6 | 16.5 |
| Total | | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|-----------|------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 165,170 | 87.9 | 84.1 | 91.7 | 22,693 | 12.1 | 8.3 | 15.9 |
| | Not Sure | 38,252 | 79.9 | 71.3 | 88.4 | 9,645 | 20.1 | 11.6 | 28.7 |
| | Unintended | 110,802 | 87.6 | 83.0 | 92.1 | 15,690 | 12.4 | 7.9 | 17.0 |
| | Total | 314,224 | 86.7 | 84.0 | 89.5 | 48,028 | 13.3 | 10.5 | 16.0 |

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 195,429 | 90.3 | 87.1 | 93.5 | 21,038 | 9.7 | 6.5 | 12.9 |
| | Not Married | 122,638 | 81.2 | 76.3 | 86.2 | 28,356 | 18.8 | 13.8 | 23.7 |
| Total | | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 71,870 | 83.1 | 77.2 | 89.0 | 14,598 | 16.9 | 11.0 | 22.8 |
| | Overweight | 80,561 | 85.7 | 79.8 | 91.7 | 13,403 | 14.3 | 8.3 | 20.2 |
| | Underweight or Normal | 164,196 | 88.6 | 84.8 | 92.3 | 21,229 | 11.4 | 7.7 | 15.2 |
| | Total | 316,627 | 86.5 | 83.8 | 89.3 | 49,229 | 13.5 | 10.7 | 16.2 |

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Ever Breastfed by Maternal Race

Q58: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Breastfed | | | | Not Breastfed | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 29,851 | 73.6 | 68.2 | 79.0 | 10,696 | 26.4 | 21.0 | 31.8 |
| Hispanic | 156,973 | 88.4 | 83.9 | 92.9 | 20,580 | 11.6 | 7.1 | 16.1 |
| Other | 17,402 | 95.1 | 87.2 | 100.0 | 898 | 4.9 | 0.0 | 12.8 |
| White | 113,841 | 86.9 | 82.4 | 91.3 | 17,221 | 13.1 | 8.7 | 17.6 |
| Total | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|-------------------|--------------------------|----------------|-------------|-------------|-------------|---------------|-------------|-------------|-------------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 141,475 | 83.5 | 79.2 | 87.8 | 28,047 | 16.5 | 12.2 | 20.8 |
| | Private Insurance | 120,849 | 91.9 | 88.3 | 95.6 | 10,590 | 8.1 | 4.4 | 11.7 |
| | Self pay, Other, Unknown | 55,744 | 83.8 | 76.0 | 91.7 | 10,757 | 16.2 | 8.3 | 24.0 |
| | Total | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 67,884 | 75.0 | 67.6 | 82.4 | 22,614 | 25.0 | 17.6 | 32.4 |
| | Prenatal Care First Trimester | 244,502 | 90.4 | 87.7 | 93.1 | 26,041 | 9.6 | 6.9 | 12.3 |
| Total | | 312,385 | 86.5 | 83.7 | 89.3 | 48,655 | 13.5 | 10.7 | 16.3 |

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Breastfed | | | | Not Breastfed | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 147,095 | 91.2 | 88.0 | 94.4 | 14,192 | 8.8 | 5.6 | 12.0 |
| | WIC | 170,972 | 82.9 | 78.7 | 87.2 | 35,202 | 17.1 | 12.8 | 21.3 |
| Total | | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |

1. Select a chapter
Breastfeeding

2. Select a question topic
 Ever Breastfed

Ever Breastfed

Q58: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?

| | | Breastfed | | | | Not Breastfed | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 318,067 | 86.6 | 83.8 | 89.3 | 49,394 | 13.4 | 10.7 | 16.2 |
| Birth Weight | Low Birth Weight | 21,227 | 85.3 | 80.4 | 90.2 | 3,650 | 14.7 | 9.8 | 19.6 |
| | Normal Birth Weight | 296,840 | 86.6 | 83.7 | 89.6 | 45,743 | 13.4 | 10.4 | 16.3 |
| Gestational Age | Preterm <=36 wks | 30,944 | 87.6 | 79.9 | 95.3 | 4,386 | 12.4 | 4.7 | 20.1 |
| | Term >36 wks | 287,123 | 86.4 | 83.5 | 89.4 | 45,008 | 13.6 | 10.6 | 16.5 |
| Marital Status | Married | 195,429 | 90.3 | 87.1 | 93.5 | 21,038 | 9.7 | 6.5 | 12.9 |
| | Not Married | 122,638 | 81.2 | 76.3 | 86.2 | 28,356 | 18.8 | 13.8 | 23.7 |
| PNC First Trimester | No Prenatal Care First Trimester | 67,884 | 75.0 | 67.6 | 82.4 | 22,614 | 25.0 | 17.6 | 32.4 |
| | Prenatal Care First Trimester | 244,502 | 90.4 | 87.7 | 93.1 | 26,041 | 9.6 | 6.9 | 12.3 |
| WIC Status | Not WIC | 147,095 | 91.2 | 88.0 | 94.4 | 14,192 | 8.8 | 5.6 | 12.0 |
| | WIC | 170,972 | 82.9 | 78.7 | 87.2 | 35,202 | 17.1 | 12.8 | 21.3 |
| Intention | Intended | 165,170 | 87.9 | 84.1 | 91.7 | 22,693 | 12.1 | 8.3 | 15.9 |
| | Not Sure | 38,252 | 79.9 | 71.3 | 88.4 | 9,645 | 20.1 | 11.6 | 28.7 |
| | Unintended | 110,802 | 87.6 | 83.0 | 92.1 | 15,690 | 12.4 | 7.9 | 17.0 |
| Maternal BMI Category | Obese | 71,870 | 83.1 | 77.2 | 89.0 | 14,598 | 16.9 | 11.0 | 22.8 |
| | Overweight | 80,561 | 85.7 | 79.8 | 91.7 | 13,403 | 14.3 | 8.3 | 20.2 |
| | Underweight or Normal | 164,196 | 88.6 | 84.8 | 92.3 | 21,229 | 11.4 | 7.7 | 15.2 |
| Payer of Delivery | Medicaid | 141,475 | 83.5 | 79.2 | 87.8 | 28,047 | 16.5 | 12.2 | 20.8 |
| | Private Insurance | 120,849 | 91.9 | 88.3 | 95.6 | 10,590 | 8.1 | 4.4 | 11.7 |
| | Self pay, Other, Unknown | 55,744 | 83.8 | 76.0 | 91.7 | 10,757 | 16.2 | 8.3 | 24.0 |
| Maternal Race | Black | 29,851 | 73.6 | 68.2 | 79.0 | 10,696 | 26.4 | 21.0 | 31.8 |
| | Hispanic | 156,973 | 88.4 | 83.9 | 92.9 | 20,580 | 11.6 | 7.1 | 16.1 |
| | Other | 17,402 | 95.1 | 87.2 | 100.0 | 898 | 4.9 | 0.0 | 12.8 |
| | White | 113,841 | 86.9 | 82.4 | 91.3 | 17,221 | 13.1 | 8.7 | 17.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 13,297 | 47.8 | 41.3 | 54.3 | 4,135 | 14.9 | 10.0 | 19.7 | 10,389 | 37.3 | 31.0 | 43.7 |
| | Normal Birth Weight | 178,100 | 52.0 | 47.6 | 56.4 | 43,892 | 12.8 | 9.9 | 15.7 | 120,493 | 35.2 | 31.0 | 39.4 |
| | Total | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 15,940 | 42.8 | 33.1 | 52.5 | 6,530 | 17.5 | 9.6 | 25.5 | 14,787 | 39.7 | 29.8 | 49.6 |
| | Term >36 wks | 175,457 | 52.7 | 48.3 | 57.1 | 41,497 | 12.5 | 9.6 | 15.3 | 116,095 | 34.9 | 30.6 | 39.1 |
| Total | | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery


PNC First Trimester

WIC Status



Intended by Marital Status

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 138,958 | 64.2 | 59.1 | 69.4 | 26,179 | 12.1 | 8.6 | 15.6 | 51,147 | 23.6 | 19.0 | 28.3 |
| | Not Married | 52,439 | 34.0 | 27.8 | 40.3 | 21,848 | 14.2 | 10.0 | 18.4 | 79,735 | 51.8 | 45.3 | 58.3 |
| Total | | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Intended by Maternal BMI Category
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 42,119 | 47.7 | 39.4 | 56.1 | 14,592 | 16.5 | 10.4 | 22.7 | 31,530 | 35.7 | 27.7 | 43.8 |
| | Overweight | 49,068 | 51.5 | 43.4 | 59.7 | 12,033 | 12.6 | 7.3 | 18.0 | 34,119 | 35.8 | 28.0 | 43.7 |
| | Underweight or Normal | 98,736 | 53.3 | 47.5 | 59.1 | 21,403 | 11.6 | 7.9 | 15.2 | 65,104 | 35.1 | 29.5 | 40.7 |
| | Total | 189,922 | 51.5 | 47.4 | 55.6 | 48,027 | 13.0 | 10.3 | 15.7 | 130,752 | 35.5 | 31.5 | 39.4 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Intended | | | | Not Sure | | | | Unintended | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 13,875 | 33.4 | 27.7 | 39.2 | 7,494 | 18.1 | 13.4 | 22.7 | 20,137 | 48.5 | 42.5 | 54.6 |
| Hispanic | 83,918 | 47.3 | 40.5 | 54.2 | 21,945 | 12.4 | 7.9 | 16.8 | 71,422 | 40.3 | 33.5 | 47.0 |
| Other | 12,059 | 62.3 | 46.7 | 78.0 | 1,703 | 8.8 | 0.0 | 17.9 | 5,580 | 28.8 | 14.2 | 43.5 |
| White | 81,544 | 61.7 | 55.5 | 67.8 | 16,885 | 12.8 | 8.5 | 17.0 | 33,744 | 25.5 | 20.0 | 31.0 |
| Total | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 65,941 | 38.5 | 32.5 | 44.5 | 28,691 | 16.7 | 12.3 | 21.2 | 76,716 | 44.8 | 38.7 | 50.9 |
| | Private Insurance | 88,151 | 67.1 | 61.0 | 73.1 | 12,692 | 9.7 | 5.9 | 13.4 | 30,613 | 23.3 | 17.8 | 28.8 |
| | Self pay, Other, Unknown | 37,306 | 55.3 | 44.7 | 65.8 | 6,644 | 9.8 | 3.9 | 15.8 | 23,553 | 34.9 | 24.7 | 45.0 |
| | Total | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 36,842 | 39.9 | 31.3 | 48.4 | 13,662 | 14.8 | 9.1 | 20.5 | 41,890 | 45.3 | 36.8 | 53.8 |
| | Prenatal Care First Trimester | 150,096 | 55.3 | 50.6 | 59.9 | 34,251 | 12.6 | 9.5 | 15.7 | 87,195 | 32.1 | 27.7 | 36.5 |
| | Total | 186,939 | 51.4 | 47.3 | 55.5 | 47,914 | 13.2 | 10.4 | 15.9 | 129,085 | 35.5 | 31.5 | 39.4 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Intended by WIC Status
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 102,011 | 62.9 | 57.4 | 68.5 | 17,520 | 10.8 | 7.3 | 14.4 | 42,531 | 26.2 | 21.1 | 31.4 |
| | WIC | 89,386 | 42.9 | 37.2 | 48.7 | 30,507 | 14.6 | 10.7 | 18.6 | 88,352 | 42.4 | 36.7 | 48.1 |
| Total | | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |

1. Select a chapter

Intention

2. Select a question topic

- Intended
- Mistimed
- Unwanted

Intended

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

| | | Intended | | | | Not Sure | | | | Unintended | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 191,397 | 51.7 | 47.6 | 55.8 | 48,027 | 13.0 | 10.3 | 15.7 | 130,882 | 35.3 | 31.4 | 39.3 |
| Birth Weight | Low Birth Weight | 13,297 | 47.8 | 41.3 | 54.3 | 4,135 | 14.9 | 10.0 | 19.7 | 10,389 | 37.3 | 31.0 | 43.7 |
| | Normal Birth Weight | 178,100 | 52.0 | 47.6 | 56.4 | 43,892 | 12.8 | 9.9 | 15.7 | 120,493 | 35.2 | 31.0 | 39.4 |
| Gestational Age | Preterm <=36 wks | 15,940 | 42.8 | 33.1 | 52.5 | 6,530 | 17.5 | 9.6 | 25.5 | 14,787 | 39.7 | 29.8 | 49.6 |
| | Term >36 wks | 175,457 | 52.7 | 48.3 | 57.1 | 41,497 | 12.5 | 9.6 | 15.3 | 116,095 | 34.9 | 30.6 | 39.1 |
| Marital Status | Married | 138,958 | 64.2 | 59.1 | 69.4 | 26,179 | 12.1 | 8.6 | 15.6 | 51,147 | 23.6 | 19.0 | 28.3 |
| | Not Married | 52,439 | 34.0 | 27.8 | 40.3 | 21,848 | 14.2 | 10.0 | 18.4 | 79,735 | 51.8 | 45.3 | 58.3 |
| PNC First Trimester | No Prenatal Care First Trimester | 36,842 | 39.9 | 31.3 | 48.4 | 13,662 | 14.8 | 9.1 | 20.5 | 41,890 | 45.3 | 36.8 | 53.8 |
| | Prenatal Care First Trimester | 150,096 | 55.3 | 50.6 | 59.9 | 34,251 | 12.6 | 9.5 | 15.7 | 87,195 | 32.1 | 27.7 | 36.5 |
| WIC Status | Not WIC | 102,011 | 62.9 | 57.4 | 68.5 | 17,520 | 10.8 | 7.3 | 14.4 | 42,531 | 26.2 | 21.1 | 31.4 |
| | WIC | 89,386 | 42.9 | 37.2 | 48.7 | 30,507 | 14.6 | 10.7 | 18.6 | 88,352 | 42.4 | 36.7 | 48.1 |
| Maternal BMI Category | Obese | 42,119 | 47.7 | 39.4 | 56.1 | 14,592 | 16.5 | 10.4 | 22.7 | 31,530 | 35.7 | 27.7 | 43.8 |
| | Overweight | 49,068 | 51.5 | 43.4 | 59.7 | 12,033 | 12.6 | 7.3 | 18.0 | 34,119 | 35.8 | 28.0 | 43.7 |
| | Underweight or Normal | 98,736 | 53.3 | 47.5 | 59.1 | 21,403 | 11.6 | 7.9 | 15.2 | 65,104 | 35.1 | 29.5 | 40.7 |
| Payer of Delivery | Medicaid | 65,941 | 38.5 | 32.5 | 44.5 | 28,691 | 16.7 | 12.3 | 21.2 | 76,716 | 44.8 | 38.7 | 50.9 |
| | Private Insurance | 88,151 | 67.1 | 61.0 | 73.1 | 12,692 | 9.7 | 5.9 | 13.4 | 30,613 | 23.3 | 17.8 | 28.8 |
| | Self pay, Other, Unknown | 37,306 | 55.3 | 44.7 | 65.8 | 6,644 | 9.8 | 3.9 | 15.8 | 23,553 | 34.9 | 24.7 | 45.0 |
| Maternal Race | Black | 13,875 | 33.4 | 27.7 | 39.2 | 7,494 | 18.1 | 13.4 | 22.7 | 20,137 | 48.5 | 42.5 | 54.6 |
| | Hispanic | 83,918 | 47.3 | 40.5 | 54.2 | 21,945 | 12.4 | 7.9 | 16.8 | 71,422 | 40.3 | 33.5 | 47.0 |
| | Other | 12,059 | 62.3 | 46.7 | 78.0 | 1,703 | 8.8 | 0.0 | 17.9 | 5,580 | 28.8 | 14.2 | 43.5 |
| | White | 81,544 | 61.7 | 55.5 | 67.8 | 16,885 | 12.8 | 8.5 | 17.0 | 33,744 | 25.5 | 20.0 | 31.0 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 7,624 | 27.4 | 21.5 | 33.3 | 16,062 | 57.7 | 51.2 | 64.3 | 4,135 | 14.9 | 10.0 | 19.7 |
| | Normal Birth Weight | 98,817 | 28.9 | 24.8 | 32.9 | 199,776 | 58.3 | 54.0 | 62.7 | 43,892 | 12.8 | 9.9 | 15.7 |
| Total | | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Gestational Age
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 11,535 | 31.0 | 21.6 | 40.4 | 19,193 | 51.5 | 41.5 | 61.5 | 6,530 | 17.5 | 9.6 | 25.5 |
| | Term >36 wks | 94,907 | 28.5 | 24.5 | 32.5 | 196,645 | 59.0 | 54.7 | 63.4 | 41,497 | 12.5 | 9.6 | 15.3 |
| Total | | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Marital Status

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 38,370 | 17.7 | 13.6 | 21.9 | 151,735 | 70.2 | 65.2 | 75.1 | 26,179 | 12.1 | 8.6 | 15.6 |
| | Not Married | 68,071 | 44.2 | 37.7 | 50.7 | 64,102 | 41.6 | 35.2 | 48.0 | 21,848 | 14.2 | 10.0 | 18.4 |
| Total | | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Maternal BMI Category

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 20,146 | 22.8 | 15.8 | 29.8 | 53,503 | 60.6 | 52.5 | 68.8 | 14,592 | 16.5 | 10.4 | 22.7 |
| | Overweight | 25,783 | 27.1 | 19.7 | 34.4 | 57,404 | 60.3 | 52.3 | 68.3 | 12,033 | 12.6 | 7.3 | 18.0 |
| | Underweight or Normal | 60,383 | 32.6 | 27.1 | 38.1 | 103,457 | 55.8 | 50.1 | 61.6 | 21,403 | 11.6 | 7.9 | 15.2 |
| | Total | 106,312 | 28.8 | 25.1 | 32.6 | 214,363 | 58.1 | 54.1 | 62.2 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Maternal Race

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 14,289 | 34.4 | 28.7 | 40.2 | 19,723 | 47.5 | 41.5 | 53.6 | 7,494 | 18.1 | 13.4 | 22.7 |
| Hispanic | 60,466 | 34.1 | 27.5 | 40.7 | 94,874 | 53.5 | 46.7 | 60.4 | 21,945 | 12.4 | 7.9 | 16.8 |
| Other | 3,943 | 20.4 | 8.1 | 32.7 | 13,696 | 70.8 | 56.5 | 85.1 | 1,703 | 8.8 | 0.0 | 17.9 |
| White | 27,743 | 21.0 | 15.8 | 26.1 | 87,545 | 66.2 | 60.2 | 72.2 | 16,885 | 12.8 | 8.5 | 17.0 |
| Total | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Payer of Delivery

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 63,583 | 37.1 | 31.2 | 43.1 | 79,074 | 46.1 | 40.0 | 52.3 | 28,691 | 16.7 | 12.3 | 21.2 |
| | Private Insurance | 24,520 | 18.7 | 13.6 | 23.7 | 94,244 | 71.7 | 65.9 | 77.5 | 12,692 | 9.7 | 5.9 | 13.4 |
| | Self pay, Other, Unknown | 18,339 | 27.2 | 17.5 | 36.8 | 42,519 | 63.0 | 52.7 | 73.3 | 6,644 | 9.8 | 3.9 | 15.8 |
| | Total | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by PNC First Trimester
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 33,242 | 36.0 | 27.7 | 44.2 | 45,490 | 49.2 | 40.6 | 57.8 | 13,662 | 14.8 | 9.1 | 20.5 |
| | Prenatal Care First Trimester | 71,561 | 26.4 | 22.1 | 30.6 | 165,730 | 61.0 | 56.4 | 65.6 | 34,251 | 12.6 | 9.5 | 15.7 |
| | Total | 104,803 | 28.8 | 25.0 | 32.6 | 211,220 | 58.0 | 54.0 | 62.1 | 47,914 | 13.2 | 10.4 | 15.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery


PNC First Trimester

WIC Status



Mistimed by WIC Status

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 33,799 | 20.9 | 16.1 | 25.6 | 110,742 | 68.3 | 62.9 | 73.8 | 17,520 | 10.8 | 7.3 | 14.4 |
| | WIC | 72,643 | 34.9 | 29.4 | 40.4 | 105,096 | 50.5 | 44.7 | 56.2 | 30,507 | 14.6 | 10.7 | 18.6 |
| Total | | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |

1. Select a chapter

Intention

2. Select a question topic

- Intended
- Mistimed
- Unwanted

Mistimed

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

| | | Mistimed | | | | Not Mistimed | | | | Not Sure | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 106,442 | 28.7 | 25.0 | 32.5 | 215,838 | 58.3 | 54.2 | 62.3 | 48,027 | 13.0 | 10.3 | 15.7 |
| Birth Weight | Low Birth Weight | 7,624 | 27.4 | 21.5 | 33.3 | 16,062 | 57.7 | 51.2 | 64.3 | 4,135 | 14.9 | 10.0 | 19.7 |
| | Normal Birth Weight | 98,817 | 28.9 | 24.8 | 32.9 | 199,776 | 58.3 | 54.0 | 62.7 | 43,892 | 12.8 | 9.9 | 15.7 |
| Gestational Age | Preterm <=36 wks | 11,535 | 31.0 | 21.6 | 40.4 | 19,193 | 51.5 | 41.5 | 61.5 | 6,530 | 17.5 | 9.6 | 25.5 |
| | Term >36 wks | 94,907 | 28.5 | 24.5 | 32.5 | 196,645 | 59.0 | 54.7 | 63.4 | 41,497 | 12.5 | 9.6 | 15.3 |
| Marital Status | Married | 38,370 | 17.7 | 13.6 | 21.9 | 151,735 | 70.2 | 65.2 | 75.1 | 26,179 | 12.1 | 8.6 | 15.6 |
| | Not Married | 68,071 | 44.2 | 37.7 | 50.7 | 64,102 | 41.6 | 35.2 | 48.0 | 21,848 | 14.2 | 10.0 | 18.4 |
| PNC First Trimester | No Prenatal Care First Trimester | 33,242 | 36.0 | 27.7 | 44.2 | 45,490 | 49.2 | 40.6 | 57.8 | 13,662 | 14.8 | 9.1 | 20.5 |
| | Prenatal Care First Trimester | 71,561 | 26.4 | 22.1 | 30.6 | 165,730 | 61.0 | 56.4 | 65.6 | 34,251 | 12.6 | 9.5 | 15.7 |
| WIC Status | Not WIC | 33,799 | 20.9 | 16.1 | 25.6 | 110,742 | 68.3 | 62.9 | 73.8 | 17,520 | 10.8 | 7.3 | 14.4 |
| | WIC | 72,643 | 34.9 | 29.4 | 40.4 | 105,096 | 50.5 | 44.7 | 56.2 | 30,507 | 14.6 | 10.7 | 18.6 |
| Maternal BMI Category | Obese | 20,146 | 22.8 | 15.8 | 29.8 | 53,503 | 60.6 | 52.5 | 68.8 | 14,592 | 16.5 | 10.4 | 22.7 |
| | Overweight | 25,783 | 27.1 | 19.7 | 34.4 | 57,404 | 60.3 | 52.3 | 68.3 | 12,033 | 12.6 | 7.3 | 18.0 |
| | Underweight or Normal | 60,383 | 32.6 | 27.1 | 38.1 | 103,457 | 55.8 | 50.1 | 61.6 | 21,403 | 11.6 | 7.9 | 15.2 |
| Payer of Delivery | Medicaid | 63,583 | 37.1 | 31.2 | 43.1 | 79,074 | 46.1 | 40.0 | 52.3 | 28,691 | 16.7 | 12.3 | 21.2 |
| | Private Insurance | 24,520 | 18.7 | 13.6 | 23.7 | 94,244 | 71.7 | 65.9 | 77.5 | 12,692 | 9.7 | 5.9 | 13.4 |
| | Self pay, Other, Unknown | 18,339 | 27.2 | 17.5 | 36.8 | 42,519 | 63.0 | 52.7 | 73.3 | 6,644 | 9.8 | 3.9 | 15.8 |
| Maternal Race | Black | 14,289 | 34.4 | 28.7 | 40.2 | 19,723 | 47.5 | 41.5 | 53.6 | 7,494 | 18.1 | 13.4 | 22.7 |
| | Hispanic | 60,466 | 34.1 | 27.5 | 40.7 | 94,874 | 53.5 | 46.7 | 60.4 | 21,945 | 12.4 | 7.9 | 16.8 |
| | Other | 3,943 | 20.4 | 8.1 | 32.7 | 13,696 | 70.8 | 56.5 | 85.1 | 1,703 | 8.8 | 0.0 | 17.9 |
| | White | 27,743 | 21.0 | 15.8 | 26.1 | 87,545 | 66.2 | 60.2 | 72.2 | 16,885 | 12.8 | 8.5 | 17.0 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 4,135 | 14.9 | 10.0 | 19.7 | 2,765 | 9.9 | 6.0 | 13.9 | 20,921 | 75.2 | 69.4 | 81.0 |
| | Normal Birth Weight | 43,892 | 12.8 | 9.9 | 15.7 | 21,676 | 6.3 | 4.2 | 8.4 | 276,917 | 80.9 | 77.4 | 84.3 |
| | Total | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 6,530 | 17.5 | 9.6 | 25.5 | 3,253 | 8.7 | 2.9 | 14.6 | 27,475 | 73.7 | 64.7 | 82.8 |
| | Term >36 wks | 41,497 | 12.5 | 9.6 | 15.3 | 21,188 | 6.4 | 4.3 | 8.4 | 270,363 | 81.2 | 77.8 | 84.6 |
| Total | | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 26,179 | 12.1 | 8.6 | 15.6 | 12,777 | 5.9 | 3.2 | 8.6 | 177,329 | 82.0 | 77.8 | 86.2 |
| | Not Married | 21,848 | 14.2 | 10.0 | 18.4 | 11,664 | 7.6 | 4.7 | 10.4 | 120,510 | 78.2 | 73.4 | 83.1 |
| Total | | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 14,592 | 16.5 | 10.4 | 22.7 | 11,384 | 12.9 | 7.2 | 18.6 | 62,265 | 70.6 | 62.9 | 78.2 |
| | Overweight | 12,033 | 12.6 | 7.3 | 18.0 | 8,336 | 8.8 | 4.2 | 13.3 | 74,851 | 78.6 | 72.0 | 85.2 |
| | Underweight or Normal | 21,403 | 11.6 | 7.9 | 15.2 | 4,721 | 2.5 | 1.2 | 3.9 | 159,119 | 85.9 | 82.1 | 89.7 |
| | Total | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.7 | 8.6 | 296,234 | 80.3 | 77.1 | 83.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Not Sure | | | | Unwanted | | | | Wanted | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 7,494 | 18.1 | 13.4 | 22.7 | 5,847 | 14.1 | 9.9 | 18.3 | 28,165 | 67.9 | 62.2 | 73.5 |
| Hispanic | 21,945 | 12.4 | 7.9 | 16.8 | 10,956 | 6.2 | 2.9 | 9.5 | 144,385 | 81.4 | 76.2 | 86.7 |
| Other | 1,703 | 8.8 | 0.0 | 17.9 | 1,636 | 8.5 | 0.0 | 18.6 | 16,003 | 82.7 | 69.8 | 95.7 |
| White | 16,885 | 12.8 | 8.5 | 17.0 | 6,001 | 4.5 | 1.9 | 7.2 | 109,287 | 82.7 | 77.9 | 87.5 |
| Total | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Unwanted by Payer of Delivery

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 28,691 | 16.7 | 12.3 | 21.2 | 13,134 | 7.7 | 4.6 | 10.8 | 129,524 | 75.6 | 70.4 | 80.7 |
| | Private Insurance | 12,692 | 9.7 | 5.9 | 13.4 | 6,093 | 4.6 | 1.9 | 7.3 | 112,670 | 85.7 | 81.2 | 90.2 |
| | Self pay, Other, Unknown | 6,644 | 9.8 | 3.9 | 15.8 | 5,214 | 7.7 | 2.6 | 12.9 | 55,645 | 82.4 | 74.9 | 90.0 |
| | Total | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Unwanted by PNC First Trimester



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 13,662 | 14.8 | 9.1 | 20.5 | 8,648 | 9.4 | 5.1 | 13.6 | 70,084 | 75.9 | 69.1 | 82.6 |
| | Prenatal Care First Trimester | 34,251 | 12.6 | 9.5 | 15.7 | 15,634 | 5.8 | 3.5 | 8.0 | 221,658 | 81.6 | 77.9 | 85.3 |
| | Total | 47,914 | 13.2 | 10.4 | 15.9 | 24,282 | 6.7 | 4.7 | 8.7 | 291,742 | 80.2 | 76.9 | 83.4 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|------------|---------|---------------|------|---------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 17,520 | 10.8 | 7.3 | 14.4 | 8,732 | 5.4 | 2.8 | 8.0 | 135,810 | 83.8 | 79.6 | 88.0 |
| | WIC | 30,507 | 14.6 | 10.7 | 18.6 | 15,709 | 7.5 | 4.7 | 10.4 | 162,029 | 77.8 | 73.2 | 82.4 |
| Total | | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |

1. Select a chapter

Intention

2. Select a question topic

- Intended
- Mistimed
- Unwanted

Unwanted

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

| | | Not Sure | | | | Unwanted | | | | Wanted | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 48,027 | 13.0 | 10.3 | 15.7 | 24,441 | 6.6 | 4.6 | 8.6 | 297,838 | 80.4 | 77.2 | 83.6 |
| Birth Weight | Low Birth Weight | 4,135 | 14.9 | 10.0 | 19.7 | 2,765 | 9.9 | 6.0 | 13.9 | 20,921 | 75.2 | 69.4 | 81.0 |
| | Normal Birth Weight | 43,892 | 12.8 | 9.9 | 15.7 | 21,676 | 6.3 | 4.2 | 8.4 | 276,917 | 80.9 | 77.4 | 84.3 |
| Gestational Age | Preterm <=36 wks | 6,530 | 17.5 | 9.6 | 25.5 | 3,253 | 8.7 | 2.9 | 14.6 | 27,475 | 73.7 | 64.7 | 82.8 |
| | Term >36 wks | 41,497 | 12.5 | 9.6 | 15.3 | 21,188 | 6.4 | 4.3 | 8.4 | 270,363 | 81.2 | 77.8 | 84.6 |
| Marital Status | Married | 26,179 | 12.1 | 8.6 | 15.6 | 12,777 | 5.9 | 3.2 | 8.6 | 177,329 | 82.0 | 77.8 | 86.2 |
| | Not Married | 21,848 | 14.2 | 10.0 | 18.4 | 11,664 | 7.6 | 4.7 | 10.4 | 120,510 | 78.2 | 73.4 | 83.1 |
| PNC First Trimester | No Prenatal Care First Trimester | 13,662 | 14.8 | 9.1 | 20.5 | 8,648 | 9.4 | 5.1 | 13.6 | 70,084 | 75.9 | 69.1 | 82.6 |
| | Prenatal Care First Trimester | 34,251 | 12.6 | 9.5 | 15.7 | 15,634 | 5.8 | 3.5 | 8.0 | 221,658 | 81.6 | 77.9 | 85.3 |
| WIC Status | Not WIC | 17,520 | 10.8 | 7.3 | 14.4 | 8,732 | 5.4 | 2.8 | 8.0 | 135,810 | 83.8 | 79.6 | 88.0 |
| | WIC | 30,507 | 14.6 | 10.7 | 18.6 | 15,709 | 7.5 | 4.7 | 10.4 | 162,029 | 77.8 | 73.2 | 82.4 |
| Maternal BMI Category | Obese | 14,592 | 16.5 | 10.4 | 22.7 | 11,384 | 12.9 | 7.2 | 18.6 | 62,265 | 70.6 | 62.9 | 78.2 |
| | Overweight | 12,033 | 12.6 | 7.3 | 18.0 | 8,336 | 8.8 | 4.2 | 13.3 | 74,851 | 78.6 | 72.0 | 85.2 |
| | Underweight or Normal | 21,403 | 11.6 | 7.9 | 15.2 | 4,721 | 2.5 | 1.2 | 3.9 | 159,119 | 85.9 | 82.1 | 89.7 |
| Payer of Delivery | Medicaid | 28,691 | 16.7 | 12.3 | 21.2 | 13,134 | 7.7 | 4.6 | 10.8 | 129,524 | 75.6 | 70.4 | 80.7 |
| | Private Insurance | 12,692 | 9.7 | 5.9 | 13.4 | 6,093 | 4.6 | 1.9 | 7.3 | 112,670 | 85.7 | 81.2 | 90.2 |
| | Self pay, Other, Unknown | 6,644 | 9.8 | 3.9 | 15.8 | 5,214 | 7.7 | 2.6 | 12.9 | 55,645 | 82.4 | 74.9 | 90.0 |
| Maternal Race | Black | 7,494 | 18.1 | 13.4 | 22.7 | 5,847 | 14.1 | 9.9 | 18.3 | 28,165 | 67.9 | 62.2 | 73.5 |
| | Hispanic | 21,945 | 12.4 | 7.9 | 16.8 | 10,956 | 6.2 | 2.9 | 9.5 | 144,385 | 81.4 | 76.2 | 86.7 |
| | Other | 1,703 | 8.8 | 0.0 | 17.9 | 1,636 | 8.5 | 0.0 | 18.6 | 16,003 | 82.7 | 69.8 | 95.7 |
| | White | 16,885 | 12.8 | 8.5 | 17.0 | 6,001 | 4.5 | 1.9 | 7.2 | 109,287 | 82.7 | 77.9 | 87.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|--------------|---------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 13,170 | 49.1 | 42.4 | 55.7 | 13,678 | 50.9 | 44.3 | 57.6 |
| | Normal Birth Weight | 180,500 | 52.5 | 48.1 | 56.9 | 163,155 | 47.5 | 43.1 | 51.9 |
| Total | | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|-----------------|------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 18,928 | 50.7 | 40.6 | 60.9 | 18,372 | 49.3 | 39.1 | 59.4 |
| | Term >36 wks | 174,742 | 52.4 | 48.0 | 56.9 | 158,461 | 47.6 | 43.1 | 52.0 |
| Total | | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|-----------|------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 98,048 | 51.9 | 46.2 | 57.6 | 90,892 | 48.1 | 42.4 | 53.8 |
| | Not Sure | 26,605 | 57.3 | 46.0 | 68.5 | 19,848 | 42.7 | 31.5 | 54.0 |
| | Unintended | 67,165 | 51.7 | 44.6 | 58.8 | 62,737 | 48.3 | 41.2 | 55.4 |
| | Total | 191,818 | 52.5 | 48.4 | 56.6 | 173,477 | 47.5 | 43.4 | 51.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|----------------|-------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 122,322 | 56.6 | 51.3 | 61.8 | 93,898 | 43.4 | 38.2 | 48.7 |
| | Not Married | 71,348 | 46.2 | 39.7 | 52.8 | 82,935 | 53.8 | 47.2 | 60.3 |
| Total | | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|-----------------------|-----------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 45,789 | 53.2 | 44.7 | 61.6 | 40,347 | 46.8 | 38.4 | 55.3 |
| | Overweight | 52,300 | 54.6 | 46.5 | 62.8 | 43,430 | 45.4 | 37.2 | 53.5 |
| | Underweight or Normal | 95,581 | 51.1 | 45.3 | 56.9 | 91,452 | 48.9 | 43.1 | 54.7 |
| | Total | 193,670 | 52.5 | 48.4 | 56.6 | 175,229 | 47.5 | 43.4 | 51.6 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|---------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 19,258 | 47.1 | 41.0 | 53.2 | 21,630 | 52.9 | 46.8 | 59.0 |
| Hispanic | 83,224 | 46.5 | 39.7 | 53.4 | 95,616 | 53.5 | 46.6 | 60.3 |
| Other | 10,889 | 60.2 | 43.8 | 76.6 | 7,193 | 39.8 | 23.4 | 56.2 |
| White | 80,299 | 60.5 | 54.3 | 66.7 | 52,395 | 39.5 | 33.3 | 45.7 |
| Total | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|-------------------|--------------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 78,087 | 45.3 | 39.2 | 51.5 | 94,170 | 54.7 | 48.5 | 60.8 |
| | Private Insurance | 85,586 | 65.6 | 59.5 | 71.8 | 44,863 | 34.4 | 28.2 | 40.5 |
| | Self pay, Other, Unknown | 29,997 | 44.2 | 33.8 | 54.7 | 37,800 | 55.8 | 45.3 | 66.2 |
| | Total | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|---------------------|----------------------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 45,114 | 50.5 | 41.8 | 59.2 | 44,245 | 49.5 | 40.8 | 58.2 |
| | Prenatal Care First Trimester | 146,649 | 53.4 | 48.7 | 58.1 | 127,961 | 46.6 | 41.9 | 51.3 |
| | Total | 191,763 | 52.7 | 48.5 | 56.8 | 172,206 | 47.3 | 43.2 | 51.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|------------|---------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 104,328 | 65.0 | 59.5 | 70.5 | 56,162 | 35.0 | 29.5 | 40.5 |
| | WIC | 89,342 | 42.5 | 36.8 | 48.3 | 120,671 | 57.5 | 51.7 | 63.2 |
| | Total | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Discussed Abuse

Q23: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?

| | | Did Not Discuss Abuse | | | | Discussed Abuse | | | |
|------------------------------|----------------------------------|-----------------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 193,670 | 52.3 | 48.2 | 56.4 | 176,833 | 47.7 | 43.6 | 51.8 |
| Birth Weight | Low Birth Weight | 13,170 | 49.1 | 42.4 | 55.7 | 13,678 | 50.9 | 44.3 | 57.6 |
| | Normal Birth Weight | 180,500 | 52.5 | 48.1 | 56.9 | 163,155 | 47.5 | 43.1 | 51.9 |
| Gestational Age | Preterm <=36 wks | 18,928 | 50.7 | 40.6 | 60.9 | 18,372 | 49.3 | 39.1 | 59.4 |
| | Term >36 wks | 174,742 | 52.4 | 48.0 | 56.9 | 158,461 | 47.6 | 43.1 | 52.0 |
| Marital Status | Married | 122,322 | 56.6 | 51.3 | 61.8 | 93,898 | 43.4 | 38.2 | 48.7 |
| | Not Married | 71,348 | 46.2 | 39.7 | 52.8 | 82,935 | 53.8 | 47.2 | 60.3 |
| PNC First Trimester | No Prenatal Care First Trimester | 45,114 | 50.5 | 41.8 | 59.2 | 44,245 | 49.5 | 40.8 | 58.2 |
| | Prenatal Care First Trimester | 146,649 | 53.4 | 48.7 | 58.1 | 127,961 | 46.6 | 41.9 | 51.3 |
| WIC Status | Not WIC | 104,328 | 65.0 | 59.5 | 70.5 | 56,162 | 35.0 | 29.5 | 40.5 |
| | WIC | 89,342 | 42.5 | 36.8 | 48.3 | 120,671 | 57.5 | 51.7 | 63.2 |
| Intention | Intended | 98,048 | 51.9 | 46.2 | 57.6 | 90,892 | 48.1 | 42.4 | 53.8 |
| | Not Sure | 26,605 | 57.3 | 46.0 | 68.5 | 19,848 | 42.7 | 31.5 | 54.0 |
| | Unintended | 67,165 | 51.7 | 44.6 | 58.8 | 62,737 | 48.3 | 41.2 | 55.4 |
| Maternal BMI Category | Obese | 45,789 | 53.2 | 44.7 | 61.6 | 40,347 | 46.8 | 38.4 | 55.3 |
| | Overweight | 52,300 | 54.6 | 46.5 | 62.8 | 43,430 | 45.4 | 37.2 | 53.5 |
| | Underweight or Normal | 95,581 | 51.1 | 45.3 | 56.9 | 91,452 | 48.9 | 43.1 | 54.7 |
| Payer of Delivery | Medicaid | 78,087 | 45.3 | 39.2 | 51.5 | 94,170 | 54.7 | 48.5 | 60.8 |
| | Private Insurance | 85,586 | 65.6 | 59.5 | 71.8 | 44,863 | 34.4 | 28.2 | 40.5 |
| | Self pay, Other, Unknown | 29,997 | 44.2 | 33.8 | 54.7 | 37,800 | 55.8 | 45.3 | 66.2 |
| Maternal Race | Black | 19,258 | 47.1 | 41.0 | 53.2 | 21,630 | 52.9 | 46.8 | 59.0 |
| | Hispanic | 83,224 | 46.5 | 39.7 | 53.4 | 95,616 | 53.5 | 46.6 | 60.3 |
| | Other | 10,889 | 60.2 | 43.8 | 76.6 | 7,193 | 39.8 | 23.4 | 56.2 |
| | White | 80,299 | 60.5 | 54.3 | 66.7 | 52,395 | 39.5 | 33.3 | 45.7 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|--------------|---------------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 1,019 | 4.1 | 1.3 | 6.9 | 23,830 | 95.9 | 93.1 | 98.7 |
| | Normal Birth Weight | 8,673 | 2.7 | 1.3 | 4.0 | 317,527 | 97.3 | 96.0 | 98.7 |
| | Total | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|-----------------|------------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 1,599 | 4.6 | 0.0 | 9.3 | 33,305 | 95.4 | 90.7 | 100.0 |
| | Term >36 wks | 8,092 | 2.6 | 1.3 | 3.9 | 308,051 | 97.4 | 96.1 | 98.7 |
| Total | | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Intention

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|-----------|------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 3,818 | 2.0 | 0.4 | 3.7 | 182,774 | 98.0 | 96.3 | 99.6 |
| | Not Sure | 1,236 | 2.7 | 0.1 | 5.4 | 44,309 | 97.3 | 94.6 | 99.9 |
| | Unintended | 4,508 | 3.9 | 1.3 | 6.6 | 110,232 | 96.1 | 93.4 | 98.7 |
| | Total | 9,562 | 2.8 | 1.5 | 4.0 | 337,314 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Marital Status

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|----------------|-------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 5,351 | 2.5 | 0.8 | 4.2 | 210,177 | 97.5 | 95.8 | 99.2 |
| | Not Married | 4,341 | 3.2 | 1.3 | 5.1 | 131,180 | 96.8 | 94.9 | 98.7 |
| Total | | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|-----------------------|-----------------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 1,388 | 1.6 | 0.2 | 3.1 | 83,555 | 98.4 | 96.9 | 99.8 |
| | Overweight | 3,372 | 3.7 | 0.7 | 6.8 | 86,906 | 96.3 | 93.2 | 99.3 |
| | Underweight or Normal | 4,932 | 2.8 | 1.0 | 4.7 | 169,291 | 97.2 | 95.3 | 99.0 |
| | Total | 9,692 | 2.8 | 1.5 | 4.0 | 339,752 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Maternal Race

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| Maternal Race | Emotional Abuse | | | | No Emotional Abuse | | | |
|---------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Black | 2,203 | 5.6 | 2.7 | 8.4 | 37,407 | 94.4 | 91.6 | 97.3 |
| Hispanic | 3,134 | 1.9 | 0.1 | 3.7 | 162,107 | 98.1 | 96.3 | 99.9 |
| Other | 114 | 0.7 | 0.0 | 1.9 | 17,342 | 99.3 | 98.1 | 100.0 |
| White | 4,241 | 3.3 | 0.9 | 5.7 | 124,500 | 96.7 | 94.3 | 99.1 |
| Total | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Payer of Delivery

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|-------------------|--------------------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 5,491 | 3.5 | 1.4 | 5.6 | 152,607 | 96.5 | 94.4 | 98.6 |
| | Private Insurance | 3,152 | 2.4 | 0.5 | 4.4 | 126,408 | 97.6 | 95.6 | 99.5 |
| | Self pay, Other, Unknown | 1,049 | 1.7 | 0.0 | 4.2 | 62,341 | 98.3 | 95.8 | 100.0 |
| | Total | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|---------------------|----------------------------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 2,832 | 3.4 | 0.7 | 6.2 | 79,275 | 96.6 | 93.8 | 99.3 |
| | Prenatal Care First Trimester | 6,860 | 2.6 | 1.2 | 4.1 | 255,547 | 97.4 | 95.9 | 98.8 |
| | Total | 9,692 | 2.8 | 1.5 | 4.1 | 334,822 | 97.2 | 95.9 | 98.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by WIC Status

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|------------|---------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 3,770 | 2.4 | 0.7 | 4.0 | 155,270 | 97.6 | 96.0 | 99.3 |
| | WIC | 5,922 | 3.1 | 1.2 | 5.0 | 186,086 | 96.9 | 95.0 | 98.8 |
| | Total | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Emotional Abuse

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?

| | | Emotional Abuse | | | | No Emotional Abuse | | | |
|------------------------------|----------------------------------|-----------------|-----|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 9,692 | 2.8 | 1.5 | 4.0 | 341,356 | 97.2 | 96.0 | 98.5 |
| Birth Weight | Low Birth Weight | 1,019 | 4.1 | 1.3 | 6.9 | 23,830 | 95.9 | 93.1 | 98.7 |
| | Normal Birth Weight | 8,673 | 2.7 | 1.3 | 4.0 | 317,527 | 97.3 | 96.0 | 98.7 |
| Gestational Age | Preterm <=36 wks | 1,599 | 4.6 | 0.0 | 9.3 | 33,305 | 95.4 | 90.7 | 100.0 |
| | Term >36 wks | 8,092 | 2.6 | 1.3 | 3.9 | 308,051 | 97.4 | 96.1 | 98.7 |
| Marital Status | Married | 5,351 | 2.5 | 0.8 | 4.2 | 210,177 | 97.5 | 95.8 | 99.2 |
| | Not Married | 4,341 | 3.2 | 1.3 | 5.1 | 131,180 | 96.8 | 94.9 | 98.7 |
| PNC First Trimester | No Prenatal Care First Trimester | 2,832 | 3.4 | 0.7 | 6.2 | 79,275 | 96.6 | 93.8 | 99.3 |
| | Prenatal Care First Trimester | 6,860 | 2.6 | 1.2 | 4.1 | 255,547 | 97.4 | 95.9 | 98.8 |
| WIC Status | Not WIC | 3,770 | 2.4 | 0.7 | 4.0 | 155,270 | 97.6 | 96.0 | 99.3 |
| | WIC | 5,922 | 3.1 | 1.2 | 5.0 | 186,086 | 96.9 | 95.0 | 98.8 |
| Intention | Intended | 3,818 | 2.0 | 0.4 | 3.7 | 182,774 | 98.0 | 96.3 | 99.6 |
| | Not Sure | 1,236 | 2.7 | 0.1 | 5.4 | 44,309 | 97.3 | 94.6 | 99.9 |
| | Unintended | 4,508 | 3.9 | 1.3 | 6.6 | 110,232 | 96.1 | 93.4 | 98.7 |
| Maternal BMI Category | Obese | 1,388 | 1.6 | 0.2 | 3.1 | 83,555 | 98.4 | 96.9 | 99.8 |
| | Overweight | 3,372 | 3.7 | 0.7 | 6.8 | 86,906 | 96.3 | 93.2 | 99.3 |
| | Underweight or Normal | 4,932 | 2.8 | 1.0 | 4.7 | 169,291 | 97.2 | 95.3 | 99.0 |
| Payer of Delivery | Medicaid | 5,491 | 3.5 | 1.4 | 5.6 | 152,607 | 96.5 | 94.4 | 98.6 |
| | Private Insurance | 3,152 | 2.4 | 0.5 | 4.4 | 126,408 | 97.6 | 95.6 | 99.5 |
| | Self pay, Other, Unknown | 1,049 | 1.7 | 0.0 | 4.2 | 62,341 | 98.3 | 95.8 | 100.0 |
| Maternal Race | Black | 2,203 | 5.6 | 2.7 | 8.4 | 37,407 | 94.4 | 91.6 | 97.3 |
| | Hispanic | 3,134 | 1.9 | 0.1 | 3.7 | 162,107 | 98.1 | 96.3 | 99.9 |
| | Other | 114 | 0.7 | 0.0 | 1.9 | 17,342 | 99.3 | 98.1 | 100.0 |
| | White | 4,241 | 3.3 | 0.9 | 5.7 | 124,500 | 96.7 | 94.3 | 99.1 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Birth Weight

Q46.47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|--------------|---------------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 23,956 | 93.1 | 89.6 | 96.6 | 1,782 | 6.9 | 3.4 | 10.4 |
| | Normal Birth Weight | 318,038 | 96.8 | 95.3 | 98.2 | 10,653 | 3.2 | 1.8 | 4.7 |
| Total | | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Gestational Age

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|-----------------|------------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 34,477 | 95.4 | 90.8 | 99.9 | 1,678 | 4.6 | 0.1 | 9.2 |
| | Term >36 wks | 307,516 | 96.6 | 95.1 | 98.1 | 10,757 | 3.4 | 1.9 | 4.9 |
| Total | | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Intention

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|-----------|------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 182,941 | 97.6 | 96.0 | 99.2 | 4,543 | 2.4 | 0.8 | 4.0 |
| | Not Sure | 43,391 | 95.9 | 91.6 | 100.0 | 1,877 | 4.1 | 0.0 | 8.4 |
| | Unintended | 111,489 | 94.9 | 91.9 | 97.8 | 6,015 | 5.1 | 2.2 | 8.1 |
| | Total | 337,821 | 96.4 | 95.0 | 97.9 | 12,435 | 3.6 | 2.1 | 5.0 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Marital Status

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|----------------|-------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 208,835 | 97.0 | 95.1 | 98.9 | 6,407 | 3.0 | 1.1 | 4.9 |
| | Not Married | 133,158 | 95.7 | 93.6 | 97.7 | 6,028 | 4.3 | 2.3 | 6.4 |
| Total | | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Maternal BMI Category

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|-----------------------|-----------------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 83,473 | 96.2 | 93.6 | 98.9 | 3,271 | 3.8 | 1.1 | 6.4 |
| | Overweight | 87,498 | 96.4 | 93.3 | 99.5 | 3,249 | 3.6 | 0.5 | 6.7 |
| | Underweight or Normal | 169,547 | 96.7 | 94.8 | 98.6 | 5,786 | 3.3 | 1.4 | 5.2 |
| | Total | 340,519 | 96.5 | 95.1 | 97.9 | 12,305 | 3.5 | 2.1 | 4.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Maternal Race

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| Maternal Race | No Physical Abuse | | | | Physical Abuse | | | |
|---------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Black | 37,254 | 92.9 | 89.7 | 96.1 | 2,861 | 7.1 | 3.9 | 10.3 |
| Hispanic | 159,977 | 95.8 | 93.3 | 98.4 | 6,939 | 4.2 | 1.6 | 6.7 |
| Other | 18,219 | 98.5 | 96.3 | 100.0 | 278 | 1.5 | 0.0 | 3.7 |
| White | 126,544 | 98.2 | 96.6 | 99.8 | 2,357 | 1.8 | 0.2 | 3.4 |
| Total | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|-------------------|--------------------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 152,941 | 95.5 | 93.1 | 97.9 | 7,241 | 4.5 | 2.1 | 6.9 |
| | Private Insurance | 126,298 | 97.3 | 95.2 | 99.4 | 3,522 | 2.7 | 0.6 | 4.8 |
| | Self pay, Other, Unknown | 62,754 | 97.4 | 94.8 | 100.0 | 1,672 | 2.6 | 0.0 | 5.2 |
| | Total | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|---------------------|----------------------------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 79,156 | 95.8 | 92.9 | 98.7 | 3,471 | 4.2 | 1.3 | 7.1 |
| | Prenatal Care First Trimester | 256,303 | 96.6 | 95.0 | 98.3 | 8,964 | 3.4 | 1.7 | 5.0 |
| | Total | 335,459 | 96.4 | 95.0 | 97.9 | 12,435 | 3.6 | 2.1 | 5.0 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by WIC Status

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Physical Abuse | | | | Physical Abuse | | | |
|------------|---------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 154,485 | 96.9 | 95.0 | 98.9 | 4,912 | 3.1 | 1.1 | 5.0 |
| | WIC | 187,509 | 96.1 | 94.2 | 98.1 | 7,523 | 3.9 | 1.9 | 5.8 |
| Total | | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Physical Abuse

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

| | | No Physical Abuse | | | | Physical Abuse | | | |
|------------------------------|----------------------------------|-------------------|------|---------|---------|----------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 341,993 | 96.5 | 95.1 | 97.9 | 12,435 | 3.5 | 2.1 | 4.9 |
| Birth Weight | Low Birth Weight | 23,956 | 93.1 | 89.6 | 96.6 | 1,782 | 6.9 | 3.4 | 10.4 |
| | Normal Birth Weight | 318,038 | 96.8 | 95.3 | 98.2 | 10,653 | 3.2 | 1.8 | 4.7 |
| Gestational Age | Preterm <=36 wks | 34,477 | 95.4 | 90.8 | 99.9 | 1,678 | 4.6 | 0.1 | 9.2 |
| | Term >36 wks | 307,516 | 96.6 | 95.1 | 98.1 | 10,757 | 3.4 | 1.9 | 4.9 |
| Marital Status | Married | 208,835 | 97.0 | 95.1 | 98.9 | 6,407 | 3.0 | 1.1 | 4.9 |
| | Not Married | 133,158 | 95.7 | 93.6 | 97.7 | 6,028 | 4.3 | 2.3 | 6.4 |
| PNC First Trimester | No Prenatal Care First Trimester | 79,156 | 95.8 | 92.9 | 98.7 | 3,471 | 4.2 | 1.3 | 7.1 |
| | Prenatal Care First Trimester | 256,303 | 96.6 | 95.0 | 98.3 | 8,964 | 3.4 | 1.7 | 5.0 |
| WIC Status | Not WIC | 154,485 | 96.9 | 95.0 | 98.9 | 4,912 | 3.1 | 1.1 | 5.0 |
| | WIC | 187,509 | 96.1 | 94.2 | 98.1 | 7,523 | 3.9 | 1.9 | 5.8 |
| Intention | Intended | 182,941 | 97.6 | 96.0 | 99.2 | 4,543 | 2.4 | 0.8 | 4.0 |
| | Not Sure | 43,391 | 95.9 | 91.6 | 100.0 | 1,877 | 4.1 | 0.0 | 8.4 |
| | Unintended | 111,489 | 94.9 | 91.9 | 97.8 | 6,015 | 5.1 | 2.2 | 8.1 |
| Maternal BMI Category | Obese | 83,473 | 96.2 | 93.6 | 98.9 | 3,271 | 3.8 | 1.1 | 6.4 |
| | Overweight | 87,498 | 96.4 | 93.3 | 99.5 | 3,249 | 3.6 | 0.5 | 6.7 |
| | Underweight or Normal | 169,547 | 96.7 | 94.8 | 98.6 | 5,786 | 3.3 | 1.4 | 5.2 |
| Payer of Delivery | Medicaid | 152,941 | 95.5 | 93.1 | 97.9 | 7,241 | 4.5 | 2.1 | 6.9 |
| | Private Insurance | 126,298 | 97.3 | 95.2 | 99.4 | 3,522 | 2.7 | 0.6 | 4.8 |
| | Self pay, Other, Unknown | 62,754 | 97.4 | 94.8 | 100.0 | 1,672 | 2.6 | 0.0 | 5.2 |
| Maternal Race | Black | 37,254 | 92.9 | 89.7 | 96.1 | 2,861 | 7.1 | 3.9 | 10.3 |
| | Hispanic | 159,977 | 95.8 | 93.3 | 98.4 | 6,939 | 4.2 | 1.6 | 6.7 |
| | Other | 18,219 | 98.5 | 96.3 | 100.0 | 278 | 1.5 | 0.0 | 3.7 |
| | White | 126,544 | 98.2 | 96.6 | 99.8 | 2,357 | 1.8 | 0.2 | 3.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 14,662 | 53.1 | 46.5 | 59.8 | 12,932 | 46.9 | 40.2 | 53.5 |
| | Normal Birth Weight | 204,753 | 58.9 | 54.7 | 63.2 | 142,646 | 41.1 | 36.8 | 45.3 |
| Total | | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 22,484 | 59.2 | 49.5 | 69.0 | 15,465 | 40.8 | 31.0 | 50.5 |
| | Term >36 wks | 196,931 | 58.4 | 54.2 | 62.7 | 140,112 | 41.6 | 37.3 | 45.8 |
| | Total | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-----------|------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 98,924 | 51.8 | 46.2 | 57.5 | 91,951 | 48.2 | 42.5 | 53.8 |
| | Not Sure | 30,157 | 62.8 | 52.0 | 73.6 | 17,870 | 37.2 | 26.4 | 48.0 |
| | Unintended | 85,455 | 65.3 | 58.6 | 72.0 | 45,428 | 34.7 | 28.0 | 41.4 |
| | Total | 214,536 | 58.0 | 54.0 | 62.0 | 155,248 | 42.0 | 38.0 | 46.0 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 107,260 | 49.0 | 43.7 | 54.2 | 111,800 | 51.0 | 45.8 | 56.3 |
| | Not Married | 112,155 | 71.9 | 66.2 | 77.6 | 43,778 | 28.1 | 22.4 | 33.8 |
| Total | | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| Maternal BMI Category | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 58,323 | 66.1 | 58.3 | 73.9 | 29,933 | 33.9 | 26.1 | 41.7 |
| | Overweight | 48,620 | 50.8 | 42.7 | 58.9 | 47,111 | 49.2 | 41.1 | 57.3 |
| | Underweight or Normal | 112,178 | 59.2 | 53.7 | 64.8 | 77,224 | 40.8 | 35.2 | 46.3 |
| | Total | 219,121 | 58.7 | 54.7 | 62.6 | 154,268 | 41.3 | 37.4 | 45.3 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | No | | | | Yes | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 25,724 | 61.4 | 55.5 | 67.3 | 16,163 | 38.6 | 32.7 | 44.5 |
| Hispanic | 120,128 | 66.3 | 59.9 | 72.7 | 61,057 | 33.7 | 27.3 | 40.1 |
| Other | 11,273 | 58.3 | 42.3 | 74.3 | 8,069 | 41.7 | 25.7 | 57.7 |
| White | 62,292 | 47.0 | 40.7 | 53.3 | 70,289 | 53.0 | 46.7 | 59.3 |
| Total | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-------------------|--------------------------|----------------|-------------|-------------|-------------|----------------|-------------|-------------|-------------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 126,197 | 72.0 | 66.5 | 77.4 | 49,136 | 28.0 | 22.6 | 33.5 |
| | Private Insurance | 45,675 | 34.6 | 28.5 | 40.8 | 86,188 | 65.4 | 59.2 | 71.5 |
| | Self pay, Other, Unknown | 47,543 | 70.1 | 60.6 | 79.7 | 20,253 | 29.9 | 20.3 | 39.4 |
| | Total | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Dental Cleaning During Pregnancy

Pre-pregnancy Dental Cleaning

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 67,464 | 72.9 | 65.3 | 80.6 | 25,016 | 27.1 | 19.4 | 34.7 |
| | Prenatal Care First Trimester | 145,453 | 52.8 | 48.2 | 57.4 | 130,005 | 47.2 | 42.6 | 51.8 |
| | Total | 212,917 | 57.9 | 53.9 | 61.9 | 155,021 | 42.1 | 38.1 | 46.1 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 67,677 | 41.5 | 35.8 | 47.2 | 95,302 | 58.5 | 52.8 | 64.2 |
| | WIC | 151,739 | 71.6 | 66.5 | 76.7 | 60,276 | 28.4 | 23.3 | 33.5 |
| Total | | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |

1. Select a chapter

Oral Health

2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning

Pre-pregnancy Dental Cleaning

Q7: At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things? I had my teeth cleaned by a dentist or dental hygienist.

| | | No | | | | Yes | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 219,416 | 58.5 | 54.6 | 62.5 | 155,578 | 41.5 | 37.5 | 45.4 |
| Birth Weight | Low Birth Weight | 14,662 | 53.1 | 46.5 | 59.8 | 12,932 | 46.9 | 40.2 | 53.5 |
| | Normal Birth Weight | 204,753 | 58.9 | 54.7 | 63.2 | 142,646 | 41.1 | 36.8 | 45.3 |
| Gestational Age | Preterm <=36 wks | 22,484 | 59.2 | 49.5 | 69.0 | 15,465 | 40.8 | 31.0 | 50.5 |
| | Term >36 wks | 196,931 | 58.4 | 54.2 | 62.7 | 140,112 | 41.6 | 37.3 | 45.8 |
| Marital Status | Married | 107,260 | 49.0 | 43.7 | 54.2 | 111,800 | 51.0 | 45.8 | 56.3 |
| | Not Married | 112,155 | 71.9 | 66.2 | 77.6 | 43,778 | 28.1 | 22.4 | 33.8 |
| PNC First Trimester | No Prenatal Care First Trimester | 67,464 | 72.9 | 65.3 | 80.6 | 25,016 | 27.1 | 19.4 | 34.7 |
| | Prenatal Care First Trimester | 145,453 | 52.8 | 48.2 | 57.4 | 130,005 | 47.2 | 42.6 | 51.8 |
| WIC Status | Not WIC | 67,677 | 41.5 | 35.8 | 47.2 | 95,302 | 58.5 | 52.8 | 64.2 |
| | WIC | 151,739 | 71.6 | 66.5 | 76.7 | 60,276 | 28.4 | 23.3 | 33.5 |
| Intention | Intended | 98,924 | 51.8 | 46.2 | 57.5 | 91,951 | 48.2 | 42.5 | 53.8 |
| | Not Sure | 30,157 | 62.8 | 52.0 | 73.6 | 17,870 | 37.2 | 26.4 | 48.0 |
| | Unintended | 85,455 | 65.3 | 58.6 | 72.0 | 45,428 | 34.7 | 28.0 | 41.4 |
| Maternal BMI Category | Obese | 58,323 | 66.1 | 58.3 | 73.9 | 29,933 | 33.9 | 26.1 | 41.7 |
| | Overweight | 48,620 | 50.8 | 42.7 | 58.9 | 47,111 | 49.2 | 41.1 | 57.3 |
| | Underweight or Normal | 112,178 | 59.2 | 53.7 | 64.8 | 77,224 | 40.8 | 35.2 | 46.3 |
| Payer of Delivery | Medicaid | 126,197 | 72.0 | 66.5 | 77.4 | 49,136 | 28.0 | 22.6 | 33.5 |
| | Private Insurance | 45,675 | 34.6 | 28.5 | 40.8 | 86,188 | 65.4 | 59.2 | 71.5 |
| | Self pay, Other, Unknown | 47,543 | 70.1 | 60.6 | 79.7 | 20,253 | 29.9 | 20.3 | 39.4 |
| Maternal Race | Black | 25,724 | 61.4 | 55.5 | 67.3 | 16,163 | 38.6 | 32.7 | 44.5 |
| | Hispanic | 120,128 | 66.3 | 59.9 | 72.7 | 61,057 | 33.7 | 27.3 | 40.1 |
| | Other | 11,273 | 58.3 | 42.3 | 74.3 | 8,069 | 41.7 | 25.7 | 57.7 |
| | White | 62,292 | 47.0 | 40.7 | 53.3 | 70,289 | 53.0 | 46.7 | 59.3 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 16,436 | 60.5 | 53.9 | 67.0 | 10,752 | 39.5 | 33.0 | 46.1 |
| | Normal Birth Weight | 226,043 | 65.3 | 61.2 | 69.4 | 120,149 | 34.7 | 30.6 | 38.8 |
| Total | | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Q28: This question is about the care of your teeth during your most recent pregnancy. I had my teeth cleaned by a dentist or dental hygienist.

Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 20,819 | 55.5 | 45.3 | 65.6 | 16,708 | 44.5 | 34.4 | 54.7 |
| | Term >36 wks | 221,660 | 66.0 | 61.9 | 70.1 | 114,194 | 34.0 | 29.9 | 38.1 |
| Total | | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-----------|------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 118,197 | 62.2 | 56.8 | 67.5 | 71,914 | 37.8 | 32.5 | 43.2 |
| | Not Sure | 29,254 | 61.3 | 50.1 | 72.5 | 18,479 | 38.7 | 27.5 | 49.9 |
| | Unintended | 90,149 | 69.2 | 62.6 | 75.7 | 40,179 | 30.8 | 24.3 | 37.4 |
| | Total | 237,600 | 64.5 | 60.6 | 68.4 | 130,573 | 35.5 | 31.6 | 39.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 136,249 | 62.5 | 57.5 | 67.4 | 81,884 | 37.5 | 32.6 | 42.5 |
| | Not Married | 106,230 | 68.4 | 62.3 | 74.5 | 49,018 | 31.6 | 25.5 | 37.7 |
| Total | | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 61,487 | 69.7 | 62.0 | 77.4 | 26,753 | 30.3 | 22.6 | 38.0 |
| | Overweight | 53,938 | 56.4 | 48.3 | 64.4 | 41,776 | 43.6 | 35.6 | 51.7 |
| | Underweight or Normal | 125,970 | 67.1 | 61.8 | 72.3 | 61,852 | 32.9 | 27.7 | 38.2 |
| | Total | 241,396 | 64.9 | 61.1 | 68.8 | 130,381 | 35.1 | 31.2 | 38.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Dental Cleaning During Pregnancy

Pre-pregnancy Dental Cleaning

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | No | | | | Yes | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 28,420 | 68.1 | 62.5 | 73.7 | 13,301 | 31.9 | 26.3 | 37.5 |
| Hispanic | 126,807 | 70.2 | 64.0 | 76.4 | 53,858 | 29.8 | 23.6 | 36.0 |
| Other | 11,602 | 61.6 | 45.5 | 77.7 | 7,219 | 38.4 | 22.3 | 54.5 |
| White | 75,650 | 57.2 | 51.0 | 63.4 | 56,523 | 42.8 | 36.6 | 49.0 |
| Total | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Dental Cleaning During Pregnancy

Pre-pregnancy Dental Cleaning

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 127,017 | 72.9 | 67.5 | 78.3 | 47,241 | 27.1 | 21.7 | 32.5 |
| | Private Insurance | 64,226 | 48.9 | 42.5 | 55.2 | 67,230 | 51.1 | 44.8 | 57.5 |
| | Self pay, Other, Unknown | 51,236 | 75.7 | 66.5 | 84.9 | 16,431 | 24.3 | 15.1 | 33.5 |
| | Total | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Dental Cleaning During Pregnancy by PNC First Trimester
 Q28: This question is about the care of your teeth during your most recent pregnancy. I had my teeth cleaned by a dentist or dental hygienist.

Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 71,286 | 76.9 | 69.7 | 84.1 | 21,438 | 23.1 | 15.9 | 30.3 |
| | Prenatal Care First Trimester | 165,539 | 60.4 | 55.8 | 65.0 | 108,584 | 39.6 | 35.0 | 44.2 |
| | Total | 236,825 | 64.6 | 60.6 | 68.5 | 130,022 | 35.4 | 31.5 | 39.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No | | | | Yes | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 87,859 | 54.4 | 48.6 | 60.1 | 73,750 | 45.6 | 39.9 | 51.4 |
| | WIC | 154,619 | 73.0 | 67.9 | 78.1 | 57,152 | 27.0 | 21.9 | 32.1 |
| Total | | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |

1. Select a chapter

Oral Health

2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning

Dental Cleaning During Pregnancy

Q28: This question is about the care of your teeth during your most recent pregnancy. I had my teeth cleaned by a dentist or dental hygienist.

| | | No | | | | Yes | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 242,479 | 64.9 | 61.1 | 68.8 | 130,902 | 35.1 | 31.2 | 38.9 |
| Birth Weight | Low Birth Weight | 16,436 | 60.5 | 53.9 | 67.0 | 10,752 | 39.5 | 33.0 | 46.1 |
| | Normal Birth Weight | 226,043 | 65.3 | 61.2 | 69.4 | 120,149 | 34.7 | 30.6 | 38.8 |
| Gestational Age | Preterm <=36 wks | 20,819 | 55.5 | 45.3 | 65.6 | 16,708 | 44.5 | 34.4 | 54.7 |
| | Term >36 wks | 221,660 | 66.0 | 61.9 | 70.1 | 114,194 | 34.0 | 29.9 | 38.1 |
| Marital Status | Married | 136,249 | 62.5 | 57.5 | 67.4 | 81,884 | 37.5 | 32.6 | 42.5 |
| | Not Married | 106,230 | 68.4 | 62.3 | 74.5 | 49,018 | 31.6 | 25.5 | 37.7 |
| PNC First Trimester | No Prenatal Care First Trimester | 71,286 | 76.9 | 69.7 | 84.1 | 21,438 | 23.1 | 15.9 | 30.3 |
| | Prenatal Care First Trimester | 165,539 | 60.4 | 55.8 | 65.0 | 108,584 | 39.6 | 35.0 | 44.2 |
| WIC Status | Not WIC | 87,859 | 54.4 | 48.6 | 60.1 | 73,750 | 45.6 | 39.9 | 51.4 |
| | WIC | 154,619 | 73.0 | 67.9 | 78.1 | 57,152 | 27.0 | 21.9 | 32.1 |
| Intention | Intended | 118,197 | 62.2 | 56.8 | 67.5 | 71,914 | 37.8 | 32.5 | 43.2 |
| | Not Sure | 29,254 | 61.3 | 50.1 | 72.5 | 18,479 | 38.7 | 27.5 | 49.9 |
| | Unintended | 90,149 | 69.2 | 62.6 | 75.7 | 40,179 | 30.8 | 24.3 | 37.4 |
| Maternal BMI Category | Obese | 61,487 | 69.7 | 62.0 | 77.4 | 26,753 | 30.3 | 22.6 | 38.0 |
| | Overweight | 53,938 | 56.4 | 48.3 | 64.4 | 41,776 | 43.6 | 35.6 | 51.7 |
| | Underweight or Normal | 125,970 | 67.1 | 61.8 | 72.3 | 61,852 | 32.9 | 27.7 | 38.2 |
| Payer of Delivery | Medicaid | 127,017 | 72.9 | 67.5 | 78.3 | 47,241 | 27.1 | 21.7 | 32.5 |
| | Private Insurance | 64,226 | 48.9 | 42.5 | 55.2 | 67,230 | 51.1 | 44.8 | 57.5 |
| | Self pay, Other, Unknown | 51,236 | 75.7 | 66.5 | 84.9 | 16,431 | 24.3 | 15.1 | 33.5 |
| Maternal Race | Black | 28,420 | 68.1 | 62.5 | 73.7 | 13,301 | 31.9 | 26.3 | 37.5 |
| | Hispanic | 126,807 | 70.2 | 64.0 | 76.4 | 53,858 | 29.8 | 23.6 | 36.0 |
| | Other | 11,602 | 61.6 | 45.5 | 77.7 | 7,219 | 38.4 | 22.3 | 54.5 |
| | White | 75,650 | 57.2 | 51.0 | 63.4 | 56,523 | 42.8 | 36.6 | 49.0 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|--------------|---------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 3,810 | 14.3 | 9.4 | 19.1 | 22,862 | 85.7 | 80.9 | 90.6 |
| | Normal Birth Weight | 49,983 | 14.6 | 11.4 | 17.8 | 292,934 | 85.4 | 82.2 | 88.6 |
| Total | | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|-----------------|------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 4,024 | 10.9 | 5.7 | 16.1 | 32,987 | 89.1 | 83.9 | 94.3 |
| | Term >36 wks | 49,770 | 15.0 | 11.7 | 18.2 | 282,809 | 85.0 | 81.8 | 88.3 |
| Total | | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|-----------|------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 25,415 | 13.5 | 9.3 | 17.8 | 162,430 | 86.5 | 82.2 | 90.7 |
| | Not Sure | 7,421 | 15.5 | 7.6 | 23.4 | 40,493 | 84.5 | 76.6 | 92.4 |
| | Unintended | 20,958 | 16.3 | 11.1 | 21.5 | 107,664 | 83.7 | 78.5 | 88.9 |
| | Total | 53,794 | 14.8 | 11.7 | 17.8 | 310,588 | 85.2 | 82.2 | 88.3 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|----------------|-------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 23,351 | 10.7 | 7.2 | 14.1 | 195,144 | 89.3 | 85.9 | 92.8 |
| | Not Married | 30,443 | 20.1 | 14.8 | 25.5 | 120,652 | 79.9 | 74.5 | 85.2 |
| Total | | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status

Postpartum Checkup by Maternal BMI Category
 Q72: Since your new baby was born, have you had a postpartum checkup for yourself?



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|-----------------------|-----------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 16,635 | 19.3 | 12.2 | 26.4 | 69,475 | 80.7 | 73.6 | 87.8 |
| | Overweight | 13,070 | 13.9 | 8.0 | 19.8 | 80,865 | 86.1 | 80.2 | 92.0 |
| | Underweight or Normal | 24,089 | 12.8 | 8.9 | 16.8 | 163,852 | 87.2 | 83.2 | 91.1 |
| | Total | 53,794 | 14.6 | 11.6 | 17.6 | 314,192 | 85.4 | 82.4 | 88.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|---------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 7,710 | 18.7 | 13.9 | 23.4 | 33,620 | 81.3 | 76.6 | 86.1 |
| Hispanic | 32,690 | 18.4 | 13.0 | 23.8 | 144,735 | 81.6 | 76.2 | 87.0 |
| Other | 2,322 | 12.7 | 0.9 | 24.5 | 15,978 | 87.3 | 75.5 | 99.1 |
| White | 11,072 | 8.4 | 4.8 | 11.9 | 121,464 | 91.6 | 88.1 | 95.2 |
| Total | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|-------------------|--------------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 27,701 | 16.1 | 11.6 | 20.5 | 144,613 | 83.9 | 79.5 | 88.4 |
| | Private Insurance | 6,309 | 4.8 | 2.1 | 7.5 | 125,373 | 95.2 | 92.5 | 97.9 |
| | Self pay, Other, Unknown | 19,783 | 30.2 | 20.1 | 40.2 | 45,810 | 69.8 | 59.8 | 79.9 |
| | Total | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status

Postpartum Checkup by PNC First Trimester
 Q72: Since your new baby was born, have you had a postpartum checkup for yourself?



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|---------------------|----------------------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 22,456 | 24.8 | 17.4 | 32.3 | 67,934 | 75.2 | 67.7 | 82.6 |
| | Prenatal Care First Trimester | 29,037 | 10.6 | 7.6 | 13.7 | 243,628 | 89.4 | 86.3 | 92.4 |
| | Total | 51,493 | 14.2 | 11.2 | 17.2 | 311,563 | 85.8 | 82.8 | 88.8 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|------------|---------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 13,666 | 8.4 | 5.3 | 11.6 | 148,335 | 91.6 | 88.4 | 94.7 |
| | WIC | 40,128 | 19.3 | 14.6 | 24.0 | 167,461 | 80.7 | 76.0 | 85.4 |
| Total | | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |

1. Select a chapter

Postpartum

2. Select a question topic

Postpartum Checkup

Postpartum Checkup

Q72: Since your new baby was born, have you had a postpartum checkup for yourself?

| | | No Postpartum Checkup | | | | Postpartum Checkup | | | |
|------------------------------|----------------------------------|-----------------------|------|---------|---------|--------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 53,794 | 14.6 | 11.6 | 17.6 | 315,796 | 85.4 | 82.4 | 88.4 |
| Birth Weight | Low Birth Weight | 3,810 | 14.3 | 9.4 | 19.1 | 22,862 | 85.7 | 80.9 | 90.6 |
| | Normal Birth Weight | 49,983 | 14.6 | 11.4 | 17.8 | 292,934 | 85.4 | 82.2 | 88.6 |
| Gestational Age | Preterm <=36 wks | 4,024 | 10.9 | 5.7 | 16.1 | 32,987 | 89.1 | 83.9 | 94.3 |
| | Term >36 wks | 49,770 | 15.0 | 11.7 | 18.2 | 282,809 | 85.0 | 81.8 | 88.3 |
| Marital Status | Married | 23,351 | 10.7 | 7.2 | 14.1 | 195,144 | 89.3 | 85.9 | 92.8 |
| | Not Married | 30,443 | 20.1 | 14.8 | 25.5 | 120,652 | 79.9 | 74.5 | 85.2 |
| PNC First Trimester | No Prenatal Care First Trimester | 22,456 | 24.8 | 17.4 | 32.3 | 67,934 | 75.2 | 67.7 | 82.6 |
| | Prenatal Care First Trimester | 29,037 | 10.6 | 7.6 | 13.7 | 243,628 | 89.4 | 86.3 | 92.4 |
| WIC Status | Not WIC | 13,666 | 8.4 | 5.3 | 11.6 | 148,335 | 91.6 | 88.4 | 94.7 |
| | WIC | 40,128 | 19.3 | 14.6 | 24.0 | 167,461 | 80.7 | 76.0 | 85.4 |
| Intention | Intended | 25,415 | 13.5 | 9.3 | 17.8 | 162,430 | 86.5 | 82.2 | 90.7 |
| | Not Sure | 7,421 | 15.5 | 7.6 | 23.4 | 40,493 | 84.5 | 76.6 | 92.4 |
| | Unintended | 20,958 | 16.3 | 11.1 | 21.5 | 107,664 | 83.7 | 78.5 | 88.9 |
| Maternal BMI Category | Obese | 16,635 | 19.3 | 12.2 | 26.4 | 69,475 | 80.7 | 73.6 | 87.8 |
| | Overweight | 13,070 | 13.9 | 8.0 | 19.8 | 80,865 | 86.1 | 80.2 | 92.0 |
| | Underweight or Normal | 24,089 | 12.8 | 8.9 | 16.8 | 163,852 | 87.2 | 83.2 | 91.1 |
| Payer of Delivery | Medicaid | 27,701 | 16.1 | 11.6 | 20.5 | 144,613 | 83.9 | 79.5 | 88.4 |
| | Private Insurance | 6,309 | 4.8 | 2.1 | 7.5 | 125,373 | 95.2 | 92.5 | 97.9 |
| | Self pay, Other, Unknown | 19,783 | 30.2 | 20.1 | 40.2 | 45,810 | 69.8 | 59.8 | 79.9 |
| Maternal Race | Black | 7,710 | 18.7 | 13.9 | 23.4 | 33,620 | 81.3 | 76.6 | 86.1 |
| | Hispanic | 32,690 | 18.4 | 13.0 | 23.8 | 144,735 | 81.6 | 76.2 | 87.0 |
| | Other | 2,322 | 12.7 | 0.9 | 24.5 | 15,978 | 87.3 | 75.5 | 99.1 |
| | White | 11,072 | 8.4 | 4.8 | 11.9 | 121,464 | 91.6 | 88.1 | 95.2 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|--------------|---------------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 21,708 | 78.3 | 72.8 | 83.9 | 6,000 | 21.7 | 16.1 | 27.2 |
| | Normal Birth Weight | 272,708 | 79.6 | 76.0 | 83.2 | 69,929 | 20.4 | 16.8 | 24.0 |
| Total | | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|-----------------|------------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 31,381 | 82.7 | 75.4 | 90.0 | 6,553 | 17.3 | 10.0 | 24.6 |
| | Term >36 wks | 263,035 | 79.1 | 75.5 | 82.8 | 69,377 | 20.9 | 17.2 | 24.5 |
| Total | | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|-----------|------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 164,652 | 87.0 | 82.8 | 91.2 | 24,609 | 13.0 | 8.8 | 17.2 |
| | Not Sure | 35,736 | 77.5 | 68.2 | 86.7 | 10,385 | 22.5 | 13.3 | 31.8 |
| | Unintended | 89,504 | 68.6 | 62.1 | 75.2 | 40,935 | 31.4 | 24.8 | 37.9 |
| | Total | 289,892 | 79.2 | 75.8 | 82.7 | 75,930 | 20.8 | 17.3 | 24.2 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status

PNC as Early as Wanted by Marital Status
 Q19: Did you get prenatal care as early in your pregnancy as you wanted?



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|----------------|-------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 186,719 | 86.8 | 82.9 | 90.6 | 28,517 | 13.2 | 9.4 | 17.1 |
| | Not Married | 107,697 | 69.4 | 63.5 | 75.4 | 47,413 | 30.6 | 24.6 | 36.5 |
| Total | | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|-----------------------|-----------------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 67,428 | 79.1 | 72.2 | 86.1 | 17,769 | 20.9 | 13.9 | 27.8 |
| | Overweight | 77,857 | 81.1 | 74.7 | 87.5 | 18,151 | 18.9 | 12.5 | 25.3 |
| | Underweight or Normal | 147,655 | 78.7 | 73.8 | 83.7 | 39,880 | 21.3 | 16.3 | 26.2 |
| | Total | 292,941 | 79.4 | 76.1 | 82.8 | 75,800 | 20.6 | 17.2 | 23.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| Maternal Race | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|---------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Black | 29,431 | 72.0 | 66.5 | 77.5 | 11,468 | 28.0 | 22.5 | 33.5 |
| Hispanic | 135,208 | 75.1 | 69.1 | 81.0 | 44,940 | 24.9 | 19.0 | 30.9 |
| Other | 15,067 | 84.3 | 71.4 | 97.2 | 2,798 | 15.7 | 2.8 | 28.6 |
| White | 114,711 | 87.3 | 83.1 | 91.4 | 16,724 | 12.7 | 8.6 | 16.9 |
| Total | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status

PNC as Early as Wanted by Payer of Delivery
 Q19: Did you get prenatal care as early in your pregnancy as you wanted?



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|-------------------|--------------------------|-----------------------------|-------------|-------------|-------------|-----------------------------------|-------------|-------------|-------------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 122,890 | 71.1 | 65.6 | 76.7 | 49,844 | 28.9 | 23.3 | 34.4 |
| | Private Insurance | 119,392 | 91.3 | 87.6 | 95.1 | 11,325 | 8.7 | 4.9 | 12.4 |
| | Self pay, Other, Unknown | 52,133 | 77.9 | 68.9 | 86.9 | 14,761 | 22.1 | 13.1 | 31.1 |
| | Total | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|---------------------|----------------------------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 41,905 | 46.8 | 38.1 | 55.6 | 47,567 | 53.2 | 44.4 | 61.9 |
| | Prenatal Care First Trimester | 247,883 | 90.1 | 87.1 | 93.1 | 27,359 | 9.9 | 6.9 | 12.9 |
| Total | | 289,788 | 79.5 | 76.0 | 82.9 | 74,926 | 20.5 | 17.1 | 24.0 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|------------|---------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 139,311 | 86.5 | 82.4 | 90.7 | 21,653 | 13.5 | 9.3 | 17.6 |
| | WIC | 155,104 | 74.1 | 69.0 | 79.1 | 54,277 | 25.9 | 20.9 | 31.0 |
| Total | | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |

1. Select a chapter

Prenatal Care (PNC)

2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

PNC as Early as Wanted

Q19: Did you get prenatal care as early in your pregnancy as you wanted?

| | | Accessed as Early as Wanted | | | | Did Not Access as Early as Wanted | | | |
|------------------------------|----------------------------------|-----------------------------|------|---------|---------|-----------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 294,415 | 79.5 | 76.1 | 82.9 | 75,930 | 20.5 | 17.1 | 23.9 |
| Birth Weight | Low Birth Weight | 21,708 | 78.3 | 72.8 | 83.9 | 6,000 | 21.7 | 16.1 | 27.2 |
| | Normal Birth Weight | 272,708 | 79.6 | 76.0 | 83.2 | 69,929 | 20.4 | 16.8 | 24.0 |
| Gestational Age | Preterm <=36 wks | 31,381 | 82.7 | 75.4 | 90.0 | 6,553 | 17.3 | 10.0 | 24.6 |
| | Term >36 wks | 263,035 | 79.1 | 75.5 | 82.8 | 69,377 | 20.9 | 17.2 | 24.5 |
| Marital Status | Married | 186,719 | 86.8 | 82.9 | 90.6 | 28,517 | 13.2 | 9.4 | 17.1 |
| | Not Married | 107,697 | 69.4 | 63.5 | 75.4 | 47,413 | 30.6 | 24.6 | 36.5 |
| PNC First Trimester | No Prenatal Care First Trimester | 41,905 | 46.8 | 38.1 | 55.6 | 47,567 | 53.2 | 44.4 | 61.9 |
| | Prenatal Care First Trimester | 247,883 | 90.1 | 87.1 | 93.1 | 27,359 | 9.9 | 6.9 | 12.9 |
| WIC Status | Not WIC | 139,311 | 86.5 | 82.4 | 90.7 | 21,653 | 13.5 | 9.3 | 17.6 |
| | WIC | 155,104 | 74.1 | 69.0 | 79.1 | 54,277 | 25.9 | 20.9 | 31.0 |
| Intention | Intended | 164,652 | 87.0 | 82.8 | 91.2 | 24,609 | 13.0 | 8.8 | 17.2 |
| | Not Sure | 35,736 | 77.5 | 68.2 | 86.7 | 10,385 | 22.5 | 13.3 | 31.8 |
| | Unintended | 89,504 | 68.6 | 62.1 | 75.2 | 40,935 | 31.4 | 24.8 | 37.9 |
| Maternal BMI Category | Obese | 67,428 | 79.1 | 72.2 | 86.1 | 17,769 | 20.9 | 13.9 | 27.8 |
| | Overweight | 77,857 | 81.1 | 74.7 | 87.5 | 18,151 | 18.9 | 12.5 | 25.3 |
| | Underweight or Normal | 147,655 | 78.7 | 73.8 | 83.7 | 39,880 | 21.3 | 16.3 | 26.2 |
| Payer of Delivery | Medicaid | 122,890 | 71.1 | 65.6 | 76.7 | 49,844 | 28.9 | 23.3 | 34.4 |
| | Private Insurance | 119,392 | 91.3 | 87.6 | 95.1 | 11,325 | 8.7 | 4.9 | 12.4 |
| | Self pay, Other, Unknown | 52,133 | 77.9 | 68.9 | 86.9 | 14,761 | 22.1 | 13.1 | 31.1 |
| Maternal Race | Black | 29,431 | 72.0 | 66.5 | 77.5 | 11,468 | 28.0 | 22.5 | 33.5 |
| | Hispanic | 135,208 | 75.1 | 69.1 | 81.0 | 44,940 | 24.9 | 19.0 | 30.9 |
| | Other | 15,067 | 84.3 | 71.4 | 97.2 | 2,798 | 15.7 | 2.8 | 28.6 |
| | White | 114,711 | 87.3 | 83.1 | 91.4 | 16,724 | 12.7 | 8.6 | 16.9 |

Texas PRAMS 2012 data

Prepared by the Office of Program Decision Support

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention


Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|--------------|---------------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 6,926 | 25.4 | 19.6 | 31.1 | 20,367 | 74.6 | 68.9 | 80.4 |
| | Normal Birth Weight | 85,798 | 25.1 | 21.2 | 29.1 | 255,369 | 74.9 | 70.9 | 78.8 |
| Total | | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|-----------------|------------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 8,850 | 23.5 | 14.3 | 32.7 | 28,781 | 76.5 | 67.3 | 85.7 |
| | Term >36 wks | 83,873 | 25.4 | 21.4 | 29.3 | 246,955 | 74.6 | 70.7 | 78.6 |
| Total | | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention


Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|-----------|------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 36,842 | 19.7 | 14.8 | 24.6 | 150,096 | 80.3 | 75.4 | 85.2 |
| | Not Sure | 13,662 | 28.5 | 18.5 | 38.5 | 34,251 | 71.5 | 61.5 | 81.5 |
| | Unintended | 41,890 | 32.5 | 25.8 | 39.1 | 87,195 | 67.5 | 60.9 | 74.2 |
| | Total | 92,394 | 25.4 | 21.7 | 29.1 | 271,543 | 74.6 | 70.9 | 78.3 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|----------------|-------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 31,803 | 14.7 | 10.8 | 18.7 | 184,235 | 85.3 | 81.3 | 89.2 |
| | Not Married | 60,921 | 40.0 | 33.5 | 46.4 | 91,501 | 60.0 | 53.6 | 66.5 |
| Total | | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|-----------------------|-----------------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 21,233 | 25.0 | 17.5 | 32.5 | 63,774 | 75.0 | 67.5 | 82.5 |
| | Overweight | 22,017 | 23.1 | 16.1 | 30.1 | 73,252 | 76.9 | 69.9 | 83.9 |
| | Underweight or Normal | 49,178 | 26.4 | 21.1 | 31.7 | 137,400 | 73.6 | 68.3 | 78.9 |
| | Total | 92,429 | 25.2 | 21.5 | 28.9 | 274,427 | 74.8 | 71.1 | 78.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention


Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|---------------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 14,176 | 34.3 | 28.5 | 40.1 | 27,154 | 65.7 | 59.9 | 71.5 |
| Hispanic | 54,319 | 30.4 | 24.1 | 36.8 | 124,134 | 69.6 | 63.2 | 75.9 |
| Other | 3,799 | 20.2 | 5.8 | 34.6 | 15,021 | 79.8 | 65.4 | 94.2 |
| White | 20,430 | 15.7 | 11.0 | 20.5 | 109,427 | 84.3 | 79.5 | 89.0 |
| Total | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|-------------------|--------------------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 58,275 | 33.9 | 28.1 | 39.8 | 113,552 | 66.1 | 60.2 | 71.9 |
| | Private Insurance | 11,518 | 8.8 | 5.1 | 12.5 | 119,779 | 91.2 | 87.5 | 94.9 |
| | Self pay, Other, Unknown | 22,931 | 35.1 | 24.7 | 45.5 | 42,406 | 64.9 | 54.5 | 75.3 |
| | Total | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status**



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|------------|---------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 21,636 | 13.4 | 9.6 | 17.3 | 139,734 | 86.6 | 82.7 | 90.4 |
| | WIC | 71,087 | 34.3 | 28.8 | 39.9 | 136,002 | 65.7 | 60.1 | 71.2 |
| Total | | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |

1. Select a chapter

Prenatal Care (PNC)

2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

PNC First Trimester

Q18: How many weeks or months pregnant were you when you had your first visit for prenatal care? (presented as prenatal care in the first trimester).

| | | No Prenatal Care First Trimester | | | | Prenatal Care First Trimester | | | |
|------------------------------|--------------------------|----------------------------------|------|---------|---------|-------------------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 92,724 | 25.2 | 21.5 | 28.8 | 275,736 | 74.8 | 71.2 | 78.5 |
| Birth Weight | Low Birth Weight | 6,926 | 25.4 | 19.6 | 31.1 | 20,367 | 74.6 | 68.9 | 80.4 |
| | Normal Birth Weight | 85,798 | 25.1 | 21.2 | 29.1 | 255,369 | 74.9 | 70.9 | 78.8 |
| Gestational Age | Preterm <=36 wks | 8,850 | 23.5 | 14.3 | 32.7 | 28,781 | 76.5 | 67.3 | 85.7 |
| | Term >36 wks | 83,873 | 25.4 | 21.4 | 29.3 | 246,955 | 74.6 | 70.7 | 78.6 |
| Marital Status | Married | 31,803 | 14.7 | 10.8 | 18.7 | 184,235 | 85.3 | 81.3 | 89.2 |
| | Not Married | 60,921 | 40.0 | 33.5 | 46.4 | 91,501 | 60.0 | 53.6 | 66.5 |
| WIC Status | Not WIC | 21,636 | 13.4 | 9.6 | 17.3 | 139,734 | 86.6 | 82.7 | 90.4 |
| | WIC | 71,087 | 34.3 | 28.8 | 39.9 | 136,002 | 65.7 | 60.1 | 71.2 |
| Intention | Intended | 36,842 | 19.7 | 14.8 | 24.6 | 150,096 | 80.3 | 75.4 | 85.2 |
| | Not Sure | 13,662 | 28.5 | 18.5 | 38.5 | 34,251 | 71.5 | 61.5 | 81.5 |
| | Unintended | 41,890 | 32.5 | 25.8 | 39.1 | 87,195 | 67.5 | 60.9 | 74.2 |
| Maternal BMI Category | Obese | 21,233 | 25.0 | 17.5 | 32.5 | 63,774 | 75.0 | 67.5 | 82.5 |
| | Overweight | 22,017 | 23.1 | 16.1 | 30.1 | 73,252 | 76.9 | 69.9 | 83.9 |
| | Underweight or Normal | 49,178 | 26.4 | 21.1 | 31.7 | 137,400 | 73.6 | 68.3 | 78.9 |
| Payer of Delivery | Medicaid | 58,275 | 33.9 | 28.1 | 39.8 | 113,552 | 66.1 | 60.2 | 71.9 |
| | Private Insurance | 11,518 | 8.8 | 5.1 | 12.5 | 119,779 | 91.2 | 87.5 | 94.9 |
| | Self pay, Other, Unknown | 22,931 | 35.1 | 24.7 | 45.5 | 42,406 | 64.9 | 54.5 | 75.3 |
| Maternal Race | Black | 14,176 | 34.3 | 28.5 | 40.1 | 27,154 | 65.7 | 59.9 | 71.5 |
| | Hispanic | 54,319 | 30.4 | 24.1 | 36.8 | 124,134 | 69.6 | 63.2 | 75.9 |
| | Other | 3,799 | 20.2 | 5.8 | 34.6 | 15,021 | 79.8 | 65.4 | 94.2 |
| | White | 20,430 | 15.7 | 11.0 | 20.5 | 109,427 | 84.3 | 79.5 | 89.0 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|--------------|---------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 15,984 | 66.6 | 60.0 | 73.1 | 8,021 | 33.4 | 26.9 | 40.0 |
| | Normal Birth Weight | 243,397 | 71.9 | 68.0 | 75.9 | 95,086 | 28.1 | 24.1 | 32.0 |
| | Total | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|-----------------|------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 24,735 | 71.8 | 62.6 | 81.0 | 9,722 | 28.2 | 19.0 | 37.4 |
| | Term >36 wks | 234,645 | 71.5 | 67.5 | 75.5 | 93,385 | 28.5 | 24.5 | 32.5 |
| Total | | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Sleep Position by Intention

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|-----------|------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 139,042 | 75.2 | 70.2 | 80.2 | 45,960 | 24.8 | 19.8 | 29.8 |
| | Not Sure | 34,741 | 73.0 | 63.1 | 82.8 | 12,878 | 27.0 | 17.2 | 36.9 |
| | Unintended | 82,592 | 66.3 | 59.6 | 72.9 | 42,066 | 33.7 | 27.1 | 40.4 |
| | Total | 256,375 | 71.8 | 68.0 | 75.5 | 100,904 | 28.2 | 24.5 | 32.0 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|----------------|-------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 165,432 | 77.5 | 73.0 | 82.0 | 48,059 | 22.5 | 18.0 | 27.0 |
| | Not Married | 93,948 | 63.1 | 56.8 | 69.3 | 55,048 | 36.9 | 30.7 | 43.2 |
| Total | | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 53,699 | 63.5 | 55.2 | 71.8 | 30,891 | 36.5 | 28.2 | 44.8 |
| | Overweight | 69,694 | 75.6 | 68.7 | 82.6 | 22,444 | 24.4 | 17.4 | 31.3 |
| | Underweight or Normal | 134,383 | 73.0 | 67.8 | 78.1 | 49,772 | 27.0 | 21.9 | 32.2 |
| | Total | 257,776 | 71.4 | 67.7 | 75.2 | 103,108 | 28.6 | 24.8 | 32.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Sleep Position by Maternal Race

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Back Only | | | | Other Than Back | | | |
|---------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 20,279 | 51.1 | 44.8 | 57.3 | 19,434 | 48.9 | 42.7 | 55.2 |
| Hispanic | 126,611 | 72.2 | 66.0 | 78.3 | 48,856 | 27.8 | 21.7 | 34.0 |
| Other | 15,100 | 88.6 | 79.5 | 97.7 | 1,940 | 11.4 | 2.3 | 20.5 |
| White | 97,390 | 74.8 | 69.2 | 80.4 | 32,878 | 25.2 | 19.6 | 30.8 |
| Total | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|-------------------|--------------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 111,091 | 66.2 | 60.4 | 71.9 | 56,759 | 33.8 | 28.1 | 39.6 |
| | Private Insurance | 101,041 | 78.4 | 73.1 | 83.7 | 27,835 | 21.6 | 16.3 | 26.9 |
| | Self pay, Other, Unknown | 47,247 | 71.8 | 62.1 | 81.6 | 18,514 | 28.2 | 18.4 | 37.9 |
| | Total | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 59,498 | 66.5 | 58.4 | 74.7 | 29,921 | 33.5 | 25.3 | 41.6 |
| | Prenatal Care First Trimester | 195,561 | 73.3 | 69.2 | 77.5 | 71,088 | 26.7 | 22.5 | 30.8 |
| | Total | 255,059 | 71.6 | 67.9 | 75.4 | 101,008 | 28.4 | 24.6 | 32.1 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | Back Only | | | | Other Than Back | | | |
|------------|---------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 120,294 | 75.8 | 70.9 | 80.8 | 38,316 | 24.2 | 19.2 | 29.1 |
| | WIC | 139,086 | 68.2 | 62.9 | 73.6 | 64,791 | 31.8 | 26.4 | 37.1 |
| Total | | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |

1. Select a chapter

Safe Sleep

Sleep Position

2. Select a question topic

Sleep Position

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).

| | | Back Only | | | | Other Than Back | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|-----------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 259,380 | 71.6 | 67.8 | 75.3 | 103,108 | 28.4 | 24.7 | 32.2 |
| Birth Weight | Low Birth Weight | 15,984 | 66.6 | 60.0 | 73.1 | 8,021 | 33.4 | 26.9 | 40.0 |
| | Normal Birth Weight | 243,397 | 71.9 | 68.0 | 75.9 | 95,086 | 28.1 | 24.1 | 32.0 |
| Gestational Age | Preterm <=36 wks | 24,735 | 71.8 | 62.6 | 81.0 | 9,722 | 28.2 | 19.0 | 37.4 |
| | Term >36 wks | 234,645 | 71.5 | 67.5 | 75.5 | 93,385 | 28.5 | 24.5 | 32.5 |
| Marital Status | Married | 165,432 | 77.5 | 73.0 | 82.0 | 48,059 | 22.5 | 18.0 | 27.0 |
| | Not Married | 93,948 | 63.1 | 56.8 | 69.3 | 55,048 | 36.9 | 30.7 | 43.2 |
| PNC First Trimester | No Prenatal Care First Trimester | 59,498 | 66.5 | 58.4 | 74.7 | 29,921 | 33.5 | 25.3 | 41.6 |
| | Prenatal Care First Trimester | 195,561 | 73.3 | 69.2 | 77.5 | 71,088 | 26.7 | 22.5 | 30.8 |
| WIC Status | Not WIC | 120,294 | 75.8 | 70.9 | 80.8 | 38,316 | 24.2 | 19.2 | 29.1 |
| | WIC | 139,086 | 68.2 | 62.9 | 73.6 | 64,791 | 31.8 | 26.4 | 37.1 |
| Intention | Intended | 139,042 | 75.2 | 70.2 | 80.2 | 45,960 | 24.8 | 19.8 | 29.8 |
| | Not Sure | 34,741 | 73.0 | 63.1 | 82.8 | 12,878 | 27.0 | 17.2 | 36.9 |
| | Unintended | 82,592 | 66.3 | 59.6 | 72.9 | 42,066 | 33.7 | 27.1 | 40.4 |
| Maternal BMI Category | Obese | 53,699 | 63.5 | 55.2 | 71.8 | 30,891 | 36.5 | 28.2 | 44.8 |
| | Overweight | 69,694 | 75.6 | 68.7 | 82.6 | 22,444 | 24.4 | 17.4 | 31.3 |
| | Underweight or Normal | 134,383 | 73.0 | 67.8 | 78.1 | 49,772 | 27.0 | 21.9 | 32.2 |
| Payer of Delivery | Medicaid | 111,091 | 66.2 | 60.4 | 71.9 | 56,759 | 33.8 | 28.1 | 39.6 |
| | Private Insurance | 101,041 | 78.4 | 73.1 | 83.7 | 27,835 | 21.6 | 16.3 | 26.9 |
| | Self pay, Other, Unknown | 47,247 | 71.8 | 62.1 | 81.6 | 18,514 | 28.2 | 18.4 | 37.9 |
| Maternal Race | Black | 20,279 | 51.1 | 44.8 | 57.3 | 19,434 | 48.9 | 42.7 | 55.2 |
| | Hispanic | 126,611 | 72.2 | 66.0 | 78.3 | 48,856 | 27.8 | 21.7 | 34.0 |
| | Other | 15,100 | 88.6 | 79.5 | 97.7 | 1,940 | 11.4 | 2.3 | 20.5 |
| | White | 97,390 | 74.8 | 69.2 | 80.4 | 32,878 | 25.2 | 19.6 | 30.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Birth Weight

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|--------------|---------------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 1,162 | 4.3 | 1.5 | 7.2 | 25,540 | 95.7 | 92.8 | 98.5 |
| | Normal Birth Weight | 9,851 | 2.9 | 1.6 | 4.1 | 335,744 | 97.1 | 95.9 | 98.4 |
| Total | | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Gestational Age

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|-----------------|------------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 889 | 2.4 | 0.6 | 4.2 | 36,281 | 97.6 | 95.8 | 99.4 |
| | Term >36 wks | 10,124 | 3.0 | 1.7 | 4.3 | 325,003 | 97.0 | 95.7 | 98.3 |
| | Total | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Intention

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|-----------|------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 4,120 | 2.2 | 0.7 | 3.7 | 185,091 | 97.8 | 96.3 | 99.3 |
| | Not Sure | 818 | 1.7 | 0.2 | 3.2 | 46,880 | 98.3 | 96.8 | 99.8 |
| | Unintended | 6,076 | 4.7 | 2.1 | 7.3 | 124,104 | 95.3 | 92.7 | 97.9 |
| | Total | 11,013 | 3.0 | 1.8 | 4.2 | 356,075 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Marital Status

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|----------------|-------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 4,614 | 2.1 | 0.6 | 3.6 | 213,008 | 97.9 | 96.4 | 99.4 |
| | Not Married | 6,399 | 4.1 | 2.1 | 6.2 | 148,276 | 95.9 | 93.8 | 97.9 |
| Total | | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Maternal BMI Category

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|-----------------------|-----------------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 2,246 | 2.6 | 0.9 | 4.3 | 84,651 | 97.4 | 95.7 | 99.1 |
| | Overweight | 5,228 | 5.4 | 1.8 | 9.1 | 90,781 | 94.6 | 90.9 | 98.2 |
| | Underweight or Normal | 3,539 | 1.9 | 0.6 | 3.1 | 184,248 | 98.1 | 96.9 | 99.4 |
| | Total | 11,013 | 3.0 | 1.8 | 4.2 | 359,679 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Maternal Race

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | Allowed | | | | Not Allowed | | | |
|---------------------|---------------|------|---------|---------|---------------|-------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 4,570 | 11.1 | 7.2 | 14.9 | 36,709 | 88.9 | 85.1 | 92.8 |
| Hispanic | 4,041 | 2.2 | 0.2 | 4.3 | 175,576 | 97.8 | 95.7 | 99.8 |
| Other | | | | | 18,821 | 100.0 | 100.0 | 100.0 |
| White | 2,402 | 1.8 | 0.2 | 3.4 | 130,178 | 98.2 | 96.6 | 99.8 |
| Total | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Payer of Delivery

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|-------------------|--------------------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 7,713 | 4.4 | 2.4 | 6.4 | 166,007 | 95.6 | 93.6 | 97.6 |
| | Private Insurance | 980 | 0.7 | 0.0 | 1.6 | 130,094 | 99.3 | 98.4 | 100.0 |
| | Self pay, Other, Unknown | 2,320 | 3.4 | 0.0 | 7.3 | 65,183 | 96.6 | 92.7 | 100.0 |
| | Total | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by PNC First Trimester



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|---------------------|----------------------------------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 2,440 | 2.6 | 1.3 | 4.0 | 89,859 | 97.4 | 96.0 | 98.7 |
| | Prenatal Care First Trimester | 8,572 | 3.1 | 1.6 | 4.7 | 264,891 | 96.9 | 95.3 | 98.4 |
| | Total | 11,013 | 3.0 | 1.8 | 4.2 | 354,750 | 97.0 | 95.8 | 98.2 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by WIC Status

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Allowed | | | | Not Allowed | | | |
|------------|---------|---------------|-----|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 4,342 | 2.7 | 0.8 | 4.6 | 157,164 | 97.3 | 95.4 | 99.2 |
| | WIC | 6,671 | 3.2 | 1.6 | 4.7 | 204,119 | 96.8 | 95.3 | 98.4 |
| | Total | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Allow Smoking

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).

| | | Allowed | | | | Not Allowed | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|-------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 11,013 | 3.0 | 1.8 | 4.2 | 361,284 | 97.0 | 95.8 | 98.2 |
| Birth Weight | Low Birth Weight | 1,162 | 4.3 | 1.5 | 7.2 | 25,540 | 95.7 | 92.8 | 98.5 |
| | Normal Birth Weight | 9,851 | 2.9 | 1.6 | 4.1 | 335,744 | 97.1 | 95.9 | 98.4 |
| Gestational Age | Preterm <=36 wks | 889 | 2.4 | 0.6 | 4.2 | 36,281 | 97.6 | 95.8 | 99.4 |
| | Term >36 wks | 10,124 | 3.0 | 1.7 | 4.3 | 325,003 | 97.0 | 95.7 | 98.3 |
| Marital Status | Married | 4,614 | 2.1 | 0.6 | 3.6 | 213,008 | 97.9 | 96.4 | 99.4 |
| | Not Married | 6,399 | 4.1 | 2.1 | 6.2 | 148,276 | 95.9 | 93.8 | 97.9 |
| PNC First Trimester | No Prenatal Care First Trimester | 2,440 | 2.6 | 1.3 | 4.0 | 89,859 | 97.4 | 96.0 | 98.7 |
| | Prenatal Care First Trimester | 8,572 | 3.1 | 1.6 | 4.7 | 264,891 | 96.9 | 95.3 | 98.4 |
| WIC Status | Not WIC | 4,342 | 2.7 | 0.8 | 4.6 | 157,164 | 97.3 | 95.4 | 99.2 |
| | WIC | 6,671 | 3.2 | 1.6 | 4.7 | 204,119 | 96.8 | 95.3 | 98.4 |
| Intention | Intended | 4,120 | 2.2 | 0.7 | 3.7 | 185,091 | 97.8 | 96.3 | 99.3 |
| | Not Sure | 818 | 1.7 | 0.2 | 3.2 | 46,880 | 98.3 | 96.8 | 99.8 |
| | Unintended | 6,076 | 4.7 | 2.1 | 7.3 | 124,104 | 95.3 | 92.7 | 97.9 |
| Maternal BMI Category | Obese | 2,246 | 2.6 | 0.9 | 4.3 | 84,651 | 97.4 | 95.7 | 99.1 |
| | Overweight | 5,228 | 5.4 | 1.8 | 9.1 | 90,781 | 94.6 | 90.9 | 98.2 |
| | Underweight or Normal | 3,539 | 1.9 | 0.6 | 3.1 | 184,248 | 98.1 | 96.9 | 99.4 |
| Payer of Delivery | Medicaid | 7,713 | 4.4 | 2.4 | 6.4 | 166,007 | 95.6 | 93.6 | 97.6 |
| | Private Insurance | 980 | 0.7 | 0.0 | 1.6 | 130,094 | 99.3 | 98.4 | 100.0 |
| | Self pay, Other, Unknown | 2,320 | 3.4 | 0.0 | 7.3 | 65,183 | 96.6 | 92.7 | 100.0 |
| Maternal Race | Black | 4,570 | 11.1 | 7.2 | 14.9 | 36,709 | 88.9 | 85.1 | 92.8 |
| | Hispanic | 4,041 | 2.2 | 0.2 | 4.3 | 175,576 | 97.8 | 95.7 | 99.8 |
| | Other | | | | | 18,821 | 100.0 | 100.0 | 100.0 |
| | White | 2,402 | 1.8 | 0.2 | 3.4 | 130,178 | 98.2 | 96.6 | 99.8 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 19,852 | 73.0 | 67.1 | 79.0 | 7,336 | 27.0 | 21.0 | 32.9 |
| | Normal Birth Weight | 291,441 | 84.2 | 81.1 | 87.4 | 54,484 | 15.8 | 12.6 | 18.9 |
| | Total | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 28,938 | 77.1 | 69.0 | 85.2 | 8,589 | 22.9 | 14.8 | 31.0 |
| | Term >36 wks | 282,355 | 84.1 | 81.0 | 87.3 | 53,231 | 15.9 | 12.7 | 19.0 |
| Total | | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|-----------|------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 163,297 | 86.1 | 82.2 | 90.0 | 26,287 | 13.9 | 10.0 | 17.8 |
| | Not Sure | 38,283 | 80.0 | 72.1 | 87.9 | 9,579 | 20.0 | 12.1 | 27.9 |
| | Unintended | 104,504 | 80.1 | 74.6 | 85.6 | 25,954 | 19.9 | 14.4 | 25.4 |
| | Total | 306,084 | 83.2 | 80.2 | 86.2 | 61,820 | 16.8 | 13.8 | 19.8 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 194,301 | 89.2 | 85.9 | 92.4 | 23,564 | 10.8 | 7.6 | 14.1 |
| | Not Married | 116,992 | 75.4 | 70.1 | 80.7 | 38,256 | 24.6 | 19.3 | 29.9 |
| Total | | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 74,062 | 85.1 | 79.5 | 90.7 | 12,965 | 14.9 | 9.3 | 20.5 |
| | Overweight | 78,323 | 81.6 | 75.4 | 87.7 | 17,685 | 18.4 | 12.3 | 24.6 |
| | Underweight or Normal | 158,092 | 83.9 | 79.8 | 88.0 | 30,381 | 16.1 | 12.0 | 20.2 |
| | Total | 310,478 | 83.6 | 80.6 | 86.5 | 61,031 | 16.4 | 13.5 | 19.4 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| Maternal Race | Never Smoked | | | | Smoked | | | |
|---------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Black | 33,620 | 80.6 | 75.8 | 85.4 | 8,101 | 19.4 | 14.6 | 24.2 |
| Hispanic | 157,998 | 87.8 | 83.4 | 92.3 | 21,879 | 12.2 | 7.7 | 16.6 |
| Other | 16,266 | 86.4 | 74.8 | 98.0 | 2,555 | 13.6 | 2.0 | 25.2 |
| White | 103,409 | 77.9 | 72.7 | 83.1 | 29,285 | 22.1 | 16.9 | 27.3 |
| Total | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|-------------------|--------------------------|----------------|-------------|-------------|-------------|---------------|-------------|-------------|-------------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 133,995 | 76.9 | 72.0 | 81.8 | 40,263 | 23.1 | 18.2 | 28.0 |
| | Private Insurance | 118,664 | 90.5 | 86.8 | 94.1 | 12,524 | 9.5 | 5.9 | 13.2 |
| | Self pay, Other, Unknown | 58,634 | 86.7 | 79.7 | 93.6 | 9,033 | 13.3 | 6.4 | 20.3 |
| | Total | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 75,026 | 81.2 | 75.2 | 87.2 | 17,403 | 18.8 | 12.8 | 24.8 |
| | Prenatal Care First Trimester | 231,042 | 84.3 | 80.9 | 87.7 | 43,108 | 15.7 | 12.3 | 19.1 |
| | Total | 306,068 | 83.5 | 80.5 | 86.4 | 60,511 | 16.5 | 13.6 | 19.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | Never Smoked | | | | Smoked | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 137,024 | 84.8 | 80.7 | 88.9 | 24,612 | 15.2 | 11.1 | 19.3 |
| | WIC | 174,269 | 82.4 | 78.3 | 86.5 | 37,207 | 17.6 | 13.5 | 21.7 |
| Total | | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking 3-Months Before

Q35: In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (presented as yes/no response).

| | | Never Smoked | | | | Smoked | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 311,293 | 83.4 | 80.5 | 86.4 | 61,820 | 16.6 | 13.6 | 19.5 |
| Birth Weight | Low Birth Weight | 19,852 | 73.0 | 67.1 | 79.0 | 7,336 | 27.0 | 21.0 | 32.9 |
| | Normal Birth Weight | 291,441 | 84.2 | 81.1 | 87.4 | 54,484 | 15.8 | 12.6 | 18.9 |
| Gestational Age | Preterm <=36 wks | 28,938 | 77.1 | 69.0 | 85.2 | 8,589 | 22.9 | 14.8 | 31.0 |
| | Term >36 wks | 282,355 | 84.1 | 81.0 | 87.3 | 53,231 | 15.9 | 12.7 | 19.0 |
| Marital Status | Married | 194,301 | 89.2 | 85.9 | 92.4 | 23,564 | 10.8 | 7.6 | 14.1 |
| | Not Married | 116,992 | 75.4 | 70.1 | 80.7 | 38,256 | 24.6 | 19.3 | 29.9 |
| PNC First Trimester | No Prenatal Care First Trimester | 75,026 | 81.2 | 75.2 | 87.2 | 17,403 | 18.8 | 12.8 | 24.8 |
| | Prenatal Care First Trimester | 231,042 | 84.3 | 80.9 | 87.7 | 43,108 | 15.7 | 12.3 | 19.1 |
| WIC Status | Not WIC | 137,024 | 84.8 | 80.7 | 88.9 | 24,612 | 15.2 | 11.1 | 19.3 |
| | WIC | 174,269 | 82.4 | 78.3 | 86.5 | 37,207 | 17.6 | 13.5 | 21.7 |
| Intention | Intended | 163,297 | 86.1 | 82.2 | 90.0 | 26,287 | 13.9 | 10.0 | 17.8 |
| | Not Sure | 38,283 | 80.0 | 72.1 | 87.9 | 9,579 | 20.0 | 12.1 | 27.9 |
| | Unintended | 104,504 | 80.1 | 74.6 | 85.6 | 25,954 | 19.9 | 14.4 | 25.4 |
| Maternal BMI Category | Obese | 74,062 | 85.1 | 79.5 | 90.7 | 12,965 | 14.9 | 9.3 | 20.5 |
| | Overweight | 78,323 | 81.6 | 75.4 | 87.7 | 17,685 | 18.4 | 12.3 | 24.6 |
| | Underweight or Normal | 158,092 | 83.9 | 79.8 | 88.0 | 30,381 | 16.1 | 12.0 | 20.2 |
| Payer of Delivery | Medicaid | 133,995 | 76.9 | 72.0 | 81.8 | 40,263 | 23.1 | 18.2 | 28.0 |
| | Private Insurance | 118,664 | 90.5 | 86.8 | 94.1 | 12,524 | 9.5 | 5.9 | 13.2 |
| | Self pay, Other, Unknown | 58,634 | 86.7 | 79.7 | 93.6 | 9,033 | 13.3 | 6.4 | 20.3 |
| Maternal Race | Black | 33,620 | 80.6 | 75.8 | 85.4 | 8,101 | 19.4 | 14.6 | 24.2 |
| | Hispanic | 157,998 | 87.8 | 83.4 | 92.3 | 21,879 | 12.2 | 7.7 | 16.6 |
| | Other | 16,266 | 86.4 | 74.8 | 98.0 | 2,555 | 13.6 | 2.0 | 25.2 |
| | White | 103,409 | 77.9 | 72.7 | 83.1 | 29,285 | 22.1 | 16.9 | 27.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 23,985 | 88.2 | 83.8 | 92.7 | 3,203 | 11.8 | 7.3 | 16.2 |
| | Normal Birth Weight | 325,035 | 94.0 | 92.0 | 95.9 | 20,889 | 6.0 | 4.1 | 8.0 |
| Total | | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 34,274 | 91.3 | 85.5 | 97.2 | 3,253 | 8.7 | 2.8 | 14.5 |
| | Term >36 wks | 314,746 | 93.8 | 91.9 | 95.7 | 20,840 | 6.2 | 4.3 | 8.1 |
| Total | | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |

1. Select a Chapter

- Breastfeeding
- Intention**
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-----------|------------|---------------|------|---------|---------|---------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 178,987 | 94.4 | 91.9 | 96.9 | 10,597 | 5.6 | 3.1 | 8.1 |
| | Not Sure | 43,314 | 90.5 | 84.9 | 96.1 | 4,548 | 9.5 | 3.9 | 15.1 |
| | Unintended | 121,510 | 93.1 | 90.0 | 96.3 | 8,947 | 6.9 | 3.7 | 10.0 |
| | Total | 343,812 | 93.5 | 91.6 | 95.3 | 24,092 | 6.5 | 4.7 | 8.4 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 209,567 | 96.2 | 94.2 | 98.2 | 8,299 | 3.8 | 1.8 | 5.8 |
| | Not Married | 139,454 | 89.8 | 86.4 | 93.3 | 15,794 | 10.2 | 6.7 | 13.6 |
| Total | | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 82,117 | 94.4 | 90.8 | 98.0 | 4,910 | 5.6 | 2.0 | 9.2 |
| | Overweight | 92,388 | 96.2 | 93.9 | 98.5 | 3,621 | 3.8 | 1.5 | 6.1 |
| | Underweight or Normal | 173,700 | 92.2 | 89.3 | 95.1 | 14,773 | 7.8 | 4.9 | 10.7 |
| | Total | 348,205 | 93.7 | 91.9 | 95.5 | 23,304 | 6.3 | 4.5 | 8.1 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| Maternal Race | No Smoking | | | | Smoked | | | |
|---------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Black | 37,367 | 89.6 | 85.9 | 93.3 | 4,354 | 10.4 | 6.7 | 14.1 |
| Hispanic | 175,068 | 97.3 | 95.2 | 99.5 | 4,808 | 2.7 | 0.5 | 4.8 |
| Other | 18,186 | 96.6 | 91.1 | 100.0 | 634 | 3.4 | 0.0 | 8.9 |
| White | 118,399 | 89.2 | 85.2 | 93.2 | 14,295 | 10.8 | 6.8 | 14.8 |
| Total | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 157,586 | 90.4 | 87.4 | 93.5 | 16,672 | 9.6 | 6.5 | 12.6 |
| | Private Insurance | 128,293 | 97.8 | 96.0 | 99.6 | 2,895 | 2.2 | 0.4 | 4.0 |
| | Self pay, Other, Unknown | 63,141 | 93.3 | 88.0 | 98.6 | 4,525 | 6.7 | 1.4 | 12.0 |
| | Total | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 83,234 | 90.1 | 86.0 | 94.1 | 9,195 | 9.9 | 5.9 | 14.0 |
| | Prenatal Care First Trimester | 259,252 | 94.6 | 92.4 | 96.7 | 14,897 | 5.4 | 3.3 | 7.6 |
| Total | | 342,486 | 93.4 | 91.6 | 95.3 | 24,092 | 6.6 | 4.7 | 8.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
 Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|------------|---------|---------------|------|---------|---------|---------------|-----|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 152,868 | 94.6 | 92.0 | 97.1 | 8,768 | 5.4 | 2.9 | 8.0 |
| | WIC | 196,152 | 92.8 | 90.2 | 95.3 | 15,324 | 7.2 | 4.7 | 9.8 |
| Total | | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking Third Trimester

Q36: In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (presented as yes/no response).

| | | No Smoking | | | | Smoked | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 349,020 | 93.5 | 91.7 | 95.4 | 24,092 | 6.5 | 4.6 | 8.3 |
| Birth Weight | Low Birth Weight | 23,985 | 88.2 | 83.8 | 92.7 | 3,203 | 11.8 | 7.3 | 16.2 |
| | Normal Birth Weight | 325,035 | 94.0 | 92.0 | 95.9 | 20,889 | 6.0 | 4.1 | 8.0 |
| Gestational Age | Preterm <=36 wks | 34,274 | 91.3 | 85.5 | 97.2 | 3,253 | 8.7 | 2.8 | 14.5 |
| | Term >36 wks | 314,746 | 93.8 | 91.9 | 95.7 | 20,840 | 6.2 | 4.3 | 8.1 |
| Marital Status | Married | 209,567 | 96.2 | 94.2 | 98.2 | 8,299 | 3.8 | 1.8 | 5.8 |
| | Not Married | 139,454 | 89.8 | 86.4 | 93.3 | 15,794 | 10.2 | 6.7 | 13.6 |
| PNC First Trimester | No Prenatal Care First Trimester | 83,234 | 90.1 | 86.0 | 94.1 | 9,195 | 9.9 | 5.9 | 14.0 |
| | Prenatal Care First Trimester | 259,252 | 94.6 | 92.4 | 96.7 | 14,897 | 5.4 | 3.3 | 7.6 |
| WIC Status | Not WIC | 152,868 | 94.6 | 92.0 | 97.1 | 8,768 | 5.4 | 2.9 | 8.0 |
| | WIC | 196,152 | 92.8 | 90.2 | 95.3 | 15,324 | 7.2 | 4.7 | 9.8 |
| Intention | Intended | 178,987 | 94.4 | 91.9 | 96.9 | 10,597 | 5.6 | 3.1 | 8.1 |
| | Not Sure | 43,314 | 90.5 | 84.9 | 96.1 | 4,548 | 9.5 | 3.9 | 15.1 |
| | Unintended | 121,510 | 93.1 | 90.0 | 96.3 | 8,947 | 6.9 | 3.7 | 10.0 |
| Maternal BMI Category | Obese | 82,117 | 94.4 | 90.8 | 98.0 | 4,910 | 5.6 | 2.0 | 9.2 |
| | Overweight | 92,388 | 96.2 | 93.9 | 98.5 | 3,621 | 3.8 | 1.5 | 6.1 |
| | Underweight or Normal | 173,700 | 92.2 | 89.3 | 95.1 | 14,773 | 7.8 | 4.9 | 10.7 |
| Payer of Delivery | Medicaid | 157,586 | 90.4 | 87.4 | 93.5 | 16,672 | 9.6 | 6.5 | 12.6 |
| | Private Insurance | 128,293 | 97.8 | 96.0 | 99.6 | 2,895 | 2.2 | 0.4 | 4.0 |
| | Self pay, Other, Unknown | 63,141 | 93.3 | 88.0 | 98.6 | 4,525 | 6.7 | 1.4 | 12.0 |
| Maternal Race | Black | 37,367 | 89.6 | 85.9 | 93.3 | 4,354 | 10.4 | 6.7 | 14.1 |
| | Hispanic | 175,068 | 97.3 | 95.2 | 99.5 | 4,808 | 2.7 | 0.5 | 4.8 |
| | Other | 18,186 | 96.6 | 91.1 | 100.0 | 634 | 3.4 | 0.0 | 8.9 |
| | White | 118,399 | 89.2 | 85.2 | 93.2 | 14,295 | 10.8 | 6.8 | 14.8 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 22,177 | 82.3 | 77.1 | 87.6 | 4,768 | 17.7 | 12.4 | 22.9 |
| | Normal Birth Weight | 311,424 | 90.0 | 87.5 | 92.6 | 34,501 | 10.0 | 7.4 | 12.5 |
| | Total | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 33,099 | 88.5 | 82.4 | 94.6 | 4,298 | 11.5 | 5.4 | 17.6 |
| | Term >36 wks | 300,502 | 89.6 | 87.0 | 92.2 | 34,971 | 10.4 | 7.8 | 13.0 |
| Total | | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Smoking Postpartum by Intention

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-----------|------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 173,340 | 91.5 | 88.4 | 94.6 | 16,114 | 8.5 | 5.4 | 11.6 |
| | Not Sure | 41,220 | 86.3 | 79.5 | 93.2 | 6,529 | 13.7 | 6.8 | 20.5 |
| | Unintended | 113,832 | 87.3 | 82.7 | 91.8 | 16,626 | 12.7 | 8.2 | 17.3 |
| | Total | 328,392 | 89.3 | 86.9 | 91.8 | 39,268 | 10.7 | 8.2 | 13.1 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 202,419 | 92.9 | 90.1 | 95.7 | 15,446 | 7.1 | 4.3 | 9.9 |
| | Not Married | 131,182 | 84.6 | 80.4 | 88.9 | 23,822 | 15.4 | 11.1 | 19.6 |
| Total | | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Smoking Postpartum by Maternal BMI Category

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 76,310 | 87.7 | 82.2 | 93.2 | 10,717 | 12.3 | 6.8 | 17.8 |
| | Overweight | 86,170 | 89.8 | 84.9 | 94.6 | 9,839 | 10.2 | 5.4 | 15.1 |
| | Underweight or Normal | 170,305 | 90.5 | 87.4 | 93.6 | 17,924 | 9.5 | 6.4 | 12.6 |
| | Total | 332,786 | 89.6 | 87.2 | 92.0 | 38,480 | 10.4 | 8.0 | 12.8 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Smoking Postpartum by Maternal Race

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | No Smoking | | | | Smoked | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 35,432 | 85.2 | 80.9 | 89.5 | 6,177 | 14.8 | 10.5 | 19.1 |
| Hispanic | 167,657 | 93.3 | 89.8 | 96.7 | 12,089 | 6.7 | 3.3 | 10.2 |
| Other | 17,014 | 90.4 | 79.9 | 100.0 | 1,807 | 9.6 | 0.0 | 20.1 |
| White | 113,498 | 85.5 | 81.1 | 90.0 | 19,196 | 14.5 | 10.0 | 18.9 |
| Total | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Smoking Postpartum by Payer of Delivery

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 145,037 | 83.3 | 79.0 | 87.7 | 28,978 | 16.7 | 12.3 | 21.0 |
| | Private Insurance | 125,453 | 95.6 | 93.1 | 98.1 | 5,735 | 4.4 | 1.9 | 6.9 |
| | Self pay, Other, Unknown | 63,111 | 93.3 | 88.3 | 98.3 | 4,556 | 6.7 | 1.7 | 11.7 |
| | Total | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 78,847 | 85.5 | 80.3 | 90.8 | 13,339 | 14.5 | 9.2 | 19.7 |
| | Prenatal Care First Trimester | 249,529 | 91.0 | 88.3 | 93.7 | 24,621 | 9.0 | 6.3 | 11.7 |
| | Total | 328,376 | 89.6 | 87.2 | 92.0 | 37,959 | 10.4 | 8.0 | 12.8 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Smoking | | | | Smoked | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 147,684 | 91.4 | 88.3 | 94.6 | 13,822 | 8.6 | 5.4 | 11.7 |
| | WIC | 185,917 | 88.0 | 84.5 | 91.5 | 25,446 | 12.0 | 8.5 | 15.5 |
| Total | | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking Postpartum

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).

| | | No Smoking | | | | Smoked | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 333,601 | 89.5 | 87.1 | 91.9 | 39,268 | 10.5 | 8.1 | 12.9 |
| Birth Weight | Low Birth Weight | 22,177 | 82.3 | 77.1 | 87.6 | 4,768 | 17.7 | 12.4 | 22.9 |
| | Normal Birth Weight | 311,424 | 90.0 | 87.5 | 92.6 | 34,501 | 10.0 | 7.4 | 12.5 |
| Gestational Age | Preterm <=36 wks | 33,099 | 88.5 | 82.4 | 94.6 | 4,298 | 11.5 | 5.4 | 17.6 |
| | Term >36 wks | 300,502 | 89.6 | 87.0 | 92.2 | 34,971 | 10.4 | 7.8 | 13.0 |
| Marital Status | Married | 202,419 | 92.9 | 90.1 | 95.7 | 15,446 | 7.1 | 4.3 | 9.9 |
| | Not Married | 131,182 | 84.6 | 80.4 | 88.9 | 23,822 | 15.4 | 11.1 | 19.6 |
| PNC First Trimester | No Prenatal Care First Trimester | 78,847 | 85.5 | 80.3 | 90.8 | 13,339 | 14.5 | 9.2 | 19.7 |
| | Prenatal Care First Trimester | 249,529 | 91.0 | 88.3 | 93.7 | 24,621 | 9.0 | 6.3 | 11.7 |
| WIC Status | Not WIC | 147,684 | 91.4 | 88.3 | 94.6 | 13,822 | 8.6 | 5.4 | 11.7 |
| | WIC | 185,917 | 88.0 | 84.5 | 91.5 | 25,446 | 12.0 | 8.5 | 15.5 |
| Intention | Intended | 173,340 | 91.5 | 88.4 | 94.6 | 16,114 | 8.5 | 5.4 | 11.6 |
| | Not Sure | 41,220 | 86.3 | 79.5 | 93.2 | 6,529 | 13.7 | 6.8 | 20.5 |
| | Unintended | 113,832 | 87.3 | 82.7 | 91.8 | 16,626 | 12.7 | 8.2 | 17.3 |
| Maternal BMI Category | Obese | 76,310 | 87.7 | 82.2 | 93.2 | 10,717 | 12.3 | 6.8 | 17.8 |
| | Overweight | 86,170 | 89.8 | 84.9 | 94.6 | 9,839 | 10.2 | 5.4 | 15.1 |
| | Underweight or Normal | 170,305 | 90.5 | 87.4 | 93.6 | 17,924 | 9.5 | 6.4 | 12.6 |
| Payer of Delivery | Medicaid | 145,037 | 83.3 | 79.0 | 87.7 | 28,978 | 16.7 | 12.3 | 21.0 |
| | Private Insurance | 125,453 | 95.6 | 93.1 | 98.1 | 5,735 | 4.4 | 1.9 | 6.9 |
| | Self pay, Other, Unknown | 63,111 | 93.3 | 88.3 | 98.3 | 4,556 | 6.7 | 1.7 | 11.7 |
| Maternal Race | Black | 35,432 | 85.2 | 80.9 | 89.5 | 6,177 | 14.8 | 10.5 | 19.1 |
| | Hispanic | 167,657 | 93.3 | 89.8 | 96.7 | 12,089 | 6.7 | 3.3 | 10.2 |
| | Other | 17,014 | 90.4 | 79.9 | 100.0 | 1,807 | 9.6 | 0.0 | 20.1 |
| | White | 113,498 | 85.5 | 81.1 | 90.0 | 19,196 | 14.5 | 10.0 | 18.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|--------------|---------------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 15,913 | 58.6 | 52.0 | 65.2 | 11,247 | 41.4 | 34.8 | 48.0 |
| | Normal Birth Weight | 205,594 | 60.6 | 56.3 | 65.0 | 133,391 | 39.4 | 35.0 | 43.7 |
| Total | | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|-----------------|------------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 25,561 | 69.1 | 60.6 | 77.5 | 11,437 | 30.9 | 22.5 | 39.4 |
| | Term >36 wks | 195,946 | 59.5 | 55.2 | 63.9 | 133,201 | 40.5 | 36.1 | 44.8 |
| Total | | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |

1. Select a Chapter

- Breastfeeding
- Intention**
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|-----------|------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 102,052 | 55.1 | 49.3 | 60.8 | 83,258 | 44.9 | 39.2 | 50.7 |
| | Not Sure | 29,565 | 64.0 | 52.9 | 75.0 | 16,640 | 36.0 | 25.0 | 47.1 |
| | Unintended | 87,605 | 67.2 | 60.5 | 73.8 | 42,853 | 32.8 | 26.2 | 39.5 |
| | Total | 219,222 | 60.6 | 56.5 | 64.6 | 142,751 | 39.4 | 35.4 | 43.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|----------------|-------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 119,083 | 55.9 | 50.6 | 61.2 | 94,017 | 44.1 | 38.8 | 49.4 |
| | Not Married | 102,423 | 66.9 | 60.8 | 73.1 | 50,621 | 33.1 | 26.9 | 39.2 |
| Total | | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 56,129 | 63.7 | 55.7 | 71.7 | 31,952 | 36.3 | 28.3 | 44.3 |
| | Overweight | 53,873 | 56.3 | 48.3 | 64.2 | 41,841 | 43.7 | 35.8 | 51.7 |
| | Underweight or Normal | 110,422 | 61.1 | 55.3 | 66.9 | 70,323 | 38.9 | 33.1 | 44.7 |
| | Total | 220,423 | 60.5 | 56.4 | 64.5 | 144,117 | 39.5 | 35.5 | 43.6 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| Maternal Race | No Flu Shot | | | | Received Flu Shot | | | |
|---------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Black | 28,772 | 69.0 | 63.4 | 74.6 | 12,950 | 31.0 | 25.4 | 36.6 |
| Hispanic | 113,118 | 64.2 | 57.6 | 70.8 | 62,989 | 35.8 | 29.2 | 42.4 |
| Other | 11,308 | 60.1 | 43.8 | 76.3 | 7,513 | 39.9 | 23.7 | 56.2 |
| White | 68,308 | 52.7 | 46.4 | 59.1 | 61,186 | 47.3 | 40.9 | 53.6 |
| Total | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|-------------------|--------------------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 111,924 | 65.2 | 59.3 | 71.1 | 59,652 | 34.8 | 28.9 | 40.7 |
| | Private Insurance | 63,999 | 50.0 | 43.6 | 56.5 | 63,939 | 50.0 | 43.5 | 56.4 |
| | Self pay, Other, Unknown | 45,583 | 68.4 | 58.4 | 78.4 | 21,047 | 31.6 | 21.6 | 41.6 |
| | Total | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 62,259 | 68.4 | 60.2 | 76.6 | 28,757 | 31.6 | 23.4 | 39.8 |
| | Prenatal Care First Trimester | 154,252 | 57.4 | 52.8 | 62.1 | 114,343 | 42.6 | 37.9 | 47.2 |
| | Total | 216,511 | 60.2 | 56.1 | 64.3 | 143,100 | 39.8 | 35.7 | 43.9 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Flu Shot | | | | Received Flu Shot | | | |
|------------|---------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 93,617 | 59.4 | 53.8 | 65.0 | 63,866 | 40.6 | 35.0 | 46.2 |
| | WIC | 127,889 | 61.3 | 55.6 | 66.9 | 80,772 | 38.7 | 33.1 | 44.4 |
| Total | | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |

1. Select a chapter

Vaccinations

2. Select a question topic

Flu Shot

Tdap

Flu Shot

Q26: During the 12 months before the delivery of your new baby, did you get a flu shot?

| | | No Flu Shot | | | | Received Flu Shot | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|-------------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 221,507 | 60.5 | 56.5 | 64.5 | 144,638 | 39.5 | 35.5 | 43.5 |
| Birth Weight | Low Birth Weight | 15,913 | 58.6 | 52.0 | 65.2 | 11,247 | 41.4 | 34.8 | 48.0 |
| | Normal Birth Weight | 205,594 | 60.6 | 56.3 | 65.0 | 133,391 | 39.4 | 35.0 | 43.7 |
| Gestational Age | Preterm <=36 wks | 25,561 | 69.1 | 60.6 | 77.5 | 11,437 | 30.9 | 22.5 | 39.4 |
| | Term >36 wks | 195,946 | 59.5 | 55.2 | 63.9 | 133,201 | 40.5 | 36.1 | 44.8 |
| Marital Status | Married | 119,083 | 55.9 | 50.6 | 61.2 | 94,017 | 44.1 | 38.8 | 49.4 |
| | Not Married | 102,423 | 66.9 | 60.8 | 73.1 | 50,621 | 33.1 | 26.9 | 39.2 |
| PNC First Trimester | No Prenatal Care First Trimester | 62,259 | 68.4 | 60.2 | 76.6 | 28,757 | 31.6 | 23.4 | 39.8 |
| | Prenatal Care First Trimester | 154,252 | 57.4 | 52.8 | 62.1 | 114,343 | 42.6 | 37.9 | 47.2 |
| WIC Status | Not WIC | 93,617 | 59.4 | 53.8 | 65.0 | 63,866 | 40.6 | 35.0 | 46.2 |
| | WIC | 127,889 | 61.3 | 55.6 | 66.9 | 80,772 | 38.7 | 33.1 | 44.4 |
| Intention | Intended | 102,052 | 55.1 | 49.3 | 60.8 | 83,258 | 44.9 | 39.2 | 50.7 |
| | Not Sure | 29,565 | 64.0 | 52.9 | 75.0 | 16,640 | 36.0 | 25.0 | 47.1 |
| | Unintended | 87,605 | 67.2 | 60.5 | 73.8 | 42,853 | 32.8 | 26.2 | 39.5 |
| Maternal BMI Category | Obese | 56,129 | 63.7 | 55.7 | 71.7 | 31,952 | 36.3 | 28.3 | 44.3 |
| | Overweight | 53,873 | 56.3 | 48.3 | 64.2 | 41,841 | 43.7 | 35.8 | 51.7 |
| | Underweight or Normal | 110,422 | 61.1 | 55.3 | 66.9 | 70,323 | 38.9 | 33.1 | 44.7 |
| Payer of Delivery | Medicaid | 111,924 | 65.2 | 59.3 | 71.1 | 59,652 | 34.8 | 28.9 | 40.7 |
| | Private Insurance | 63,999 | 50.0 | 43.6 | 56.5 | 63,939 | 50.0 | 43.5 | 56.4 |
| | Self pay, Other, Unknown | 45,583 | 68.4 | 58.4 | 78.4 | 21,047 | 31.6 | 21.6 | 41.6 |
| Maternal Race | Black | 28,772 | 69.0 | 63.4 | 74.6 | 12,950 | 31.0 | 25.4 | 36.6 |
| | Hispanic | 113,118 | 64.2 | 57.6 | 70.8 | 62,989 | 35.8 | 29.2 | 42.4 |
| | Other | 11,308 | 60.1 | 43.8 | 76.3 | 7,513 | 39.9 | 23.7 | 56.2 |
| | White | 68,308 | 52.7 | 46.4 | 59.1 | 61,186 | 47.3 | 40.9 | 53.6 |

Texas PRAMS 2012 data

Prepared by the Office of Program Decision Support

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|--------------|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Birth Weight | Low Birth Weight | 8,667 | 40.3 | 32.8 | 47.7 | 12,864 | 59.7 | 52.3 | 67.2 |
| | Normal Birth Weight | 102,898 | 35.4 | 30.8 | 40.0 | 187,575 | 64.6 | 60.0 | 69.2 |
| | Total | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|-----------------|------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Gestational Age | Preterm <=36 wks | 12,022 | 38.4 | 27.8 | 49.0 | 19,283 | 61.6 | 51.0 | 72.2 |
| | Term >36 wks | 99,543 | 35.5 | 30.8 | 40.1 | 181,156 | 64.5 | 59.9 | 69.2 |
| Total | | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|-----------|------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Intention | Intended | 60,086 | 36.4 | 30.4 | 42.3 | 105,061 | 63.6 | 57.7 | 69.6 |
| | Not Sure | 15,648 | 43.5 | 30.5 | 56.5 | 20,333 | 56.5 | 43.5 | 69.5 |
| | Unintended | 34,981 | 32.7 | 25.5 | 40.0 | 71,853 | 67.3 | 60.0 | 74.5 |
| | Total | 110,715 | 36.0 | 31.6 | 40.3 | 197,247 | 64.0 | 59.7 | 68.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|----------------|-------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Marital Status | Married | 65,040 | 34.1 | 28.7 | 39.5 | 125,847 | 65.9 | 60.5 | 71.3 |
| | Not Married | 46,525 | 38.4 | 31.3 | 45.5 | 74,592 | 61.6 | 54.5 | 68.7 |
| Total | | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|-----------------------|-----------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal BMI Category | Obese | 27,105 | 37.0 | 28.1 | 46.0 | 46,059 | 63.0 | 54.0 | 71.9 |
| | Overweight | 31,091 | 37.4 | 28.9 | 46.0 | 51,934 | 62.6 | 54.0 | 71.1 |
| | Underweight or Normal | 53,369 | 34.4 | 28.3 | 40.5 | 101,760 | 65.6 | 59.5 | 71.7 |
| | Total | 111,565 | 35.8 | 31.5 | 40.2 | 199,753 | 64.2 | 59.8 | 68.5 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | No Tdap | | | | Received Tdap | | | |
|---------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Maternal Race Black | 14,329 | 42.3 | 35.6 | 48.9 | 19,558 | 57.7 | 51.1 | 64.4 |
| Hispanic | 54,224 | 37.6 | 30.2 | 45.0 | 90,064 | 62.4 | 55.0 | 69.8 |
| Other | 8,479 | 51.1 | 33.6 | 68.6 | 8,119 | 48.9 | 31.4 | 66.4 |
| White | 34,533 | 29.5 | 23.3 | 35.6 | 82,698 | 70.5 | 64.4 | 76.7 |
| Total | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|-------------------|--------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Payer of Delivery | Medicaid | 52,615 | 39.1 | 32.4 | 45.7 | 82,090 | 60.9 | 54.3 | 67.6 |
| | Private Insurance | 26,704 | 22.4 | 16.8 | 27.9 | 92,716 | 77.6 | 72.1 | 83.2 |
| | Self pay, Other, Unknown | 32,245 | 55.7 | 44.3 | 67.2 | 25,633 | 44.3 | 32.8 | 55.7 |
| | Total | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|---------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| PNC First Trimester | No Prenatal Care First Trimester | 33,330 | 46.3 | 36.6 | 56.0 | 38,717 | 53.7 | 44.0 | 63.4 |
| | Prenatal Care First Trimester | 73,537 | 31.4 | 26.7 | 36.2 | 160,407 | 68.6 | 63.8 | 73.3 |
| | Total | 106,867 | 34.9 | 30.6 | 39.3 | 199,124 | 65.1 | 60.7 | 69.4 |

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2012 data
Prepared by the Office of Program Decision Support

| | | No Tdap | | | | Received Tdap | | | |
|------------|---------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| WIC Status | Not WIC | 43,883 | 31.0 | 25.3 | 36.6 | 97,812 | 69.0 | 63.4 | 74.7 |
| | WIC | 67,682 | 39.7 | 33.4 | 46.1 | 102,626 | 60.3 | 53.9 | 66.6 |
| Total | | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |

1. Select a chapter

Vaccinations

2. Select a question topic

Flu Shot

Tdap

Tdap

Q81: Did you receive a Tdap vaccination before, during or after your most recent pregnancy?

| | | No Tdap | | | | Received Tdap | | | |
|------------------------------|----------------------------------|---------------|------|---------|---------|---------------|------|---------|---------|
| | | Weighted Freq | PCT | 95% LCL | 95% UCL | Weighted Freq | PCT | 95% LCL | 95% UCL |
| Total | Total | 111,565 | 35.8 | 31.4 | 40.1 | 200,439 | 64.2 | 59.9 | 68.6 |
| Birth Weight | Low Birth Weight | 8,667 | 40.3 | 32.8 | 47.7 | 12,864 | 59.7 | 52.3 | 67.2 |
| | Normal Birth Weight | 102,898 | 35.4 | 30.8 | 40.0 | 187,575 | 64.6 | 60.0 | 69.2 |
| Gestational Age | Preterm <=36 wks | 12,022 | 38.4 | 27.8 | 49.0 | 19,283 | 61.6 | 51.0 | 72.2 |
| | Term >36 wks | 99,543 | 35.5 | 30.8 | 40.1 | 181,156 | 64.5 | 59.9 | 69.2 |
| Marital Status | Married | 65,040 | 34.1 | 28.7 | 39.5 | 125,847 | 65.9 | 60.5 | 71.3 |
| | Not Married | 46,525 | 38.4 | 31.3 | 45.5 | 74,592 | 61.6 | 54.5 | 68.7 |
| PNC First Trimester | No Prenatal Care First Trimester | 33,330 | 46.3 | 36.6 | 56.0 | 38,717 | 53.7 | 44.0 | 63.4 |
| | Prenatal Care First Trimester | 73,537 | 31.4 | 26.7 | 36.2 | 160,407 | 68.6 | 63.8 | 73.3 |
| WIC Status | Not WIC | 43,883 | 31.0 | 25.3 | 36.6 | 97,812 | 69.0 | 63.4 | 74.7 |
| | WIC | 67,682 | 39.7 | 33.4 | 46.1 | 102,626 | 60.3 | 53.9 | 66.6 |
| Intention | Intended | 60,086 | 36.4 | 30.4 | 42.3 | 105,061 | 63.6 | 57.7 | 69.6 |
| | Not Sure | 15,648 | 43.5 | 30.5 | 56.5 | 20,333 | 56.5 | 43.5 | 69.5 |
| | Unintended | 34,981 | 32.7 | 25.5 | 40.0 | 71,853 | 67.3 | 60.0 | 74.5 |
| Maternal BMI Category | Obese | 27,105 | 37.0 | 28.1 | 46.0 | 46,059 | 63.0 | 54.0 | 71.9 |
| | Overweight | 31,091 | 37.4 | 28.9 | 46.0 | 51,934 | 62.6 | 54.0 | 71.1 |
| | Underweight or Normal | 53,369 | 34.4 | 28.3 | 40.5 | 101,760 | 65.6 | 59.5 | 71.7 |
| Payer of Delivery | Medicaid | 52,615 | 39.1 | 32.4 | 45.7 | 82,090 | 60.9 | 54.3 | 67.6 |
| | Private Insurance | 26,704 | 22.4 | 16.8 | 27.9 | 92,716 | 77.6 | 72.1 | 83.2 |
| | Self pay, Other, Unknown | 32,245 | 55.7 | 44.3 | 67.2 | 25,633 | 44.3 | 32.8 | 55.7 |
| Maternal Race | Black | 14,329 | 42.3 | 35.6 | 48.9 | 19,558 | 57.7 | 51.1 | 64.4 |
| | Hispanic | 54,224 | 37.6 | 30.2 | 45.0 | 90,064 | 62.4 | 55.0 | 69.8 |
| | Other | 8,479 | 51.1 | 33.6 | 68.6 | 8,119 | 48.9 | 31.4 | 66.4 |
| | White | 34,533 | 29.5 | 23.3 | 35.6 | 82,698 | 70.5 | 64.4 | 76.7 |