

Pregnancy Risk Assessment Monitoring System (PRAMS) 2013 Data Book

Office of Program Decision Support

June 2016



Introduction

The Pregnancy Risk Assessment Monitoring System (PRAMS) is a surveillance system designed to monitor maternal attitudes and behaviors before, during, and after pregnancy. Conducted in partnership with the Centers for Disease Control and Prevention (CDC) and the Texas Department of State Health Services (DSHS), Texas PRAMS is a population-based assessment that monitors the health and behaviors of new mothers in Texas. Of the 2,308 mothers sampled in 2013, 1,241 completed a survey — representing a weighted response rate of 55%.

Women who are selected for PRAMS are contacted through the mail when their infants are approximately 60 to 180 days old. They receive a letter that introduces the PRAMS survey and encourages their participation. They are notified that they will be contacted through follow-up mailings that will include a copy of the PRAMS survey. Women who do not respond receive two subsequent mailings. Women who do not return the survey through the mail are moved into the telephone phase of data collection. Women are called and encouraged to complete the survey over the phone. During all communications, they are informed that their participation is voluntary, and that their data will remain confidential and anonymous. The survey is available in English or Spanish. Women who complete the survey (via mail or telephone) receive a \$20 gift certificate to Target or Walmart. This data collection cycle is repeated each month during the birth year, and approximately 200 women per month were selected for the 2013 survey.

Tables reported in this data book include overall results for each survey question, as well as results according to several sociodemographic characteristics. Percentages reported in the tables are weighted to ensure that results are representative of women who have given birth in 2013 to a live infant and are residents of Texas. The 1,241 women who completed the survey are representative of all 380,025 Texas residents who had a live birth in 2013.

The sampling specifications for Texas PRAMS are designed for estimating percentages at a 95% confidence level. A 95% confidence interval is an interval, or range of values, that has a 95% probability of containing the true population percentage that is being estimated. The 95% confidence interval provides information about the margin of error of an estimate.

Each table in the data book consists of several columns:

- *Weighted Frequency* — the estimated number of individuals in each population subgroup who answered the survey question for each sociodemographic variable, i.e., birthweight, race/ethnicity, marital status, WIC status, pregnancy intention, and prenatal care in the first trimester.
- Percent (*PCT*) — the estimated percentage of women who gave a particular response to a question, weighted to represent the entire population of women who are Texas residents who had a live birth in 2013.
- Confidence Interval (*95% LCL, 95% UCL*) — the margin of error for the PCT expressed as the range of expected variation with a lower confidence limit (LCL) and an upper confidence limit (UCL).

Consistent with CDC standards for reporting PRAMS survey results, we recommend that all percents (PCTs) be reported with corresponding 95% lower confidence limits (LCLs) and upper confidence limits (UCLs). The percentages in the tables are representative of women who have given birth in 2013 to a live infant and are residents of Texas. Questions regarding the data book should be directed to Dr. Tanya Guthrie, Texas PRAMS Coordinator, at 512-776-2935, or to tanya.guthrie@dshs.state.tx.us or texasprams@dshs.state.tx.us.

Below is a summary of key findings from the 2013 PRAMS Data Book, presented by topic area along with 95% confidence intervals (CI). The Data Book charts and tables offer additional analyses by sociodemographic characteristics.

Summary of Key Findings

Breastfeeding

- 86.8% (CI: 84.4-89.1%) indicated that they breastfed or pumped breast milk to feed their new baby after delivery. (Q58)

Pregnancy Intention

- 53.2% (CI: 49.6-56.7%) reported that their pregnancy was intended. (Q12)
- 26.7% (CI: 23.6-29.9%) reported that their pregnancy was mistimed. (Q12)
- 6.7% (CI: 5.0-8.5%) reported that their pregnancy was unwanted. (Q12)

Intimate Partner Violence

- 48.5% (CI: 45.0-52.0%) said that a doctor, nurse, or other health care worker talked with them about physical abuse by their husbands or partners. (Q23)
- 3.6 (CI: 2.3-5.0) reported that their husband or partner threatened them, limited their activities against their will, or made them feel unsafe before or during their pregnancy. (Q78)
- 4.2% (CI: 2.8-5.7%) reported that their husband or partner physically abused them before or during their pregnancy. (Q46,Q47)

Oral Health

- 45.1% (CI: 41.7-48.5%) had a teeth cleaning before pregnancy. (Q7)
- 35.3% (CI: 32.1-38.6%) had a teeth cleaning during pregnancy. (Q28)

Postpartum

- 86.6% (CI: 84.1-89.1%) reported having a postpartum checkup for themselves since their pregnancy. (Q72)

Prenatal Care

- 79.8% (CI: 76.9-82.7%) received prenatal care as early as they wanted. (Q19)
- 74.6% (CI: 71.5-77.8%) received prenatal care during the first trimester. (Q18)

Safe Sleep

- 72.2% (CI: 69.0-75.3%) put their baby to sleep on his or her back. (Q63)

Tobacco

- 96.7% (CI: 95.5-97.8%) reported that smoking is not allowed inside the home. (Q38)
- 15.8% (CI: 13.4-18.2%) said that they had smoked cigarettes in the three months before their pregnancy. (Q35)
- 5.3% (CI: 3.9-6.8%) reported smoking cigarettes in the last three months of their pregnancy. (Q36)
- 9.8% (CI: 7.8-11.8%) said they smoked cigarettes postpartum. (Q37)

Vaccinations

- 51.0% (CI: 47.4-54.6%) received a flu vaccination before or during pregnancy. (Q26)
- 67.2% (CI: 63.6-70.8%) received a TDAP vaccination before, during, or after pregnancy. (Q81)

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	21,934	82.8	78.4	87.1	4,571	17.2	12.9	21.6
	Normal Birth Weight	303,408	87.1	84.6	89.6	45,092	12.9	10.4	15.4
Total		325,342	86.8	84.4	89.1	49,663	13.2	10.9	15.6

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	31,396	87.3	81.3	93.3	4,558	12.7	6.7	18.7
	Term >36 wks	293,947	86.7	84.2	89.2	45,105	13.3	10.8	15.8
Total		325,342	86.8	84.4	89.1	49,663	13.2	10.9	15.6

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Ever Breastfed by Intention

Q58: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	175,587	88.6	85.4	91.7	22,702	11.4	8.3	14.6
	Not Sure	40,047	80.6	73.0	88.2	9,629	19.4	11.8	27.0
	Unintended	107,277	86.3	82.3	90.4	16,975	13.7	9.6	17.7
	Total	322,911	86.8	84.4	89.1	49,305	13.2	10.9	15.6

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	198,038	91.1	88.6	93.7	19,287	8.9	6.3	11.4
	Not Married	127,304	80.7	76.4	85.0	30,377	19.3	15.0	23.6
Total		325,342	86.8	84.4	89.1	49,663	13.2	10.9	15.6

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	73,783	86.2	81.5	90.8	11,821	13.8	9.2	18.5
	Overweight	88,954	86.0	81.2	90.8	14,492	14.0	9.2	18.8
	Underweight or Normal	162,534	87.7	84.4	91.0	22,850	12.3	9.0	15.6
	Total	325,271	86.9	84.5	89.2	49,163	13.1	10.8	15.5

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Ever Breastfed by Maternal Race

Q58: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	Breastfed				Not Breastfed			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	30,270	73.6	68.9	78.3	10,860	26.4	21.7	31.1
Hispanic	158,195	87.4	83.4	91.3	22,899	12.6	8.7	16.6
Other	19,881	96.7	92.7	100.0	680	3.3	0.0	7.3
White	116,996	88.5	84.9	92.0	15,225	11.5	8.0	15.1
Total	325,342	86.8	84.4	89.1	49,663	13.2	10.9	15.6

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	140,460	82.6	78.7	86.5	29,596	17.4	13.5	21.3
	Private Insurance	125,516	91.5	88.4	94.6	11,598	8.5	5.4	11.6
	Self pay, Other, Unknown	59,365	87.5	81.8	93.3	8,470	12.5	6.7	18.2
	Total	325,342	86.8	84.4	89.1	49,663	13.2	10.9	15.6

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	80,447	86.8	82.4	91.1	12,281	13.2	8.9	17.6
	Prenatal Care First Trimester	239,962	86.6	83.7	89.4	37,229	13.4	10.6	16.3
Total		320,409	86.6	84.2	89.0	49,510	13.4	11.0	15.8

1. Select a Chapter

Breastfeeding



Intention



Intimate Partner Violence



Oral Health



Postpartum



Prenatal Care (PNC)



Safe Sleep



Tobacco



Vaccinations



2. Select a question topic

Ever Breastfed

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	151,388	90.3	87.4	93.2	16,343	9.7	6.8	12.6
	WIC	173,882	83.9	80.4	87.5	33,321	16.1	12.5	19.6
Total		325,271	86.8	84.4	89.1	49,663	13.2	10.9	15.6

1. Select a chapter
Breastfeeding

2. Select a question topic
 Ever Breastfed

Ever Breastfed

Q58: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	325,342	86.8	84.4	89.1	49,663	13.2	10.9	15.6
Birth Weight	Low Birth Weight	21,934	82.8	78.4	87.1	4,571	17.2	12.9	21.6
	Normal Birth Weight	303,408	87.1	84.6	89.6	45,092	12.9	10.4	15.4
Gestational Age	Preterm <=36 wks	31,396	87.3	81.3	93.3	4,558	12.7	6.7	18.7
	Term >36 wks	293,947	86.7	84.2	89.2	45,105	13.3	10.8	15.8
Marital Status	Married	198,038	91.1	88.6	93.7	19,287	8.9	6.3	11.4
	Not Married	127,304	80.7	76.4	85.0	30,377	19.3	15.0	23.6
PNC First Trimester	No Prenatal Care First Trimester	80,447	86.8	82.4	91.1	12,281	13.2	8.9	17.6
	Prenatal Care First Trimester	239,962	86.6	83.7	89.4	37,229	13.4	10.6	16.3
WIC Status	Not WIC	151,388	90.3	87.4	93.2	16,343	9.7	6.8	12.6
	WIC	173,882	83.9	80.4	87.5	33,321	16.1	12.5	19.6
Intention	Intended	175,587	88.6	85.4	91.7	22,702	11.4	8.3	14.6
	Not Sure	40,047	80.6	73.0	88.2	9,629	19.4	11.8	27.0
	Unintended	107,277	86.3	82.3	90.4	16,975	13.7	9.6	17.7
Maternal BMI Category	Obese	73,783	86.2	81.5	90.8	11,821	13.8	9.2	18.5
	Overweight	88,954	86.0	81.2	90.8	14,492	14.0	9.2	18.8
	Underweight or Normal	162,534	87.7	84.4	91.0	22,850	12.3	9.0	15.6
Payer of Delivery	Medicaid	140,460	82.6	78.7	86.5	29,596	17.4	13.5	21.3
	Private Insurance	125,516	91.5	88.4	94.6	11,598	8.5	5.4	11.6
	Self pay, Other, Unknown	59,365	87.5	81.8	93.3	8,470	12.5	6.7	18.2
Maternal Race	Black	30,270	73.6	68.9	78.3	10,860	26.4	21.7	31.1
	Hispanic	158,195	87.4	83.4	91.3	22,899	12.6	8.7	16.6
	Other	19,881	96.7	92.7	100.0	680	3.3	0.0	7.3
	White	116,996	88.5	84.9	92.0	15,225	11.5	8.0	15.1

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Intended by Birth Weight
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	14,768	53.4	47.8	58.9	2,729	9.9	6.5	13.3	10,181	36.8	31.4	42.2
	Normal Birth Weight	185,772	53.2	49.4	56.9	47,628	13.6	11.0	16.2	116,080	33.2	29.6	36.8
	Total	200,541	53.2	49.6	56.7	50,357	13.4	10.9	15.8	126,261	33.5	30.1	36.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	142,986	66.0	61.7	70.4	24,365	11.3	8.2	14.3	49,217	22.7	18.9	26.5
	Not Married	57,555	35.8	30.4	41.3	25,992	16.2	12.2	20.2	77,045	48.0	42.4	53.6
	Total	200,541	53.2	49.6	56.7	50,357	13.4	10.9	15.8	126,261	33.5	30.1	36.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery


PNC First Trimester

WIC Status



Intended by Maternal BMI Category

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

Maternal BMI Category		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	45,824	53.7	46.2	61.1	9,699	11.4	6.9	15.8	29,866	35.0	27.8	42.1
	Overweight	52,649	50.9	44.0	57.7	16,240	15.7	10.5	20.9	34,613	33.4	26.9	40.0
	Underweight or Normal	101,622	54.1	49.2	59.1	24,417	13.0	9.6	16.4	61,657	32.8	28.2	37.5
	Total	200,095	53.1	49.6	56.7	50,357	13.4	10.9	15.8	126,136	33.5	30.1	36.9

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	Intended				Not Sure				Unintended			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	17,040	40.6	35.4	45.8	6,760	16.1	12.2	20.0	18,197	43.3	38.1	48.6
Hispanic	93,357	51.3	45.4	57.3	23,022	12.7	8.7	16.6	65,593	36.0	30.3	41.8
Other	13,023	63.1	50.7	75.5	2,482	12.0	3.4	20.7	5,134	24.9	13.7	36.1
White	77,122	58.2	52.9	63.5	18,093	13.6	9.9	17.4	37,337	28.2	23.3	33.1
Total	200,541	53.2	49.6	56.7	50,357	13.4	10.9	15.8	126,261	33.5	30.1	36.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	71,716	41.8	36.4	47.2	31,355	18.3	14.0	22.5	68,581	40.0	34.7	45.2
	Private Insurance	91,246	66.8	61.7	71.9	13,004	9.5	6.4	12.7	32,339	23.7	19.0	28.3
	Self pay, Other, Unknown	37,578	54.5	45.5	63.6	5,999	8.7	3.9	13.5	25,342	36.8	28.0	45.6
	Total	200,541	53.2	49.6	56.7	50,357	13.4	10.9	15.8	126,261	33.5	30.1	36.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Intended by PNC First Trimester

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	36,012	38.5	31.2	45.7	15,576	16.6	11.4	21.9	42,029	44.9	37.6	52.2
	Prenatal Care First Trimester	160,812	57.9	53.9	61.9	34,726	12.5	9.7	15.3	82,268	29.6	25.9	33.4
	Total	196,824	53.0	49.4	56.5	50,302	13.5	11.1	16.0	124,297	33.5	30.1	36.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	110,299	65.7	61.0	70.3	17,061	10.2	7.1	13.2	40,609	24.2	20.0	28.4
	WIC	90,170	43.1	38.1	48.1	33,296	15.9	12.3	19.5	85,652	41.0	36.0	45.9
Total		200,469	53.2	49.6	56.7	50,357	13.4	10.9	15.8	126,261	33.5	30.1	36.8

1. Select a chapter

Intention

2. Select a question topic

- Intended
- Mistimed
- Unwanted

Intended

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	200,541	53.2	49.6	56.7	50,357	13.4	10.9	15.8	126,261	33.5	30.1	36.8
Birth Weight	Low Birth Weight	14,768	53.4	47.8	58.9	2,729	9.9	6.5	13.3	10,181	36.8	31.4	42.2
	Normal Birth Weight	185,772	53.2	49.4	56.9	47,628	13.6	11.0	16.2	116,080	33.2	29.6	36.8
Gestational Age	Preterm <=36 wks	19,816	53.4	44.4	62.5	4,120	11.1	5.4	16.8	13,146	35.5	26.8	44.1
	Term >36 wks	180,725	53.1	49.4	56.9	46,236	13.6	11.0	16.2	113,116	33.3	29.7	36.9
Marital Status	Married	142,986	66.0	61.7	70.4	24,365	11.3	8.2	14.3	49,217	22.7	18.9	26.5
	Not Married	57,555	35.8	30.4	41.3	25,992	16.2	12.2	20.2	77,045	48.0	42.4	53.6
PNC First Trimester	No Prenatal Care First Trimester	36,012	38.5	31.2	45.7	15,576	16.6	11.4	21.9	42,029	44.9	37.6	52.2
	Prenatal Care First Trimester	160,812	57.9	53.9	61.9	34,726	12.5	9.7	15.3	82,268	29.6	25.9	33.4
WIC Status	Not WIC	110,299	65.7	61.0	70.3	17,061	10.2	7.1	13.2	40,609	24.2	20.0	28.4
	WIC	90,170	43.1	38.1	48.1	33,296	15.9	12.3	19.5	85,652	41.0	36.0	45.9
Maternal BMI Category	Obese	45,824	53.7	46.2	61.1	9,699	11.4	6.9	15.8	29,866	35.0	27.8	42.1
	Overweight	52,649	50.9	44.0	57.7	16,240	15.7	10.5	20.9	34,613	33.4	26.9	40.0
	Underweight or Normal	101,622	54.1	49.2	59.1	24,417	13.0	9.6	16.4	61,657	32.8	28.2	37.5
Payer of Delivery	Medicaid	71,716	41.8	36.4	47.2	31,355	18.3	14.0	22.5	68,581	40.0	34.7	45.2
	Private Insurance	91,246	66.8	61.7	71.9	13,004	9.5	6.4	12.7	32,339	23.7	19.0	28.3
	Self pay, Other, Unknown	37,578	54.5	45.5	63.6	5,999	8.7	3.9	13.5	25,342	36.8	28.0	45.6
Maternal Race	Black	17,040	40.6	35.4	45.8	6,760	16.1	12.2	20.0	18,197	43.3	38.1	48.6
	Hispanic	93,357	51.3	45.4	57.3	23,022	12.7	8.7	16.6	65,593	36.0	30.3	41.8
	Other	13,023	63.1	50.7	75.5	2,482	12.0	3.4	20.7	5,134	24.9	13.7	36.1
	White	77,122	58.2	52.9	63.5	18,093	13.6	9.9	17.4	37,337	28.2	23.3	33.1

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Birth Weight
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	7,464	27.0	21.9	32.0	17,486	63.2	57.7	68.6	2,729	9.9	6.5	13.3
	Normal Birth Weight	93,382	26.7	23.3	30.1	208,470	59.7	55.9	63.4	47,628	13.6	11.0	16.2
Total		100,846	26.7	23.6	29.9	225,956	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Gestational Age
 Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	10,528	28.4	19.9	36.8	22,433	60.5	51.5	69.5	4,120	11.1	5.4	16.8
	Term >36 wks	90,318	26.6	23.2	29.9	203,523	59.8	56.1	63.6	46,236	13.6	11.0	16.2
Total		100,846	26.7	23.6	29.9	225,956	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	38,175	17.6	14.1	21.1	154,027	71.1	66.9	75.3	24,365	11.3	8.2	14.3
	Not Married	62,671	39.0	33.5	44.5	71,929	44.8	39.2	50.4	25,992	16.2	12.2	20.2
Total		100,846	26.7	23.6	29.9	225,956	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Maternal BMI Category

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	21,342	25.0	18.5	31.5	54,348	63.6	56.5	70.8	9,699	11.4	6.9	15.8
	Overweight	26,776	25.9	19.7	32.0	60,486	58.4	51.6	65.2	16,240	15.7	10.5	20.9
	Underweight or Normal	52,602	28.0	23.5	32.5	110,676	59.0	54.1	63.9	24,417	13.0	9.6	16.4
	Total	100,720	26.7	23.6	29.9	225,510	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

	Mistimed				Not Mistimed				Not Sure			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	13,297	31.7	26.7	36.6	21,940	52.2	47.0	57.5	6,760	16.1	12.2	20.0
Hispanic	52,251	28.7	23.3	34.1	106,700	58.6	52.8	64.5	23,022	12.7	8.7	16.6
Other	3,266	15.8	6.4	25.3	14,891	72.2	60.5	83.8	2,482	12.0	3.4	20.7
White	32,032	24.2	19.5	28.8	82,426	62.2	56.9	67.4	18,093	13.6	9.9	17.4
Total	100,846	26.7	23.6	29.9	225,956	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Mistimed by Payer of Delivery

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	54,664	31.8	26.9	36.8	85,633	49.9	44.5	55.3	31,355	18.3	14.0	22.5
	Private Insurance	25,916	19.0	14.7	23.3	97,669	71.5	66.6	76.4	13,004	9.5	6.4	12.7
	Self pay, Other, Unknown	20,266	29.4	21.1	37.8	42,654	61.9	53.1	70.7	5,999	8.7	3.9	13.5
	Total	100,846	26.7	23.6	29.9	225,956	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	30,147	32.2	25.3	39.1	47,894	51.2	43.8	58.5	15,576	16.6	11.4	21.9
	Prenatal Care First Trimester	68,734	24.7	21.2	28.3	174,346	62.8	58.8	66.7	34,726	12.5	9.7	15.3
	Total	98,882	26.6	23.4	29.8	222,239	59.8	56.3	63.3	50,302	13.5	11.1	16.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery


PNC First Trimester

WIC Status



Mistimed by WIC Status

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	32,584	19.4	15.5	23.3	118,324	70.4	65.9	74.9	17,061	10.2	7.1	13.2
	WIC	68,262	32.6	27.9	37.4	107,561	51.4	46.4	56.5	33,296	15.9	12.3	19.5
Total		100,846	26.7	23.6	29.9	225,885	59.9	56.4	63.4	50,357	13.4	10.9	15.8

1. Select a chapter

Intention

2. Select a question topic

- Intended
- Mistimed
- Unwanted

Mistimed

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

		Mistimed				Not Mistimed				Not Sure			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	100,846	26.7	23.6	29.9	225,956	59.9	56.4	63.4	50,357	13.4	10.9	15.8
Birth Weight	Low Birth Weight	7,464	27.0	21.9	32.0	17,486	63.2	57.7	68.6	2,729	9.9	6.5	13.3
	Normal Birth Weight	93,382	26.7	23.3	30.1	208,470	59.7	55.9	63.4	47,628	13.6	11.0	16.2
Gestational Age	Preterm <=36 wks	10,528	28.4	19.9	36.8	22,433	60.5	51.5	69.5	4,120	11.1	5.4	16.8
	Term >36 wks	90,318	26.6	23.2	29.9	203,523	59.8	56.1	63.6	46,236	13.6	11.0	16.2
Marital Status	Married	38,175	17.6	14.1	21.1	154,027	71.1	66.9	75.3	24,365	11.3	8.2	14.3
	Not Married	62,671	39.0	33.5	44.5	71,929	44.8	39.2	50.4	25,992	16.2	12.2	20.2
PNC First Trimester	No Prenatal Care First Trimester	30,147	32.2	25.3	39.1	47,894	51.2	43.8	58.5	15,576	16.6	11.4	21.9
	Prenatal Care First Trimester	68,734	24.7	21.2	28.3	174,346	62.8	58.8	66.7	34,726	12.5	9.7	15.3
WIC Status	Not WIC	32,584	19.4	15.5	23.3	118,324	70.4	65.9	74.9	17,061	10.2	7.1	13.2
	WIC	68,262	32.6	27.9	37.4	107,561	51.4	46.4	56.5	33,296	15.9	12.3	19.5
Maternal BMI Category	Obese	21,342	25.0	18.5	31.5	54,348	63.6	56.5	70.8	9,699	11.4	6.9	15.8
	Overweight	26,776	25.9	19.7	32.0	60,486	58.4	51.6	65.2	16,240	15.7	10.5	20.9
	Underweight or Normal	52,602	28.0	23.5	32.5	110,676	59.0	54.1	63.9	24,417	13.0	9.6	16.4
Payer of Delivery	Medicaid	54,664	31.8	26.9	36.8	85,633	49.9	44.5	55.3	31,355	18.3	14.0	22.5
	Private Insurance	25,916	19.0	14.7	23.3	97,669	71.5	66.6	76.4	13,004	9.5	6.4	12.7
	Self pay, Other, Unknown	20,266	29.4	21.1	37.8	42,654	61.9	53.1	70.7	5,999	8.7	3.9	13.5
Maternal Race	Black	13,297	31.7	26.7	36.6	21,940	52.2	47.0	57.5	6,760	16.1	12.2	20.0
	Hispanic	52,251	28.7	23.3	34.1	106,700	58.6	52.8	64.5	23,022	12.7	8.7	16.6
	Other	3,266	15.8	6.4	25.3	14,891	72.2	60.5	83.8	2,482	12.0	3.4	20.7
	White	32,032	24.2	19.5	28.8	82,426	62.2	56.9	67.4	18,093	13.6	9.9	17.4

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	2,729	9.9	6.5	13.3	2,717	9.8	6.5	13.2	22,232	80.3	75.8	84.8
	Normal Birth Weight	47,628	13.6	11.0	16.2	22,698	6.5	4.6	8.4	279,155	79.9	76.8	82.9
	Total	50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,387	79.9	77.1	82.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	4,120	11.1	5.4	16.8	2,618	7.1	3.9	10.3	30,344	81.8	75.4	88.2
	Term >36 wks	46,236	13.6	11.0	16.2	22,798	6.7	4.8	8.6	271,043	79.7	76.6	82.8
Total		50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,387	79.9	77.1	82.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	24,365	11.3	8.2	14.3	11,042	5.1	3.1	7.1	181,160	83.7	80.2	87.1
	Not Married	25,992	16.2	12.2	20.2	14,373	9.0	5.8	12.1	120,226	74.9	70.1	79.6
Total		50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,387	79.9	77.1	82.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Unwanted by Maternal BMI Category

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	9,699	11.4	6.9	15.8	8,524	10.0	5.5	14.5	67,166	78.7	72.7	84.6
	Overweight	16,240	15.7	10.5	20.9	7,836	7.6	4.0	11.1	79,426	76.7	70.8	82.6
	Underweight or Normal	24,417	13.0	9.6	16.4	9,055	4.8	2.7	6.9	154,224	82.2	78.4	86.0
	Total	50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	300,815	79.9	77.0	82.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	Not Sure				Unwanted				Wanted			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	6,760	16.1	12.2	20.0	4,900	11.7	8.3	15.0	30,337	72.2	67.5	77.0
Hispanic	23,022	12.7	8.7	16.6	13,343	7.3	4.3	10.4	145,608	80.0	75.3	84.8
Other	2,482	12.0	3.4	20.7	1,868	9.1	1.4	16.7	16,288	78.9	68.2	89.7
White	18,093	13.6	9.9	17.4	5,304	4.0	1.9	6.2	109,154	82.3	78.2	86.5
Total	50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,387	79.9	77.1	82.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Unwanted by Payer of Delivery

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	31,355	18.3	14.0	22.5	13,917	8.1	5.3	10.9	126,380	73.6	68.9	78.4
	Private Insurance	13,004	9.5	6.4	12.7	6,423	4.7	2.3	7.1	117,162	85.8	82.0	89.6
	Self pay, Other, Unknown	5,999	8.7	3.9	13.5	5,076	7.4	2.7	12.0	57,844	83.9	77.5	90.4
	Total	50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,387	79.9	77.1	82.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Unwanted by PNC First Trimester



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	15,576	16.6	11.4	21.9	11,882	12.7	8.0	17.4	66,159	70.7	64.2	77.2
	Prenatal Care First Trimester	34,726	12.5	9.7	15.3	13,533	4.9	3.1	6.6	229,547	82.6	79.5	85.8
	Total	50,302	13.5	11.1	16.0	25,415	6.8	5.1	8.6	295,706	79.6	76.7	82.5

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations

2. Select a question topic

Intended

Mistimed

Unwanted

3. Select a grouping variable

Birth Weight

Gestational Age

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	17,061	10.2	7.1	13.2	8,025	4.8	2.7	6.9	142,883	85.1	81.5	88.6
	WIC	33,296	15.9	12.3	19.5	17,390	8.3	5.6	11.0	158,432	75.8	71.5	80.0
Total		50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,315	79.9	77.1	82.7

1. Select a chapter

Intention

2. Select a question topic

- Intended
- Mistimed
- Unwanted

Unwanted

Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

		Not Sure				Unwanted				Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	50,357	13.4	10.9	15.8	25,415	6.7	5.0	8.5	301,387	79.9	77.1	82.8
Birth Weight	Low Birth Weight	2,729	9.9	6.5	13.3	2,717	9.8	6.5	13.2	22,232	80.3	75.8	84.8
	Normal Birth Weight	47,628	13.6	11.0	16.2	22,698	6.5	4.6	8.4	279,155	79.9	76.8	82.9
Gestational Age	Preterm <=36 wks	4,120	11.1	5.4	16.8	2,618	7.1	3.9	10.3	30,344	81.8	75.4	88.2
	Term >36 wks	46,236	13.6	11.0	16.2	22,798	6.7	4.8	8.6	271,043	79.7	76.6	82.8
Marital Status	Married	24,365	11.3	8.2	14.3	11,042	5.1	3.1	7.1	181,160	83.7	80.2	87.1
	Not Married	25,992	16.2	12.2	20.2	14,373	9.0	5.8	12.1	120,226	74.9	70.1	79.6
PNC First Trimester	No Prenatal Care First Trimester	15,576	16.6	11.4	21.9	11,882	12.7	8.0	17.4	66,159	70.7	64.2	77.2
	Prenatal Care First Trimester	34,726	12.5	9.7	15.3	13,533	4.9	3.1	6.6	229,547	82.6	79.5	85.8
WIC Status	Not WIC	17,061	10.2	7.1	13.2	8,025	4.8	2.7	6.9	142,883	85.1	81.5	88.6
	WIC	33,296	15.9	12.3	19.5	17,390	8.3	5.6	11.0	158,432	75.8	71.5	80.0
Maternal BMI Category	Obese	9,699	11.4	6.9	15.8	8,524	10.0	5.5	14.5	67,166	78.7	72.7	84.6
	Overweight	16,240	15.7	10.5	20.9	7,836	7.6	4.0	11.1	79,426	76.7	70.8	82.6
	Underweight or Normal	24,417	13.0	9.6	16.4	9,055	4.8	2.7	6.9	154,224	82.2	78.4	86.0
Payer of Delivery	Medicaid	31,355	18.3	14.0	22.5	13,917	8.1	5.3	10.9	126,380	73.6	68.9	78.4
	Private Insurance	13,004	9.5	6.4	12.7	6,423	4.7	2.3	7.1	117,162	85.8	82.0	89.6
	Self pay, Other, Unknown	5,999	8.7	3.9	13.5	5,076	7.4	2.7	12.0	57,844	83.9	77.5	90.4
Maternal Race	Black	6,760	16.1	12.2	20.0	4,900	11.7	8.3	15.0	30,337	72.2	67.5	77.0
	Hispanic	23,022	12.7	8.7	16.6	13,343	7.3	4.3	10.4	145,608	80.0	75.3	84.8
	Other	2,482	12.0	3.4	20.7	1,868	9.1	1.4	16.7	16,288	78.9	68.2	89.7
	White	18,093	13.6	9.9	17.4	5,304	4.0	1.9	6.2	109,154	82.3	78.2	86.5

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	14,715	55.2	49.6	60.7	11,954	44.8	39.3	50.4
	Normal Birth Weight	177,639	51.2	47.5	54.9	169,117	48.8	45.1	52.5
	Total	192,354	51.5	48.0	55.0	181,071	48.5	45.0	52.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	18,163	50.3	41.0	59.5	17,981	49.7	40.5	59.0
	Term >36 wks	174,191	51.6	47.9	55.4	163,090	48.4	44.6	52.1
Total		192,354	51.5	48.0	55.0	181,071	48.5	45.0	52.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	106,240	53.8	49.0	58.6	91,228	46.2	41.4	51.0
	Not Sure	28,850	58.4	48.7	68.1	20,550	41.6	31.9	51.3
	Unintended	56,422	45.6	39.4	51.8	67,270	54.4	48.2	60.6
	Total	191,511	51.7	48.2	55.2	179,047	48.3	44.8	51.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	124,151	57.4	52.9	61.9	92,119	42.6	38.1	47.1
	Not Married	68,203	43.4	37.8	49.0	88,952	56.6	51.0	62.2
Total		192,354	51.5	48.0	55.0	181,071	48.5	45.0	52.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	44,010	52.3	44.7	59.8	40,175	47.7	40.2	55.3
	Overweight	50,511	49.3	42.4	56.1	52,032	50.7	43.9	57.6
	Underweight or Normal	97,761	52.5	47.6	57.4	88,489	47.5	42.6	52.4
	Total	192,282	51.6	48.1	55.0	180,696	48.4	45.0	51.9

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

Maternal Race	Did Not Discuss Abuse				Discussed Abuse			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Black	18,459	45.4	40.0	50.8	22,193	54.6	49.2	60.0
Hispanic	74,102	41.2	35.3	47.1	105,620	58.8	52.9	64.7
Other	14,229	68.8	57.2	80.4	6,457	31.2	19.6	42.8
White	85,564	64.6	59.5	69.7	46,801	35.4	30.3	40.5
Total	192,354	51.5	48.0	55.0	181,071	48.5	45.0	52.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	78,156	46.2	40.7	51.6	91,085	53.8	48.4	59.3
	Private Insurance	90,772	66.4	61.3	71.5	45,888	33.6	28.5	38.7
	Self pay, Other, Unknown	23,426	34.7	26.1	43.3	44,098	65.3	56.7	73.9
	Total	192,354	51.5	48.0	55.0	181,071	48.5	45.0	52.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	48,030	52.9	45.4	60.4	42,785	47.1	39.6	54.6
	Prenatal Care First Trimester	141,783	51.1	47.1	55.1	135,740	48.9	44.9	52.9
	Total	189,814	51.5	48.0	55.0	178,524	48.5	45.0	52.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	103,544	62.3	57.5	67.1	62,627	37.7	32.9	42.5
	WIC	88,738	42.8	37.8	47.8	118,444	57.2	52.2	62.2
Total		192,282	51.5	48.0	55.0	181,071	48.5	45.0	52.0

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Discussed Abuse

Q23: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	192,354	51.5	48.0	55.0	181,071	48.5	45.0	52.0
Birth Weight	Low Birth Weight	14,715	55.2	49.6	60.7	11,954	44.8	39.3	50.4
	Normal Birth Weight	177,639	51.2	47.5	54.9	169,117	48.8	45.1	52.5
Gestational Age	Preterm <=36 wks	18,163	50.3	41.0	59.5	17,981	49.7	40.5	59.0
	Term >36 wks	174,191	51.6	47.9	55.4	163,090	48.4	44.6	52.1
Marital Status	Married	124,151	57.4	52.9	61.9	92,119	42.6	38.1	47.1
	Not Married	68,203	43.4	37.8	49.0	88,952	56.6	51.0	62.2
PNC First Trimester	No Prenatal Care First Trimester	48,030	52.9	45.4	60.4	42,785	47.1	39.6	54.6
	Prenatal Care First Trimester	141,783	51.1	47.1	55.1	135,740	48.9	44.9	52.9
WIC Status	Not WIC	103,544	62.3	57.5	67.1	62,627	37.7	32.9	42.5
	WIC	88,738	42.8	37.8	47.8	118,444	57.2	52.2	62.2
Intention	Intended	106,240	53.8	49.0	58.6	91,228	46.2	41.4	51.0
	Not Sure	28,850	58.4	48.7	68.1	20,550	41.6	31.9	51.3
	Unintended	56,422	45.6	39.4	51.8	67,270	54.4	48.2	60.6
Maternal BMI Category	Obese	44,010	52.3	44.7	59.8	40,175	47.7	40.2	55.3
	Overweight	50,511	49.3	42.4	56.1	52,032	50.7	43.9	57.6
	Underweight or Normal	97,761	52.5	47.6	57.4	88,489	47.5	42.6	52.4
Payer of Delivery	Medicaid	78,156	46.2	40.7	51.6	91,085	53.8	48.4	59.3
	Private Insurance	90,772	66.4	61.3	71.5	45,888	33.6	28.5	38.7
	Self pay, Other, Unknown	23,426	34.7	26.1	43.3	44,098	65.3	56.7	73.9
Maternal Race	Black	18,459	45.4	40.0	50.8	22,193	54.6	49.2	60.0
	Hispanic	74,102	41.2	35.3	47.1	105,620	58.8	52.9	64.7
	Other	14,229	68.8	57.2	80.4	6,457	31.2	19.6	42.8
	White	85,564	64.6	59.5	69.7	46,801	35.4	30.3	40.5

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Birth Weight

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	904	3.4	1.3	5.4	25,984	96.6	94.6	98.7
	Normal Birth Weight	12,359	3.7	2.2	5.2	325,058	96.3	94.8	97.8
	Total	13,263	3.6	2.3	5.0	351,042	96.4	95.0	97.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	852	2.4	0.8	4.0	34,653	97.6	96.0	99.2
	Term >36 wks	12,411	3.8	2.2	5.3	316,389	96.2	94.7	97.8
Total		13,263	3.6	2.3	5.0	351,042	96.4	95.0	97.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Intention

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	3,481	1.8	0.4	3.1	194,929	98.2	96.9	99.6
	Not Sure	2,544	5.6	0.1	11.1	42,866	94.4	88.9	99.9
	Unintended	7,112	6.0	3.1	9.0	110,506	94.0	91.0	96.9
	Total	13,138	3.6	2.2	5.0	348,301	96.4	95.0	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Marital Status

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	5,896	2.7	1.1	4.3	211,315	97.3	95.7	98.9
	Not Married	7,367	5.0	2.6	7.5	139,727	95.0	92.5	97.4
Total		13,263	3.6	2.3	5.0	351,042	96.4	95.0	97.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	1,948	2.3	0.6	3.9	83,374	97.7	96.1	99.4
	Overweight	4,450	4.4	1.4	7.5	95,728	95.6	92.5	98.6
	Underweight or Normal	6,865	3.9	1.8	6.0	171,368	96.1	94.0	98.2
	Total	13,263	3.6	2.3	5.0	350,470	96.4	95.0	97.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by Maternal Race

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

Maternal Race	Emotional Abuse				No Emotional Abuse			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Black	1,352	3.3	1.4	5.2	39,623	96.7	94.8	98.6
Hispanic	6,108	3.5	1.3	5.8	166,230	96.5	94.2	98.7
Other	943	4.6	0.0	9.4	19,765	95.4	90.6	100.0
White	4,859	3.7	1.5	6.0	125,424	96.3	94.0	98.5
Total	13,263	3.6	2.3	5.0	351,042	96.4	95.0	97.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	9,379	5.8	3.2	8.4	151,979	94.2	91.6	96.8
	Private Insurance	1,747	1.3	0.0	2.5	135,813	98.7	97.5	100.0
	Self pay, Other, Unknown	2,137	3.3	0.0	6.7	63,250	96.7	93.3	100.0
	Total	13,263	3.6	2.3	5.0	351,042	96.4	95.0	97.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	5,172	5.8	2.1	9.6	83,584	94.2	90.4	97.9
	Prenatal Care First Trimester	7,382	2.7	1.4	4.0	263,969	97.3	96.0	98.6
	Total	12,554	3.5	2.1	4.8	347,553	96.5	95.2	97.9

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Emotional Abuse by WIC Status

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	3,996	2.4	0.8	3.9	164,125	97.6	96.1	99.2
	WIC	9,267	4.7	2.5	6.9	186,846	95.3	93.1	97.5
	Total	13,263	3.6	2.3	5.0	350,970	96.4	95.0	97.7

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Emotional Abuse

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	13,263	3.6	2.3	5.0	351,042	96.4	95.0	97.7
Birth Weight	Low Birth Weight	904	3.4	1.3	5.4	25,984	96.6	94.6	98.7
	Normal Birth Weight	12,359	3.7	2.2	5.2	325,058	96.3	94.8	97.8
Gestational Age	Preterm <=36 wks	852	2.4	0.8	4.0	34,653	97.6	96.0	99.2
	Term >36 wks	12,411	3.8	2.2	5.3	316,389	96.2	94.7	97.8
Marital Status	Married	5,896	2.7	1.1	4.3	211,315	97.3	95.7	98.9
	Not Married	7,367	5.0	2.6	7.5	139,727	95.0	92.5	97.4
PNC First Trimester	No Prenatal Care First Trimester	5,172	5.8	2.1	9.6	83,584	94.2	90.4	97.9
	Prenatal Care First Trimester	7,382	2.7	1.4	4.0	263,969	97.3	96.0	98.6
WIC Status	Not WIC	3,996	2.4	0.8	3.9	164,125	97.6	96.1	99.2
	WIC	9,267	4.7	2.5	6.9	186,846	95.3	93.1	97.5
Intention	Intended	3,481	1.8	0.4	3.1	194,929	98.2	96.9	99.6
	Not Sure	2,544	5.6	0.1	11.1	42,866	94.4	88.9	99.9
	Unintended	7,112	6.0	3.1	9.0	110,506	94.0	91.0	96.9
Maternal BMI Category	Obese	1,948	2.3	0.6	3.9	83,374	97.7	96.1	99.4
	Overweight	4,450	4.4	1.4	7.5	95,728	95.6	92.5	98.6
	Underweight or Normal	6,865	3.9	1.8	6.0	171,368	96.1	94.0	98.2
Payer of Delivery	Medicaid	9,379	5.8	3.2	8.4	151,979	94.2	91.6	96.8
	Private Insurance	1,747	1.3	0.0	2.5	135,813	98.7	97.5	100.0
	Self pay, Other, Unknown	2,137	3.3	0.0	6.7	63,250	96.7	93.3	100.0
Maternal Race	Black	1,352	3.3	1.4	5.2	39,623	96.7	94.8	98.6
	Hispanic	6,108	3.5	1.3	5.8	166,230	96.5	94.2	98.7
	Other	943	4.6	0.0	9.4	19,765	95.4	90.6	100.0
	White	4,859	3.7	1.5	6.0	125,424	96.3	94.0	98.5

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	25,840	95.7	93.3	98.0	1,168	4.3	2.0	6.7
	Normal Birth Weight	325,176	95.8	94.2	97.4	14,334	4.2	2.6	5.8
Total		351,017	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Gestational Age

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	34,180	96.2	94.1	98.3	1,347	3.8	1.7	5.9
	Term >36 wks	316,837	95.7	94.1	97.3	14,154	4.3	2.7	5.9
Total		351,017	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Intention

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	193,852	97.4	95.8	99.1	5,129	2.6	0.9	4.2
	Not Sure	43,858	94.6	89.8	99.4	2,485	5.4	0.6	10.2
	Unintended	110,565	93.4	90.4	96.5	7,761	6.6	3.5	9.6
	Total	348,276	95.8	94.3	97.3	15,376	4.2	2.7	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Marital Status

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	212,189	97.4	95.8	98.9	5,752	2.6	1.1	4.2
	Not Married	138,828	93.4	90.6	96.3	9,749	6.6	3.7	9.4
Total		351,017	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Maternal BMI Category

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	83,401	96.9	94.7	99.2	2,630	3.1	0.8	5.3
	Overweight	93,720	92.9	88.9	96.8	7,188	7.1	3.2	11.1
	Underweight or Normal	173,325	96.8	95.2	98.5	5,682	3.2	1.5	4.8
	Total	350,445	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Maternal Race

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

Maternal Race	No Physical Abuse				Physical Abuse			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Black	39,748	96.5	94.5	98.4	1,451	3.5	1.6	5.5
Hispanic	164,714	94.7	92.0	97.5	9,140	5.3	2.5	8.0
Other	19,063	92.1	85.9	98.2	1,646	7.9	1.8	14.1
White	127,492	97.5	95.9	99.1	3,264	2.5	0.9	4.1
Total	351,017	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by Payer of Delivery

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	154,163	94.3	91.9	96.7	9,359	5.7	3.3	8.1
	Private Insurance	135,279	98.4	96.9	99.9	2,204	1.6	0.1	3.1
	Self pay, Other, Unknown	61,575	94.0	89.4	98.6	3,937	6.0	1.4	10.6
	Total	351,017	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	84,781	94.2	90.8	97.6	5,234	5.8	2.4	9.2
	Prenatal Care First Trimester	262,037	96.5	94.9	98.0	9,558	3.5	2.0	5.1
	Total	346,819	95.9	94.5	97.4	14,792	4.1	2.6	5.5

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Discussed Abuse

Emotional Abuse

Physical Abuse

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Physical Abuse by WIC Status

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	162,003	96.4	94.4	98.4	6,041	3.6	1.6	5.6
	WIC	188,942	95.2	93.1	97.4	9,460	4.8	2.6	6.9
Total		350,945	95.8	94.3	97.2	15,501	4.2	2.8	5.7

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Physical Abuse

Q46,47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	351,017	95.8	94.3	97.2	15,501	4.2	2.8	5.7
Birth Weight	Low Birth Weight	25,840	95.7	93.3	98.0	1,168	4.3	2.0	6.7
	Normal Birth Weight	325,176	95.8	94.2	97.4	14,334	4.2	2.6	5.8
Gestational Age	Preterm <=36 wks	34,180	96.2	94.1	98.3	1,347	3.8	1.7	5.9
	Term >36 wks	316,837	95.7	94.1	97.3	14,154	4.3	2.7	5.9
Marital Status	Married	212,189	97.4	95.8	98.9	5,752	2.6	1.1	4.2
	Not Married	138,828	93.4	90.6	96.3	9,749	6.6	3.7	9.4
PNC First Trimester	No Prenatal Care First Trimester	84,781	94.2	90.8	97.6	5,234	5.8	2.4	9.2
	Prenatal Care First Trimester	262,037	96.5	94.9	98.0	9,558	3.5	2.0	5.1
WIC Status	Not WIC	162,003	96.4	94.4	98.4	6,041	3.6	1.6	5.6
	WIC	188,942	95.2	93.1	97.4	9,460	4.8	2.6	6.9
Intention	Intended	193,852	97.4	95.8	99.1	5,129	2.6	0.9	4.2
	Not Sure	43,858	94.6	89.8	99.4	2,485	5.4	0.6	10.2
	Unintended	110,565	93.4	90.4	96.5	7,761	6.6	3.5	9.6
Maternal BMI Category	Obese	83,401	96.9	94.7	99.2	2,630	3.1	0.8	5.3
	Overweight	93,720	92.9	88.9	96.8	7,188	7.1	3.2	11.1
	Underweight or Normal	173,325	96.8	95.2	98.5	5,682	3.2	1.5	4.8
Payer of Delivery	Medicaid	154,163	94.3	91.9	96.7	9,359	5.7	3.3	8.1
	Private Insurance	135,279	98.4	96.9	99.9	2,204	1.6	0.1	3.1
	Self pay, Other, Unknown	61,575	94.0	89.4	98.6	3,937	6.0	1.4	10.6
Maternal Race	Black	39,748	96.5	94.5	98.4	1,451	3.5	1.6	5.5
	Hispanic	164,714	94.7	92.0	97.5	9,140	5.3	2.5	8.0
	Other	19,063	92.1	85.9	98.2	1,646	7.9	1.8	14.1
	White	127,492	97.5	95.9	99.1	3,264	2.5	0.9	4.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	15,696	55.8	50.3	61.3	12,433	44.2	38.7	49.7
	Normal Birth Weight	191,702	54.8	51.1	58.4	158,226	45.2	41.6	48.9
	Total	207,398	54.9	51.5	58.3	170,659	45.1	41.7	48.5

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	21,270	56.7	48.0	65.3	16,263	43.3	34.7	52.0
	Term >36 wks	186,128	54.7	51.0	58.3	154,396	45.3	41.7	49.0
Total		207,398	54.9	51.5	58.3	170,659	45.1	41.7	48.5

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	99,756	50.1	45.3	54.8	99,526	49.9	45.2	54.7
	Not Sure	32,576	64.7	55.6	73.7	17,781	35.3	26.3	44.4
	Unintended	73,943	58.9	52.8	65.0	51,609	41.1	35.0	47.2
	Total	206,274	55.0	51.6	58.4	168,917	45.0	41.6	48.4

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	105,053	48.3	43.9	52.8	112,381	51.7	47.2	56.1
	Not Married	102,345	63.7	58.4	69.1	58,279	36.3	30.9	41.6
Total		207,398	54.9	51.5	58.3	170,659	45.1	41.7	48.5

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Dental Cleaning During Pregnancy

Pre-pregnancy Dental Cleaning

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Pre-pregnancy Dental Cleaning by Maternal BMI Category

Q7: At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things? I had my teeth cleaned by a dentist or dental hygienist.



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
Maternal BMI Category		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	57,064	65.7	59.0	72.5	29,767	34.3	27.5	41.0
	Overweight	55,087	53.4	46.6	60.1	48,154	46.6	39.9	53.4
	Underweight or Normal	94,747	50.6	45.6	55.5	92,666	49.4	44.5	54.4
	Total	206,898	54.8	51.4	58.2	170,588	45.2	41.8	48.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No				Yes			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	24,885	58.4	53.2	63.6	17,739	41.6	36.4	46.8
Hispanic	117,915	65.0	59.3	70.6	63,615	35.0	29.4	40.7
Other	10,003	48.2	35.6	60.8	10,760	51.8	39.2	64.4
White	54,594	41.0	35.8	46.3	78,546	59.0	53.7	64.2
Total	207,398	54.9	51.5	58.3	170,659	45.1	41.7	48.5

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	114,878	66.8	61.8	71.9	56,974	33.2	28.1	38.2
	Private Insurance	47,822	34.7	29.7	39.8	89,845	65.3	60.2	70.3
	Self pay, Other, Unknown	44,698	65.2	56.7	73.8	23,839	34.8	26.2	43.3
	Total	207,398	54.9	51.5	58.3	170,659	45.1	41.7	48.5

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	64,136	68.1	61.3	74.8	30,090	31.9	25.2	38.7
	Prenatal Care First Trimester	139,779	50.3	46.3	54.2	138,317	49.7	45.8	53.7
	Total	203,915	54.8	51.4	58.2	168,407	45.2	41.8	48.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy
- Pre-pregnancy Dental Cleaning**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	66,583	39.4	34.7	44.2	102,225	60.6	55.8	65.3
	WIC	140,815	67.3	62.6	72.0	68,362	32.7	28.0	37.4
Total		207,398	54.9	51.5	58.3	170,588	45.1	41.7	48.5

1. Select a chapter

Oral Health

2. Select a question topic

Dental Cleaning During Pregnancy

Pre-pregnancy Dental Cleaning

Pre-pregnancy Dental Cleaning

Q7: At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things? I had my teeth cleaned by a dentist or dental hygienist.

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	207,398	54.9	51.5	58.3	170,659	45.1	41.7	48.5
Birth Weight	Low Birth Weight	15,696	55.8	50.3	61.3	12,433	44.2	38.7	49.7
	Normal Birth Weight	191,702	54.8	51.1	58.4	158,226	45.2	41.6	48.9
Gestational Age	Preterm <=36 wks	21,270	56.7	48.0	65.3	16,263	43.3	34.7	52.0
	Term >36 wks	186,128	54.7	51.0	58.3	154,396	45.3	41.7	49.0
Marital Status	Married	105,053	48.3	43.9	52.8	112,381	51.7	47.2	56.1
	Not Married	102,345	63.7	58.4	69.1	58,279	36.3	30.9	41.6
PNC First Trimester	No Prenatal Care First Trimester	64,136	68.1	61.3	74.8	30,090	31.9	25.2	38.7
	Prenatal Care First Trimester	139,779	50.3	46.3	54.2	138,317	49.7	45.8	53.7
WIC Status	Not WIC	66,583	39.4	34.7	44.2	102,225	60.6	55.8	65.3
	WIC	140,815	67.3	62.6	72.0	68,362	32.7	28.0	37.4
Intention	Intended	99,756	50.1	45.3	54.8	99,526	49.9	45.2	54.7
	Not Sure	32,576	64.7	55.6	73.7	17,781	35.3	26.3	44.4
	Unintended	73,943	58.9	52.8	65.0	51,609	41.1	35.0	47.2
Maternal BMI Category	Obese	57,064	65.7	59.0	72.5	29,767	34.3	27.5	41.0
	Overweight	55,087	53.4	46.6	60.1	48,154	46.6	39.9	53.4
	Underweight or Normal	94,747	50.6	45.6	55.5	92,666	49.4	44.5	54.4
Payer of Delivery	Medicaid	114,878	66.8	61.8	71.9	56,974	33.2	28.1	38.2
	Private Insurance	47,822	34.7	29.7	39.8	89,845	65.3	60.2	70.3
	Self pay, Other, Unknown	44,698	65.2	56.7	73.8	23,839	34.8	26.2	43.3
Maternal Race	Black	24,885	58.4	53.2	63.6	17,739	41.6	36.4	46.8
	Hispanic	117,915	65.0	59.3	70.6	63,615	35.0	29.4	40.7
	Other	10,003	48.2	35.6	60.8	10,760	51.8	39.2	64.4
	White	54,594	41.0	35.8	46.3	78,546	59.0	53.7	64.2

Texas PRAMS 2013 data

Prepared by the Office of Program Decision Support

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	18,090	65.2	59.9	70.5	9,657	34.8	29.5	40.1
	Normal Birth Weight	225,974	64.6	61.1	68.1	123,786	35.4	31.9	38.9
	Total	244,063	64.7	61.4	67.9	133,443	35.3	32.1	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	23,503	63.3	54.9	71.8	13,604	36.7	28.2	45.1
	Term >36 wks	220,560	64.8	61.3	68.3	119,839	35.2	31.7	38.7
Total		244,063	64.7	61.4	67.9	133,443	35.3	32.1	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	119,170	59.9	55.4	64.5	79,686	40.1	35.5	44.6
	Not Sure	31,743	63.5	54.2	72.8	18,238	36.5	27.2	45.8
	Unintended	91,366	72.6	67.3	78.0	34,438	27.4	22.0	32.7
	Total	242,279	64.7	61.4	67.9	132,361	35.3	32.1	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	129,388	59.6	55.3	63.9	87,610	40.4	36.1	44.7
	Not Married	114,675	71.4	66.5	76.4	45,833	28.6	23.6	33.5
Total		244,063	64.7	61.4	67.9	133,443	35.3	32.1	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	61,875	72.0	65.8	78.3	24,031	28.0	21.7	34.2
	Overweight	68,713	66.3	60.1	72.5	34,936	33.7	27.5	39.9
	Underweight or Normal	112,975	60.3	55.5	65.1	74,405	39.7	34.9	44.5
	Total	243,563	64.6	61.4	67.8	133,372	35.4	32.2	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No				Yes			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	23,964	57.7	52.4	62.9	17,584	42.3	37.1	47.6
Hispanic	134,751	73.9	68.8	79.1	47,489	26.1	20.9	31.2
Other	13,731	66.1	54.5	77.8	7,032	33.9	22.2	45.5
White	71,617	53.9	48.6	59.1	61,338	46.1	40.9	51.4
Total	244,063	64.7	61.4	67.9	133,443	35.3	32.1	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	124,247	72.3	67.6	77.1	47,508	27.7	22.9	32.4
	Private Insurance	70,852	51.6	46.3	56.8	66,488	48.4	43.2	53.7
	Self pay, Other, Unknown	48,964	71.6	63.5	79.6	19,448	28.4	20.4	36.5
	Total	244,063	64.7	61.4	67.9	133,443	35.3	32.1	38.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	68,121	72.6	66.2	78.9	25,755	27.4	21.1	33.8
	Prenatal Care First Trimester	173,494	62.3	58.5	66.1	105,049	37.7	33.9	41.5
	Total	241,615	64.9	61.6	68.1	130,804	35.1	31.9	38.4

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health**
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Dental Cleaning During Pregnancy**
- Pre-pregnancy Dental Cleaning

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	95,011	56.3	51.6	61.1	73,697	43.7	38.9	48.4
	WIC	149,053	71.4	67.0	75.9	59,675	28.6	24.1	33.0
Total		244,063	64.7	61.4	67.9	133,372	35.3	32.1	38.6

1. Select a chapter

Oral Health

2. Select a question topic

Dental Cleaning During Pregnancy

Pre-pregnancy Dental Cleaning

Dental Cleaning During Pregnancy

Q28: This question is about the care of your teeth during your most recent pregnancy. I had my teeth cleaned by a dentist or dental hygienist.

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	244,063	64.7	61.4	67.9	133,443	35.3	32.1	38.6
Birth Weight	Low Birth Weight	18,090	65.2	59.9	70.5	9,657	34.8	29.5	40.1
	Normal Birth Weight	225,974	64.6	61.1	68.1	123,786	35.4	31.9	38.9
Gestational Age	Preterm <=36 wks	23,503	63.3	54.9	71.8	13,604	36.7	28.2	45.1
	Term >36 wks	220,560	64.8	61.3	68.3	119,839	35.2	31.7	38.7
Marital Status	Married	129,388	59.6	55.3	63.9	87,610	40.4	36.1	44.7
	Not Married	114,675	71.4	66.5	76.4	45,833	28.6	23.6	33.5
PNC First Trimester	No Prenatal Care First Trimester	68,121	72.6	66.2	78.9	25,755	27.4	21.1	33.8
	Prenatal Care First Trimester	173,494	62.3	58.5	66.1	105,049	37.7	33.9	41.5
WIC Status	Not WIC	95,011	56.3	51.6	61.1	73,697	43.7	38.9	48.4
	WIC	149,053	71.4	67.0	75.9	59,675	28.6	24.1	33.0
Intention	Intended	119,170	59.9	55.4	64.5	79,686	40.1	35.5	44.6
	Not Sure	31,743	63.5	54.2	72.8	18,238	36.5	27.2	45.8
	Unintended	91,366	72.6	67.3	78.0	34,438	27.4	22.0	32.7
Maternal BMI Category	Obese	61,875	72.0	65.8	78.3	24,031	28.0	21.7	34.2
	Overweight	68,713	66.3	60.1	72.5	34,936	33.7	27.5	39.9
	Underweight or Normal	112,975	60.3	55.5	65.1	74,405	39.7	34.9	44.5
Payer of Delivery	Medicaid	124,247	72.3	67.6	77.1	47,508	27.7	22.9	32.4
	Private Insurance	70,852	51.6	46.3	56.8	66,488	48.4	43.2	53.7
	Self pay, Other, Unknown	48,964	71.6	63.5	79.6	19,448	28.4	20.4	36.5
Maternal Race	Black	23,964	57.7	52.4	62.9	17,584	42.3	37.1	47.6
	Hispanic	134,751	73.9	68.8	79.1	47,489	26.1	20.9	31.2
	Other	13,731	66.1	54.5	77.8	7,032	33.9	22.2	45.5
	White	71,617	53.9	48.6	59.1	61,338	46.1	40.9	51.4

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	5,243	19.0	14.6	23.4	22,394	81.0	76.6	85.4
	Normal Birth Weight	44,861	12.9	10.3	15.6	301,784	87.1	84.4	89.7
Total		50,103	13.4	10.9	15.9	324,178	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	4,040	10.9	6.3	15.6	32,974	89.1	84.4	93.7
	Term >36 wks	46,064	13.7	11.0	16.4	291,204	86.3	83.6	89.0
Total		50,103	13.4	10.9	15.9	324,178	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	20,949	10.6	7.4	13.7	176,991	89.4	86.3	92.6
	Not Sure	7,031	14.4	7.5	21.4	41,752	85.6	78.6	92.5
	Unintended	21,890	17.6	12.7	22.4	102,802	82.4	77.6	87.3
	Total	49,870	13.4	10.9	15.9	321,544	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	24,052	11.1	8.0	14.2	192,495	88.9	85.8	92.0
	Not Married	26,051	16.5	12.4	20.7	131,683	83.5	79.3	87.6
Total		50,103	13.4	10.9	15.9	324,178	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	13,396	15.9	10.1	21.6	70,966	84.1	78.4	89.9
	Overweight	12,477	12.1	7.5	16.6	91,056	87.9	83.4	92.5
	Underweight or Normal	24,230	13.0	9.6	16.5	161,584	87.0	83.5	90.4
	Total	50,103	13.4	10.9	15.9	323,606	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No Postpartum Checkup				Postpartum Checkup			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	6,477	15.6	11.8	19.5	35,000	84.4	80.5	88.2
Hispanic	34,453	19.1	14.4	23.7	146,271	80.9	76.3	85.6
Other	1,565	7.5	1.1	14.0	19,198	92.5	86.0	98.9
White	7,609	5.8	3.2	8.3	123,709	94.2	91.7	96.8
Total	50,103	13.4	10.9	15.9	324,178	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	29,973	17.8	13.6	22.0	138,571	82.2	78.0	86.4
	Private Insurance	8,388	6.1	3.4	8.9	128,518	93.9	91.1	96.6
	Self pay, Other, Unknown	11,742	17.1	10.2	23.9	57,089	82.9	76.1	89.8
	Total	50,103	13.4	10.9	15.9	324,178	86.6	84.1	89.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	17,538	18.9	13.1	24.7	75,346	81.1	75.3	86.9
	Prenatal Care First Trimester	29,675	10.7	8.1	13.4	246,636	89.3	86.6	91.9
	Total	47,213	12.8	10.4	15.2	321,982	87.2	84.8	89.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum**
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- Postpartum Checkup**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	17,005	10.2	7.0	13.3	150,367	89.8	86.7	93.0
	WIC	33,098	16.0	12.3	19.7	173,739	84.0	80.3	87.7
Total		50,103	13.4	10.9	15.9	324,106	86.6	84.1	89.1

1. Select a chapter

Postpartum

2. Select a question topic

Postpartum Checkup

Postpartum Checkup

Q72: Since your new baby was born, have you had a postpartum checkup for yourself?

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	50,103	13.4	10.9	15.9	324,178	86.6	84.1	89.1
Birth Weight	Low Birth Weight	5,243	19.0	14.6	23.4	22,394	81.0	76.6	85.4
	Normal Birth Weight	44,861	12.9	10.3	15.6	301,784	87.1	84.4	89.7
Gestational Age	Preterm <=36 wks	4,040	10.9	6.3	15.6	32,974	89.1	84.4	93.7
	Term >36 wks	46,064	13.7	11.0	16.4	291,204	86.3	83.6	89.0
Marital Status	Married	24,052	11.1	8.0	14.2	192,495	88.9	85.8	92.0
	Not Married	26,051	16.5	12.4	20.7	131,683	83.5	79.3	87.6
PNC First Trimester	No Prenatal Care First Trimester	17,538	18.9	13.1	24.7	75,346	81.1	75.3	86.9
	Prenatal Care First Trimester	29,675	10.7	8.1	13.4	246,636	89.3	86.6	91.9
WIC Status	Not WIC	17,005	10.2	7.0	13.3	150,367	89.8	86.7	93.0
	WIC	33,098	16.0	12.3	19.7	173,739	84.0	80.3	87.7
Intention	Intended	20,949	10.6	7.4	13.7	176,991	89.4	86.3	92.6
	Not Sure	7,031	14.4	7.5	21.4	41,752	85.6	78.6	92.5
	Unintended	21,890	17.6	12.7	22.4	102,802	82.4	77.6	87.3
Maternal BMI Category	Obese	13,396	15.9	10.1	21.6	70,966	84.1	78.4	89.9
	Overweight	12,477	12.1	7.5	16.6	91,056	87.9	83.4	92.5
	Underweight or Normal	24,230	13.0	9.6	16.5	161,584	87.0	83.5	90.4
Payer of Delivery	Medicaid	29,973	17.8	13.6	22.0	138,571	82.2	78.0	86.4
	Private Insurance	8,388	6.1	3.4	8.9	128,518	93.9	91.1	96.6
	Self pay, Other, Unknown	11,742	17.1	10.2	23.9	57,089	82.9	76.1	89.8
Maternal Race	Black	6,477	15.6	11.8	19.5	35,000	84.4	80.5	88.2
	Hispanic	34,453	19.1	14.4	23.7	146,271	80.9	76.3	85.6
	Other	1,565	7.5	1.1	14.0	19,198	92.5	86.0	98.9
	White	7,609	5.8	3.2	8.3	123,709	94.2	91.7	96.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	21,084	77.5	72.7	82.3	6,126	22.5	17.7	27.3
	Normal Birth Weight	278,400	80.0	76.9	83.1	69,567	20.0	16.9	23.1
Total		299,485	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	28,587	77.5	70.0	84.9	8,306	22.5	15.1	30.0
	Term >36 wks	270,898	80.1	77.0	83.2	67,387	19.9	16.8	23.0
Total		299,485	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	172,029	86.7	83.3	90.2	26,372	13.3	9.8	16.7
	Not Sure	34,107	68.6	59.3	77.9	15,641	31.4	22.1	40.7
	Unintended	91,522	73.7	68.2	79.2	32,641	26.3	20.8	31.8
	Total	297,658	79.9	77.0	82.9	74,653	20.1	17.1	23.0

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status

PNC as Early as Wanted by Marital Status
 Q19: Did you get prenatal care as early in your pregnancy as you wanted?



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	186,780	86.1	82.9	89.4	30,043	13.9	10.6	17.1
	Not Married	112,704	71.2	66.0	76.3	45,650	28.8	23.7	34.0
Total		299,485	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	62,632	73.7	67.0	80.4	22,360	26.3	19.6	33.0
	Overweight	82,685	79.8	74.2	85.4	20,942	20.2	14.6	25.8
	Underweight or Normal	153,721	82.6	78.7	86.5	32,390	17.4	13.5	21.3
	Total	299,038	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	Accessed as Early as Wanted				Did Not Access as Early as Wanted			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	31,263	75.2	70.6	79.8	10,286	24.8	20.2	29.4
Hispanic	138,276	76.6	71.5	81.6	42,278	23.4	18.4	28.5
Other	17,039	82.6	73.2	92.0	3,593	17.4	8.0	26.8
White	112,907	85.3	81.2	89.3	19,535	14.7	10.7	18.8
Total	299,485	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status

PNC as Early as Wanted by Payer of Delivery
 Q19: Did you get prenatal care as early in your pregnancy as you wanted?



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	116,105	68.3	63.2	73.3	54,012	31.7	26.7	36.8
	Private Insurance	127,823	93.3	90.7	96.0	9,112	6.7	4.0	9.3
	Self pay, Other, Unknown	55,557	81.6	74.6	88.5	12,569	18.4	11.5	25.4
	Total	299,485	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	46,109	49.6	42.2	57.0	46,797	50.4	43.0	57.8
	Prenatal Care First Trimester	250,721	90.2	87.8	92.7	27,227	9.8	7.3	12.2
Total		296,830	80.0	77.1	82.9	74,024	20.0	17.1	22.9

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted**
- PNC First Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	145,655	86.9	83.5	90.3	21,947	13.1	9.7	16.5
	WIC	153,758	74.1	69.7	78.5	53,745	25.9	21.5	30.3
Total		299,413	79.8	76.9	82.7	75,692	20.2	17.3	23.1

1. Select a chapter

Prenatal Care (PNC)

2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

PNC as Early as Wanted

Q19: Did you get prenatal care as early in your pregnancy as you wanted?

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	299,485	79.8	76.9	82.7	75,692	20.2	17.3	23.1
Birth Weight	Low Birth Weight	21,084	77.5	72.7	82.3	6,126	22.5	17.7	27.3
	Normal Birth Weight	278,400	80.0	76.9	83.1	69,567	20.0	16.9	23.1
Gestational Age	Preterm <=36 wks	28,587	77.5	70.0	84.9	8,306	22.5	15.1	30.0
	Term >36 wks	270,898	80.1	77.0	83.2	67,387	19.9	16.8	23.0
Marital Status	Married	186,780	86.1	82.9	89.4	30,043	13.9	10.6	17.1
	Not Married	112,704	71.2	66.0	76.3	45,650	28.8	23.7	34.0
PNC First Trimester	No Prenatal Care First Trimester	46,109	49.6	42.2	57.0	46,797	50.4	43.0	57.8
	Prenatal Care First Trimester	250,721	90.2	87.8	92.7	27,227	9.8	7.3	12.2
WIC Status	Not WIC	145,655	86.9	83.5	90.3	21,947	13.1	9.7	16.5
	WIC	153,758	74.1	69.7	78.5	53,745	25.9	21.5	30.3
Intention	Intended	172,029	86.7	83.3	90.2	26,372	13.3	9.8	16.7
	Not Sure	34,107	68.6	59.3	77.9	15,641	31.4	22.1	40.7
	Unintended	91,522	73.7	68.2	79.2	32,641	26.3	20.8	31.8
Maternal BMI Category	Obese	62,632	73.7	67.0	80.4	22,360	26.3	19.6	33.0
	Overweight	82,685	79.8	74.2	85.4	20,942	20.2	14.6	25.8
	Underweight or Normal	153,721	82.6	78.7	86.5	32,390	17.4	13.5	21.3
Payer of Delivery	Medicaid	116,105	68.3	63.2	73.3	54,012	31.7	26.7	36.8
	Private Insurance	127,823	93.3	90.7	96.0	9,112	6.7	4.0	9.3
	Self pay, Other, Unknown	55,557	81.6	74.6	88.5	12,569	18.4	11.5	25.4
Maternal Race	Black	31,263	75.2	70.6	79.8	10,286	24.8	20.2	29.4
	Hispanic	138,276	76.6	71.5	81.6	42,278	23.4	18.4	28.5
	Other	17,039	82.6	73.2	92.0	3,593	17.4	8.0	26.8
	White	112,907	85.3	81.2	89.3	19,535	14.7	10.7	18.8

Texas PRAMS 2013 data

Prepared by the Office of Program Decision Support

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	7,557	27.4	22.3	32.5	20,017	72.6	67.5	77.7
	Normal Birth Weight	87,378	25.2	21.9	28.5	259,337	74.8	71.5	78.1
Total		94,935	25.4	22.2	28.5	279,354	74.6	71.5	77.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations



2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	9,702	26.1	18.0	34.2	27,474	73.9	65.8	82.0
	Term >36 wks	85,233	25.3	21.9	28.6	251,880	74.7	71.4	78.1
Total		94,935	25.4	22.2	28.5	279,354	74.6	71.5	77.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	36,012	18.3	14.4	22.2	160,812	81.7	77.8	85.6
	Not Sure	15,576	31.0	22.0	39.9	34,726	69.0	60.1	78.0
	Unintended	42,029	33.8	27.9	39.7	82,268	66.2	60.3	72.1
	Total	93,617	25.2	22.1	28.3	277,806	74.8	71.7	77.9

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	40,218	18.5	14.8	22.2	177,011	81.5	77.8	85.2
	Not Married	54,718	34.8	29.5	40.2	102,344	65.2	59.8	70.5
Total		94,935	25.4	22.2	28.5	279,354	74.6	71.5	77.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention


Marital Status

Maternal BMI Category

Maternal Race

Payer of Delivery

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	24,441	29.0	22.1	36.0	59,714	71.0	64.0	77.9
	Overweight	29,234	28.2	21.9	34.5	74,493	71.8	65.5	78.1
	Underweight or Normal	41,135	22.1	17.9	26.3	144,702	77.9	73.7	82.1
	Total	94,810	25.4	22.2	28.5	278,908	74.6	71.5	77.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No Prenatal Care First Trimester				Prenatal Care First Trimester			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	13,989	33.3	28.3	38.3	28,061	66.7	61.7	71.7
Hispanic	54,873	30.7	25.2	36.3	123,626	69.3	63.7	74.8
Other	6,455	31.2	19.2	43.2	14,254	68.8	56.8	80.8
White	19,618	14.7	10.7	18.8	113,414	85.3	81.2	89.3
Total	94,935	25.4	22.2	28.5	279,354	74.6	71.5	77.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	62,589	36.9	31.7	42.2	106,858	63.1	57.8	68.3
	Private Insurance	11,094	8.1	5.1	11.0	126,574	91.9	89.0	94.9
	Self pay, Other, Unknown	21,253	31.6	23.0	40.3	45,923	68.4	59.7	77.0
	Total	94,935	25.4	22.2	28.5	279,354	74.6	71.5	77.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)**
- Safe Sleep
- Tobacco
- Vaccinations




2. Select a question topic

- PNC as Early as Wanted
- PNC First Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- WIC Status**



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	26,893	16.0	12.2	19.8	141,299	84.0	80.2	87.8
	WIC	68,042	33.0	28.3	37.8	137,984	67.0	62.2	71.7
Total		94,935	25.4	22.2	28.5	279,283	74.6	71.5	77.8

1. Select a chapter

Prenatal Care (PNC)

2. Select a question topic

PNC as Early as Wanted

PNC First Trimester

PNC First Trimester

Q18: How many weeks or months pregnant were you when you had your first visit for prenatal care? (presented as prenatal care in the first trimester).

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	94,935	25.4	22.2	28.5	279,354	74.6	71.5	77.8
Birth Weight	Low Birth Weight	7,557	27.4	22.3	32.5	20,017	72.6	67.5	77.7
	Normal Birth Weight	87,378	25.2	21.9	28.5	259,337	74.8	71.5	78.1
Gestational Age	Preterm <=36 wks	9,702	26.1	18.0	34.2	27,474	73.9	65.8	82.0
	Term >36 wks	85,233	25.3	21.9	28.6	251,880	74.7	71.4	78.1
Marital Status	Married	40,218	18.5	14.8	22.2	177,011	81.5	77.8	85.2
	Not Married	54,718	34.8	29.5	40.2	102,344	65.2	59.8	70.5
WIC Status	Not WIC	26,893	16.0	12.2	19.8	141,299	84.0	80.2	87.8
	WIC	68,042	33.0	28.3	37.8	137,984	67.0	62.2	71.7
Intention	Intended	36,012	18.3	14.4	22.2	160,812	81.7	77.8	85.6
	Not Sure	15,576	31.0	22.0	39.9	34,726	69.0	60.1	78.0
	Unintended	42,029	33.8	27.9	39.7	82,268	66.2	60.3	72.1
Maternal BMI Category	Obese	24,441	29.0	22.1	36.0	59,714	71.0	64.0	77.9
	Overweight	29,234	28.2	21.9	34.5	74,493	71.8	65.5	78.1
	Underweight or Normal	41,135	22.1	17.9	26.3	144,702	77.9	73.7	82.1
Payer of Delivery	Medicaid	62,589	36.9	31.7	42.2	106,858	63.1	57.8	68.3
	Private Insurance	11,094	8.1	5.1	11.0	126,574	91.9	89.0	94.9
	Self pay, Other, Unknown	21,253	31.6	23.0	40.3	45,923	68.4	59.7	77.0
Maternal Race	Black	13,989	33.3	28.3	38.3	28,061	66.7	61.7	71.7
	Hispanic	54,873	30.7	25.2	36.3	123,626	69.3	63.7	74.8
	Other	6,455	31.2	19.2	43.2	14,254	68.8	56.8	80.8
	White	19,618	14.7	10.7	18.8	113,414	85.3	81.2	89.3

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	16,150	62.7	57.1	68.2	9,616	37.3	31.8	42.9
	Normal Birth Weight	251,934	72.9	69.5	76.2	93,848	27.1	23.8	30.5
	Total	268,084	72.2	69.0	75.3	103,465	27.8	24.7	31.0

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	25,652	72.6	64.9	80.4	9,661	27.4	19.6	35.1
	Term >36 wks	242,432	72.1	68.7	75.5	93,804	27.9	24.5	31.3
Total		268,084	72.2	69.0	75.3	103,465	27.8	24.7	31.0

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations



2. Select a question topic


Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status

Sleep Position by Intention

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	152,852	77.5	73.5	81.4	44,493	22.5	18.6	26.5
	Not Sure	33,358	69.4	60.3	78.6	14,677	30.6	21.4	39.7
	Unintended	79,783	64.7	58.8	70.6	43,597	35.3	29.4	41.2
	Total	265,993	72.1	69.0	75.3	102,767	27.9	24.7	31.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Sleep Position by Marital Status

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	168,608	78.1	74.4	81.9	47,189	21.9	18.1	25.6
	Not Married	99,476	63.9	58.5	69.2	56,276	36.1	30.8	41.5
Total		268,084	72.2	69.0	75.3	103,465	27.8	24.7	31.0

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	62,177	72.7	66.4	79.1	23,302	27.3	20.9	33.6
	Overweight	70,075	68.1	61.9	74.4	32,781	31.9	25.6	38.1
	Underweight or Normal	135,458	74.2	69.8	78.6	47,185	25.8	21.4	30.2
	Total	267,709	72.2	69.0	75.3	103,268	27.8	24.7	31.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

	Back Only				Other Than Back			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	19,236	47.5	42.1	52.9	21,221	52.5	47.1	57.9
Hispanic	130,241	72.6	67.3	77.9	49,070	27.4	22.1	32.7
Other	17,182	83.6	74.9	92.2	3,379	16.4	7.8	25.1
White	101,425	77.3	72.7	81.9	29,794	22.7	18.1	27.3
Total	268,084	72.2	69.0	75.3	103,465	27.8	24.7	31.0

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	114,303	68.1	63.2	73.1	53,442	31.9	26.9	36.8
	Private Insurance	110,206	81.1	77.1	85.0	25,762	18.9	15.0	22.9
	Self pay, Other, Unknown	43,575	64.2	55.5	73.0	24,261	35.8	27.0	44.5
	Total	268,084	72.2	69.0	75.3	103,465	27.8	24.7	31.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Sleep Position

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	60,248	65.0	58.1	71.9	32,508	35.0	28.1	41.9
	Prenatal Care First Trimester	205,235	75.0	71.5	78.5	68,471	25.0	21.5	28.5
	Total	265,483	72.4	69.3	75.6	100,979	27.6	24.4	30.7

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep**
- Tobacco
- Vaccinations




2. Select a question topic

Sleep Position

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	129,977	77.8	73.8	81.8	37,033	22.2	18.2	26.2
	WIC	138,107	67.5	62.9	72.2	66,360	32.5	27.8	37.1
Total		268,084	72.2	69.0	75.3	103,393	27.8	24.7	31.0

1. Select a chapter

Safe Sleep

Sleep Position

2. Select a question topic

Sleep Position

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	268,084	72.2	69.0	75.3	103,465	27.8	24.7	31.0
Birth Weight	Low Birth Weight	16,150	62.7	57.1	68.2	9,616	37.3	31.8	42.9
	Normal Birth Weight	251,934	72.9	69.5	76.2	93,848	27.1	23.8	30.5
Gestational Age	Preterm <=36 wks	25,652	72.6	64.9	80.4	9,661	27.4	19.6	35.1
	Term >36 wks	242,432	72.1	68.7	75.5	93,804	27.9	24.5	31.3
Marital Status	Married	168,608	78.1	74.4	81.9	47,189	21.9	18.1	25.6
	Not Married	99,476	63.9	58.5	69.2	56,276	36.1	30.8	41.5
PNC First Trimester	No Prenatal Care First Trimester	60,248	65.0	58.1	71.9	32,508	35.0	28.1	41.9
	Prenatal Care First Trimester	205,235	75.0	71.5	78.5	68,471	25.0	21.5	28.5
WIC Status	Not WIC	129,977	77.8	73.8	81.8	37,033	22.2	18.2	26.2
	WIC	138,107	67.5	62.9	72.2	66,360	32.5	27.8	37.1
Intention	Intended	152,852	77.5	73.5	81.4	44,493	22.5	18.6	26.5
	Not Sure	33,358	69.4	60.3	78.6	14,677	30.6	21.4	39.7
	Unintended	79,783	64.7	58.8	70.6	43,597	35.3	29.4	41.2
Maternal BMI Category	Obese	62,177	72.7	66.4	79.1	23,302	27.3	20.9	33.6
	Overweight	70,075	68.1	61.9	74.4	32,781	31.9	25.6	38.1
	Underweight or Normal	135,458	74.2	69.8	78.6	47,185	25.8	21.4	30.2
Payer of Delivery	Medicaid	114,303	68.1	63.2	73.1	53,442	31.9	26.9	36.8
	Private Insurance	110,206	81.1	77.1	85.0	25,762	18.9	15.0	22.9
	Self pay, Other, Unknown	43,575	64.2	55.5	73.0	24,261	35.8	27.0	44.5
Maternal Race	Black	19,236	47.5	42.1	52.9	21,221	52.5	47.1	57.9
	Hispanic	130,241	72.6	67.3	77.9	49,070	27.4	22.1	32.7
	Other	17,182	83.6	74.9	92.2	3,379	16.4	7.8	25.1
	White	101,425	77.3	72.7	81.9	29,794	22.7	18.1	27.3

Texas PRAMS 2013 data

Prepared by the Office of Program Decision Support

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Birth Weight

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	1,494	5.4	2.8	8.0	26,065	94.6	92.0	97.2
	Normal Birth Weight	11,140	3.2	1.9	4.4	338,995	96.8	95.6	98.1
	Total	12,634	3.3	2.2	4.5	365,060	96.7	95.5	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Gestational Age

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	1,163	3.1	1.3	5.0	35,873	96.9	95.0	98.7
	Term >36 wks	11,472	3.4	2.1	4.7	329,187	96.6	95.3	97.9
Total		12,634	3.3	2.2	4.5	365,060	96.7	95.5	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Intention

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	6,012	3.0	1.4	4.6	193,532	97.0	95.4	98.6
	Not Sure	2,986	6.0	1.6	10.3	47,047	94.0	89.7	98.4
	Unintended	3,636	2.9	1.3	4.5	121,615	97.1	95.5	98.7
	Total	12,634	3.4	2.2	4.6	362,194	96.6	95.4	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Marital Status

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	4,936	2.3	0.8	3.7	212,906	97.7	96.3	99.2
	Not Married	7,699	4.8	2.9	6.7	152,154	95.2	93.3	97.1
Total		12,634	3.3	2.2	4.5	365,060	96.7	95.5	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Maternal BMI Category

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	2,927	3.4	1.4	5.4	82,930	96.6	94.6	98.6
	Overweight	2,358	2.3	0.4	4.2	101,368	97.7	95.8	99.6
	Underweight or Normal	7,225	3.9	1.9	5.8	180,316	96.1	94.2	98.1
	Total	12,509	3.3	2.1	4.5	364,614	96.7	95.5	97.9

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Maternal Race

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	Allowed				Not Allowed			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	2,926	7.0	4.3	9.7	38,801	93.0	90.3	95.7
Hispanic	4,203	2.3	0.6	4.0	177,939	97.7	96.0	99.4
Other	838	4.0	0.0	8.4	19,925	96.0	91.6	100.0
White	4,668	3.5	1.4	5.6	128,395	96.5	94.4	98.6
Total	12,634	3.3	2.2	4.5	365,060	96.7	95.5	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by Payer of Delivery

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	7,849	4.6	2.5	6.6	163,915	95.4	93.4	97.5
	Private Insurance	1,999	1.5	0.4	2.5	135,592	98.5	97.5	99.6
	Self pay, Other, Unknown	2,787	4.1	0.7	7.5	65,554	95.9	92.5	99.3
	Total	12,634	3.3	2.2	4.5	365,060	96.7	95.5	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category


Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by PNC First Trimester



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	6,026	6.4	3.1	9.7	87,976	93.6	90.3	96.9
	Prenatal Care First Trimester	6,609	2.4	1.2	3.5	271,997	97.6	96.5	98.8
	Total	12,634	3.4	2.2	4.6	359,974	96.6	95.4	97.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Allow Smoking by WIC Status

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	2,778	1.6	0.5	2.8	166,208	98.4	97.2	99.5
	WIC	9,857	4.7	2.8	6.6	198,781	95.3	93.4	97.2
	Total	12,634	3.3	2.2	4.5	364,989	96.7	95.5	97.8

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Allow Smoking

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	12,634	3.3	2.2	4.5	365,060	96.7	95.5	97.8
Birth Weight	Low Birth Weight	1,494	5.4	2.8	8.0	26,065	94.6	92.0	97.2
	Normal Birth Weight	11,140	3.2	1.9	4.4	338,995	96.8	95.6	98.1
Gestational Age	Preterm <=36 wks	1,163	3.1	1.3	5.0	35,873	96.9	95.0	98.7
	Term >36 wks	11,472	3.4	2.1	4.7	329,187	96.6	95.3	97.9
Marital Status	Married	4,936	2.3	0.8	3.7	212,906	97.7	96.3	99.2
	Not Married	7,699	4.8	2.9	6.7	152,154	95.2	93.3	97.1
PNC First Trimester	No Prenatal Care First Trimester	6,026	6.4	3.1	9.7	87,976	93.6	90.3	96.9
	Prenatal Care First Trimester	6,609	2.4	1.2	3.5	271,997	97.6	96.5	98.8
WIC Status	Not WIC	2,778	1.6	0.5	2.8	166,208	98.4	97.2	99.5
	WIC	9,857	4.7	2.8	6.6	198,781	95.3	93.4	97.2
Intention	Intended	6,012	3.0	1.4	4.6	193,532	97.0	95.4	98.6
	Not Sure	2,986	6.0	1.6	10.3	47,047	94.0	89.7	98.4
	Unintended	3,636	2.9	1.3	4.5	121,615	97.1	95.5	98.7
Maternal BMI Category	Obese	2,927	3.4	1.4	5.4	82,930	96.6	94.6	98.6
	Overweight	2,358	2.3	0.4	4.2	101,368	97.7	95.8	99.6
	Underweight or Normal	7,225	3.9	1.9	5.8	180,316	96.1	94.2	98.1
Payer of Delivery	Medicaid	7,849	4.6	2.5	6.6	163,915	95.4	93.4	97.5
	Private Insurance	1,999	1.5	0.4	2.5	135,592	98.5	97.5	99.6
	Self pay, Other, Unknown	2,787	4.1	0.7	7.5	65,554	95.9	92.5	99.3
Maternal Race	Black	2,926	7.0	4.3	9.7	38,801	93.0	90.3	95.7
	Hispanic	4,203	2.3	0.6	4.0	177,939	97.7	96.0	99.4
	Other	838	4.0	0.0	8.4	19,925	96.0	91.6	100.0
	White	4,668	3.5	1.4	5.6	128,395	96.5	94.4	98.6

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	22,175	79.9	75.4	84.4	5,581	20.1	15.6	24.6
	Normal Birth Weight	296,682	84.6	82.0	87.1	54,162	15.4	12.9	18.0
Total		318,857	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	29,449	79.3	72.2	86.4	7,684	20.7	13.6	27.8
	Term >36 wks	289,408	84.8	82.2	87.3	52,059	15.2	12.7	17.8
Total		318,857	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	175,869	88.1	85.2	91.0	23,772	11.9	9.0	14.8
	Not Sure	40,603	81.0	74.2	87.8	9,529	19.0	12.2	25.8
	Unintended	99,877	79.3	74.4	84.2	26,083	20.7	15.8	25.6
	Total	316,349	84.2	81.8	86.6	59,385	15.8	13.4	18.2

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	190,686	87.5	84.6	90.4	27,255	12.5	9.6	15.4
	Not Married	128,171	79.8	75.7	83.9	32,488	20.2	16.1	24.3
Total		318,857	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	71,098	82.8	77.7	88.0	14,731	17.2	12.0	22.3
	Overweight	87,675	84.4	79.6	89.2	16,176	15.6	10.8	20.4
	Underweight or Normal	159,513	84.7	81.3	88.1	28,836	15.3	11.9	18.7
	Total	318,286	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

Maternal Race	Never Smoked				Smoked			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Black	34,890	83.4	79.5	87.4	6,936	16.6	12.6	20.5
Hispanic	167,225	91.4	88.2	94.6	15,723	8.6	5.4	11.8
Other	17,161	82.6	72.5	92.8	3,603	17.4	7.2	27.5
White	99,581	74.8	70.1	79.6	33,481	25.2	20.4	29.9
Total	318,857	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	136,795	79.6	75.7	83.6	34,968	20.4	16.4	24.3
	Private Insurance	121,083	88.0	84.6	91.4	16,507	12.0	8.6	15.4
	Self pay, Other, Unknown	60,979	88.1	82.8	93.3	8,268	11.9	6.7	17.2
	Total	318,857	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	75,847	80.1	74.5	85.6	18,864	19.9	14.4	25.5
	Prenatal Care First Trimester	238,022	85.4	82.7	88.1	40,780	14.6	11.9	17.3
	Total	313,869	84.0	81.6	86.5	59,644	16.0	13.5	18.4

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before**
- Smoking Postpartum
- Smoking Third Trimester

3. Select a grouping variable

- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	141,843	84.0	80.4	87.5	27,115	16.0	12.5	19.6
	WIC	176,943	84.4	81.1	87.7	32,628	15.6	12.3	18.9
Total		318,786	84.2	81.8	86.6	59,743	15.8	13.4	18.2

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking 3-Months Before

Q35: In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (presented as yes/no response).

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	318,857	84.2	81.8	86.6	59,743	15.8	13.4	18.2
Birth Weight	Low Birth Weight	22,175	79.9	75.4	84.4	5,581	20.1	15.6	24.6
	Normal Birth Weight	296,682	84.6	82.0	87.1	54,162	15.4	12.9	18.0
Gestational Age	Preterm <=36 wks	29,449	79.3	72.2	86.4	7,684	20.7	13.6	27.8
	Term >36 wks	289,408	84.8	82.2	87.3	52,059	15.2	12.7	17.8
Marital Status	Married	190,686	87.5	84.6	90.4	27,255	12.5	9.6	15.4
	Not Married	128,171	79.8	75.7	83.9	32,488	20.2	16.1	24.3
PNC First Trimester	No Prenatal Care First Trimester	75,847	80.1	74.5	85.6	18,864	19.9	14.4	25.5
	Prenatal Care First Trimester	238,022	85.4	82.7	88.1	40,780	14.6	11.9	17.3
WIC Status	Not WIC	141,843	84.0	80.4	87.5	27,115	16.0	12.5	19.6
	WIC	176,943	84.4	81.1	87.7	32,628	15.6	12.3	18.9
Intention	Intended	175,869	88.1	85.2	91.0	23,772	11.9	9.0	14.8
	Not Sure	40,603	81.0	74.2	87.8	9,529	19.0	12.2	25.8
	Unintended	99,877	79.3	74.4	84.2	26,083	20.7	15.8	25.6
Maternal BMI Category	Obese	71,098	82.8	77.7	88.0	14,731	17.2	12.0	22.3
	Overweight	87,675	84.4	79.6	89.2	16,176	15.6	10.8	20.4
	Underweight or Normal	159,513	84.7	81.3	88.1	28,836	15.3	11.9	18.7
Payer of Delivery	Medicaid	136,795	79.6	75.7	83.6	34,968	20.4	16.4	24.3
	Private Insurance	121,083	88.0	84.6	91.4	16,507	12.0	8.6	15.4
	Self pay, Other, Unknown	60,979	88.1	82.8	93.3	8,268	11.9	6.7	17.2
Maternal Race	Black	34,890	83.4	79.5	87.4	6,936	16.6	12.6	20.5
	Hispanic	167,225	91.4	88.2	94.6	15,723	8.6	5.4	11.8
	Other	17,161	82.6	72.5	92.8	3,603	17.4	7.2	27.5
	White	99,581	74.8	70.1	79.6	33,481	25.2	20.4	29.9

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	24,853	89.5	86.1	93.0	2,903	10.5	7.0	13.9
	Normal Birth Weight	333,503	95.1	93.6	96.6	17,341	4.9	3.4	6.4
Total		358,356	94.7	93.2	96.1	20,244	5.3	3.9	6.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	35,029	94.3	91.4	97.3	2,105	5.7	2.7	8.6
	Term >36 wks	323,327	94.7	93.2	96.2	18,140	5.3	3.8	6.8
Total		358,356	94.7	93.2	96.1	20,244	5.3	3.9	6.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	194,421	97.4	96.1	98.7	5,221	2.6	1.3	3.9
	Not Sure	45,781	91.3	86.5	96.1	4,352	8.7	3.9	13.5
	Unintended	115,646	91.8	88.6	95.0	10,313	8.2	5.0	11.4
	Total	355,848	94.7	93.3	96.1	19,886	5.3	3.9	6.7

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	211,276	96.9	95.5	98.3	6,665	3.1	1.7	4.5
	Not Married	147,080	91.5	88.8	94.3	13,579	8.5	5.7	11.2
Total		358,356	94.7	93.2	96.1	20,244	5.3	3.9	6.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	80,074	93.3	90.2	96.4	5,755	6.7	3.6	9.8
	Overweight	98,258	94.6	91.6	97.6	5,593	5.4	2.4	8.4
	Underweight or Normal	179,452	95.3	93.4	97.1	8,896	4.7	2.9	6.6
	Total	357,784	94.6	93.2	96.1	20,244	5.4	3.9	6.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

	No Smoking				Smoked			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	38,623	92.3	89.5	95.2	3,203	7.7	4.8	10.5
Hispanic	180,164	98.5	97.1	99.8	2,785	1.5	0.2	2.9
Other	19,463	93.7	87.3	100.0	1,301	6.3	0.0	12.7
White	120,106	90.3	87.0	93.6	12,957	9.7	6.4	13.0
Total	358,356	94.7	93.2	96.1	20,244	5.3	3.9	6.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	156,289	91.0	88.2	93.8	15,474	9.0	6.2	11.8
	Private Insurance	135,191	98.3	97.0	99.5	2,399	1.7	0.5	3.0
	Self pay, Other, Unknown	66,876	96.6	94.4	98.8	2,371	3.4	1.2	5.6
	Total	358,356	94.7	93.2	96.1	20,244	5.3	3.9	6.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	86,229	91.0	87.2	94.9	8,483	9.0	5.1	12.8
	Prenatal Care First Trimester	267,140	95.8	94.4	97.2	11,663	4.2	2.8	5.6
Total		353,368	94.6	93.2	96.0	20,145	5.4	4.0	6.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
 Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	162,299	96.1	94.3	97.8	6,659	3.9	2.2	5.7
	WIC	195,986	93.5	91.4	95.6	13,585	6.5	4.4	8.6
Total		358,285	94.7	93.2	96.1	20,244	5.3	3.9	6.8

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking Third Trimester

Q36: In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (presented as yes/no response).

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	358,356	94.7	93.2	96.1	20,244	5.3	3.9	6.8
Birth Weight	Low Birth Weight	24,853	89.5	86.1	93.0	2,903	10.5	7.0	13.9
	Normal Birth Weight	333,503	95.1	93.6	96.6	17,341	4.9	3.4	6.4
Gestational Age	Preterm <=36 wks	35,029	94.3	91.4	97.3	2,105	5.7	2.7	8.6
	Term >36 wks	323,327	94.7	93.2	96.2	18,140	5.3	3.8	6.8
Marital Status	Married	211,276	96.9	95.5	98.3	6,665	3.1	1.7	4.5
	Not Married	147,080	91.5	88.8	94.3	13,579	8.5	5.7	11.2
PNC First Trimester	No Prenatal Care First Trimester	86,229	91.0	87.2	94.9	8,483	9.0	5.1	12.8
	Prenatal Care First Trimester	267,140	95.8	94.4	97.2	11,663	4.2	2.8	5.6
WIC Status	Not WIC	162,299	96.1	94.3	97.8	6,659	3.9	2.2	5.7
	WIC	195,986	93.5	91.4	95.6	13,585	6.5	4.4	8.6
Intention	Intended	194,421	97.4	96.1	98.7	5,221	2.6	1.3	3.9
	Not Sure	45,781	91.3	86.5	96.1	4,352	8.7	3.9	13.5
	Unintended	115,646	91.8	88.6	95.0	10,313	8.2	5.0	11.4
Maternal BMI Category	Obese	80,074	93.3	90.2	96.4	5,755	6.7	3.6	9.8
	Overweight	98,258	94.6	91.6	97.6	5,593	5.4	2.4	8.4
	Underweight or Normal	179,452	95.3	93.4	97.1	8,896	4.7	2.9	6.6
Payer of Delivery	Medicaid	156,289	91.0	88.2	93.8	15,474	9.0	6.2	11.8
	Private Insurance	135,191	98.3	97.0	99.5	2,399	1.7	0.5	3.0
	Self pay, Other, Unknown	66,876	96.6	94.4	98.8	2,371	3.4	1.2	5.6
Maternal Race	Black	38,623	92.3	89.5	95.2	3,203	7.7	4.8	10.5
	Hispanic	180,164	98.5	97.1	99.8	2,785	1.5	0.2	2.9
	Other	19,463	93.7	87.3	100.0	1,301	6.3	0.0	12.7
	White	120,106	90.3	87.0	93.6	12,957	9.7	6.4	13.0

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	24,550	88.4	84.9	92.0	3,206	11.6	8.0	15.1
	Normal Birth Weight	316,950	90.3	88.2	92.5	33,894	9.7	7.5	11.8
	Total	341,500	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	33,534	90.3	84.9	95.7	3,599	9.7	4.3	15.1
	Term >36 wks	307,966	90.2	88.1	92.3	33,501	9.8	7.7	11.9
Total		341,500	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	184,688	92.5	90.1	95.0	14,953	7.5	5.0	9.9
	Not Sure	44,758	89.3	84.0	94.5	5,375	10.7	5.5	16.0
	Unintended	109,439	86.9	82.8	91.0	16,521	13.1	9.0	17.2
	Total	338,884	90.2	88.2	92.2	36,850	9.8	7.8	11.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	202,325	92.8	90.5	95.2	15,615	7.2	4.8	9.5
	Not Married	139,175	86.6	83.2	90.1	21,485	13.4	9.9	16.8
Total		341,500	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	77,314	90.1	85.9	94.2	8,515	9.9	5.8	14.1
	Overweight	92,027	88.6	84.3	93.0	11,824	11.4	7.0	15.7
	Underweight or Normal	171,587	91.1	88.5	93.7	16,762	8.9	6.3	11.5
	Total	340,928	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No Smoking				Smoked			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	36,770	87.9	84.5	91.4	5,056	12.1	8.6	15.5
Hispanic	174,303	95.3	92.8	97.8	8,645	4.7	2.2	7.2
Other	19,212	92.5	86.0	99.1	1,551	7.5	0.9	14.0
White	111,215	83.6	79.4	87.8	21,848	16.4	12.2	20.6
Total	341,500	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status


Maternal BMI Category

Maternal Race

Payer of Delivery

PNC First Trimester

WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	144,999	84.4	80.8	88.1	26,764	15.6	11.9	19.2
	Private Insurance	132,057	96.0	93.9	98.1	5,533	4.0	1.9	6.1
	Self pay, Other, Unknown	64,444	93.1	89.2	97.0	4,803	6.9	3.0	10.8
	Total	341,500	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a Chapter

Breastfeeding

Intention

Intimate Partner Violence

Oral Health

Postpartum

Prenatal Care (PNC)

Safe Sleep

Tobacco

Vaccinations



2. Select a question topic

Allow Smoking

Smoking 3-Months Before

Smoking Postpartum

Smoking Third Trimester

3. Select a grouping variable

Birth Weight

Gestational Age

Intention

Marital Status

Maternal BMI Category

Maternal Race


Payer of Delivery

PNC First Trimester

WIC Status

Smoking Postpartum by PNC First Trimester

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	79,296	83.7	78.6	88.9	15,416	16.3	11.1	21.4
	Prenatal Care First Trimester	257,217	92.3	90.2	94.3	21,586	7.7	5.7	9.8
	Total	336,512	90.1	88.1	92.1	37,001	9.9	7.9	11.9

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco**
- Vaccinations




2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum**
- Smoking Third Trimester

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	156,084	92.4	89.8	94.9	12,874	7.6	5.1	10.2
	WIC	185,345	88.4	85.5	91.4	24,226	11.6	8.6	14.5
Total		341,429	90.2	88.2	92.2	37,100	9.8	7.8	11.8

1. Select a chapter

Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking Postpartum

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	341,500	90.2	88.2	92.2	37,100	9.8	7.8	11.8
Birth Weight	Low Birth Weight	24,550	88.4	84.9	92.0	3,206	11.6	8.0	15.1
	Normal Birth Weight	316,950	90.3	88.2	92.5	33,894	9.7	7.5	11.8
Gestational Age	Preterm <=36 wks	33,534	90.3	84.9	95.7	3,599	9.7	4.3	15.1
	Term >36 wks	307,966	90.2	88.1	92.3	33,501	9.8	7.7	11.9
Marital Status	Married	202,325	92.8	90.5	95.2	15,615	7.2	4.8	9.5
	Not Married	139,175	86.6	83.2	90.1	21,485	13.4	9.9	16.8
PNC First Trimester	No Prenatal Care First Trimester	79,296	83.7	78.6	88.9	15,416	16.3	11.1	21.4
	Prenatal Care First Trimester	257,217	92.3	90.2	94.3	21,586	7.7	5.7	9.8
WIC Status	Not WIC	156,084	92.4	89.8	94.9	12,874	7.6	5.1	10.2
	WIC	185,345	88.4	85.5	91.4	24,226	11.6	8.6	14.5
Intention	Intended	184,688	92.5	90.1	95.0	14,953	7.5	5.0	9.9
	Not Sure	44,758	89.3	84.0	94.5	5,375	10.7	5.5	16.0
	Unintended	109,439	86.9	82.8	91.0	16,521	13.1	9.0	17.2
Maternal BMI Category	Obese	77,314	90.1	85.9	94.2	8,515	9.9	5.8	14.1
	Overweight	92,027	88.6	84.3	93.0	11,824	11.4	7.0	15.7
	Underweight or Normal	171,587	91.1	88.5	93.7	16,762	8.9	6.3	11.5
Payer of Delivery	Medicaid	144,999	84.4	80.8	88.1	26,764	15.6	11.9	19.2
	Private Insurance	132,057	96.0	93.9	98.1	5,533	4.0	1.9	6.1
	Self pay, Other, Unknown	64,444	93.1	89.2	97.0	4,803	6.9	3.0	10.8
Maternal Race	Black	36,770	87.9	84.5	91.4	5,056	12.1	8.6	15.5
	Hispanic	174,303	95.3	92.8	97.8	8,645	4.7	2.2	7.2
	Other	19,212	92.5	86.0	99.1	1,551	7.5	0.9	14.0
	White	111,215	83.6	79.4	87.8	21,848	16.4	12.2	20.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	13,988	51.5	45.8	57.1	13,181	48.5	42.9	54.2
	Normal Birth Weight	165,342	48.8	44.9	52.6	173,584	51.2	47.4	55.1
Total		179,330	49.0	45.4	52.6	186,765	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	14,509	40.5	31.8	49.1	21,328	59.5	50.9	68.2
	Term >36 wks	164,822	49.9	46.1	53.8	165,436	50.1	46.2	53.9
Total		179,330	49.0	45.4	52.6	186,765	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention**
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	84,529	43.8	38.9	48.7	108,412	56.2	51.3	61.1
	Not Sure	25,861	55.7	45.8	65.6	20,574	44.3	34.4	54.2
	Unintended	67,724	54.7	48.4	60.9	56,128	45.3	39.1	51.6
	Total	178,115	49.0	45.4	52.6	185,114	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	89,908	42.4	37.9	47.0	122,049	57.6	53.0	62.1
	Not Married	89,422	58.0	52.4	63.7	64,716	42.0	36.3	47.6
Total		179,330	49.0	45.4	52.6	186,765	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	45,176	54.7	47.2	62.2	37,413	45.3	37.8	52.8
	Overweight	47,938	48.0	41.0	54.9	51,963	52.0	45.1	59.0
	Underweight or Normal	86,019	47.0	42.0	52.0	97,013	53.0	48.0	58.0
	Total	179,134	49.0	45.4	52.6	186,390	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No Flu Shot				Received Flu Shot			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	21,439	52.2	46.8	57.5	19,662	47.8	42.5	53.2
Hispanic	88,823	51.1	45.0	57.1	85,128	48.9	42.9	55.0
Other	9,237	45.6	32.9	58.3	11,026	54.4	41.7	67.1
White	59,831	45.7	40.4	51.1	70,949	54.3	48.9	59.6
Total	179,330	49.0	45.4	52.6	186,765	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	99,811	60.0	54.6	65.4	66,583	40.0	34.6	45.4
	Private Insurance	46,919	35.1	30.1	40.2	86,594	64.9	59.8	69.9
	Self pay, Other, Unknown	32,599	49.3	40.0	58.5	33,588	50.7	41.5	60.0
	Total	179,330	49.0	45.4	52.6	186,765	51.0	47.4	54.6

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	52,979	57.2	49.8	64.5	39,715	42.8	35.5	50.2
	Prenatal Care First Trimester	122,960	45.8	41.7	49.9	145,354	54.2	50.1	58.3
	Total	175,939	48.7	45.1	52.3	185,069	51.3	47.7	54.9

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot**
- Tdap

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	72,776	44.3	39.4	49.2	91,659	55.7	50.8	60.6
	WIC	106,483	52.8	47.7	57.9	95,105	47.2	42.1	52.3
Total		179,259	49.0	45.4	52.6	186,765	51.0	47.4	54.6

1. Select a chapter

Vaccinations

2. Select a question topic

Flu Shot

Tdap

Flu Shot

Q26: During the 12 months before the delivery of your new baby, did you get a flu shot?

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	179,330	49.0	45.4	52.6	186,765	51.0	47.4	54.6
Birth Weight	Low Birth Weight	13,988	51.5	45.8	57.1	13,181	48.5	42.9	54.2
	Normal Birth Weight	165,342	48.8	44.9	52.6	173,584	51.2	47.4	55.1
Gestational Age	Preterm <=36 wks	14,509	40.5	31.8	49.1	21,328	59.5	50.9	68.2
	Term >36 wks	164,822	49.9	46.1	53.8	165,436	50.1	46.2	53.9
Marital Status	Married	89,908	42.4	37.9	47.0	122,049	57.6	53.0	62.1
	Not Married	89,422	58.0	52.4	63.7	64,716	42.0	36.3	47.6
PNC First Trimester	No Prenatal Care First Trimester	52,979	57.2	49.8	64.5	39,715	42.8	35.5	50.2
	Prenatal Care First Trimester	122,960	45.8	41.7	49.9	145,354	54.2	50.1	58.3
WIC Status	Not WIC	72,776	44.3	39.4	49.2	91,659	55.7	50.8	60.6
	WIC	106,483	52.8	47.7	57.9	95,105	47.2	42.1	52.3
Intention	Intended	84,529	43.8	38.9	48.7	108,412	56.2	51.3	61.1
	Not Sure	25,861	55.7	45.8	65.6	20,574	44.3	34.4	54.2
	Unintended	67,724	54.7	48.4	60.9	56,128	45.3	39.1	51.6
Maternal BMI Category	Obese	45,176	54.7	47.2	62.2	37,413	45.3	37.8	52.8
	Overweight	47,938	48.0	41.0	54.9	51,963	52.0	45.1	59.0
	Underweight or Normal	86,019	47.0	42.0	52.0	97,013	53.0	48.0	58.0
Payer of Delivery	Medicaid	99,811	60.0	54.6	65.4	66,583	40.0	34.6	45.4
	Private Insurance	46,919	35.1	30.1	40.2	86,594	64.9	59.8	69.9
	Self pay, Other, Unknown	32,599	49.3	40.0	58.5	33,588	50.7	41.5	60.0
Maternal Race	Black	21,439	52.2	46.8	57.5	19,662	47.8	42.5	53.2
	Hispanic	88,823	51.1	45.0	57.1	85,128	48.9	42.9	55.0
	Other	9,237	45.6	32.9	58.3	11,026	54.4	41.7	67.1
	White	59,831	45.7	40.4	51.1	70,949	54.3	48.9	59.6

Texas PRAMS 2013 data

Prepared by the Office of Program Decision Support

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight**
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Birth Weight	Low Birth Weight	7,948	34.2	28.5	40.0	15,261	65.8	60.0	71.5
	Normal Birth Weight	94,745	32.7	28.8	36.5	195,370	67.3	63.5	71.2
Total		102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age**
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Gestational Age	Preterm <=36 wks	11,105	35.2	25.4	45.0	20,433	64.8	55.0	74.6
	Term >36 wks	91,587	32.5	28.6	36.4	190,198	67.5	63.6	71.4
Total		102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention**
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Intention	Intended	54,755	31.0	26.2	35.8	121,784	69.0	64.2	73.8
	Not Sure	12,818	31.8	21.5	42.0	27,515	68.2	58.0	78.5
	Unintended	34,845	37.0	30.1	43.8	59,449	63.0	56.2	69.9
	Total	102,419	32.9	29.3	36.6	208,748	67.1	63.4	70.7

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status**
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Marital Status	Married	54,786	29.5	25.1	34.0	130,696	70.5	66.0	74.9
	Not Married	47,906	37.5	31.4	43.6	79,935	62.5	56.4	68.6
Total		102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category**
- Maternal Race
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal BMI Category	Obese	20,885	30.1	22.7	37.5	48,544	69.9	62.5	77.3
	Overweight	30,860	35.6	28.4	42.9	55,753	64.4	57.1	71.6
	Underweight or Normal	50,947	32.5	27.4	37.6	105,959	67.5	62.4	72.6
	Total	102,693	32.8	29.2	36.4	210,256	67.2	63.6	70.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race**
- Payer of Delivery
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

	No Tdap				Received Tdap			
	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Maternal Race Black	13,260	35.9	30.5	41.3	23,711	64.1	58.7	69.5
Hispanic	56,394	39.6	33.1	46.2	85,844	60.4	53.8	66.9
Other	4,381	25.1	13.3	37.0	13,051	74.9	63.0	86.7
White	28,657	24.6	19.7	29.4	88,025	75.4	70.6	80.3
Total	102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery**
- PNC First Trimester
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Payer of Delivery	Medicaid	51,948	37.9	32.0	43.7	85,211	62.1	56.3	68.0
	Private Insurance	26,638	22.4	17.8	27.1	92,109	77.6	72.9	82.2
	Self pay, Other, Unknown	24,107	42.0	32.2	51.8	33,311	58.0	48.2	67.8
	Total	102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- Birth Weight
- Gestational Age
- Intention
- Marital Status
- Maternal BMI Category
- Maternal Race
- Payer of Delivery
- PNC First Trimester**
- WIC Status



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
PNC First Trimester	No Prenatal Care First Trimester	32,791	45.3	37.0	53.6	39,626	54.7	46.4	63.0
	Prenatal Care First Trimester	67,442	28.6	24.6	32.5	168,557	71.4	67.5	75.4
Total		100,233	32.5	28.9	36.1	208,183	67.5	63.9	71.1

1. Select a Chapter

- Breastfeeding
- Intention
- Intimate Partner Violence
- Oral Health
- Postpartum
- Prenatal Care (PNC)
- Safe Sleep
- Tobacco
- Vaccinations**




2. Select a question topic

- Flu Shot
- Tdap**

3. Select a grouping variable

- WIC Status**



Texas PRAMS 2013 data
Prepared by the Office of Program Decision Support

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
WIC Status	Not WIC	40,141	27.3	22.6	32.0	106,912	72.7	68.0	77.4
	WIC	62,551	37.6	32.2	43.1	103,719	62.4	56.9	67.8
Total		102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8

1. Select a chapter

Vaccinations

2. Select a question topic

Flu Shot

Tdap

Tdap

Q81: Did you receive a Tdap vaccination before, during or after your most recent pregnancy?

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	102,693	32.8	29.2	36.4	210,631	67.2	63.6	70.8
Birth Weight	Low Birth Weight	7,948	34.2	28.5	40.0	15,261	65.8	60.0	71.5
	Normal Birth Weight	94,745	32.7	28.8	36.5	195,370	67.3	63.5	71.2
Gestational Age	Preterm <=36 wks	11,105	35.2	25.4	45.0	20,433	64.8	55.0	74.6
	Term >36 wks	91,587	32.5	28.6	36.4	190,198	67.5	63.6	71.4
Marital Status	Married	54,786	29.5	25.1	34.0	130,696	70.5	66.0	74.9
	Not Married	47,906	37.5	31.4	43.6	79,935	62.5	56.4	68.6
PNC First Trimester	No Prenatal Care First Trimester	32,791	45.3	37.0	53.6	39,626	54.7	46.4	63.0
	Prenatal Care First Trimester	67,442	28.6	24.6	32.5	168,557	71.4	67.5	75.4
WIC Status	Not WIC	40,141	27.3	22.6	32.0	106,912	72.7	68.0	77.4
	WIC	62,551	37.6	32.2	43.1	103,719	62.4	56.9	67.8
Intention	Intended	54,755	31.0	26.2	35.8	121,784	69.0	64.2	73.8
	Not Sure	12,818	31.8	21.5	42.0	27,515	68.2	58.0	78.5
	Unintended	34,845	37.0	30.1	43.8	59,449	63.0	56.2	69.9
Maternal BMI Category	Obese	20,885	30.1	22.7	37.5	48,544	69.9	62.5	77.3
	Overweight	30,860	35.6	28.4	42.9	55,753	64.4	57.1	71.6
	Underweight or Normal	50,947	32.5	27.4	37.6	105,959	67.5	62.4	72.6
Payer of Delivery	Medicaid	51,948	37.9	32.0	43.7	85,211	62.1	56.3	68.0
	Private Insurance	26,638	22.4	17.8	27.1	92,109	77.6	72.9	82.2
	Self pay, Other, Unknown	24,107	42.0	32.2	51.8	33,311	58.0	48.2	67.8
Maternal Race	Black	13,260	35.9	30.5	41.3	23,711	64.1	58.7	69.5
	Hispanic	56,394	39.6	33.1	46.2	85,844	60.4	53.8	66.9
	Other	4,381	25.1	13.3	37.0	13,051	74.9	63.0	86.7
	White	28,657	24.6	19.7	29.4	88,025	75.4	70.6	80.3

Texas PRAMS 2013 data

Prepared by the Office of Program Decision Support