

Pregnancy Risk Assessment Monitoring System (PRAMS) Survey

2015 Data Book: Summary Tables

Maternal & Child Health Epidemiology Unit

September 2017



TEXAS
Health and Human
Services

Texas Department of State
Health Services

Introduction

The Pregnancy Risk Assessment Monitoring System (PRAMS) is a surveillance system designed to monitor maternal attitudes and behaviors before, during, and after pregnancy. Conducted in partnership with the Centers for Disease Control and Prevention (CDC) and the Texas Department of State Health Services (DSHS), Texas PRAMS is a population-based assessment that monitors the health and behaviors of new mothers in Texas. Of the 2,471 mothers sampled in 2015, 1,322 completed a survey — representing a weighted response rate of 56%.

Women who are selected for PRAMS are contacted through the mail when their infants are approximately 60 to 180 days old. They receive a letter that introduces the PRAMS survey and encourages their participation. They are notified that they will be contacted through follow-up mailings that will include a copy of the PRAMS survey. Women who do not respond receive two subsequent mailings. Women who do not return the survey through the mail are moved into the telephone phase of data collection. Women are called and encouraged to complete the survey over the phone. During all communications, they are informed that their participation is voluntary, and that their data will remain confidential and anonymous. The survey is available in English or Spanish. Women who complete the survey (via mail or telephone) receive a \$20 gift certificate to Target or Walmart. This data collection cycle is repeated each month during the birth year, and approximately 200 women per month were selected for the 2015 survey.

Percentages reported in the summary are weighted to ensure that results are representative of women who have given birth in 2015 to a live infant and are residents of Texas. The 1,322 women who completed the survey are representative of all 396,093 Texas residents who had a live birth in 2015.

The sampling specifications for Texas PRAMS are designed for estimating percentages at a 95% confidence level. A 95% confidence interval is an interval, or range of values, that has a 95% probability of containing the true population percentage that is being estimated. The 95% confidence interval provides information about the margin of error of an estimate. Consistent with CDC standards for reporting PRAMS survey results, we recommend that all percents (PCTs) be reported with corresponding 95% lower confidence limits (LCLs) and upper confidence limits (UCLs).

Below is a summary of key findings from the 2015 PRAMS Data Book, presented by topic area along with 95% confidence intervals (CI). Data Book Summary Tables for selected sociodemographic characteristics are also included. The 2015 PRAMS Data Book Tables and Charts are available separately and upon request.

Questions regarding the data book summary should be directed to Dr. Tanya Guthrie, Texas PRAMS Coordinator, at 512-776-2935, or to tanya.guthrie@dshs.texas.gov or texasprams@dshs.texas.gov.

Summary of Key Findings

Breastfeeding

- 88.3% (CI: 85.8-90.7%) indicated that they breastfed or pumped breast milk to feed their new baby after delivery. (Q58)

Pregnancy Intention

- 34.6% (CI: 31.4-37.9%) reported that their pregnancy was unintended, 50.9% (CI: 47.5-54.3%) reported that their pregnancy was intended, and 14.5% (CI: 12.1-16.9%) were unsure. (Q12)

Intimate Partner Violence

- 52.8% (CI: 49.4-56.2%) said that a doctor, nurse, or other health care worker talked with them about physical abuse by their husbands or partners. (Q23)
- 2.5% (CI: 1.4-3.6%) reported that their husband or partner physically abused them before or during their pregnancy. (Q46, Q47)
- 2.9% (CI: 1.7-4.1%) reported that their husband or partner threatened them, limited their activities against their will, or made them feel unsafe before or during their pregnancy. (Q78)

Oral Health

- 43.9% (CI: 40.5-47.2%) had a teeth cleaning before pregnancy. (Q7)
- 37.7% (CI: 34.5-41.0%) had a teeth cleaning during pregnancy. (Q28)

Postpartum

- 86.1% (CI: 83.6-88.5%) reported having a postpartum checkup for themselves since their pregnancy. (Q72)

Prenatal Care

- 78.4% (CI: 75.5-81.4%) received prenatal care as early as they wanted. (Q19)
- 71.6% (CI: 68.4-74.8%) received prenatal care during the first trimester. (Q18)

Safe Sleep

- 71.2% (CI: 68.1-74.4%) put their baby to sleep on his or her back. (Q63)

Tobacco

- 97.6% (CI: 96.7-98.5%) reported that smoking is not allowed inside the home. (Q38)
- 15.0% (CI: 12.6-17.4%) said that they had smoked cigarettes in the three months before their pregnancy. (Q35)
- 5.1% (CI: 3.7-6.5%) reported smoking cigarettes in the last three months of their pregnancy. (Q36)
- 9.0% (CI: 7.1-10.9%) said they smoked cigarettes postpartum. (Q37)

Vaccinations

- 55.4% (CI: 52.0-58.8%) received a flu vaccination before or during pregnancy. (Q26)
- 75.5% (CI: 72.2-78.7%) received a TDAP vaccination before, during, or after pregnancy. (Q81)

1. Select a chapter
Breastfeeding

2. Select a question topic
 Ever Breastfed

Ever Breastfed
Q58: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?

		Breastfed				Not Breastfed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	341,915	88.3	85.8	90.7	45,394	11.7	9.3	14.2
Birth Weight	Low Birth Weight	24,534	90.2	86.9	93.6	2,660	9.8	6.4	13.1
	Normal Birth Weight	317,470	88.1	85.5	90.7	42,734	11.9	9.3	14.5
Gestational Age	Preterm <=36 wks	28,340	81.8	72.2	91.5	6,288	18.2	8.5	27.8
	Term >36 wks	313,664	88.9	86.4	91.4	39,106	11.1	8.6	13.6
Marital Status	Married	216,943	93.7	91.6	95.8	14,564	6.3	4.2	8.4
	Not Married	125,060	80.2	75.2	85.2	30,830	19.8	14.8	24.8
PNC First Trimester	No Prenatal Care First Trimester	86,844	79.5	73.3	85.6	22,425	20.5	14.4	26.7
	Prenatal Care First Trimester	251,261	92.3	90.1	94.5	20,925	7.7	5.5	9.9
WIC Status	Not WIC	183,424	91.4	88.8	94.1	17,178	8.6	5.9	11.2
	WIC	158,580	84.9	80.7	89.0	28,216	15.1	11.0	19.3
Intention	Intended	182,792	93.2	90.7	95.8	13,257	6.8	4.2	9.3
	Not Sure	43,960	79.4	71.0	87.8	11,413	20.6	12.2	29.0
	Unintended	112,964	84.5	79.8	89.1	20,725	15.5	10.9	20.2
Maternal BMI Category	Obese	85,672	87.4	82.2	92.7	12,303	12.6	7.3	17.8
	Overweight	91,792	84.8	79.3	90.3	16,486	15.2	9.7	20.7
	Underweight or Normal	163,551	91.1	88.3	93.9	15,988	8.9	6.1	11.7
Payer of Delivery	Medicaid	161,228	84.1	80.2	88.1	30,387	15.9	11.9	19.8
	Private Insurance	135,462	94.4	92.0	96.7	8,079	5.6	3.3	8.0
	Self pay, Other, Unknown	45,314	86.7	78.7	94.8	6,928	13.3	5.2	21.3
Maternal Race	Black	36,812	83.8	79.8	87.8	7,121	16.2	12.2	20.2
	Hispanic	160,552	86.8	82.4	91.2	24,415	13.2	8.8	17.6
	Other	21,726	96.7	92.1	100.0	739	3.3	0.0	7.9
	White	122,825	90.3	87.2	93.5	13,119	9.7	6.5	12.8

1. Select a chapter
Intention

2. Select a question topic
 Intended

Intended
Q12: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? I wanted to be pregnant later (mistimed); I wanted to be pregnant sooner (intended); I wanted to be pregnant then (intended); I didn't want to be pregnant then or at any time in the future (unwanted); I wasn't sure what I wanted (not sure).

		Intended				Not Sure				Unintended			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	200,319	50.9	47.5	54.3	57,066	14.5	12.1	16.9	136,331	34.6	31.4	37.9
Birth Weight	Low Birth Weight	14,461	49.6	44.2	54.9	5,333	18.3	14.0	22.5	9,391	32.2	27.1	37.2
	Normal Birth Weight	185,858	51.0	47.3	54.6	51,734	14.2	11.6	16.8	127,028	34.8	31.3	38.3
Gestational Age	Preterm <=36 wks	18,561	50.2	41.2	59.2	6,477	17.5	10.4	24.6	11,943	32.3	24.0	40.6
	Term >36 wks	181,758	50.9	47.3	54.6	50,589	14.2	11.6	16.7	124,475	34.9	31.4	38.4
Marital Status	Married	148,778	63.2	59.2	67.3	23,847	10.1	7.7	12.6	62,623	26.6	22.9	30.4
	Not Married	51,541	32.5	27.0	38.0	33,219	21.0	16.3	25.6	73,796	46.5	40.8	52.3
PNC First Trimester	No Prenatal Care First Trimester	36,400	33.1	26.6	39.7	21,157	19.3	13.8	24.7	52,283	47.6	40.6	54.6
	Prenatal Care First Trimester	162,277	58.5	54.6	62.3	32,877	11.8	9.4	14.3	82,411	29.7	26.1	33.3
WIC Status	Not WIC	118,190	58.1	53.7	62.5	27,601	13.6	10.5	16.6	57,648	28.3	24.3	32.4
	WIC	82,129	43.2	38.0	48.3	29,377	15.4	11.7	19.2	78,771	41.4	36.2	46.6
Maternal BMI Category	Obese	46,209	46.5	39.6	53.4	14,541	14.6	9.7	19.5	38,663	38.9	32.1	45.7
	Overweight	55,883	50.9	44.1	57.8	18,009	16.4	11.4	21.4	35,842	32.7	26.2	39.1
	Underweight or Normal	97,095	53.0	48.3	57.8	24,254	13.2	10.0	16.5	61,702	33.7	29.2	38.2
Payer of Delivery	Medicaid	73,734	37.8	32.9	42.7	34,713	17.8	14.0	21.6	86,474	44.4	39.3	49.4
	Private Insurance	98,855	67.7	63.1	72.4	13,089	9.0	6.3	11.6	33,995	23.3	19.0	27.6
	Self pay, Other, Unknown	27,730	52.4	42.0	62.8	9,264	17.5	9.6	25.4	15,950	30.1	20.7	39.6
Maternal Race	Black	14,140	30.8	26.1	35.5	10,733	23.4	19.0	27.7	21,059	45.8	40.7	51.0
	Hispanic	90,537	48.5	42.7	54.3	26,011	13.9	9.8	18.1	70,284	37.6	32.0	43.3
	Other	12,334	54.7	42.6	66.7	3,819	16.9	8.0	25.9	6,400	28.4	17.2	39.5
	White	83,309	60.2	55.1	65.2	16,504	11.9	8.6	15.2	38,587	27.9	23.2	32.6

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Discussed Abuse

Q23: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?

		Did Not Discuss Abuse				Discussed Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	181,311	47.2	43.8	50.6	202,675	52.8	49.4	56.2
Birth Weight	Low Birth Weight	12,937	45.9	40.4	51.4	15,240	54.1	48.6	59.6
	Normal Birth Weight	168,462	47.3	43.7	51.0	187,435	52.7	49.0	56.3
Gestational Age	Preterm <=36 wks	14,739	40.7	32.1	49.2	21,512	59.3	50.8	67.9
	Term >36 wks	166,661	47.9	44.3	51.6	181,163	52.1	48.4	55.7
Marital Status	Married	123,379	53.7	49.5	57.9	106,378	46.3	42.1	50.5
	Not Married	58,021	37.6	31.9	43.3	96,297	62.4	56.7	68.1
PNC First Trimester	No Prenatal Care First Trimester	36,230	35.0	28.1	41.8	67,385	65.0	58.2	71.9
	Prenatal Care First Trimester	142,132	51.7	47.8	55.6	132,845	48.3	44.4	52.2
WIC Status	Not WIC	113,366	57.2	52.8	61.7	84,674	42.8	38.3	47.2
	WIC	68,034	36.6	31.5	41.7	117,913	63.4	58.3	68.5
Intention	Intended	96,299	48.9	44.2	53.7	100,532	51.1	46.3	55.8
	Not Sure	22,899	42.4	33.4	51.4	31,094	57.6	48.6	66.6
	Unintended	61,999	47.3	41.4	53.3	68,963	52.7	46.7	58.6
Maternal BMI Category	Obese	50,561	51.0	44.0	57.9	48,618	49.0	42.1	56.0
	Overweight	48,381	45.2	38.4	52.1	58,571	54.8	47.9	61.6
	Underweight or Normal	81,803	46.4	41.6	51.2	94,535	53.6	48.8	58.4
Payer of Delivery	Medicaid	76,979	40.5	35.5	45.5	113,091	59.5	54.5	64.5
	Private Insurance	87,107	60.7	55.8	65.6	56,411	39.3	34.4	44.2
	Self pay, Other, Unknown	17,313	34.3	24.1	44.5	33,174	65.7	55.5	75.9
Maternal Race	Black	18,359	40.7	35.7	45.8	26,722	59.3	54.2	64.3
	Hispanic	74,730	40.8	35.0	46.6	108,431	59.2	53.4	65.0
	Other	12,794	60.5	48.4	72.5	8,370	39.5	27.5	51.6
	White	75,427	56.0	50.9	61.2	59,153	44.0	38.8	49.1

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Physical Abuse

Q46.47: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

		No Physical Abuse				Physical Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	370,249	97.5	96.4	98.6	9,465	2.5	1.4	3.6
Birth Weight	Low Birth Weight	27,198	96.6	94.6	98.6	959	3.4	1.4	5.4
	Normal Birth Weight	343,139	97.6	96.4	98.7	8,505	2.4	1.3	3.6
Gestational Age	Preterm <=36 wks	34,085	95.8	92.2	99.5	1,487	4.2	0.5	7.8
	Term >36 wks	336,252	97.7	96.6	98.8	7,978	2.3	1.2	3.4
Marital Status	Married	231,570	99.0	98.1	99.9	2,421	1.0	0.1	1.9
	Not Married	138,767	95.2	92.8	97.5	7,043	4.8	2.5	7.2
PNC First Trimester	No Prenatal Care First Trimester	98,815	95.0	92.1	97.9	5,200	5.0	2.1	7.9
	Prenatal Care First Trimester	266,123	98.5	97.5	99.5	4,117	1.5	0.5	2.5
WIC Status	Not WIC	196,872	97.6	96.2	99.1	4,783	2.4	0.9	3.8
	WIC	173,377	97.4	95.8	99.0	4,682	2.6	1.0	4.2
Intention	Intended	195,527	98.8	97.8	99.8	2,355	1.2	0.2	2.2
	Not Sure	52,575	95.0	91.2	98.9	2,738	5.0	1.1	8.8
	Unintended	120,094	96.5	94.2	98.7	4,371	3.5	1.3	5.8
Maternal BMI Category	Obese	93,976	95.7	92.9	98.6	4,182	4.3	1.4	7.1
	Overweight	105,606	97.5	95.4	99.6	2,703	2.5	0.4	4.6
	Underweight or Normal	169,361	98.6	97.6	99.7	2,368	1.4	0.3	2.4
Payer of Delivery	Medicaid	177,700	96.5	94.7	98.2	6,504	3.5	1.8	5.3
	Private Insurance	144,956	99.3	98.5	100.0	950	0.7	0.0	1.5
	Self pay, Other, Unknown	47,682	96.0	91.8	100.0	2,011	4.0	0.0	8.2
Maternal Race	Black	40,283	94.8	92.5	97.1	2,219	5.2	2.9	7.5
	Hispanic	174,344	96.5	94.5	98.6	6,262	3.5	1.4	5.5
	Other	21,805	99.6	98.7	100.0	97	0.4	0.0	1.3
	White	133,817	99.3	98.4	100.0	886	0.7	0.0	1.6

1. Select a chapter
Intimate Partner Violence

2. Select a question topic

- Discussed Abuse
- Emotional Abuse
- Physical Abuse

Emotional Abuse

Q78: During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you feel unsafe in any other way [During the 12 months before I got pregnant; During my most recent pregnancy]?

		Emotional Abuse				No Emotional Abuse			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	10,894	2.9	1.7	4.1	366,635	97.1	95.9	98.3
Birth Weight	Low Birth Weight	863	3.1	1.1	5.1	26,804	96.9	94.9	98.9
	Normal Birth Weight	10,031	2.9	1.6	4.2	339,920	97.1	95.8	98.4
Gestational Age	Preterm <=36 wks	605	1.7	0.3	3.1	34,336	98.3	96.9	99.7
	Term >36 wks	10,290	3.0	1.7	4.3	332,388	97.0	95.7	98.3
Marital Status	Married	4,823	2.1	0.9	3.3	227,403	97.9	96.7	99.1
	Not Married	6,071	4.2	1.7	6.7	139,321	95.8	93.3	98.3
PNC First Trimester	No Prenatal Care First Trimester	6,648	6.4	2.8	10.0	96,942	93.6	90.0	97.2
	Prenatal Care First Trimester	4,246	1.6	0.6	2.6	264,341	98.4	97.4	99.4
WIC Status	Not WIC	6,091	3.0	1.5	4.6	194,340	97.0	95.4	98.5
	WIC	4,803	2.7	0.8	4.6	172,295	97.3	95.4	99.2
Intention	Intended	2,705	1.4	0.3	2.5	194,226	98.6	97.5	99.7
	Not Sure	3,257	5.9	1.9	9.9	52,072	94.1	90.1	98.1
	Unintended	4,818	3.9	1.2	6.6	118,399	96.1	93.4	98.8
Maternal BMI Category	Obese	3,937	4.0	0.9	7.2	93,795	96.0	92.8	99.1
	Overweight	2,926	2.7	0.6	4.8	105,055	97.3	95.2	99.4
	Underweight or Normal	4,031	2.4	0.9	3.8	166,269	97.6	96.2	99.1
Payer of Delivery	Medicaid	6,374	3.5	1.5	5.5	176,690	96.5	94.5	98.5
	Private Insurance	2,468	1.7	0.4	3.0	143,021	98.3	97.0	99.6
	Self pay, Other, Unknown	2,053	4.2	0.0	8.4	47,013	95.8	91.6	100.0
Maternal Race	Black	1,470	3.5	1.5	5.4	40,787	96.5	94.6	98.5
	Hispanic	6,391	3.6	1.3	5.8	172,605	96.4	94.2	98.7
	Other	97	0.4	0.0	1.3	21,716	99.6	98.7	100.0
	White	2,936	2.2	0.6	3.7	131,527	97.8	96.3	99.4

1. Select a chapter
Oral Health

2. Select a question topic
 Dental Cleaning During Pregnancy
 Pre-pregnancy Dental Cleaning

Pre-pregnancy Dental Cleaning

Q7: At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things? I had my teeth cleaned by a dentist or dental hygienist.

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	221,343	56.1	52.8	59.4	173,028	43.9	40.6	47.2
Birth Weight	Low Birth Weight	16,517	56.6	51.1	62.0	12,668	43.4	38.0	48.9
	Normal Birth Weight	204,914	56.1	52.5	59.7	160,361	43.9	40.3	47.5
Gestational Age	Preterm <=36 wks	21,753	58.7	50.0	67.3	15,316	41.3	32.7	50.0
	Term >36 wks	199,678	55.9	52.3	59.4	157,712	44.1	40.6	47.7
Marital Status	Married	115,054	49.1	44.9	53.2	119,371	50.9	46.8	55.1
	Not Married	106,377	66.5	61.2	71.8	53,658	33.5	28.2	38.8
PNC First Trimester	No Prenatal Care First Trimester	76,701	69.6	63.4	75.8	33,489	30.4	24.2	36.6
	Prenatal Care First Trimester	141,506	50.9	47.0	54.8	136,363	49.1	45.2	53.0
WIC Status	Not WIC	96,225	47.3	42.9	51.8	107,000	52.7	48.2	57.1
	WIC	125,118	65.5	60.5	70.4	66,029	34.5	29.6	39.5
Intention	Intended	101,275	50.7	46.0	55.4	98,627	49.3	44.6	54.0
	Not Sure	36,738	64.4	56.3	72.4	20,329	35.6	27.6	43.7
	Unintended	81,966	60.6	54.9	66.4	53,237	39.4	33.6	45.1
Maternal BMI Category	Obese	68,794	68.7	62.7	74.7	31,342	31.3	25.3	37.3
	Overweight	62,497	56.8	50.1	63.6	47,441	43.2	36.4	49.9
	Underweight or Normal	89,453	48.9	44.2	53.7	93,329	51.1	46.3	55.8
Payer of Delivery	Medicaid	129,953	66.2	61.5	70.9	66,358	33.8	29.1	38.5
	Private Insurance	56,279	38.8	33.9	43.6	88,925	61.2	56.4	66.1
	Self pay, Other, Unknown	35,199	66.5	56.7	76.3	17,745	33.5	23.7	43.3
Maternal Race	Black	26,457	57.1	52.1	62.2	19,850	42.9	37.8	47.9
	Hispanic	117,332	62.6	57.0	68.2	70,109	37.4	31.8	43.0
	Other	11,803	52.3	40.3	64.4	10,750	47.7	35.6	59.7
	White	65,751	47.6	42.5	52.7	72,319	52.4	47.3	57.5

1. Select a chapter
Oral Health

2. Select a question topic
 Dental Cleaning During Pregnancy
 Pre-pregnancy Dental Cleaning

Dental Cleaning During Pregnancy

Q28: This question is about the care of your teeth during your most recent pregnancy. I had my teeth cleaned by a dentist or dental hygienist.

		No				Yes			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	245,031	62.3	59.0	65.5	148,515	37.7	34.5	41.0
Birth Weight	Low Birth Weight	18,931	65.2	59.9	70.4	10,109	34.8	29.6	40.1
	Normal Birth Weight	226,189	62.0	58.6	65.5	138,406	38.0	34.5	41.4
Gestational Age	Preterm <=36 wks	23,643	63.9	55.5	72.3	13,338	36.1	27.7	44.5
	Term >36 wks	221,476	62.1	58.6	65.6	135,177	37.9	34.4	41.4
Marital Status	Married	135,021	57.2	53.1	61.3	100,966	42.8	38.7	46.9
	Not Married	110,099	69.8	64.6	75.1	47,549	30.2	24.9	35.4
PNC First Trimester	No Prenatal Care First Trimester	82,005	74.7	68.8	80.7	27,741	25.3	19.3	31.2
	Prenatal Care First Trimester	160,351	57.7	53.9	61.6	117,339	42.3	38.4	46.1
WIC Status	Not WIC	117,587	57.7	53.3	62.0	86,312	42.3	38.0	46.7
	WIC	127,444	67.2	62.3	72.1	62,202	32.8	27.9	37.7
Intention	Intended	115,603	58.0	53.4	62.6	83,804	42.0	37.4	46.6
	Not Sure	39,179	69.5	61.7	77.3	17,169	30.5	22.7	38.3
	Unintended	88,919	65.6	60.0	71.2	46,671	34.4	28.8	40.0
Maternal BMI Category	Obese	73,138	73.7	67.7	79.7	26,113	26.3	20.3	32.3
	Overweight	68,827	62.3	55.8	68.8	41,605	37.7	31.2	44.2
	Underweight or Normal	102,353	56.1	51.4	60.9	79,993	43.9	39.1	48.6
Payer of Delivery	Medicaid	136,605	69.9	65.3	74.5	58,787	30.1	25.5	34.7
	Private Insurance	71,525	49.0	44.0	54.0	74,381	51.0	46.0	56.0
	Self pay, Other, Unknown	36,989	70.7	61.3	80.1	15,346	29.3	19.9	38.7
Maternal Race	Black	29,236	64.7	59.8	69.6	15,956	35.3	30.4	40.2
	Hispanic	126,782	67.5	62.1	72.8	61,122	32.5	27.2	37.9
	Other	13,147	58.3	46.4	70.2	9,406	41.7	29.8	53.6
	White	75,867	55.0	49.9	60.1	62,030	45.0	39.9	50.1

1. Select a chapter
Postpartum

2. Select a question topic
 Postpartum Checkup

Postpartum Checkup

Q72: Since your new baby was born, have you had a postpartum checkup for yourself?

		No Postpartum Checkup				Postpartum Checkup			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	54,663	14.0	11.5	16.4	337,129	86.0	83.6	88.5
Birth Weight	Low Birth Weight	3,260	11.4	7.9	14.8	25,414	88.6	85.2	92.1
	Normal Birth Weight	51,402	14.2	11.5	16.8	311,803	85.8	83.2	88.5
Gestational Age	Preterm <=36 wks	3,720	10.2	4.7	15.8	32,592	89.8	84.2	95.3
	Term >36 wks	50,943	14.3	11.6	17.0	304,625	85.7	83.0	88.4
Marital Status	Married	26,766	11.4	8.6	14.2	207,400	88.6	85.8	91.4
	Not Married	27,897	17.7	13.1	22.3	129,817	82.3	77.7	86.9
PNC First Trimester	No Prenatal Care First Trimester	22,709	20.6	14.8	26.4	87,549	79.4	73.6	85.2
	Prenatal Care First Trimester	30,214	11.0	8.4	13.5	245,318	89.0	86.5	91.6
WIC Status	Not WIC	22,157	10.9	8.0	13.7	181,509	89.1	86.3	92.0
	WIC	32,505	17.3	13.1	21.5	155,620	82.7	78.5	86.9
Intention	Intended	21,484	10.9	7.7	14.0	176,504	89.1	86.0	92.3
	Not Sure	10,955	19.4	11.5	27.4	45,393	80.6	72.6	88.5
	Unintended	22,223	16.4	12.0	20.9	113,032	83.6	79.1	88.0
Maternal BMI Category	Obese	12,904	13.1	8.2	17.9	85,626	86.9	82.1	91.8
	Overweight	15,688	14.3	9.3	19.3	94,028	85.7	80.7	90.7
	Underweight or Normal	25,957	14.3	10.7	17.9	156,072	85.7	82.1	89.3
Payer of Delivery	Medicaid	32,067	16.6	12.7	20.4	161,452	83.4	79.6	87.3
	Private Insurance	7,942	5.5	3.2	7.7	137,546	94.5	92.3	96.8
	Self pay, Other, Unknown	14,653	27.7	18.2	37.2	38,218	72.3	62.8	81.8
Maternal Race	Black	4,494	10.1	6.9	13.3	40,043	89.9	86.7	93.1
	Hispanic	35,437	18.9	14.3	23.4	152,288	81.1	76.6	85.7
	Other	1,477	6.7	0.9	12.5	20,484	93.3	87.5	99.1
	White	13,254	9.6	6.6	12.7	124,313	90.4	87.3	93.4

1. Select a chapter
Prenatal Care (PNC)

2. Select a question topic
 PNC as Early as Wanted
 PNC First Trimester

PNC as Early as Wanted
 Q19: Did you get prenatal care as early in your pregnancy as you wanted?

		Accessed as Early as Wanted				Did Not Access as Early as Wanted			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	304,282	78.4	75.5	81.4	83,717	21.6	18.6	24.5
Birth Weight	Low Birth Weight	21,881	77.8	73.2	82.5	6,230	22.2	17.5	26.8
	Normal Birth Weight	282,489	78.5	75.3	81.6	77,487	21.5	18.4	24.7
Gestational Age	Preterm <=36 wks	26,188	71.9	62.8	81.0	10,239	28.1	19.0	37.2
	Term >36 wks	278,182	79.1	76.0	82.2	73,478	20.9	17.8	24.0
Marital Status	Married	194,821	84.2	81.0	87.3	36,612	15.8	12.7	19.0
	Not Married	109,549	69.9	64.5	75.4	47,105	30.1	24.6	35.5
PNC First Trimester	No Prenatal Care First Trimester	54,302	51.5	44.3	58.6	51,202	48.5	41.4	55.7
	Prenatal Care First Trimester	244,740	88.5	85.9	91.1	31,759	11.5	8.9	14.1
WIC Status	Not WIC	159,710	79.6	75.7	83.5	40,838	20.4	16.5	24.3
	WIC	144,572	77.1	72.7	81.5	42,879	22.9	18.5	27.3
Intention	Intended	172,156	86.8	83.3	90.3	26,100	13.2	9.7	16.7
	Not Sure	41,299	75.0	66.9	83.1	13,761	25.0	16.9	33.1
	Unintended	89,438	67.5	61.8	73.2	43,045	32.5	26.8	38.2
Maternal BMI Category	Obese	76,533	76.6	70.5	82.8	23,325	23.4	17.2	29.5
	Overweight	81,211	75.4	69.2	81.7	26,435	24.6	18.3	30.8
	Underweight or Normal	145,785	81.5	77.7	85.2	33,192	18.5	14.8	22.3
Payer of Delivery	Medicaid	135,264	69.9	65.2	74.6	58,288	30.1	25.4	34.8
	Private Insurance	129,152	89.9	86.8	92.9	14,579	10.1	7.1	13.2
	Self pay, Other, Unknown	39,954	78.6	69.6	87.7	10,850	21.4	12.3	30.4
Maternal Race	Black	35,058	76.7	72.4	81.1	10,631	23.3	18.9	27.6
	Hispanic	139,678	75.7	70.6	80.9	44,731	24.3	19.1	29.4
	Other	17,692	83.6	75.3	91.9	3,471	16.4	8.1	24.7
	White	111,853	81.8	77.7	85.9	24,883	18.2	14.1	22.3

1. Select a chapter
Prenatal Care (PNC)

2. Select a question topic
 PNC as Early as Wanted
 PNC First Trimester

PNC First Trimester

Q18: How many weeks or months pregnant were you when you had your first visit for prenatal care? (presented as prenatal care in the first trimester).

		No Prenatal Care First Trimester				Prenatal Care First Trimester			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	110,710	28.4	25.2	31.6	278,895	71.6	68.4	74.8
Birth Weight	Low Birth Weight	7,249	25.1	20.3	29.8	21,658	74.9	70.2	79.7
	Normal Birth Weight	103,549	28.7	25.3	32.1	257,237	71.3	67.9	74.7
Gestational Age	Preterm <=36 wks	12,341	34.1	24.7	43.6	23,827	65.9	56.4	75.3
	Term >36 wks	98,457	27.9	24.5	31.2	255,068	72.1	68.8	75.5
Marital Status	Married	44,304	18.9	15.5	22.4	189,533	81.1	77.6	84.5
	Not Married	66,494	42.7	36.8	48.5	89,362	57.3	51.5	63.2
WIC Status	Not WIC	42,774	21.1	17.2	25.1	159,688	78.9	74.9	82.8
	WIC	68,025	36.3	31.2	41.5	119,119	63.7	58.5	68.8
Intention	Intended	36,400	18.3	14.4	22.3	162,277	81.7	77.7	85.6
	Not Sure	21,157	39.2	30.1	48.2	32,877	60.8	51.8	69.9
	Unintended	52,283	38.8	32.9	44.7	82,411	61.2	55.3	67.1
Maternal BMI Category	Obese	32,472	32.7	25.9	39.4	66,908	67.3	60.6	74.1
	Overweight	33,274	30.7	24.0	37.5	74,980	69.3	62.5	76.0
	Underweight or Normal	44,224	24.5	20.3	28.7	136,230	75.5	71.3	79.7
Payer of Delivery	Medicaid	75,771	39.5	34.5	44.5	116,145	60.5	55.5	65.5
	Private Insurance	12,369	8.5	5.6	11.4	132,578	91.5	88.6	94.4
	Self pay, Other, Unknown	22,658	42.9	32.4	53.4	30,172	57.1	46.6	67.6
Maternal Race	Black	14,091	31.1	26.3	35.9	31,185	68.9	64.1	73.7
	Hispanic	67,967	36.8	31.0	42.5	116,946	63.2	57.5	69.0
	Other	5,711	26.1	14.8	37.3	16,191	73.9	62.7	85.2
	White	22,941	16.7	12.7	20.7	114,572	83.3	79.3	87.3

1. Select a chapter
Safe Sleep

2. Select a question topic
 Sleep Position

Sleep Position

Q63: In which one position do you most often lay your baby down to sleep now? On his or her side (other); On his or her back (back); On his or her stomach (other).

		Back Only				Other Than Back			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	273,155	71.3	68.1	74.4	110,176	28.7	25.6	31.9
Birth Weight	Low Birth Weight	19,166	73.2	68.1	78.3	7,008	26.8	21.7	31.9
	Normal Birth Weight	253,989	71.1	67.7	74.4	103,257	28.9	25.6	32.3
Gestational Age	Preterm <=36 wks	24,205	72.5	63.6	81.5	9,171	27.5	18.5	36.4
	Term >36 wks	248,950	71.1	67.8	74.4	101,094	28.9	25.6	32.2
Marital Status	Married	172,979	75.6	71.9	79.2	55,851	24.4	20.8	28.1
	Not Married	100,176	64.8	59.2	70.4	54,414	35.2	29.6	40.8
PNC First Trimester	No Prenatal Care First Trimester	68,074	63.0	56.1	69.8	40,025	37.0	30.2	43.9
	Prenatal Care First Trimester	201,029	74.6	71.2	78.1	68,349	25.4	21.9	28.8
WIC Status	Not WIC	150,958	75.9	72.2	79.7	47,830	24.1	20.3	27.8
	WIC	122,197	66.2	61.1	71.3	62,435	33.8	28.7	38.9
Intention	Intended	149,008	76.9	72.9	80.9	44,738	23.1	19.1	27.1
	Not Sure	34,949	64.2	55.2	73.1	19,523	35.8	26.9	44.8
	Unintended	88,441	66.5	60.8	72.2	44,559	33.5	27.8	39.2
Maternal BMI Category	Obese	70,113	72.0	65.6	78.3	27,333	28.0	21.7	34.4
	Overweight	72,876	68.1	61.6	74.6	34,164	31.9	25.4	38.4
	Underweight or Normal	129,034	72.8	68.4	77.1	48,294	27.2	22.9	31.6
Payer of Delivery	Medicaid	125,668	66.5	61.6	71.3	63,393	33.5	28.7	38.4
	Private Insurance	112,651	79.0	75.0	83.1	29,875	21.0	16.9	25.0
	Self pay, Other, Unknown	34,835	67.2	57.4	77.1	16,997	32.8	22.9	42.6
Maternal Race	Black	21,542	50.2	44.9	55.5	21,363	49.8	44.5	55.1
	Hispanic	130,398	70.6	65.1	76.0	54,390	29.4	24.0	34.9
	Other	14,808	66.2	54.8	77.6	7,559	33.8	22.4	45.2
	White	106,407	79.8	75.6	84.1	26,864	20.2	15.9	24.4

1. Select a chapter
Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Allow Smoking

Q38. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? No one is allowed to smoke anywhere inside my home (not allowed); Smoking is allowed in some rooms or at some times (allowed); Smoking is permitted anywhere inside my home (allowed).

		Allowed				Not Allowed			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	9,573	2.4	1.5	3.3	383,161	97.6	96.7	98.5
Birth Weight	Low Birth Weight	1,100	3.8	1.7	5.9	27,833	96.2	94.1	98.3
	Normal Birth Weight	8,473	2.3	1.4	3.3	355,417	97.7	96.7	98.6
Gestational Age	Preterm <=36 wks	1,702	4.6	0.7	8.5	35,279	95.4	91.5	99.3
	Term >36 wks	7,871	2.2	1.3	3.1	347,971	97.8	96.9	98.7
Marital Status	Married	3,959	1.7	0.7	2.7	230,829	98.3	97.3	99.3
	Not Married	5,614	3.6	1.9	5.2	152,421	96.4	94.8	98.1
PNC First Trimester	No Prenatal Care First Trimester	3,830	3.5	1.4	5.5	106,345	96.5	94.5	98.6
	Prenatal Care First Trimester	5,743	2.1	1.1	3.1	270,707	97.9	96.9	98.9
WIC Status	Not WIC	4,297	2.1	0.9	3.3	199,053	97.9	96.7	99.1
	WIC	5,276	2.8	1.4	4.1	184,109	97.2	95.9	98.6
Intention	Intended	2,266	1.1	0.3	2.0	196,132	98.9	98.0	99.7
	Not Sure	2,420	4.3	1.0	7.5	53,928	95.7	92.5	99.0
	Unintended	4,887	3.6	1.8	5.4	130,901	96.4	94.6	98.2
Maternal BMI Category	Obese	2,977	3.0	0.8	5.2	96,199	97.0	94.8	99.2
	Overweight	1,478	1.4	0.3	2.4	107,903	98.6	97.6	99.7
	Underweight or Normal	5,021	2.7	1.4	4.1	177,640	97.3	95.9	98.6
Payer of Delivery	Medicaid	8,282	4.2	2.5	5.9	186,921	95.8	94.1	97.5
	Private Insurance	1,029	0.7	0.0	1.4	144,434	99.3	98.6	100.0
	Self pay, Other, Unknown	262	0.5	0.0	1.2	51,894	99.5	98.8	100.0
Maternal Race	Black	3,383	7.5	4.8	10.3	41,433	92.5	89.7	95.2
	Hispanic	2,612	1.4	0.1	2.7	185,185	98.6	97.3	99.9
	Other	826	3.7	0.0	8.1	21,726	96.3	91.9	100.0
	White	2,751	2.0	0.5	3.5	134,817	98.0	96.5	99.5

1. Select a chapter
Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking 3-Months Before

Q35: In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (presented as yes/no response).

		Never Smoked				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	334,402	85.0	82.6	87.4	58,972	15.0	12.6	17.4
Birth Weight	Low Birth Weight	23,518	81.0	76.7	85.3	5,505	19.0	14.7	23.3
	Normal Birth Weight	310,972	85.3	82.8	87.9	53,466	14.7	12.1	17.2
Gestational Age	Preterm <=36 wks	30,505	83.6	77.8	89.4	5,973	16.4	10.6	22.2
	Term >36 wks	303,985	85.2	82.6	87.7	52,999	14.8	12.3	17.4
Marital Status	Married	209,593	89.1	86.5	91.7	25,743	10.9	8.3	13.5
	Not Married	124,897	79.0	74.5	83.5	33,229	21.0	16.5	25.5
PNC First Trimester	No Prenatal Care First Trimester	89,932	81.6	76.5	86.6	20,334	18.4	13.4	23.5
	Prenatal Care First Trimester	239,395	86.4	83.7	89.1	37,603	13.6	10.9	16.3
WIC Status	Not WIC	179,440	87.7	84.9	90.6	25,067	12.3	9.4	15.1
	WIC	154,961	82.0	78.2	85.9	33,904	18.0	14.1	21.8
Intention	Intended	175,137	87.8	84.6	91.1	24,270	12.2	8.9	15.4
	Not Sure	42,990	76.3	69.1	83.5	13,358	23.7	16.5	30.9
	Unintended	114,162	84.3	80.2	88.4	21,256	15.7	11.6	19.8
Maternal BMI Category	Obese	82,512	83.6	78.6	88.7	16,161	16.4	11.3	21.4
	Overweight	93,048	84.3	79.4	89.1	17,384	15.7	10.9	20.6
	Underweight or Normal	157,422	86.1	82.9	89.4	25,330	13.9	10.6	17.1
Payer of Delivery	Medicaid	153,939	79.1	75.2	83.0	40,674	20.9	17.0	24.8
	Private Insurance	131,943	90.4	87.5	93.4	13,963	9.6	6.6	12.5
	Self pay, Other, Unknown	48,609	91.8	86.1	97.6	4,335	8.2	2.4	13.9
Maternal Race	Black	37,702	83.9	80.0	87.8	7,228	16.1	12.2	20.0
	Hispanic	166,475	88.3	84.6	92.0	22,110	11.7	8.0	15.4
	Other	21,455	95.1	91.2	99.1	1,098	4.9	0.9	8.8
	White	108,769	79.2	75.0	83.5	28,536	20.8	16.5	25.0

1. Select a chapter
Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking Third Trimester

Q36: In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (presented as yes/no response).

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	373,112	94.9	93.5	96.3	20,113	5.1	3.7	6.5
Birth Weight	Low Birth Weight	27,092	93.3	90.6	96.1	1,932	6.7	3.9	9.4
	Normal Birth Weight	346,109	95.0	93.5	96.5	18,182	5.0	3.5	6.5
Gestational Age	Preterm <=36 wks	34,495	94.6	90.8	98.3	1,983	5.4	1.7	9.2
	Term >36 wks	338,705	94.9	93.4	96.5	18,130	5.1	3.5	6.6
Marital Status	Married	228,332	97.0	95.6	98.5	7,004	3.0	1.5	4.4
	Not Married	144,869	91.7	88.9	94.5	13,109	8.3	5.5	11.1
PNC First Trimester	No Prenatal Care First Trimester	100,488	91.3	87.7	94.8	9,631	8.7	5.2	12.3
	Prenatal Care First Trimester	266,663	96.3	94.8	97.7	10,335	3.7	2.3	5.2
WIC Status	Not WIC	194,077	95.0	93.0	96.9	10,283	5.0	3.1	7.0
	WIC	179,035	94.8	92.7	96.9	9,831	5.2	3.1	7.3
Intention	Intended	193,997	97.3	95.9	98.7	5,410	2.7	1.3	4.1
	Not Sure	50,718	90.2	85.0	95.5	5,482	9.8	4.5	15.0
	Unintended	126,285	93.3	90.4	96.1	9,133	6.7	3.9	9.6
Maternal BMI Category	Obese	93,910	95.2	92.3	98.1	4,764	4.8	1.9	7.7
	Overweight	104,463	94.7	92.0	97.4	5,820	5.3	2.6	8.0
	Underweight or Normal	173,320	94.8	92.7	96.9	9,432	5.2	3.1	7.3
Payer of Delivery	Medicaid	179,405	92.3	89.8	94.7	15,059	7.7	5.3	10.2
	Private Insurance	142,633	97.8	96.2	99.3	3,273	2.2	0.7	3.8
	Self pay, Other, Unknown	51,163	96.6	93.2	100.0	1,781	3.4	0.0	6.8
Maternal Race	Black	42,070	93.6	91.1	96.2	2,861	6.4	3.8	8.9
	Hispanic	182,216	96.6	94.6	98.6	6,369	3.4	1.4	5.4
	Other	22,405	100.0	100.0	100.0				
	White	126,422	92.1	89.1	95.0	10,884	7.9	5.0	10.9

1. Select a chapter
Tobacco

2. Select a question topic

- Allow Smoking
- Smoking 3-Months Before
- Smoking Postpartum
- Smoking Third Trimester

Smoking Postpartum

Q37: How many cigarettes do you smoke on an average day now? (presented as yes/no response).

		No Smoking				Smoked			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	357,886	91.0	89.1	92.8	35,488	9.0	7.2	10.9
Birth Weight	Low Birth Weight	25,711	88.6	85.1	92.1	3,313	11.4	7.9	14.9
	Normal Birth Weight	332,263	91.2	89.2	93.2	32,175	8.8	6.8	10.8
Gestational Age	Preterm <=36 wks	32,034	87.8	82.3	93.3	4,445	12.2	6.7	17.7
	Term >36 wks	325,940	91.3	89.3	93.3	31,043	8.7	6.7	10.7
Marital Status	Married	221,717	94.2	92.2	96.2	13,619	5.8	3.8	7.8
	Not Married	136,257	86.2	82.6	89.7	21,869	13.8	10.3	17.4
PNC First Trimester	No Prenatal Care First Trimester	95,875	86.9	82.8	91.1	14,392	13.1	8.9	17.2
	Prenatal Care First Trimester	256,553	92.6	90.5	94.7	20,446	7.4	5.3	9.5
WIC Status	Not WIC	189,527	92.7	90.4	94.9	14,981	7.3	5.1	9.6
	WIC	168,359	89.1	86.1	92.2	20,507	10.9	7.8	13.9
Intention	Intended	187,945	94.3	92.0	96.5	11,462	5.7	3.5	8.0
	Not Sure	47,543	84.4	78.3	90.4	8,805	15.6	9.6	21.7
	Unintended	120,285	88.8	85.3	92.3	15,133	11.2	7.7	14.7
Maternal BMI Category	Obese	88,543	89.7	85.5	94.0	10,130	10.3	6.0	14.5
	Overweight	100,164	90.7	87.2	94.2	10,267	9.3	5.8	12.8
	Underweight or Normal	167,661	91.7	89.2	94.3	15,091	8.3	5.7	10.8
Payer of Delivery	Medicaid	167,610	86.1	82.9	89.4	27,003	13.9	10.6	17.1
	Private Insurance	139,829	95.8	93.8	97.9	6,076	4.2	2.1	6.2
	Self pay, Other, Unknown	50,535	95.4	91.9	99.0	2,409	4.6	1.0	8.1
Maternal Race	Black	39,119	87.1	83.5	90.7	5,812	12.9	9.3	16.5
	Hispanic	176,575	93.6	90.9	96.4	12,009	6.4	3.6	9.1
	Other	22,109	98.0	95.8	100.0	443	2.0	0.0	4.2
	White	120,082	87.5	83.9	91.0	17,223	12.5	9.0	16.1

1. Select a chapter
Vaccinations

2. Select a question topic

- Flu Shot
- Tdap

Flu Shot

Q26: During the 12 months before the delivery of your new baby, did you get a flu shot?

		No Flu Shot				Received Flu Shot			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	171,943	44.6	41.2	48.0	213,374	55.4	52.0	58.8
Birth Weight	Low Birth Weight	14,227	50.2	44.7	55.6	14,136	49.8	44.4	55.3
	Normal Birth Weight	157,716	44.2	40.5	47.8	199,326	55.8	52.2	59.5
Gestational Age	Preterm <=36 wks	13,790	38.8	30.5	47.1	21,745	61.2	52.9	69.5
	Term >36 wks	158,153	45.2	41.5	48.9	191,717	54.8	51.1	58.5
Marital Status	Married	99,794	43.3	39.1	47.5	130,730	56.7	52.5	60.9
	Not Married	72,149	46.6	40.8	52.3	82,732	53.4	47.7	59.2
PNC First Trimester	No Prenatal Care First Trimester	54,653	50.5	43.5	57.5	53,670	49.5	42.5	56.5
	Prenatal Care First Trimester	114,765	42.3	38.4	46.2	156,835	57.7	53.8	61.6
WIC Status	Not WIC	88,305	43.9	39.4	48.3	112,905	56.1	51.7	60.6
	WIC	83,550	45.4	40.1	50.6	100,557	54.6	49.4	59.9
Intention	Intended	81,771	42.0	37.3	46.7	112,946	58.0	53.3	62.7
	Not Sure	29,337	52.7	43.6	61.8	26,361	47.3	38.2	56.4
	Unintended	59,763	45.0	39.2	50.9	72,938	55.0	49.1	60.8
Maternal BMI Category	Obese	44,461	45.3	38.4	52.3	53,626	54.7	47.7	61.6
	Overweight	42,079	39.5	32.8	46.2	64,405	60.5	53.8	67.2
	Underweight or Normal	84,585	47.2	42.4	52.0	94,644	52.8	48.0	57.6
Payer of Delivery	Medicaid	93,627	49.1	44.0	54.1	97,239	50.9	45.9	56.0
	Private Insurance	55,121	38.6	33.6	43.5	87,805	61.4	56.5	66.4
	Self pay, Other, Unknown	23,195	44.9	34.4	55.5	28,418	55.1	44.5	65.6
Maternal Race	Black	23,313	52.5	47.3	57.7	21,115	47.5	42.3	52.7
	Hispanic	74,673	40.9	35.1	46.6	108,057	59.1	53.4	64.9
	Other	11,964	53.8	41.7	65.9	10,260	46.2	34.1	58.3
	White	61,994	45.6	40.5	50.8	73,942	54.4	49.2	59.5

1. Select a chapter
Vaccinations

2. Select a question topic

- Flu Shot
 Tdap

Tdap

Q81: Did you receive a Tdap vaccination before, during or after your most recent pregnancy?

		No Tdap				Received Tdap			
		Weighted Freq	PCT	95% LCL	95% UCL	Weighted Freq	PCT	95% LCL	95% UCL
Total	Total	82,670	24.5	21.3	27.8	254,243	75.5	72.2	78.7
Birth Weight	Low Birth Weight	6,142	25.5	20.3	30.6	17,987	74.5	69.4	79.7
	Normal Birth Weight	76,528	24.5	21.0	27.9	236,345	75.5	72.1	79.0
Gestational Age	Preterm <=36 wks	8,784	27.0	17.5	36.5	23,720	73.0	63.5	82.5
	Term >36 wks	73,885	24.3	20.8	27.7	230,612	75.7	72.3	79.2
Marital Status	Married	44,228	21.7	17.9	25.4	159,925	78.3	74.6	82.1
	Not Married	38,441	28.9	23.0	34.8	94,407	71.1	65.2	77.0
PNC First Trimester	No Prenatal Care First Trimester	29,525	31.8	24.6	39.0	63,267	68.2	61.0	75.4
	Prenatal Care First Trimester	51,104	21.4	17.9	24.9	188,066	78.6	75.1	82.1
WIC Status	Not WIC	37,817	20.9	17.0	24.9	142,900	79.1	75.1	83.0
	WIC	44,853	28.7	23.4	34.0	111,343	71.3	66.0	76.6
Intention	Intended	45,660	25.9	21.3	30.5	130,611	74.1	69.5	78.7
	Not Sure	8,526	18.8	10.1	27.5	36,734	81.2	72.5	89.9
	Unintended	27,875	24.3	18.9	29.7	86,752	75.7	70.3	81.1
Maternal BMI Category	Obese	21,614	25.1	18.7	31.5	64,413	74.9	68.5	81.3
	Overweight	23,963	26.3	19.3	33.4	67,039	73.7	66.6	80.7
	Underweight or Normal	36,978	23.3	18.8	27.7	122,005	76.7	72.3	81.2
Payer of Delivery	Medicaid	48,843	30.7	25.5	36.0	110,063	69.3	64.0	74.5
	Private Insurance	21,492	16.0	12.1	20.0	112,496	84.0	80.0	87.9
	Self pay, Other, Unknown	12,335	28.0	17.6	38.3	31,773	72.0	61.7	82.4
Maternal Race	Black	10,572	27.4	22.4	32.4	27,991	72.6	67.6	77.6
	Hispanic	45,978	30.0	24.0	35.9	107,464	70.0	64.1	76.0
	Other	5,838	30.2	17.3	43.1	13,480	69.8	56.9	82.7
	White	20,282	16.1	12.2	20.1	105,308	83.9	79.9	87.8