
State Child Fatality Review Team Committee

Child Fatality Review Team Operating Procedures



"Never doubt that a small group of thoughtful, committed citizens can change the world; indeed it is the only thing that ever has."

—Margaret Mead

Child Fatality Review Team Operating Procedures

July 2001

State Child Fatality Review Team
Committee

Child Fatality Review Team Operating Procedures

Contents

I. Introduction	1
II. Background	2
III. Child Fatality Review Teams	3
IV. Steps To Establishing A Team	10
V. Team Operation Procedures	12
VI. Procedures For Conducting A Child Death Review Meeting	15
VII. Agency Conflict Resolution	17
VIII. Media Relations	18
IX. Maintaining A Review Team	19
X. Prevention	21
XI. Resources	22
XII. Attachments	23
A. Sample Interagency Agreement	
B. Sample Confidentiality Agreement	
C. Transfer Forms and Procedures	27
D. Birth and Death Certificates	29
XIII. Statutes	33

Child Fatality Review Team Operation Procedures

I. Introduction

n 1995, the Texas Legislature amended Chapter 264 of the Family Code (TFC), by adding the State Child Fatality Review Team Committee and Investigation statute. It created the State Child Fatality Review Team Committee, and established procedures for the operation of local child fatality review teams and the reporting and investigation of child deaths. The State Committee provides oversight to the local teams and makes recommendations to the governor and legislature regarding reducing the number of preventable child deaths. Local review teams now cover over 80 percent of the state's population.

One of the primary reasons for the implementation of child fatality review teams throughout the United States has been to identify and ultimately prevent child deaths caused by abuse and neglect. However, Texas, like most states, has opted for a broader death review process that addresses all preventable child deaths from a public health perspective. The top five leading causes of death for Texas children in 1998 were 1) perinatal conditions, 22.7%; 2) unintentional injuries, 22.1%; 3) congenital anomalies, 16.3%; 4) violence, 7.0%; and 5) malignant neoplasms, 4.2%. These causes account for nearly 7 of every 10 child deaths in the state. Injuries are not only preventable, but are also the category where undetected abuse and neglect related deaths are most likely to be hidden. By adopting this public health approach, not only can the "under-reporting" problem of maltreatment related deaths be systematically addressed, but a better understanding and greater awareness of all the causes of child deaths can be realized on the local, state and national level.

Our state is a national leader in the social conditions and demographics associated with poor child health and safety issues: poverty, unemployment, substandard education, juvenile violence rate, lack of available health care, teen pregnancy, and a large minority population. Texas also has one of the fastest growing birth rates and largest child populations in the nation. Review team membership is composed of the professionals that face this situation daily, and recognize that responding to all child fatalities is the responsibility of the state and the community. The efforts of local teams, the State Committee, and others who have supported the establishment and implementation of an integrated system of child death review is evidence of Texas' commitment to protect and raise its children in health and safety.

II. Background

A. The Need For Review Teams

Texas' first review team was started in Dallas in 1992 with a one year pilot project overseen and funded by the Children's Justice Act Grant Project (CJA), a federal grant project administered by the Texas Department of Protective and Regulatory Services. In 1994, CJA formed a statewide committee of professionals with expertise in child protection and child health and safety issues to embark on the difficult process of examining the child fatality response system in Texas and make recommendations for legislation.

The CJA Child Fatality Review Team Committee found a need to improve reporting of child deaths, death certification, and training for professionals in child death investigations. They found that too often, there was little or no investigation done when a child died suddenly and unexpectedly. Community resources and standards varied in their response to child deaths. Because some counties rarely experienced a child fatality, when it did occur, they were ill-prepared to respond adequately.

Although there were many similarities, unique circumstances existed in every community in response to child deaths. There were no standardized procedures for most professionals involved in responding to child fatalities. Autopsies were not routinely performed. Because very few counties in Texas have a medical examiner, long distances complicated their availability.

Data on the incidence and causes of child deaths was inconsistent and inaccurate. Standardized definitions to record data did not exist. The discrepancy between the number of child maltreatment related deaths recorded by Child Protective Services and the state Bureau of Vital Statistics illustrated the problem with not having a coordinated data collection system. The lack of knowledge and training about child abuse or neglect may account for a large number of child fatalities being classified as injuries or unexplained deaths.

B. Legislation

The legislation which establishes an effective review and standardized data collection system became effective Sept. 1, 1995. To assist the State Child Fatality Review Team Committee in achieving it's purpose as outlined in Section 264.503 of the TFC— develop an understanding of the causes and incidence of child deaths, identify procedures within the agencies represented to reduce the number of preventable child deaths, promote public awareness, and make recommendations to the governor and the legislature for changes in law, policy and practice to reduce the number of preventable child deaths — the legislature directed the Department of Protective and Regulatory Services, the Department of Health and the Children's Trust Fund of Texas Council to work together as a support system for the State Committee. Section 264.503 of the TFC outlines the duties of the three state agencies in this regard. Protective and Regulatory Services is responsible for assisting the State Committee in the development of model protocols for reporting and investigating child deaths, data collection, and the establishment and training of review teams. The Texas Department of Health collects data from local teams and performs annual statistical studies thereby, creating for the first time in Texas, a central registry of child fatalities. The Children's Trust Fund of Texas Council is responsible for promoting public education regarding child deaths and the public's role in their prevention.

III. Child Fatality Review Teams

A. Goal

The goal of child fatality review teams is to improve the response to child fatalities, provide accurate information on how and why Texas children are dying, and ultimately reduce the number of preventable child deaths by establishing an effective review and standardized data collection system for all child fatalities.

B. Objectives

- 1. Assure an accurate inventory of child fatalities by age, location, cause, manner and circumstance.
- 2. Support adequate child death investigation and certification.
- 3. Implement investigation guidelines and recommendations for child fatalities.
- 4. Enable multi-agency collaboration, cooperation, and communication at the state and local levels regarding child fatalities.
- 5. Through analysis of patterns and trends in child fatalities, improve the recognition of child deaths from
 - a) abuse and neglect;
 - b) genetic diseases;
 - c) inadequate medical care; and
 - d) public health dangers.
- 6. Enhance the general awareness of child death through the understanding of why and how children die.
- 7. Identify system-based impediments to child health and safety, that, when removed, will ultimately reduce the number of preventable child deaths.
- 8. Develop community prevention initiatives from the findings of child fatality review teams.

C. Purpose of the Review Process

1. To accurately identify and record the cause of every child death.

If the accuracy of child death determinations is to be improved, there must be a coordinated approach to the investigation and documentation of the death from the various agencies. Sharing of information is essential. Prior to the completion of the death certificate, a thorough scene investigation, as well as background checks for criminal history and prior reports of child abuse must be conducted by law enforcement and child protective services. Many deaths will require a review of the child's medical history. Teams provide a forum for ensuring relevant information is shared and available to use in making a determination of why a child died and better understanding all the factors contributing to the death. Because of the team's multi-disciplinary membership, reviews encourage the improved accuracy of death certificates.

2. To collect uniform and accurate statistics on child deaths.

For each child death reviewed, local teams complete a data collection form with information provided from the records of team members. This data is submitted to the state's central registry for child fatalities maintained in the Texas Department of Health's Bureau of Vital Statistics. The pooling of information from the local teams will provide better epidemiologic data on the causes of death and the most accurate and thorough information ever collected on child fatalities in Texas.

3. To identify circumstances surrounding deaths that could prevent future deaths and initiate preventive efforts.

Local teams will use the data they collect to identify and implement actions needed to reduce the number of preventable child deaths. Each child fatality review team will use their local data on which to base their preventative efforts, for assessing limited resources, and for promoting awareness and education on the management and prevention of child deaths in the community. The State Committee is available for assistance in these efforts.

For example, the Williamson County Team reviews found a lack of knowledge in the care of newborns. The team initiated Baby Steps: Maternal and Newborn Visit Program, a public health project of the city and county health districts. Working in partnership with local families, physicians and hospitals, the project's goal is to ensure a healthy beginning for all children in the community.

4. To promote collaboration and coordination among the participating agencies.

Interagency communication is crucial in the review of child deaths. Communication between agencies must be maintained on a formal and informal basis. Feedback is useful in assessing intervention on a case-by-case basis and can be used to discuss successes and problems in coordination among agencies and professionals. It can also identify gaps in services and barriers to effective investigations. By agreeing on common goals, developing a clear understanding of professional roles and responsibilities, maintaining open communication, developing procedures for intervention and collaboration, and instituting procedures for feedback, team members strengthen their working relationships with other agencies. Information regarding agency procedures, relevant programs and child death training needs are exchanged regularly at team meetings. The outcome is a better use of limited resources and an enhanced ability to fill gaps in services in the area covered by the team.

5. To improve criminal investigation and prosecution of child death cases.

As law enforcement, medical examiners, physicians, child protective services workers, and others exchange information, the quality of child death investigations improves. Evidence processing in child maltreatment-related fatalities requires specialized investigation techniques. Investigators must be well trained specifically in handling child deaths. Discussions at multiagency team meetings frequently alert members to the need for adequate autopsies, child death investigation training and expert knowledge related to child deaths. Barriers to improved investigations can be identified and eliminated.

6. To implement cooperative protocols for the investigation of child deaths.

Child death investigations may vary greatly. The use of investigation protocols by team members will provide consistency, guide intervention and standardize practice. With clearly defined roles, responsibilities and standardized procedures to follow, coordination and collaboration problems are less likely to arise.

7. To improve communication among agencies and the timely notification of agencies when a child dies.

Many times the agencies mandated to investigate and respond to child deaths are not notified in a timely or reliable way. Establishment of a local team often ensures that reliable and timely methods of notification of child deaths are followed within the community. Because of the team, some members have found that reporting laws regarding child deaths are more

closely followed. Members have discovered that they are receiving referrals and exchanging case information with some agencies for the first time.

8. To provide a confidential forum for agencies to meet and discuss common issues or resolve conflicts.

Maintenance of open relationships between agency personnel in a confidential setting improves all aspects of services provided for children and their families. Teams are protected by state law regarding the exchange of information or discussions held during a review team meeting. This protection provides an opportunity to openly discuss specific issues which may have been previously considered imprudent.

9. To propose needed changes in legislation, policies and procedures.

Over time, a team may see recurring issues in policy or practice within an agency. The appropriate team member can then address the issue within his or her own agency. Aggregate information from local team data will provide the basis for the annual report of the State Child Fatality Review Team Committee. Addressed to the governor, lieutenant governor and the legislature, this report will identify needed policy changes at the state level and include recommendations for changes in laws that will reduce the number of preventable child deaths.

10. To identify and address public health issues.

The review system provides agencies the opportunity to identify patterns and trends of child deaths in their region. Many of these deaths will not be a result of intentional abuse or involve criminal activity, but rather will fall in the category of public health issues. Identification of these patterns and trends will provide the information required for local and state efforts to educate the public, make recommendations for change, design intervention approaches, and pool resources to address the need.

D. Membership

1. Core Team Membership

Core members are representatives from the agencies responsible for child death investigations, death certification, or any resulting legal action. They are:

- a) police
- b) sheriff
- c) child protective services
- d) criminal prosecutor
- e) medical examiner or justice of the peace
- f) pediatrician

2. Additional Members

Additional members are determined depending on community resources and needs. The may include any of the following:

- a) emergency medical services personnel
- b) mental health provider
- c) juvenile probation officer
- d) public health professional
- e) child educator

- f) sudden infant death syndrome family services provider
- g) victim's assistance representative
- h) child advocate
- i) fire fighter
- j) neonatologist

Other members may be determined as reviews reveal gaps in information that indicate a need for additional team representation. For example, local child-care licensing representative was added to teams who were repeatedly reviewing deaths occurring in child-care facilities and needed information regarding licensing standards. Because agencies have special programs which relate to team activities, it may be appropriate to have more than one agency representative on the team.

3. Auxiliary Members

To facilitate completing reviews in a timely manner, teams may designate "auxiliary" members. These team members are not permanent members and therefore, do not regularly receive team notices. They attend meetings only when 1) they were directly involved in a death scheduled for review or, 2) to provide information on team related activities. Auxiliary members provide valuable information to the team without increasing the number of permanent team members.

E. The Roles of Team Members

The roles of the team members can be flexible to meet the needs of a particular community. The individual abilities of members should be used to form the most effective team possible.

Each member provides the team with information from their records, serves as a liaison to their professional counterparts, provides definitions of their profession's terminology, interprets the procedures and policies of their agency, and explains the legal responsibilities or limitations of their profession. They also assist in making referrals for services or providing direct aid to surviving family members.

All team members must have a clear understanding of their own and other professional's and agencies' roles and responsibilities in response to child fatalities. Additionally, members need to be aware of and respect the expertise and resources offered by each profession and agency. The integration of these roles is the key to a community having a well coordinated child fatality response system.

1. Medical Examiner or Justice of the Peace

All information regarding suspicious or unnatural child deaths is received by medical examiners or justices of the peace. However, all child deaths under age 6, regardless of the cause must be reported to the medical examiner or justice of the peace according to Chapter 264 of the Family Code. If a county has a medical examiner (ME) system, justices of the peace (JP) are not involved in child deaths, and medical examiners make the determination of cause of death. Justices of the peace have the authority of a medical examiner in counties without a medical examiner. There are usually several justices of the peace in a county, but only one medical examiner for several adjacent counties. Guided by state law requirements, justices of the peace routinely request medical examiners to perform an autopsy to aid them in making cause of death rulings.

When reviewing suspicious or unnatural deaths, the medical examiner or justice of the peace provides the team with information regarding how the determination of cause of death was reached. If an autopsy was performed, a summary of the report is included. They educate team members in areas relating to cause of death rulings.

The medical examiner or justice of the peace also assists the team because of their access to records from the other investigating agencies and because of their ongoing working relationship with law enforcement, EMS, hospitals, and CPS.

2. Law Enforcement

Law enforcement members provide information on criminal investigations of child deaths reviewed by the team. They also check the criminal histories of the child and/or family members and suspects in the child death cases. To ensure sufficient representation, both the sheriff's department and the police department in the largest jurisdiction are needed as team members. The law enforcement team members act as liaisons between the team and other local law enforcement departments. They assist with persuading officers from other agencies to participate in reviews when there is a death in that jurisdiction. Law enforcement officers are usually the best trained team members on scene investigations and interrogations, essential skills required in determining how a child died. Their expertise provides useful information and training to other members.

3. Child Protective Services (CPS)

The CPS member has the legal authority and responsibility to investigate and provide protection to siblings that might be at risk. As a team member, they provide detailed information on the family and the worker's investigation into the child's death. CPS members also have prior agency contact information including 1) reports of neglect or abuse on that child or siblings and 2) CPS services previously or currently being provided to the family.

They may be able to provide the team with information regarding the family's history and the psychosocial factors that influence family dynamics such as unemployment, divorce, previous deaths, history of domestic violence, history of drug abuse, and previous abuse of children. When reviews indicate the need, CPS may provide services to the surviving family members. Their knowledge on issues related to child abuse and neglect cases is essential to an effective team.

4. Prosecutor

Prosecutors educate the team on criminal law and provide information about criminal and civil actions taken against those involved in the child deaths reviewed. They also provide the team with explanations regarding when a case can or cannot be pursued and information about previous contacts with family members and criminal prosecutions of suspects in a child death.

5. Public Health

Public health agencies facilitate and coordinate preventive services needed to assist the community with education and community awareness programs. Public health members provide the team with vital records, epidemiological profiles of families for early risk detection and prevention of child deaths, and help educate members on the public health services available in the county. Public health doctors or nurses help identify public health issues that arise in child deaths and also provide medical explanations to the team. If the child was treated in a local public health facility, they can provide medical histories and explanations of previous treatments.

6. Pediatrician

The pediatrician provides the team with medical explanations and the perspective of having knowledge gained from routinely examining children who present with a variety of medical conditions. They can access medical records at hospitals and from other doctors. If the pediatrician testifies regularly in child abuse trials, his or her expert opinion regarding medical evidence can be useful. It is preferable if the pediatrician team member has experience in treating victims of child abuse and neglect. If a pediatrician is unavailable, teams may select a physician who specializes in family practice or has a general practice.

7. Mental Health

The mental health representative provides information and insight regarding psychological issues related to the child, the family, the perpetrator, and the event that caused the child's death. They make suggestions when counseling or other mental health service referrals may be appropriate.

8. EMS/Fire Fighter

Fire fighters provide information about investigations of fire-related deaths and education regarding preventing these deaths. EMS is frequently first at the scene and observes critical information regarding the scene and circumstances of a child's death, including the behavior of witnesses. The EMS report can also be useful in determining the position of the body at death and other scene elements that may have changed before an investigator arrived..

9. Child Advocate

Child advocates represent a variety of local child advocacy programs. Texas CASA and child advocacy center directors or interviewers are excellent candidates for team members. These individuals offer the team organizational ability, excellent communication and negotiation skills, and understand the role of each of the team members and participating agencies.

10. Chief Juvenile Probation Officer

The juvenile probation officer provides information regarding crimes involving older children. A large number of teenagers die from gunshot or stab wounds inflicted by other adolescents. Gang related shootings are frequent in some communities, along with drug and alcohol related deaths of teenagers. Teenage suicide numbers increase each year. Records from juvenile workers assist in the reviews of these deaths.

11. Sudden Infant Death Syndrome (SIDS) Family Service Provider

SIDS account for a large number of infant deaths. Sudden infant death syndrome family service providers educate the team on various issues related to SIDS deaths. The counseling of surviving family members in a SIDS death is a much needed component of the community child death response.

What contributes to these deaths and, therefore, how to prevent them continues to puzzle the professionals handling these cases. As team members, SIDS family service providers offer the most up -to-date information and assistance available regarding this issue.

12. Child Educator

The child educator provides the team with information from school records regarding children and families. School records include academic performance, participation in school and extra-curricular activities, absenteeism, and other indicators of a child's well-being. As educators, these team members offer the perspective of professionals who regularly observe child health, growth and development.

F. Regional Review Teams

1. Regional review teams consist of representatives from more than one county and are encouraged when establishing teams in counties consisting of populations of 55,000 or less.

In forming these teams, organizers should consider what agencies or facilities involved in child death response are shared by the counties. It is preferable that the counties have many of the following areas of jurisdiction or responsibility in common: state health and human services region, criminal prosecutor's jurisdiction, medical examiners' jurisdiction, hospital district, and/or EMS/firefighters district.

- 2. Every county covered by a team should have a member on the team. An agency regional director or other professional whose jurisdiction or responsibilities include the county would fulfill this requirement.
- 3. To ensure that the review team concept of community involvement is met, at least one representative from a core member agency of the county where the illness/injury or event occurred that caused the child's death should be present during the review. This allows the regional team to receive information from the professionals directly involved with the death, while strengthening the team's relationship with the various local agencies in the counties covered by the team. Establishing and maintaining this relationship is crucial if the team's prevention, training and education objectives are to be achieved.

IV. Steps To Establishing a Team

A. Team Organizers

To establish a multi-agency, multi-disciplinary child fatality review team in your community, one of the professionals composing team membership must be willing to commit the time and effort required to form a team. Teams have been initiated in Texas by physicians, prosecutors, medical examiners, law enforcement, justices of the peace, public health officers, CPS workers, and child advocates. Teams are not mandated in Texas, but are created through individual efforts and the voluntary cooperation of the agencies and professionals involved with child deaths.

B. Contact State Review Team Coordinator

The team organizer contacts the State Child Fatality Review Team Coordinator at the Texas Department of Protective and Regulatory Services for team information and membership recruiting materials. The community's local political climate and relationships between the heads of core agencies will strongly impact the approach taken to forming the team. Each community should adapt the approach most suitable to their unique characteristics.

C. Study Team Materials

The team organizer becomes thoroughly familiar with review team operation through the informational materials. Any supplemental information regarding other professions and how they function should also be studied.

D. Contact Operating Review Team

Team organizer contacts the presiding officer of an operating team and requests to attend their meeting. The team contacted should have been conducting reviews for at least a year. Observing a team will answer many questions regarding how teams operate. It may also provide suggestions on recruiting potential team members.

E. Contact the Local Core Member Agencies

The team organizer contacts the directors of the core member agencies and professions to discuss establishing a team. It is important that organizers become familiar with each agency's role and the need for their participation on the team before meeting with the various agencies. In recruiting team members, request the highest possible level of staff from each participating agency to join the team. These individuals have the authority to implement changes if necessary, and to obligate the agency to cooperative projects and protocols. If the agency director is not available, a lower level staff member with the knowledge and experience of direct and routine involvement with child deaths should be designated to represent the agency. These agency staff provide the team with essential input. The team should be comprised of professionals with both executive and specialized responsibilities.

F. Schedule an Organizational Meeting

After all core agencies have been contacted, the team organizer schedules an organizational meeting. Provide two or three weeks notice and offer a choice of dates and times for the meeting. Hold the meeting only if most of those invited are able to attend. Several organizational meetings may be necessary before teams can actually begin reviewing deaths.

G. Conducting an Organizational Meeting

- 1. Present the basic information concerning the purpose and operation of a local child fatality review team. You may request the attendance of the State Child Fatality Review Team Coordinator and/or a team member from an operating team to discuss team operations.
- 2. Discuss the role of each agency and profession and the benefits to participating agencies.
- 3. Allow time for each person attending to express concerns or raise issues. Make sure each person has an opportunity to ask questions and participate.
- 4. You may not have the answers to all the initial questions. Agree to get answers or find out what other teams are doing regarding a particular issue and report back to the group.
- 5. Discuss and complete these steps:
 - a) Discuss the child fatality review team authorizing statute, Chapter 264, Subchapter F of the Texas Family Code; the inter-agency and confidentiality agreements and the team data collection forms.
 - b) Compile a list of other potential team members and develop a plan for enlisting their participation. Include a time frame for completing contacts.
 - c) If necessary, set a time, date, and location for another organizational meeting. All organizational issues should be addressed prior to beginning child death reviews.
 - d) If no additional organizational meetings are required, schedule the first meeting to review deaths. Attendance will be higher if a regular time and place is agreed upon for meetings.
 - e) Agree on what materials will be compiled and distributed to team members at the first review meeting. Materials should include some basic information about child fatality review teams, the authorizing legislation, the data collection form, and the preliminary agreements made at the initial meeting.
 - f) Compose and distribute minutes of the organizational meeting to core members. Contact the core members to ensure the minutes were accurately recorded. The minutes should include any agreements reached and suggestions for future actions.
 - g) Follow-up with core members to ensure delegated tasks are completed before the first team meeting of reviews is held.
 - h) The team organizer contacts the State Child Fatality Review Team Coordinator for team recognition. The Bureau of Vital Statistics will not distribute death certificates to teams without the authorization of the State Child Fatality Review Team Coordinator.

V. Team Operation Procedures

A. Reviewable Deaths

- 1. A team reviews all child deaths regardless of cause for children under age 18.
- 2. Reviews are required only for those deaths in which a birth certificate was issued. A birth is considered viable and live if the attending medical person determines that a birth certificate is appropriate. If a birth certificate is not issued and a determination of "stillbirth" is made, a review is not required by the team.
- 3. More extensive in-depth reviews are conducted for sudden and unexpected deaths. These deaths generally require a more intensive discussion by the team to discover the circumstances surrounding the death.
- 4. Because of the large numbers of child deaths in their county, some large urban teams have prioritized their reviews by establishing review criteria.
- 5. Reviews are to be conducted by the team which covers the county where the illness/injury or event occurred which, according to the death certificate, caused the child's death. The deceased child may or may not be a resident of the county covered by the team. Because death certificates are distributed based upon the county of residence, please review "Transfer and Forms Procedures" located in the Attachments section of this guide.

B. Information Sharing

- 1. Teams are not a mechanism for criticizing or second-guessing any agency's decision. They are a mechanism for the essential information sharing required if the system's response to child fatalities is to be improved.
- 2. A team may request information and records regarding a deceased child as necessary to carry out the purpose and duties of the team. Background and current information from the records of team members and other sources may be needed to assess circumstances of the death.
- 3. Information from a review can contribute significantly to the outcome of a pending investigation. Team members should use the knowledge and expertise provided in the confidential forum to gather additional input for pending investigations.
- 4. A standing request for records and information may be developed by the team to facilitate the gathering of information required to conduct a death review. It should be addressed to the "custodian of the records" or the agency director and include the review team authorizing statute, information regarding the team operation and purpose, and a copy of the team's interagency agreement. These requests are particularly useful for acquiring information from agencies that do not have a representative on the team. Some teams have numerous hospitals in the county or counties covered by the teams; this request would enhance the team's ability to gather required medical information.
- 5. When reviewing deaths of children who were or are residents of another county, team members should contact the agency which corresponds to theirs and request information regarding the deceased child for the review.

C. Confidentiality

- 1. Records acquired by the team to conduct a review are exempt from disclosure under the Open Records Law, Chapter 552 of the Government Code.
- 2. Data collected and information regarding the death of a child at a review team meeting are confidential.

- 3. A report or statistical compilation of a review team is a public record subject to the Open Records Law, Chapter 552 of the Government Code if it does not permit the identification of an individual.
- 4. A team member may not disclose any information that is confidential.
- 5. Information, documents and records of the team are confidential and are not subject to subpoena or discovery and may not be introduced into evidence in any civil or criminal proceedings.
- 6. Information that would otherwise be available from other sources are immune because they were included in a review team meeting.
- 7. The child protective services member of a team may not disclose information from the Texas Department of Protective and Regulatory Services records that would identify an individual who reported an allegation of child abuse and neglect.

D. Presiding Officer

The team selects a presiding officer at the organizational meeting prior to the first meeting when reviews are conducted. The presiding officer may be any of the team members and serves as presiding officer at the discretion of the team. Teams may decide to specify terms for the presiding officer and rotate the position among the members.

E. Duties of the Presiding Officer

- 1. The presiding officer is responsible for calling and chairing the team meetings.
- 2. The duties of the presiding officer include:
 - a) sending notices of meetings to the team members
 - b) obtaining the names of the children to be reviewed and compiling the summary information for distribution to team members
 - c) distributing the information in b); it should be prepared approximately two weeks before each scheduled meeting to allow team members time to gather their agency's information about the child and family
 - d) submitting the data reports to the state Bureau of Vital Statistics not later than the 30th day after the date the review is completed
 - e) ensuring the team operates according to the protocols developed by the Texas Department of Protective and Regulatory Services, as adapted by the team.

F. Member Designees and Meeting Attendance

- 1. Team members may designate another representative of their agency to replace them at meetings they are unable to attend. Team members must recognize the need to attend meetings regularly to offer the expertise and knowledge which initially determined their selection.
- 2. Agencies of members who are consistently unable to attend meetings may be contacted by the team's presiding officer to select another member to represent them on the team.

G. Obtaining the Names for Team Reviews

1. The Bureau of Vital Statistics in the Texas Health Department will provide death certificates to the team's presiding officer and birth certificates for children born in Texas and under two years of age. Because it is the legal document required to certify death and bury a body, the death certificate is the basis for a review. The birth certificate includes an expanded lower section with medical information regarding the mother and newborn that is extremely useful for reviews.

- 2. Because of the length of time involved in the filing process, there is usually an eight week delay period from the date of the child's death until the time the presiding officer will receive the death certificate.
- 3. To obtain birth certificates, presiding officers must submit a request in writing to the state registrar at the state Bureau of Vital Statistics. The request must include the deceased children's names and the date of the meeting for which the birth certificates are required.
- 4. To obtain names earlier for review meetings, presiding officers may contact their local registrars. Most counties have more than one registrar; and each city in a county may have its own office of vital statistics, with the county clerk recording deaths for unincorporated areas. The State Registrar can supply presiding officers with a list of local registrars for their area. All local registrars are required by law to submit their certificates to the State Registrar.

H. Child Death Information and Distribution for a Review Meeting

The presiding officer compiles summary information for each death to be reviewed. It is required by team members to search their files and obtain the necessary data for a review. Most of this information is available from the death certificate and the medical examiner's records.

For confidentiality purposes, the death certificates and birth certificates are not distributed to the members until the meeting.

I. Child Fatality Summary Information

- 1. Deceased child's name.
- 2. Child's ethnicity, age, and gender.
- 3. Child's date of birth and date of death.
- 4. Mother's name and address (both maiden and current is usually required for background checks and prior CPS involvement). If you cannot obtain mother's name, then use father's name or legal guardian's name and address.
- 5. Cause of death may be pending when the list is initially written. Cause of death is the specific reason the child died: car accident, blunt force head injury, gunshot, pneumonia, etc.
- 6. Manner of death is the category of the death; natural, homicide, suicide, accidental or undetermined.
- 7. Brief description of what may have occurred, i.e. "child found face down in bassinet"

J. Record Keeping

The team will not maintain records of case discussions. Basic information will be kept for purposes of informing the team members of the deaths to be reviewed; and the data collection form may be kept or not kept by the team. The team's presiding officer maintains a list of issues raised during the meetings.

VI. Procedures for Conducting a Child Death Review Meeting

A. Members Agree To Confidential Discussions

Each member agrees to keep meeting discussions and information confidential. This is essential for each agency to be able to fully participate in the meetings. A confidentiality agreement signed by team members and required for other meeting attendees should be kept at each meeting by the presiding officer.

B. Members Provide Information

Each team member provides information from their agency's records and, when appropriate, distributes them to other members.

C. Categories Of Deaths Requiring Extensive Review:

- 1. Homicide
- 2. Injuries
- 3. Suicide
- 4. Undetermined
- 5. Sudden or unexpected deaths, including SIDS
- 6. All medical examiner cases
- 7. All cases with previous CPS involvement
- 8. All cases investigated by law enforcement

D. Data Collection And Time Required For Reviews

Deaths will vary in the amount of time required for completion of a review. Each member presents their agency's investigation and/or historical information on the cases and families. To ensure an adequate review has been conducted and the appropriate questions asked, the data collection form serves as the agenda for a review. Not all questions are applicable for each death. Information that is not available can be just as valuable to the review process as what is available. The lack of information regarding the circumstances of a death serves the team by focusing their attention to what information was needed, but unavailable. Such awareness eventually allows the team through its members, team reports and prevention efforts to address these issues.

E. Review Discussion

The presiding officer ends every review with a question that is on the data collection form, "After hearing all the information regarding this child's death, was this a preventable death?" If, the answer is "yes," the team is asked to identify possible interventions. At the end of the meeting, each member may discuss any issues raised during the meeting.

F. Record Meeting Issues

The presiding officer maintains a record of issues from team discussions. The team will need to periodically review these issues and develop a plan for addressing and monitoring what actions are taken on each issue.

G. Follow-up Reviews

Cases may need to be discussed at more than one meeting for several reasons: the results of the investigations are incomplete at the first review, members may wish to obtain additional information from their agency, a team member or auxiliary member with significant information is absent, or the case continues to progress and needs to be updated.

H. Expedited Reviews

Expedited reviews are for those deaths which are not reviewed by the complete fatality review team. A team member or group of members examines the pertinent information of a case prior to the team meeting. If the case appears to be non-controversial, i.e. circumstances of death are not out of the ordinary, there is not additional information other than that contained on the death certificate, or a full review will probably not yield new specific prevention strategies, the case may receive an expedited review.

I. Referrals

Referrals for appropriate services are an opportunity for the team to assess and address an immediate need. A "referral list" should be compiled by the team of programs or agencies that can provide services identified by the team. Referrals are usually handled by the team member professionally associated with the program or agency providing the service. Any team member may assist with making a referral. The team should discuss how the referral will be made and who will be responsible for handling it.

VII. Agency Conflict Resolution

articipating agencies may have individuals with concerns or disagreements regarding specific cases. Reviews are not opportunities for others to criticize or second guess an agency's decision regarding a case. Issues with the procedures or policy of a particular agency are sometimes identified; however, that agency's team member is responsible for any further action taken on the issue by his or her agency.

Teams are not peer reviews. They are designed to look at the system issues, not the performance of individuals. The team review is a professional process aimed at improving the system that responds to child deaths.

Most agencies involved in the teams do not have an internal review process; Child Protective Services conducts multi-agency reviews of child fatalities in which there has been prior contact with the agency. Some hospitals conduct internal reviews for child deaths. For most agencies, review teams provide a forum that previously did not exist for reviewing their actions, policies and procedures.

When conflict continues to occur among members, the presiding officer should intervene at the meeting to allow the review to progress. By contacting the members outside the meeting, the presiding officer may discuss the issues and assist with resolving the conflicts. Sometimes disagreement is both productive and appropriate, but disruption of the review is not acceptable. Members should always be encouraged to conduct the reviews in a professional manner.

VIII. Media Relations

t is important that the team establish an effective working relationship with the media. The involvement of the media is fundamental to the team's ability to promote public awareness and educate the public regarding child deaths.

The presiding officer should contact the various local media and provide them with information regarding the establishment of the team, its purpose and operation. The presiding officer should continue to provide the media with statistics and/or reports relating to the team's activities. All information that is confidential as specified by state statute is not to be disclosed to the media. Frequently, the objectives and review process is misunderstood by representatives of the media. The presiding officer and members are responsible for reinforcing the concept of the team as "not a fault-finding panel".

Viewing the media as an essential component for the team to accomplish its prevention strategies allows the team members to interact with media representatives in a manner that better serves the community, and allows the team to function effectively.

IX. Maintaining A Review Team

team follows three stages of development to achieve its goal of reducing the number of preventable child deaths in the community: organizational, operational, and the implementation of prevention efforts and strategies from team findings. Once a team has been established and the procedures for operation are thoroughly understood, maintenance of the team is essential. The following are recommendations for maintaining a functional review team:

A. Respect Team Agreements

For the team to operate effectively, it is essential that team agreements be recognized and followed by the members.

B. Participate And Be Prepared For Meetings

Reviews require the regular attendance and participation of its members. Members should become acquainted with the questions on the data collection forms to facilitate their own record preparation.

C. Keep Regular Schedules For Meetings

Establishing regularly scheduled meetings provides members with the ability to make long term schedule plans and allows for better attendance. Cancelling scheduled meetings diminishes the team's ability to gather information and hinders the cooperative networking of the members. A team can only achieve its objectives by meeting routinely and regularly.

D. Provide An Educational Element To Team Meetings

Keeping members informed of team-related training, changes in laws regarding their professions, and new child death or injury prevention programs should be an integral part of the operation of every review team. Periodically scheduling brief presentations and providing informative handouts will enhance the team's ability to accomplish its objectives.

E. Use The Texas Network of Review Teams

Regular contact with other teams for suggestions regarding how they handled a problem or to obtain input on innovative team efforts is often helpful.

F. Use The Professional Associations Represented On Teams

Professional associations can answer questions regarding many aspects of the responsibilities and statutes that govern a profession.

G. Use The State Child Fatality Review Team Committee

The resources of the agencies responsible for the State Child Fatality Review Team Committee, according to the roles specified in Chapter 264, Subchapter F of the Family Code, are readily available to assist teams. Teams provide input to the State Committee regarding the needs of local communities and teams.

H. Provide Other Members With Support

Each profession brings to the team their perspective, professional knowledge and expertise. It is support, not criticism, that will encourage change and allow for improvements. Disagreement between members is sometimes unavoidable, but if handled inappropriately, it could affect the team's ability to function effectively. It is the responsibility of the presiding officer to reinforce productive exchanges and discourage dialogue which is disruptive to the review process. Each member must acknowledge and respect the professional role of each participating agency.

Improvements will come through cooperative effort, not coercion.

I. Do Not Lose Sight Of The Team's Purpose And Objectives

A periodic review of the stated purpose of the team and its goal and objectives will provide direction to the team and remind members why the team was originally formed.

J. Team Membership Is A Long-Term Commitment

The team is not an ad-hoc committee collecting data on child deaths for a designated period, but a panel of professionals dedicated to establishing a better understanding of the causes of child deaths in their community. Discovering the patterns that cause or contribute to preventable child deaths is an on-going process. Patterns change over time within a community. The aggregate knowledge acquired and shared by team members provides the team structure for achieving effective results.

K. A Team Is Both A Message To The Community And A Message From The Community.

By participating on a team, local professionals with the responsibility of the protection, health, and safety of their community's children communicate a pledge to better understand child deaths and to support the necessary steps to eliminate obstacles hindering their integrated response.

X. Prevention

ccording to Chapter 264 of the Family Code, Section 264.506, one of the purposes of a review team is to "initiate prevention measures as indicated by the review team findings." To assist with the development of these efforts, local, state, and national programs that address specific prevention needs for the health, safety and well-being of children and families are available to teams. These programs exists in both the public and private sector and may be sponsored by various religious, community, professional and/or government organizations. Some are short-term projects with temporary funding. Others are established programs with documented results and a proven track record.

A. Compile and Maintain A Record of Programs

Each team should compile and maintain a record of these prevention programs. It will allow the team to 1) make appropriate referrals for services indicated by a specific review. and 2) identify public awareness and prevention education needs of the community.

The presiding officer should schedule a meeting designed to discuss programs or services that exist in the county or region that will assist the team in compiling its referral list. This meeting will also help the team identify what services do not exist, but are needed. Once the list has been compiled, team members should keep the team informed of programs that develop within their agencies and of others they become aware of outside their agency.

B. Contact the Program

By contacting the various service providers, team members will receive information regarding the specifics of their programs. Services and assistance may include medical care, education, professional therapeutic and crisis intervention services, information and referrals, food, medical supplies or equipment, and child health and/or safety equipment. These programs may also serve the team by forming the basis for coalitions and partnerships that create the foundation for the team's prevention efforts.

Inviting representatives of these programs to inform the team regarding their mission, target clients and the delivery of their services will facilitate the team's ability to make appropriate referrals.

C. Types of Program Resources

Types of programs for referrals and assistance include:

Types of programs for ferentials and assistance include.

SIDS Family Counseling
Teen Driving Safety
Teen Pregnancy Prevention
Bicycle Safety
Suicide Prevention and Counseling
Fire Safety

Firearm Safety Prenatal Medical Care

Crime Victim's Assistance Prenatal Medical Care
Parenting Skills

Gang Prevention and Intervention Infant and Child Day Care Programs

Substance Abuse Counseling and Education Child Abuse and Neglect Prevention

Drowning Prevention Programs
Seat Belt Safety Poison Control

Domestic Violence Intervention Child Safety Seat Loaner Programs

XI. Resources

eam members should contact the numerous agencies and organizations that have established prevention programs for assistance and information. This list includes only a few of the groups that can assist teams.

A. National Organizations

SAFE KIDS Coalition

US Health and Human Services Department

US Department of Justice-Juvenile Crime Prevention Department

SIDS National Clearinghouse- McLean, Virginia

National Committee to Prevent Child Abuse, 1-800-CHILDREN

National Center on Child Abuse and Neglect

Annie B. Casey Foundation

Centers for Disease Control and Prevention-Atlanta, Georgia

National Committee to Prevent Child Abuse- Chicago, Illinois

B. State Organizations

Texas Department of Protective and Regulatory Services

Children's Trust Fund of Texas Council

Texas Department of Health

Texas Youth Commission

Texas Department of Mental Health and Mental Retardation

Services to At-Risk Youth (STAR)

C. Professional Associations:

Professional associations are created to provide assistance, training, and information for their members. As a resource, they can offer teams updates on changes to laws that affect various professions, and information regarding training and programs that relate to team activities.

American Academy of Pediatrics

National Medical Examiner's Association

Texas Pediatric Society

Texas Medical Association

Texas Hospital Association

American Bar Association's Center on Children and the Law

Texas State Bar Association

County and District Attorney's Association

Justices of the Peace and Constables Association

Texas Police Association

Texas Sheriff's Association

American Professional Society on the Abuse of Children

Child Welfare League of America

National Institute for Mental Health

XII. Attachments

A. Sample Interagency Agreement

This cooperative agreement is made this agencies:	day of	between each of the following
District Attorney's Office		
Sheriff's Department		
Police Department		
Medical Examiner/Justice of the Peace		
TDPRS-Child Protective Services		
City/ County Health Department		
(Please add any additional agencies, etc.)		

WHEREAS, the parties are vested with the authority to promote and protect the public health and safety and to provide services which improve the well-being of children and their families.

WHEREAS, the parties agree that they are mutually served by the establishment of a multi-agency, multi-professional child fatality review team, and that the outcome of such reviews will be the identification of preventable child deaths and recommendations for intervention and prevention strategies.

WHEREAS, the objectives of a child fatality review team are agreed to be:

- Promote cooperation, communication, and coordination among agencies involved in responding to child deaths.
- Assure the accurate inventory of child fatalities by age, location, cause, manner, and circumstance.
- Support adequate child death investigation and certification.
- Implement investigative guidelines and recommendations for child fatalities.
- Improve recognition of child deaths from abuse and neglect, genetic diseases, inadequate medical care, and pubic health dangers through analysis of patterns and trends in child fatalities.
- Enhance the general awareness of child deaths through the understanding of how and why children die.
- Identify system-based impediments to child health and safety that, when removed, will ultimately reduce the number of preventable child deaths.
- Initiate local prevention efforts to reduce the number of preventable child deaths as indicated by team findings.

WHEREAS, the parties agree the Child Fatality Review Team membership be comprised of, but not limited to, the following professionals:

- criminal prosecutor
- medical examiner/justice of the peace
- physician
- child protective services
- sheriff
- police
- public health representative
- mental health provider
- child advocate
- EMS personnel
- juvenile probation officer

WHEREAS, the parties agree the review process requires case specific sharing of records and that confidentiality is inherent in many of the involved reports, there will be clear measures taken to protect confidentiality.

NOW THEREFORE, it is agreed that all team members will sign a confidentiality agreement which prohibits any unauthorized dissemination of information beyond the purpose of the review process. Data will be submitted by the team to the Texas Department of Health Bureau of Vital Statistics where it will be maintained for the purpose of establishing a state central registry for child fatalities with standardized, non-identified aggregate data from child fatality review teams throughout Texas.

B. Review Team Sample Confidentiality Agreement The purpose of a child fatality review team is to conduct a thorough examination of each child death in County(ties) by the County Child Fatality Review Team. In order to assure a coordinated response that fully addresses all systemic concerns surrounding child fatalities, all relevant data, including historical information concerning the deceased child and his or her family, must be shared at team reviews. Much of this information is protected from disclosure by law, especially medical and child abuse/neglect information. Therefore, team reviews are closed to the public, and confidential information cannot be lawfully discussed unless the public is excluded. In no case should any team member or designee disclose any information regarding team decisions outside the team, other than pursuant to team confidentiality guidelines. Failure to observe this procedure may violate various confidentiality statutes that contain penalties. Any agency team member may make a public statement about the general purpose or nature of the child death review process, as long as it is not identified to a specific case. The undersigned agree to abide by the terms of this confidentiality agreement. Name Agency

Transfer Forms and Procedures

Child Fatality Review Team Case Transfer Procedures

Currently, the statute pertaining to the review procedure for child deaths (TFC 264.508) states:

 The review team of the county in which the injury, illness, or event that was the cause of death of the child occurred, as stated on the child's death certificate shall review the death.

Because death certificates are distributed based upon county of residence, the following transfer procedure was created to facilitate the referral of death certificates to those counties responsible for the review of a death. It is hoped that this procedure will also open lines of communication between teams and allow for the exchange of information relating to the review of child deaths.

A. Deaths Due to Injury

- 1. Upon receipt of the death certificates, the presiding officer or team coordinator examines section 41e of the certificate of death to determine geographical location of injury.
- 2. If the injury occurred in a county outside the jurisdiction of a particular team, the death certificate is then forwarded to the appropriate team through the following mechanism:
 - a. The Child Fatality Review Team Transfer/Return Form is completed and forwarded with the death certificate to: (1) the appropriate team, and (2) Child Fatality Review Specialist, Bureau of Vital Statistics.
 - b. A copy of the death certificate and transfer/return form should also be retained by the team originally receiving the death certificates.
- 3. If there is not a team in the county where the injury occurred, a copy of the death certificate should be returned to the Bureau of Vital Statistics using the Child Fatality Review Team Transfer/Return Form with the date of return.

B. Natural Deaths

- 1. This group of deaths should continue to be reviewed based upon county of residence since much of the information pertaining to the child's social and medical history will be found in the county where the child resided.
- If assistance is needed in obtaining medical records for deaths occurring in counties other than the county of residence, Child Fatality Review Teams in the county where the death occurred can help facilitate the request and transfer of records.

Child Fatality Review Team Transfer/Return Form

Circle One:	Transfer	Return	
County of Injury:			
County of Death:			
Death Certificate rec	eived by:		team
Death Certificate tran	nsferred to:		team
Date transferred/returned:			

For a transfer, please attach a copy of the death certificates and forward copies to (1) the appropriate team, and (2) the Texas Bureau of Vital Statistics at the following address:

Child Fatality Review Specialist Bureau of Vital Statistics Texas Department of Health 1100 West 49th Street Austin, TX 78767-3199


For a return, please attach a copy of the death certificate and forward to the Texas Department of Health, Bureau of Vital Statistics at the above address.

	Milde	CERTIFICATE OF	Last	Deta	MUNBER	3. See
4s. Place of Birth - County	So, City or Town (If a	schools stly Broke, give prescript no.)	5. Time of Birth	1-1	m 1m/	Dr. H Planel I Ord. Std. etc.
To Please of Blass Carrie	Ductor's Office Licensed Bi	rthing Center Hospital 75. No	ene of Hospital or Billiang	Carefred Not Inetholon.	Seres respect	-
D Residence D Oliver		552		_		
So. Abandan's Name and Mar	ing Address	Na. Co	edfier - I certify that this on	to eas born alva and	mara mara	7
		_			/	-/
	☐ Midwis ☐ Other (Specify		Attenders 🔎 Fedity A		Done Breits	
30, Name Pini	Mode	Maiden Surrame		11, Date of Been	1	Citano or Fore
13s. Residence - State	156. County	13c. Clip or Town		CM. Steam Address	or by Locatory	
13e Insette City Limits 14. 6	Action's Maling Address (V Ser	me As Residence, Errer Zip Code O	_	//	//	
25 Marrie Pivit	Mobile	Les /	1	E. Date Of Suph	Jr. Birtiplace	(State or Fore
		/	\sim $^{\prime}$	1	/	T-0.1.C. 1984
Title. Programm's Pite Municipal	18b. Date Received	iby Local Pagestres	. Signatura V Local Flat of		4	
	AMPORMATION FOR MEDIC	AL AND PUBLISHED -	THE POLONING TO	MATION WILL NOT BE	F ENDMAN ON CERT	MED COPIES
/10s. Moters Married? 10b. 1	consent for my beby's immunity	ation information to be included in the	10 551 to you 10	M. Sign of Marthur		ofFather
□Yea □ No with re	Ade Immunisation Registry and to glassred providers.	to share the immove alon information The C No	Dres Date	Steen a Property	0.000	1000
20. Signature of Parent - I have	a reviewed the information abo	ne angleson that I is come				
			_			
21. Father's mailing address (f	Same as Moster enter Same		/ '	>		
	•	1	_			
	1	10.	\vee	pation (homewaker,	Hod Type of Bur	Salar I State State
22. Race (For example: Ameri Indian, Starth, white, alls.)	tran 23 Milyanie Orban A (Mastean, Cuttan, Pu	AND SECTION AND ADDRESS OF THE PARTY OF THE	property teacher, of	erk, programmer,	povernment, many	education, Target
	~	1 1		fiel, mirrie, etc.)		record en.)
Zita. Mother	23-	Su Amhon	12.7		250 Mother	
	7	-11			Hd Faher	
22h Feber	C. 07	The Tables	200 1000		DE PROM	
	and.	1)	10.50	1	
PREGNAN	OTHER OTHER	Property (Principle Care)	29. Hepati	to 8 St. Side Itselige Given		
LIVE BIRTHS	PROMINGER	Ditterpen Circle Director	and the second second	at Morral Manage Bags	G. er	LB stimula of Gast
26s New Living 26s Now D	end Std.	Dayler Sales Die	0.0	il home he see sign	20.00000	er en o oen
Number Number	Number	De Common		Care Bogan During La	Dref 35 Marshar o	Prenatal Visit
D Hone	Spring .	□ companys	State and the	onth. Specify:		
250. Own of Last Light Birth	26s. Date Last Office Programmy Ended	28 Petrois Medicald Number	85a HIV T	ed Dove 200 F	FV Test Done 3	d Servings le
	1	7	Frank	tally a	Delivery Yes D No	al Delivery
37s. Mother Transferred Nor In	Defect No / Tree	Specify Feath SVb. Inte	on Transferred After Delive		(Specify Facility)	374.16
1	\ / /					7 1
384 MEDICAL RISK FACTOR	OR THIS PRODUCTION	ech all thai apply) 1 Anomia (Hist.	-200 tiph -100 2 17 C	ardiac disease 3 [Acute or diversit land	Grane 4
8 D Hydrameka / Digotydia	\ /	opelly 7 D Hypertension, almost				10 []heorge
e Clubertratt, coloules		rs or ameli - for - gestational age Info				prosp laskness
14 Chart 4000 e po		IID 15 Didayadina administra			200 SELECTION S	100000000000000000000000000000000000000
25 CT Pastern of cust of costs		21 [] UNKNOW	m			
10 II Present years of more			harm one flores reserves:	y Average	number of olganizates	per day
20 CO Pressor all counts of counts 20 CO Company (Company)	100 No. 00000 No. 0000	mining of Server 1 Tree 1 Ten 1 Ten				
20 CO Pressor all counts of counts 20 CO Company (Company)	FOR THE PHENOMETERS	Average number of drinks per r	west	the. Weight gained do	hand beatterance	
20 CO Pressor all counts of counts 20 CO Company (Company)	a dustro proposaco	Average number of drinks per r	west	the. Weight gained du. Tredepten of labor	4 D Augmentation	of labor 6 (
20 Charles More of come 20 Charles Goody: C. Other Risk CTORG	during programmy (Average number of driks per of the per of th	west	the. Weight paired du	4 D Augmentation	of labor 6 (
20 Charles More of come 20 Charles Goody: C. Other Risk CTORG	e during programmy V	Average number of drinks per to Amnicoartesia 2 D Bestro (edity)	west	the. Weight paired du	4 - Augmentation	of liabor 6 (
20 Protect of use of control 20 Chee (world): 6. Others Rick Citors Divas Div Acception 36. ORSO THE PROCESSION 10 Control	edy were censels (See the state of the stat	Average number of drinks per to Amnicoartesia 2 D Bestro (edity)	one lead mentioning 3	O treduction of later	4 D Augmentation	<u> </u>
10 C Pretters about all control 20 C Cones Resety: 10 C CONES RESET C CONE 10 C CONES RESET C PROCESSES 10 C CONES RESET C CONES C C C C C C C C C C C C C C C C C C C	Adding parency 10 (Check I null apply) 1 2 (Check I null apply) 1 2 (Check I null apply) 1	Average number of drinks per Arenicoenteris 2 Decino entry) ext of that apoly) ext of that apoly) ext of the apoly)	week nic telel mentioring 3 replace of mendiorine (= 12	inclusion of later	a Augmentation) Placeria pre
10 Pretters about all control 20 Cher (endy): 6. Others resk of Cores Year J. Alcohol us 30c. COSS of the Processor 10 Countrol 30c. COMPLIC PROCESSOR 11 Press A 100" F. or 30" (a during physicistry V 20 (Other) in rest apply 1 20 (Other) by 30 (ANEXO) CELIVERY (OTher) 2 (I) Meconium, mode 7 (Secures during to	Average number of drinks per Armicosments 2 Decino mode of that apoly mate / heavy 3 Decino for 8 Decino for 8 Decino for 8 Decino for 6 Decino for	neck nice felal manifesting 3 replace of mendicates (= 12 hours) 8 Protonger	hours) 4 (Abrupti 1 Setur (- 35 hours)	a Augmentation) Placeria pre
10 Protect of use of course 20 Char (seedy): 10 Char (seedy): 10 Char (seedy): 11 Char (seedy): 12 Char (seedy): 13 Char (seedy): 14 Char (seedy): 15 Char (seedy): 16 Char (seedy): 17 Char (seedy): 18 Char (seedy): 19 Char (seedy): 10 Char (seedy): 11 Char (seedy): 12 Char (seedy): 13 Char (seedy): 14 Char (seedy): 15 Char (seedy): 16 Char (seedy): 17 Char (seedy): 18 Char (seedy): 19 Char (seedy): 10 Char (seedy): 11 Char (seedy): 12 Char (seedy): 13 Char (seedy): 14 Char (seedy): 15 Char (seedy): 16 Char (seedy): 17 Char (seedy): 18 Char (seedy): 19 Char (seedy): 10 Char (seedy): 10 Char (seedy): 11 Char (seedy): 12 Char (seedy): 13 Char (seedy): 14 Char (seedy): 15 Char (seedy): 16 Char (seedy): 17 Char (seedy): 18 Char (seedy): 19 Char (seedy): 10 Char (seedy): 10 Char (seedy): 11 Char (seedy): 12 Char (seedy): 13 Char (seedy): 14 Char (seedy): 15 Char (seedy): 16 Char (seedy): 17 Char (seedy): 18 Char (seedy): 18 Char (seedy): 19 Char (seedy): 10 Char (seedy): 10 Char (seedy): 11 Char (seedy): 12 Char (seedy): 13 Char (seedy): 14 Char (seedy): 15 Char (seedy): 16 Char (seedy): 17 Char (seedy): 18 Char (seedy	o during physicisty V 10 (Other) is ruri apply 1 10 (Other) is constructed of the construction of the co	Average number of drinks per Arenicoenteris 2 Decino entry) ext of that apoly) ext of that apoly) ext of the apoly)	neck nice felal manifesting 3 replace of mendicates (= 12 hours) 8 Protonger	Industrian of later	a Augmentation) Placeria pre labor
10 Prepare share of continue	o during physicisty V 20 (Oreck of rust apply) 1 20 (Orec by the control occurrence of rust) AND/O CELIVERY (Or 2 I) Meconium, mode of Ceptwingstake day	Average number of dries per Arenicostrierie 2 Decino secty) sect of that apply sets / heavy 3 D Premature foor 8 D Precipious later (+3 preparties 13 D Coord proteapes	note below monitoring 3 replace of mentionine (= 12 house) B Protonger 14 MOME 15	Indiables of later	Augmentation placente 5 C Opplaneitonal 1) Peconia pre- latico
10 Pretters of use of count 20 Other Rendyl: 10 OTHER RESK CTOPS Other Rendyl: 20 OTHER RESK CTOPS Other Rendyl: 20 OTHER RESK CTOPS	a during physicistry 20 (Oheck of India apply) 1 MOSE	Average number of dries per Amnicoenterie 2 Decino motivi — mot all that apply mot all that apply motivity — motivit	note below monitoring 3 replace of mentionine (= 12 house) B Protonger 14 MOME 15	Indiables of later	Agreemation placente 5 C Optionologie Cteon Sandon & Faj) Peconia pre- latico
30 Protect of an all continues of continue	a during physicing V 10 (Check in hat apply) 1 10 (Check in hat apply) 1 10 (Check in hat apply) 1 2 (I blecomium, mode in in hat apply) 2 2 (Check in hat apply) 3 3 (Check in hat apply) 4 3 (Check in hat apply) 4 3 (Check in hat apply) 5 5 (Check in hat apply) 5 5 (Check in hat apply) 6 5 (Check in hat apply) 7 5 (Check in hat apply) 1 6 (Check in hat apply) 1 6 (Check in hat apply) 1 6 (Check in hat apply) 1 7 (C	Average number of drinks per Amologenterie 2 Decision society) soci all their apoly)	replice of mentioning 3 replice of mentioning in 12 Interest B Protonger 14 DNOME 15	Dividesition of labour	Augmentation placente S C Dystanctional I Dystanctional I Dystanctional I Dystanctional I Dystance S S	Peconia pre- lation princatia D Vascure
30 Prepare share of continue of continue of continue of the co	a during physicing V 10 (Otech in all apply) 1 10 (Otech in all apply) 1 10 (Otech in all apply) 1 2 (I) Meconium, mode in all apply in all appl	Average number of drinks per Amologenesis 2 Decision social metapolyt social metapolyt social metapolyt social metapolyt social metapolyt social procedures before (+3 proportion 13 Cood procedures 3 Difference Constitute 4 1 stiffed explyt drome 3 Diffysiting membra	replice of mentioning 3 replice of mentioning 1-12 replice of mentioning 1-12 replice of mentioning 1-12 replice 5 Protonger 14 DNOME 15 D Repeat C-section	Indication of labor	Augmentation placente S C Dystanctional I Dystanctional I Dystanctional I Dystanctional I Dystance S S	Placeria pre lator pricatia [] Vacuum
30 Preplace school of control 20 Charles Person Cloris Correct Person Cloris Van Abstract Procession 30c COMPLET CHS OF LA 1 Preplace 100 or LA 11 Charles Control 12 Charles Control 13 Asserting Control 14 Charles Control 15 Charles Control 16 Charles Control 17 Charles Control 18 Charles Control 19 Charles Control 19 Charles Control 10 Charles Control 10 Charles Control 10 Charles Control 11 Charles Control 12 Charles Control 13 Charles Control 14 Charles Control 15 Charles Control 16 Charles Control 17 Charles Control 18 Charles Contro	a during provincy 10 (Orech of half apply) 1 11 (Orech of half apply) 1 12 (Orech of half apply) 1 13 (Orech of half apply) 1 14 (Orech of half apply) 1 15 (Orech of half apply) 1 16 (Orech of half apply) 1 17 (Orech of half apply) 1 18 (Orech of half apply) 1 19 (Orech o	Average number of drinks per Amologomerie 2 Decision and all met apoly and Amologomerie 2 Decision and Amologomerie 3 Decision (+3 proportion 13 Decision 4 all met apoly and met apoly an	replice of mentioning 3 replice of mentioning 1-12 replice of mentioning 1-12 replice of mentioning 1-12 replice 5 Protonger 14 DNOME 15 D Repeat C-section	Indication of labor	Augmentation placente S C Dystanctional I Dystanctional I Dystanctional I Dystanctional I Dystance S S	Placeria pre lator pricatia [] Vacuum
36 Protect of control of contro	a during phononcy 100 (Check of that apply) 1 100 (Check of that apply)	Average number of drieks per Amnicoenterie 2 Decino sector) sect all find apoly) 3 Decinoes 13 Coord polyages 3 Decinoes 2 Decinoes 4 Decinoes 2 Decinoes 13 Decinoes 2 Decinoes 13 Decinoes 2 Decinoes 13 Section 4 Decinoes 2 Decinoes 13 Section 14 Decinoes 2 Decinoes 15 Section 14 Decinoes 15 Section 15 Decinoes 15 De	replace of mendations -12 Install Following -12 Install Following -12 Install Following -13 Install Repeat C-section Install MONE 11	Industrian of later	Augmentation placente: 5 C Diputincitorel Check Sandro Sife; Directore Si Synthetic SI) Pleateria pre lation polication () Vascume Resisted vertila
30 Prettern schare of creation 30 Charles Receipt: 60 (Other Receipt: 61 Press of Control 70 (Other Receipt: 61 America (Rec 230) 62 (Other Receipt: 63 (Association of Control 64 (Other Receipt: 65 Association of Control 66 Association of Control 67 (Other Receipt: 67 (Other Receipt: 68 (Other Receipt: 69 (Other Receipt: 69 (Other Receipt: 60 (Other Receipt: 60 (Other Receipt: 61 (Other Receipt: 61 (Other Receipt: 62 (Other Receipt: 63 (Other Receipt: 64 (Other Receipt: 65 (Other Receipt: 66 (Other Receipt: 66 (Other Receipt: 67 (Other Receipt: 67 (Other Receipt: 68 (Other Receipt: 68 (Other Receipt: 69 (Other Receipt: 69 (Other Receipt: 60 (Other Receipt: 61 (Other Receipt: 62 (Other Receipt: 63 (Other Receipt: 64 (Other Receipt: 64 (Other Receipt: 65 (Other Recei	a during provincy 10 (Orech in an apply) 1 10 (Orech in an apply) 1 10 (Orech in an apply) 1 2 (I) Meconium, mode 2 (I) Meconium, mode 3 (I) Meconium, mode 4 (I) Secures during for 5 (I) Secures during for 5 (I) Secures during for 5 (I) Secures (I) Secure 5 (I) Secures (I) 5 (I) Secures (II) 5 (I) Secures (II) 5 (II) Secure (III) 5 (III) Secure (III) 5 (III) Secure (III) 5 (III) Secure (III)	Average number of drinks per Americantesis 2 Decision and all third apply and All the	replace of membering 3 replace of memberine = 12 Protonger 14 DNONE 15 Disposit C-section and disposit C-section and disposit C-section 15 DONE 11 comphetes 5 DONE 11	Industrian of later	Augmentation placents: 5 C to Disprinciposal I Check Sandro Sife; Tempes: 6 cynobine: 5 D / cynobine: 5 D /) Pleateria pre lation gylicatia () Vascuori Nasionel verific
30 Pretters above all creations of creatio	a during provincy 10 (Orech or not apply) 1 100 C	Average number of drieks per Amnicoenterie 2 Decino sector) sect all their apply) sect all their apply) soon 8 D Precipitous labor (+3 preportion 13 D Cord prolapses 3 D Princey C section 4 D sector 2 D MASS pt (+7,2 septy) 3 D Hydrocephatus 4 D Micro halory anomelies	replace of mendature (=12) Protocol of mendature (=12) Protocol of Protocol A	Industrian of later	Augmentation placente: 5 C Optimicitare il Optimicitare il Optimicitare il Optimicitare il Optimicitare il Optimicitare il	Preceive pre- letter pplicable [] Vascure Assisted vertile Bernito filerools
30 Pretters share of continue of continue of continue of the continue of con	a during provincy 10 (Otech interactory) 10 (Otech interactory) 10 (Otech interactory) 11 (Otech interactory) 12 (I) Meconium, mode 13 (I) Meconium, mode 14 (I) Meconium, mode 15 (I) Meconium, mode 16 (I) Meconium, mode 16 (I) Meconium, mode 17 (I) Meconium 18 (I) Meconium 19 (I) M	Average number of drinks per Amologenterie 2 Decino secty) sect all that apply) sole / New York Precipious labor (+3 graperties 13 Condiposages 3 Precipious 2 Decino 4 Decino 2 Deci	replice of mentioning 3 replice of mentioning in 12 Protonger 14 DMDME 15 Disappear C-section are discuss/PDD 4 10 DMDME 11 coophists 5D Other on	Industrian of later	Augmentation placente: 5 C placente: 5 C to Displacente in Fig. to Prompts: 6 cymbrane: 5 C / cymbrane: 5	Preceive pre- lation pylicable Unaccure Assisted verifia Bently steroots
30 Prettern schare of creation 30 Char Ready 30 Charles Albehol in 30 30 Charles Charles 30 Charles Charles 30 Charles Charles 31 Charles Charles 32 Albehol Charles 32 Albehol Charles 32 Albehol Charles 33 Charles Charles 34 Charles 35 Charles Charles 36 Charles 37 Charles 38 Charles 39 Charles 30 Charles 30 Charles 30 Charles 31 Charles 32 Charles 33 Charles 34 Charles 35 Charles 36 Charles 36 Charles 37 Charles 38 Charles 39 Charles 30 Charles 31 Charles 31 Charles 32 Charles 34 Charles 35 Charles 36 Charles 36 Charles 37 Charles 38 Charles 38 Charles 39 Charles 30	a during provincy 10 (Orech of that apply) 1 11 (Orech of that apply) 1 12 (Orech of that apply) 1 13 (Orech of that apply) 1 14 (Orech of that apply) 1 15 (Orech of that apply) 1 16 (Orech of that apply) 1 16 (Orech of that apply) 1 17 (Other circulatory) 1 18 (Other circulatory) 1 18 (Other circulatory) 1 19 (Other circulatory) 1 19 (Other circulatory) 1 19 (Other circulatory) 1 19 (Other circulatory) 1 10 (Other circulatory) 1 10 (Other circulatory) 1 11 (Other circulatory) 1 12 (Other circulatory) 1 13 (Other circulatory) 1 14 (Other circulatory) 1 15 (Other circulatory) 1 16 (Other circulatory) 1 17 (Other circulatory) 1 18 (Other circulatory) 1 19 (Other circulatory) 1 19 (Other circulatory) 1 19 (Other circulatory) 1	Average number of drinks per Amologomerie 2 Decision and all met apoly and Amologomerie 2 Decision and Amologomerie 3 Decision (+3 proportion 13 Decisions later (+3 proportion 13 Decisions 4 all managed before 2 Department 3 Decisions 3 Decision (+3 and managed before 2 Decisions 4 Decisions 3 Decisions 4 Decisions 5 Decisions (-6 Compressions (-6 Compressi	replace of mentioning 3 replace of mentioning 1-12 Protocoper 14 DNONE 15 Dispession C-section and dispession PES 4 10 DNONE 11 completes 5D Other company 11 Dispession positrohization	Industrian of later	Augmentation placente: 5 C Optimicitare il Optimicitare il Optimicitare il Optimicitare il Optimicitare il Optimicitare il	Preceive pre- lation pylicable Unaccure Assisted verifia Bently steroots
10 Present school of counts 20 Charles Held Albertol on 300 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 12 Albertol of Delunch 12 Charles Held Albertol 130 Charles Held Albertol 14 Charles Held Albertol 15 Head Albertol 16 Head Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles Held Albertol 10 Charles Held Albertol 11 Charles Held Albertol 12 Charles Held Albertol 13 Charles Held Albertol 14 Charles Held Albertol 15 Charles Held Albertol 16 Charles Held Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles He	a during provincy 10 (Orech of half apply) 1 11 (Orech of half apply) 1 12 (Orech of half apply) 1 13 (Orech of half apply) 1 14 (Orech of half apply) 1 15 (Orech of half apply) 1 16 (Orech of half apply) 1 17 (Orech of half apply) 1 18 (Orech of half apply) 1 19 (Orech o	Average number of drinks per Average number of drinks per and all that apply sect all that apply sect all that apply and All that apply too 8 Precipious labor (+3 preparation 13 Coord protopes 3 Princey C section 4 set final apply that 2 Hystine membra 1 Septis 9 UMSG pH < 7.2 septy) 3 Hydrocephalus 4 Micro selloy anomalies Onghalocair / Gestractiols Other properties anomalies	replace of mendature -12 Install B Professor I4 INDAE I5 IS Repeat C-section III MOME I1 Desprise S Other company III Other general/Index III Install Index general/Index Index III Install Index general/Index Index In	Industrian of later	Augmentation placente: 5 C placente: 5 C to Displacente in Fig. to Prompts: 6 cymbrane: 5 C / cymbrane: 5	Preceive pre- lettor pplicable Vascure Vascure Develop sterools Dirolydestyle
10 Present school of counts 20 Charles Held Albertol on 300 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 12 Albertol of Delunch 12 Charles Held Albertol 130 Charles Held Albertol 14 Charles Held Albertol 15 Head Albertol 16 Head Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles Held Albertol 10 Charles Held Albertol 11 Charles Held Albertol 12 Charles Held Albertol 13 Charles Held Albertol 14 Charles Held Albertol 15 Charles Held Albertol 16 Charles Held Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles He	a during provincy 10 (Orech of half apply) 1 11 (Orech of half apply) 1 12 (Orech of half apply) 1 13 (Orech of half apply) 1 14 (Orech of half apply) 1 15 (Orech of half apply) 1 16 (Orech of half apply) 1 17 (Orech of half apply) 1 18 (Orech of half apply) 1 19 (Orech o	Average number of drinks per Amologomerie 2 Decision and all met apoly and Amologomerie 2 Decision and Amologomerie 3 Decision (+3 proportion 13 Decisions later (+3 proportion 13 Decisions 4 all managed before 2 Department 3 Decisions 3 Decision (+3 and managed before 2 Decisions 4 Decisions 3 Decisions 4 Decisions 5 Decisions (-6 Compressions (-6 Compressi	replace of mendature -12 Install B Professor I4 INDAE I5 IS Repeat C-section III MOME I1 Desprise S Other company III Other general/Index III Install Index general/Index Index III Install Index general/Index Index In	Industrian of later	A D Augmentation placente: 5 C to D Dystancional i Check 5 andro 6 flag 5 D Ferrego 6 syndrone: 5 D / syndrone: 5 D /	Preceive pre- select princable Vacuum princable Vacuum Descript Descript Descrip
10 Present school of counts 20 Charles Held Albertol on 300 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 12 Albertol of Delunch 12 Charles Held Albertol 130 Charles Held Albertol 14 Charles Held Albertol 15 Head Albertol 16 Head Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles Held Albertol 10 Charles Held Albertol 11 Charles Held Albertol 12 Charles Held Albertol 13 Charles Held Albertol 14 Charles Held Albertol 15 Charles Held Albertol 16 Charles Held Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles He	a during provincy 10 (Orech of half apply) 1 11 (Orech of half apply) 1 12 (Orech of half apply) 1 13 (Orech of half apply) 1 14 (Orech of half apply) 1 15 (Orech of half apply) 1 16 (Orech of half apply) 1 17 (Orech of half apply) 1 18 (Orech of half apply) 1 19 (Orech o	Average number of drinks per Average number of drinks per and all that apply sect all that apply sect all that apply and All that apply too 8 Precipious labor (+3 preparation 13 Coord protopes 3 Princey C section 4 set final apply that 2 Hystine membra 1 Septis 9 UMSG pH < 7.2 septy) 3 Hydrocephalus 4 Micro selloy anomalies Onghalocair / Gestractiols Other properties anomalies	replace of mendature -12 Install B Professor I4 INDAE I5 IS Repeat C-section III MOME I1 Desprise S Other company III Other general/Index III Install Index general/Index Index III Install Index general/Index Index In	Industrian of later	Augmentation placente	Pecceria pre- sition Pecceria pre- sition Pecceria Pe
10 Present school of counts 20 Charles Held Albertol on 300 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 12 Albertol of Delunch 12 Charles Held Albertol 130 Charles Held Albertol 14 Charles Held Albertol 15 Head Albertol 16 Head Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles Held Albertol 10 Charles Held Albertol 11 Charles Held Albertol 12 Charles Held Albertol 13 Charles Held Albertol 14 Charles Held Albertol 15 Charles Held Albertol 16 Charles Held Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles He	a during provincy 10 (Orech of half apply) 1 11 (Orech of half apply) 1 12 (Orech of half apply) 1 13 (Orech of half apply) 1 14 (Orech of half apply) 1 15 (Orech of half apply) 1 16 (Orech of half apply) 1 17 (Orech of half apply) 1 18 (Orech of half apply) 1 19 (Orech o	Average number of drinks per Average number of drinks per and all that apply sect all that apply sect all that apply and All that apply too 8 Precipious labor (+3 preparation 13 Coord protopes 3 Princey C section 4 set final apply that 2 Hystine membra 1 Septis 9 UMSG pH < 7.2 septy) 3 Hydrocephalus 4 Micro selloy anomalies Onghalocair / Gestractiols Other properties anomalies	replace of mendature -12 Install	Industrian of later	Augmentation placente	Pecceria pre- sition Pecceria pre- sition Pecceria Pe
10 Present school of counts 20 Charles Held Albertol on 300 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 11 Charles Held Albertol 12 Albertol of Delunch 12 Charles Held Albertol 130 Charles Held Albertol 14 Charles Held Albertol 15 Head Albertol 16 Head Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles Held Albertol 10 Charles Held Albertol 11 Charles Held Albertol 12 Charles Held Albertol 13 Charles Held Albertol 14 Charles Held Albertol 15 Charles Held Albertol 16 Charles Held Albertol 17 Charles Held Albertol 18 Charles Held Albertol 19 Charles He	a during provincy 10 (Orech of half apply) 1 11 (Orech of half apply) 1 12 (Orech of half apply) 1 13 (Orech of half apply) 1 14 (Orech of half apply) 1 15 (Orech of half apply) 1 16 (Orech of half apply) 1 17 (Orech of half apply) 1 18 (Orech of half apply) 1 19 (Orech o	Average number of drinks per Average number of drinks per and all that apply sect all that apply sect all that apply and All that apply too 8 Precipious labor (+3 preparation 13 Coord protopes 3 Princey C section 4 set final apply that 2 Hystine membra 1 Septis 9 UMSG pH < 7.2 septy) 3 Hydrocephalus 4 Micro selloy anomalies Onghalocair / Gestractiols Other properties anomalies	replace of mendature -12 Install	Industrian of later	Augmentation placente: 5 C Diprimotorel	Describe pre- lation policable Discribe Discribe Secrets Secrets Secrets Secrets

STATE COPY VS-111 REV, 8/39

	1. Name First	Middle		Las	Dete	Jenny /	>
WALE.	As. Place of Delivery - County	45. City or Town IF outs	side only limits, give precinct no.	5. Time of Deliver	frank	gn. Ton.	See a France Confess
			name misses la	Name of Hospitel or Birth	ing Carder (Paler Institution)	V	
- 3	2s. Please of Delivery		afram Diodes In	name of respondence		7	' / /
- 7	8 Name First	Middle	Malden Surreme		D. Date of Birth	10,816y1	Sanda Farington
					1		~ /
men.	11s. Pasidence - State	St. County	11io. City or Town		11d. Sinsel Addres	or Humilton	_ /
-	THE SERVICE SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRES		usidence, Enter Elp Code Only/	A198.6	Comani — Signature & Raia	enerie .	\sim
	The Image City 12 Horner's Made					^	
	14 Hame Fire!	Midde	Led	-	Date of Birth	19 SHIPE	cs Sale or Fersion Cou
-				1		//	
1	17s. Attendant's Home and Mailing A	drives		g. Corifler - To the feeting own and false death was a	my translative in joint wa to the ourse(s) at the par-	- OF WHEN PARTY	ne, date, and place as
AMEN			183		/ ,	//	
FREA			/		_		
				_	Signature and To	1	Date Signed
- 3	176 DWD DOD DOWN DW	DES. PLACE OF DISPOSE		6.D Mandall D Facili		ADDRESS OF F	
1	18, METHOD OF DISPOSITION	CREMITORY OF CHARREN	CI /	Sedion		a resultance of	
- 1	□ BURNE	ST. LOCATION (CITY, S	TATE / CIVIL	100			
TOW	CHEMATION						
	REMOVAL FROM STATE	RE SIGNATURE OF FU	MEINAL DEPECTION ON ESTRE	ON Unknown	Was = 1		
- 1	DONATION	ACTING AS SUCH	\wedge		entoe		
1	Onder (seecles)						
1	28. Fatal or maternal condition PART 1 directly causing latel death	INVEDICE CAL	E Enter only one cause our fr	ne for (et. Elic. 4)	/		Specify fetal or mat
	(Do not enter leves such a	14.4	TO ON AS A VELY COMBE	QUENTE OF:	/		Specify fetal or reas
of	stilbirth, prematurity, to pardisp arrest.)		111	1			
1791	Ferei englis maternal conditions, if any, gaing rise to the immediate caus	OUE OUE	TO, OR ASA LINELY SOME	NENCE OF:			Specify tetal or mat
	(a) stating the underlying cause last.	/	- 11	\ /	(Person 2002)	201 20110	
-1	PART II Other significant conditions to fetal death but not results	of latus a residue contribut	26. Nun ded 2	salore labor, basing labor racks, (Specify)	27s. Was an ext	avait.	Were autopsy findings die prior is completion
- 1		1	_ ~	1	D res		D Yes D
0	26s. Recistor's File Number	25b. Data Received by	(Dai Page)	Stic Signature of Local Fe		-	- 1.307
nun	Committee and the state of the			. /			
MEA (Specify	The Pile Falls	e 305 Femer		SSd. Father	
** (300 team /	Greenty C	, T	V 100000000		CASSES,	
ì	MEGNACYH	srow /	31. 50 of Frenchal Core (phoca all that ago		der Named 38, Wee	pi of Ferre	
- 1	LINE BIRTHS	POMPOSE	☐ Hospital Circle ☐ Patel	Ac Health Clinic [1]	rea 🗆 No	0. er	LM.
- 1	33s. Now Living 33b. Now Dead	234.	☐ Private Physician ☐	Midwife 37. Del	e Last Normal Menses Begi	38. Cirvinal	Estimate of Gestation ()
- 1	Number	Men _	C None Ci Union		has Transferred Prior to Det	UNIV TIME	C Yes (Specify Facility)
ال	Chione D Nove	D. /	C3 Other (specific):	7.00			
	SSc. Date of Law Live Bath	20s. Daffic and Other Proportion Ends	46. Prenatel Care Sepan	41. Humber of	45a. HIV Test Dove	2b. HV Tesi Done	43. Swologic Tea
1			During fat Brd. Brd. etc. month. Specify:	Prenatel Visits	Frenetaly No	e:Delivery □ Yes □ 5	e Dist
1		\ \/					
1		V		921 c36/160 <161 2			ung disease 4 🗆 Die
1	44. MEDICA FISH PACTORS CO		ck at that apply 1 (Differents (I)		Cardac disease 3 (Acute or electric to	
1	11 C Previous Ing. 4000 pages	4 DHemoglobinop		decreis # Hypertens	Cardac disease 3 (ico, pregnancy-essocialed	Acurs or electric to P (1) Ectempsis	10 Incompetent o
	5 December Confrontement	# OHemoglobinop 12 Oheelous pretern	ck.elt.thac.ecpty(1 ()/Aromia.(ii pathy 7() Hyperterelos, ii	droms # Hypertens	□ Cardia: disease 3 [los, pregnancy-éssocialed labor 14 □ Renal dise	Acute or electric to P (1) Ectempsis	10 Incompetent o
	5 December / Complement	# OHemoglobinop 12 Oheelous pretern	ck all that acpty) 1 ((November): pathy 7(1) Hypertension, of coramed - tor - positional age	desmis \$ Hyperland Index: 13 Present Stated during pregnancy	□ Cardia: disease 3 [los, pregnancy-éssocialed labor 14 □ Renal dise	Acute or electric to P (1) Ectempsis	10 Incompetent o
	2 Januarotta / Carbythamed 11 Previous Infert 4000- grants 16 Previous Aplices of membrane 16 Infert Infert Actions of the	12 (Principle Principle Pr	ch at that apply 1 (December) pathy 7() Representation of or areal for postational age (0) 18 () Zistonudine admini 21 () Union mass of factor)	thomic 8 Hyperland Index: 13 Present Interest during pregnancy KOWN	Cerder disease 3 (ice, pregnancy essociated labor 14 () Renal dise 19 () MOME	Australia di discrisio i D Di Britanica i La Di	16 [] Incompetent o
	2 Januarotes / Carbon years 11 Previous Infect 4000- years 16 Previous Aplans of membras 16 Inpecting 16 Other Res FACTORS FOR	12 Chreston patient 12 Chreston patient 14 (-37 dec) 17 (-38) 19 PREGNANCY (Comp	ch at that apply 1 (December) pathy 7 () Representation of a or arted - for - perial foreit age (0) 18 () Zistonucine admini 21 () UNION mate all flamin) Tee () No. Alcohol use during	thome # Hyperland Index: 12 Present Indexed during pregnancy KOWH	Cerder disease 3 (ice, pregnancy essociated labor 14 () Renal dise 19 () MOME	Acute or electric to P (1) Ectempsis	16 [] Incompetent o
	2 Januarolas / Carbythanna 11 Previous Infection (1997) 4000- grants 12 Previous Infection (1997) 440. Others Infection (1	a Hamoglobing 12 Previous potent 14 (-37 -4.) 17 30 17 Pregnancy 0.1 permiss per day	ch at that apply 1 (December) pathy 7() Representation of or areal for postational age (0) 18 () Zistonudine admini 21 () Union mass of factor)	thome # Hyperland Index: 12 Present Indexed during pregnancy KOWH	Cerder disease 3 (ice, pregnancy essociated labor 14 () Renal dise 19 () MOME	Australia di discrisio i D Di Britanica i La Di	16 [] Incompetent o
	2 Jahrandon I Carbythaman 11 Previous Infect 4000- grans 16 Previous Infect 4000- grans 16 Previous Aplus of markets 440. Other Reg FACTORS FOR Yes De Toberon visual Additional for of the	Hamoglothop 10 Hamoglothop	ck at that apply 1 [December) pathy 7 [] Hypertension, or arrest for periodic are ago 18 [] Zidorudine admini 21 [] UNION mate at flamic) According munifors in	thomis \$ Hypertend intent: 13 Present interest during pregnancy scowni g pregnency of plains par week.	□ Carder disease 3 (ios, pegnancy ésocialed labor 14 □ Renal dise 19 □ MONE) Austra er affektik h B	16 [] Incompetent o
	2 Jahrandsa / Carbythanna 11 Previous Infel 4000- grans 16 Other Reg FACTORS FOR 17 Vest Dr. Toberto visu 18 Annicontests 2 Each 19 Annicontests 2 Each 19 Each Each 10 Annicontests 2 Each 10 Each 11 Each 12 Each 13 Each 14 Each 15 Each 16 Each 17 Each 18 Each 19 Each 19 Each 10 Each 10 Each 11 Each 11 Each 12 Each 13 Each 14 Each 15 Each 16 Each 17 Each 18 Each 19 Each 19 Each 10 Each 10 Each 10 Each 11 Each 12 Each 13 Each 14 Each 15 Each 16 Each 17 Each 18 Each 19 Each 19 Each 19 Each 10 Each 11 Each 12 Each 13 Each 14 Each 15 Each 16 Each 16 Each 17 Each 18	Hamoglothop 10 Hamoglothop	ch at that apply 1 (December) pathy 7 () Representation of a or arted - for - perial foreit age (0) 18 () Zistonucine admini 21 () UNION mate all flamin) Tee () No. Alcohol use during	thomis \$ Hypertend intent: 13 Present interest during pregnancy scowni g pregnency of plains par week.	□ Carder disease 3 (ios, pegnancy ésocialed labor 14 □ Renal dise 19 □ MONE) Austra er affektik h B	16 Incompetent of group teatmentstation
	2 Jahrander I Ophrydraenia 11 Previous Infel 4000- grans 16 Previous Infel 4000- grans 17 Annicomistic 2 Elect 18 Other Grans 18 Other Grans 19 Other Grans 10 Other Grans 11 Other Grans 11 Other Grans 12 Elect 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 18 Other Grans 1	a Hamoglobing to Previous postern s (+37 - 4.) 17 50 The President CV (Comp reg pregnancy 17 previous per day Death of the regets) restricted reporturing 2	ch at that ecpty 1 (Diversite property 70) Representation, of a randil - for - periodicretic age (0) 18 (Dizionaline admini 21 (Diversite admini 21 (Diversite admini) 166 (Diversity America administration) 166 (Diversity America administration) 167 (Di	thomis \$ Hypertend intent: 13 Present interest during pregnancy screen yourse g pregnancy of plains par week.	□ Carder disease 3 (ios, pegnancy ésocialed labor 14 □ Renal dise 19 □ MONE) Austra er affektik h B	16 Incompetent of group teatmentization
	5 Describe / Ophythered 11 Previous High 4000- grans 16 Previous High 4000- grans 16 Previous Ophythe of membrane 16 Previous Ophythe of membrane 16 Other Profession of the 16 Other Specific 16 Other Specific 16 Other Specific 16 Other Specific 17 Other Specific 18 Other Specific 19 Other Specific 19 Other Specific 10 Other Specific 10 Other Specific 11 Other Specific 11 Other Specific 12 Other Specific 13 Other Specific 14 Other Specific 15 Other Specific 16 Other Specific 16 Other Specific 16 Other Specific 17 Other Specific 18 Other Sp	a Differencylothing 12 Directions protect 14 (207 Au.) 17 (200 17 (200 A	ch all find acpty 1 Discussion policy 7 1 Reportered no. 0 10 or small - for - period forwings 10 18 2 2 2 2 2 2 10 10 2 2 2 2 10 2 2 2 2 10 2 3 3 3 10 3 4 3 11 3 4 3 12 3 4 3 13 4 4 3 14 5 5 5 15 5 5 5 16 6 6 6 17 7 7 18 7 7 18 7 7 18 7 7 19 7 7 10 7 10 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 10 7 7 10 7 7 10 7 7 10 7 7 10 7 7	theories \$ Hypertand Newton 12 Present 12 Present Market during pregnancy VOWN g pregnancy Volatila par week.	Carder disease 3 (ox, pregnancy described labor 14 () Renal dise 19 () MOME 5 () Tacolysis 4 () () Abrept	Auto or clinicitis D Domenta D Domenta D Discond To placenta S placenta S	16 Incompetent of group techniculation buring programmy Hotels Placente presis
	5 Johannia / Ophydraenia 11 Previous Inject 4000- grans 16 Previous Inject 4000- grans 16 Previous Ophys of membras 16 Injectify) 140. Others PROSE ACTIONS FOR ACTION OF TOWNS OF ACTION 1 Annicontains 2 Eact 1 Other Specify)	# Hemoglothop 12 Previous pattern 1 (+37 fax) 17 30 The PREGRAMICY (Company programs) 17 persons per day Concl. of Perl apply) rests fetal excessions 2 MECCR DELIVERY (Conc.) 2 Meccyline, models 7 Seloures during lebt	ch all final acpty 1 Discussion policy 7 Disputements, if or small - for - periodicinal age 18 2 Zistonucine admini 21 Undowness all florm) Tee Ho Alcohol use during Ananoga municine Discludion of latter 4 ch all final acpty) toe (florary 3 Premish or 8 Precipious latter	thomas 8 Hypertand intent: 12 Present intent: 12 Present intent during pregnancy VOWN g pregnancy vi claims pas week. I Augmentation of labor vice replace of matricians (< 2 hours) 8 Profe	Carder disease 3 (ox, pregnancy described labor 14 () Renal dise 19 () MOME 5 () Tacolysis 4 () () Abrept	Auto or clinicitis D Domenta D Domenta D Discond To placenta S placenta S	16 Incompetent of group techniculation buring programmy Hotels Placente presis
	5 Describe / Ophythered 11 Previous High 4000- grans 16 Previous High 4000- grans 16 Previous Ophythe of membrane 16 Previous Ophythe of membrane 16 Other Profession of the 16 Other Specific 16 Other Specific 16 Other Specific 16 Other Specific 17 Other Specific 18 Other Specific 19 Other Specific 19 Other Specific 10 Other Specific 10 Other Specific 11 Other Specific 11 Other Specific 12 Other Specific 13 Other Specific 14 Other Specific 15 Other Specific 16 Other Specific 16 Other Specific 16 Other Specific 17 Other Specific 18 Other Sp	# Hemoglothop 12 Previous pattern 1 (+37 fax) 17 30 The PREGRAMICY (Company programs) 17 persons per day Concl. of Perl apply) rests fetal excessions 2 MECCR DELIVERY (Conc.) 2 Meccyline, models 7 Seloures during lebt	ch all final acpty 1 Discussion policy 7 Disputements, if or small - for - periodicinal age 18 2 Zistonucine admini 21 Undowness all florm) Tee Ho Alcohol use during Ananoga municine Discludion of latter 4 ch all final acpty) toe (florary 3 Premish or 8 Precipious latter	thomas 8 Hypertand intent: 12 Present intent: 12 Present intent during pregnancy VOWN g pregnancy vi claims pas week. I Augmentation of labor vice replace of matricians (< 2 hours) 8 Profe	Carder disease 3 [co. pregnancy disconled labor 14 C Renal dise 18 C MONE 5 C Tecolysis 6 C I equipment labor 1-20 hours 15 C Other (specific)	Andre or clinicities B Dollemente ence 18 Bloom bs. Margint galmod i Resound 7 planewise 5 to planewise 5 to Dyshunctions	16 Incompetent of group technication of group technication of group technication of group technication of groups of groups of groups of technication of groups of
	5 Johannica / Carbythamid 11 Previous Hole 4000- grans 16 Others Procedure of the Analysis of the Anal	a Hemoglothop 12 Previous pattern 1 (-37 fax) 17 30 The PREGNANCY (Comp ing pregnancy 17 persons per day 2 onch all Peri apply) 2 onch all Peri apply) 2 Macordon, models 2 Macordon, models 2 Cephalopotic days to one of 1 · 4	ch all final acpty 1 Dissentia pi pathy 7 Informational age or small - for - perilational age 0 18 2ktonucline admini 21 Undown male all flams) Tee No Alcohol use during Ananoga mumition in D'Induction of labor 4 ch all final acpty) do (heavy 3 Premisive 8 Precipious labor opontion 19 Confirmition	theories 8 Hypertand Newton 12 Present 12 Present Newton Ne	Carder disease 3 [co. pregnancy disconled labor 14 C Renal dise 18 C MONE 5 C Tecolysis 6 C I equipment labor 1-20 hours 15 C Other (specific)	Audie or clinicities	16 Incompetent of group techniculation of group techniculation of group techniculation of group techniculation of group technical function of group technical function of group technical function of group technical func
	5 Johannia / Carbythamini 11 Previous Injent 4000- grant 16 Previous Injent 4000- grant 16 Previous Injent 4000- grant 16 Previous Injent 50 440. Others PROSENTIAL Or of the Autograntial of the Autograntial 2 Each 1 Annicomissis 2 Each 1 Annicomissis 2 Each 1 Fabric -100 f. or 30* C. 2 Other specially 1440-040 1 Direct / Neignesterision 440. METHOD OF DELIVETY Chec 1 Vaghal 2 Vaghalism 1	a Hamoglothop 12 Previous pattern 1 (-37 fax) 17 30 The PREGNANCY (Comping page and part day Deck at Part apply) Profe fatal representing 2 MEDICA DELIVICAY (Comping labor 2 Sebures during labor 2 Caphatopricis dispri- toms of 7 - 4 Inter previous C section	ch all final acpty 1 Discussion pathy 7 Importantion is or arreal - for - periodicinal age 18 2ktorustine admini 21 Undox mate all filams) the Ho Alcohol use during Anacogo municinal D'anduction of labor 4 ch all final acpty) toe (heavy 3 Premish or 8 Predictional labor opportion 10 Configurations 3 Primary C-section	theories 8 Hypertand Newton 12 Present 12 Present Newton Ne	Carder disease 3 [co. pregnancy disconled labor 14 C Renal dise 18 C MONE 5 C Tecolysis 6 C I equipment labor 1-20 hours 15 C Other (specific)	Andre or clinicities B Dollemente ence 18 Bloom bs. Margint galmod i Resound 7 planewise 5 to planewise 5 to Dyshunctions	16 Incompetent of group techniculation of group techniculation of group techniculation of group techniculation of group technical function of group technical function of group technical function of group technical func
	5 Johanniba / Clarinythamid 11 Previous Intel 4000- grans 16 Previous Intel 4000- grans 16 Previous Options of membran 18 Previous Options of membran 19 Anniboration of the Anniboration of the Anniborations 2 Each 1 Anniborations 2 Each 5 Other (postibly) 440. COMPLICATIONS OF LABOR 1 Dispose -100° F, or 38° G,	a Hamoglotino 12 Previous pattern 1 (-37	ch all final acpty 1 December pathy 7 1 Repertmenter, of a or arteal - for - persistional age 18 2 2 2 2 21 1 2 22 1 2 24 1 2 24 1 2 24 1 2 24 24 24 25 26 26 27 28 29 20 20 3 4 5 6 7 8 9 9	thomas 8 Hypertand intent: 12 Present intent: 12 Present intent during pregnancy (OWH g pregnancy of claims per week Augmentation of labor one replace of maintanine; (<2 hours) 8 Proto is 14 DMOSE ii Prepest C-auction	Carder disease 3 [ion, pregnancy described labor 14 Renal disease 18 MOME S Tacolysis 4 Abreel ion Tacolysis 4 Abreel ion Tacolysis io	Auto ar choice to D Companie to D Brazone to D Standard T to Discount S to D Option to S to	16 Incompetent of group techniculation of group techniculation of group techniculation of group techniculation of group technical function of group technical function of group technical function of group technical func
0	S	Hemoglothop 12 Previous pattern (+37 ks.) 17 30 The PREGNANCY (Comping pagement 17 Previous per day Onch all Per apply) moter fetal economics 2 Macorian, models 2 Macorian, models 7 Sebures during lab 12 Cephalopetic days moter of 1 · 4 after previous C section FETUS (Orack effect any billot / Maningcosts 3	ch all final acpty 1 Discussion polity 7 Hypertension, of or small - for - persistensin age 18 2ktonucine admini 21 Undowness all flums) 19 Ho Alcohol use during Ananoga mumica is D'Induction of labor 4 ch all final acpty) 10 Configuration 10 Configuration 2 Primary C-section 10 Hydrosephalus 4 M	thomas 8 Hypertand intent: 12 Present intent: 12 Present intent during pregnancy (OWH g pregnancy of claims per week Augmentation of labor one replace of maintanine; (<2 hours) 8 Proto is 14 DMOSE ii Prepest C-auction	Carder disease 3 [ion, pregnancy described labor 14 Renal disease 18 MOME S Tacolysis 4 Abreel ion Tacolysis 4 Abreel ion Tacolysis io	Auto ar choice to D D Domeste Son Discount To Discount To Discount To Discount Son	16 Incompetent of group technication of group technication of group technication of techni
1897	5 Johanniba / Ophydraenia 11 Previous Hole 4000- grans 16 Other Report Actions Form 17 Annaborations 2 Each 18 Other Grans 19 Other Grans 10 Other Grans 11 Diseated Hole Grans 11 Diseated Hole Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 10 Other Grans 11 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 10 Other Grans 10 Other Grans 11 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 16 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 11 Other Grans 11 Other Grans 12 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 16 Other Grans 17 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 11 Other Grans 12 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 10	# Hemogloting 12 Previous pattern 1 (-37 As.) 17 30 The PREGNANCY (Company pregnancy 17 previous per day The Relation of the spring) rate fetal montaining 2 AMDICA DELINORY (Check 2 Maccolory models 7 Selected during lab- 12 Coghestopetic dispri- 14 arter previous C section FETUS (Check et fill at any billion / Maningcode 3 Come at subunitary / Haplin Come at subunitary / Haplin Come at subunitary / Haplin	ch all final apply 1 [Dissentia pi pathy 7 [] Hypertension, if is or artist - for - perial foreit age is 12 [] Zistonudine admini 21 [] Undow mate all flamin) The [] Ho Alcohol use during Ananaga mumber is is [] Induction of labor: A [] ch all final apply) is (heavy 3 [] Premaily or 8 [] Precipious labor (apportion 10 [] Confidentials 3 [] Primary C-section (ph) [] Hydrocephalus 4 [] M docy anomalies	theories 8 Hypertand Index: 12 Present Index: 12 Present Index: 12 Present Index: 12 Present Index: 13 Present Index: 14 Present Index: 14 Present Index: 15 Present	Candar disease 3 [ion, pregnancy described labor 14 Renal dise 19 MOME 5 Tacolysis 4 Abraph spell sabor (-20 hours) 15 Other (specify):	Auto ar choice to D Companie to D Brazone to D Standard T to Discount S to D Option to S to	16 Incompetent of group technicallocal group technical formula formula formula formula formula fuebor Placenta preside I labor O Vacciniti
EV. 187	S	a Hemoglotino 12 Previous pattern 1 (-27 ks.) 17 30 The PREGNANCY (Comping pagement per day Dock of Per apply) Protect fetal experience, modesa 2 Meconium, modesa 7 Sebures during lab 12 Cephalopetric dispri- 14 after previous C section FETUS (Check effect app billos / Meningcools 3 3 Other services by 10 15 Check effect app billos / Meningcools 3 3 Other services by 10 15 Other services by 10 16 Other services by 10 17 Other services by 10 18 Other services by 10 19 Other services by 10 19 Other services by 10 10 Other services by 10 11 Other services by 10 12 Other services by 10 13 Other services by 10 14 Other services by 10 15 Other services by 10 16 Other services by 10 17 Other services by 10 18 Other services by 10 18 Other services by 10 19 Other services by 10 10 Other services by 1	ch all final acpty 1 December pathy 7 Importantion, of or small - for - periodicinal age 18 2ktonuctine admini 21 Undowness admini 21 Undowness admini 21 Undowness admini American merities in Disduction of latter 4 Charles 1 Premative Premative 2 Premative Premative 3 Premative Premative 3 Premative Premative 3 Premative Premative 4 Premative 4	decree 8 Hypertend (1994) Present (1	Candac disease 3 [co. pregnancy described labor 14 Renal dise 19 MONE 5 Tecolysis 6 1 colysis 1 colysis 6 1 colysis 1 colysis 1 colysis 6 1 colysis	Audie or choicie	16 Incompetent of group technicallocal group technical formula formula formula formula formula fuebor Placenta preside I labor O Vacciniti
3 REV. 1/87	S	a Hemoglotino 12 Previous pattern 1 (-27 ks.) 17 30 The PREGNANCY (Comping pagement per day Dock of Per apply) Protect fetal experience, modesa 2 Meconium, modesa 7 Sebures during lab 12 Cephalopetric dispri- 14 after previous C section FETUS (Check effect app billos / Meningcools 3 3 Other services by 10 15 Check effect app billos / Meningcools 3 3 Other services by 10 15 Other services by 10 16 Other services by 10 17 Other services by 10 18 Other services by 10 19 Other services by 10 19 Other services by 10 10 Other services by 10 11 Other services by 10 12 Other services by 10 13 Other services by 10 14 Other services by 10 15 Other services by 10 16 Other services by 10 17 Other services by 10 18 Other services by 10 18 Other services by 10 19 Other services by 10 10 Other services by 1	ch all final acpty 1 December pathy 7 Importantion, of or small - for - periodicinal age 18 2ktonuctine admini 21 Undowness admini 21 Undowness admini 21 Undowness admini American merities in Disduction of latter 4 Charles 1 Premative Premative 2 Premative Premative 3 Premative Premative 3 Premative Premative 3 Premative Premative 4 Premative 4	decree 8 Hypertend (1994) Present (1	Candac disease 3 [co. pregnancy described labor 14 Renal dise 19 MONE 5 Tecolysis 6 1 colysis 1 colysis 6 1 colysis 1 colysis 1 colysis 6 1 colysis	Audie or choice	16 Incompetent of group techniculation of group techniculation for the property
v. 187	5 Johanniba / Ophydraenia 11 Previous Hole 4000- grans 16 Other Report Actions Form 17 Annaborations 2 Each 18 Other Grans 19 Other Grans 10 Other Grans 11 Diseated Hole Grans 11 Diseated Hole Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 10 Other Grans 11 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 10 Other Grans 10 Other Grans 11 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 16 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 11 Other Grans 11 Other Grans 12 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 16 Other Grans 17 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 11 Other Grans 12 Other Grans 12 Other Grans 13 Other Grans 14 Other Grans 15 Other Grans 16 Other Grans 17 Other Grans 17 Other Grans 18 Other Grans 18 Other Grans 19 Other Grans 19 Other Grans 10 Other Grans 10	# Hemogloting 12 Previous pattern 1 (-37 As.) 17 30 The PREGNANCY (Company pregnancy 17 previous per day The Relation of the spring) rate fetal montaining 2 AMDICA DELINORY (Check 2 Maccolory models 7 Selected during lab- 12 Coghestopetic dispri- 14 arter previous C section FETUS (Check et fill at any billion / Maningcode 3 Come at subunitary / Haplin Come at subunitary / Haplin Come at subunitary / Haplin	ch all final apply 1 [Dissentia pi pathy 7 [] Hypertension, if is or artist - for - perial foreit age is 12 [] Zistonudine admini 21 [] Undow mate all flamin) The [] Ho Alcohol use during Ananaga mumber is is [] Induction of labor: A [] ch all final apply) is (heavy 3 [] Premaily or 8 [] Precipious labor (apportion 10 [] Confidentials 3 [] Primary C-section (ph) [] Hydrocephalus 4 [] M docy anomalies	theories 8 Hypertand Index: 12 Present Index: 12 Present Index: 12 Present Index: 12 Present Index: 13 Present Index: 14 Present Index: 14 Present Index: 15 Present	Carder disease 3 [ios, pregnancy described lebor 14 Renal dise 16 MONE 6 Tacolysis 6 1 it2 hours 4 Abraph spet salor (-20 hours) 15 Other (specify): propries/nervous applies as	Audie or choicie	16 Incompetent of group technicultual human pregnancy NOVE Placente previts labor applicable Vaccume hyarty
VS-113 REV. 1/97	S	a Hemoglotino 12 President pattern 14-27 (no.) 17 30 The President of Comp 15 President of Comp 16 President of Comp 16 President of Comp 17 President of Comp 18 Mesoniare, models 17 Seloures during lab 12 Cephalopetic disp 18 Order of 1 - 4 18 Inter previous Costilion FETUS (Oracle of Seloures 19 Oracle of 1 - 4 18 Oracle of 1 - 4 19 Oracle of 1 - 4 19	ch all final apply 1 [Dissentia pi pathy 7 [] Hypertension, if all and all final [] Dissential application of the period of the	decimie 8 Hypertand Indiana 10 Present 12 Present 13 Present 13 Present 13 Present 14 Present 14 Present 15 Present 15	Candac disease 3 [co. pregnancy described labor 14 Renal dise 19 MONE 5 Tecolysis 6 1 colysis 1 colysis 6 1 colysis 1 colysis 1 colysis 6 1 colysis	Audie or choicie	16 Incompetence of proop technoculation burning (negresols) NCSVE Placente previs labor Applicable Vaccume

1. NAME OF DECEASED (a) FIF	RST (b) MIDDLE	(c) L	AST	(d) MAIDEN	2. SEX	3. DATE OF	DEATH
4. DATE OF BIRTH	5 AGE IF UNDER	1 YR FUNDER 1 DAY O	8. BIRTH PLACE (CITY	& STATE OR FO	OREIGN COUNTR	(Y) 7. SOCIAL S	ECURITY NO.
B. RACE St. WAS OF HISP	THE DECEDENT PL IF YES, S ANC OPIGIN? YES NO	SPECIFY MEXICAN, CUBAN, PLE	PITO 10. WAS DECED U.S. ARMED FO	RCES?	COMPLETE	TON (SPECIFY HIGH D, ELEM. OR SECON EGE (13-16, 17+)	
12 MARITAL STATOS MARRIES DIVORER WIDOWED DIVORE	13. SURVIVING SP	OUSE OF WIFE, GIVE MAJOEN			DECUPATION	14b. KIND OF BUSI	NESS OR INDUSTRY
	as				156. CITY	OR TOWN	
15c OUNT	15d. STATE		15e. ZIP COI	Œ		15L INSIDE CITY LI	MITS
16 FATHER'S NAME			17. MOTHER'S MAIDE	N NAME			
HOSPITAL: INPATENT 19. COUNTY OF DEATH	and the second s	18. PLACE OF DEAT OTHER: NURSING HOW NUTS OF YUMITS, GIVE PRECI	Anni na Ani Ani an ani an ani an	OTHER (The second second second second	N (If not in institution.	show street address)
22. INFORMANT — SIGNATURE &	RELATIONSHIP	\rightarrow	23. MAILING	ADDRESS OF	INFORMANT	20	-
24. METHOD OF DISPOSITION	25 PUCE OF SPOSMO CREATON OF CHERPLAN	THE COMETERY.	25b. Section		29. NAME &	ADDRESS OF FUNE	RAL HOME
☐ BURIAL ☐ CREMATION	26 LOCA ON JUSTY, PAY	11	Block				
☐ REMOVAL FROM STATE ☐ DONATION	27. SIGNATURE OF FUNE ACTING AS SUCH	PAL STREET OR OR PERSON	Unenown	SITION			
OTHER (SPECIFY)	A-45-	///	\wedge				
31. SIGNATURE & TITLE OF CERT	PIER			MO BIG	DAY	YEAR 53. TIM	E OF DEATH
34. PFINTED NAME & ADDRESS O	OF CERTIFIER		< <		^		
	EASES, INJURIES OR COMPLIC SPIRATORY ARREST, SHOCK,				DE DYNG	UCH X	Approximate Interval Betwee Onset and Deat
or condition resulting in death)		DUE TO (OR AS A LIF	KELY CONSEQUENCE	11	11	$\langle \vee \rangle$	
Sequentially list conditions, if an leading to immediate cause. En UNIDERLYING CAUSE (disease	ter B	DUE TO (OR AS A LE	KELY CONSEQUENCE	OF):	/		
or injury that initiated events	, J	DUE TO (OR AS A LIF	KELY CONSEQUENCE	OF):	\Diamond	-	
	CONDITIONS CONTRIBUTING TO T 1 (i.e., substance abuse, disbetio, s		G IN THE UNDERLYING	77.0	2000 12000	DEATH?	FINDINGS AVAILABLE PLETION OF CAUSE
37, DID TOBACCO USE CONTE	RIBUTE TO DEATH 38. (OID ALCOHOL USE CONTRI	BUTE TO DEATH	39. W	AS DECEDENT		YES NO
☐ YES ☐ PRO☐ UNK	205200	☐ YES ☐ PROB		1	AT TIME OF DE		□NO □UNK
40. MANNER OF DEATH	41a. DATE OF INJURY	415. TIME OF INJUI	RY 41c. INJURY AT	WORK 41d.			A, STREET, FACTORY, O
ACCIDENT	41e. LOCATION (STREET /	AND NUMBER, CITY OR TOX	M. VES	□ NO			
☐ HOMICIDE ☐ HOMICIDE ☐ PENDINS INVESTIGATION	41. DESCRIBE HOW INJU	RY OCCURRED			286127		
COULD NOT BE DETERMINE 42a. REGISTRAR FILE NO.	42b. DATE RECEIVED BY	LOCAL BEGISTRAD	42th SIGNATUR	E DE LOCAL S	REGISTRAN		
Thomas Profes Class (No.	THE WHILE TENDINED BY	ALL THE PROPERTY OF THE PARTY O	HELL SHORM FOR	- S. LOOKE			



Statutes

hapter 264 of the Family Code was amended in the 74th Legislature by Subchapter F, which created the state child fatality review team committee, procedures for the operation of local child fatality review teams and the reporting and investigation of child deaths under age 6.

Article 49.04 and 49.10 of the Code of Criminal Procedure was also amended regarding inquests and autopsies.

Subchapter F. Child Fatality Review and Investigation § 264.501 Subchapter F. Definitions.

In this subchapter:

- (1) "Autopsy" and "inquest" have the meanings assigned by Article 49.01, Code of Criminal Procedure.
- (2) "Bureau of vital statistics" means the bureau of vital statistics of the Texas Department of Health.
- (3) "Child" means a person younger than 18 years of age.
- (4) "Committee" means the child fatality review team committee.
- (5) "Council" means the Children's Trust Fund of Texas Council.
- (6) "Department" means the Department of Protective and Regulatory Services.
- (7) "Health care provider" means any health care practitioner or facility that provides medical evaluation or treatment, including dental and mental health evaluation or treatment.
- (8) "Meeting" means an in-person meeting or a meeting held by telephone or other electronic medium.
- (9) "Preventable death" means a death that may have been prevented by reasonable medical, social, legal, psychological, or educational intervention. The term includes the death of a child from:
 - (A) intentional or unintentional injuries;
 - (B) medical neglect;
 - (C) lack of access to medical care;
 - (D) neglect and reckless conduct, including failure to supervise and failure to seek medical care; and
 - (E) premature birth associated with any factor described by Paragraphs (A) through (D).
- (10) "Review" means a reexamination of informa-

tion regarding a deceased child from relevant agencies, professionals, and health care providers.

- (11) "Review team" means a child fatality review team established under this subchapter.
- (12) "Unexpected death" includes a death of a child that, before investigation:
 - (A) appears to have occurred without anticipation or forewarning; and
 - (B) was caused by trauma, suspicious or obscure circumstances, sudden infant death syndrome, abuse or neglect, or an unknown cause.

§ 264.502. Committee.

- (a) The child fatality review team committee is composed of:
 - (1) a person appointed by and representing the state registrar for the bureau of vital statistics;
 - (2) a person appointed by and representing the director of protective services for families and children of the department;
 - (3) a person appointed by and representing the director of the bureau of epidemiology of the Texas Department of Health;
 - (4) a person appointed by and representing the executive director of the council; and
 - (5) individuals selected under Subsection (b).
- (b) The members of the committee who serve under Subsections (a)(1) through (4) shall select the following additional committee members:
 - (1) a criminal prosecutor involved in prosecuting crimes against children;
 - (2) a sheriff;
 - (3) a justice of the peace;
 - (4) a medical examiner:
 - (5) a police chief;
 - (6) a pediatrician experienced in diagnosing and treating child abuse and neglect;
 - (7) a child educator;
 - (8) a child mental health provider;
 - (9) a public health professional;
 - (10) a child protective services specialist;
 - (11) a sudden infant death syndrome family service provider;
 - (12) a neonatologist;
 - (13) a child advocate; and
 - (14) a chief juvenile probation officer.
- (c) Members of the committee selected under

Subsection (b) serve two-year terms that expire on February 1 of each even-numbered year.

- (d) Members selected under Subsection (b) must reflect the geographical, cultural, racial, and ethnic diversity of the state.
- (e) An appointment to a vacancy on the committee shall be made in the same manner as the original appointment.
- (f) Members of the committee shall select a presiding officer from the members of the committee.
- (g) The presiding officer of the committee shall call the meetings of the committee, which shall be held at least quarterly.
- (h) A member of the committee is not entitled to compensation for serving on the committee but is entitled to reimbursement for the member's travel expenses as provided in the General Appropriations Act. Reimbursement under this subsection for a person serving on the committee under Subsection (a)(1) or (3) shall be paid from funds appropriated to the Texas Department of Health. Reimbursement for other persons serving on the committee shall be paid equally from funds appropriated to the department and funds appropriated to the council.

§ 264.503. Purpose and Duties of Committee and Specified State Agencies.

- (a) The purpose of the committee is to:
 - (1) develop an understanding of the causes and incidence of child deaths in this state;
 - (2) identify procedures within the agencies represented on the committee to reduce the number of preventable child deaths; and
 - (3) promote public awareness and make recommendations to the governor and the legislature for changes in law, policy, and practice to reduce the number of preventable child deaths.
- (b) To ensure that the committee achieves its purpose, the department, the council, and the Texas Department of Health shall perform the duties specified by this section.
- (c) The department shall:
 - (1) recognize the creation and participation of review teams;
 - (2) promote and coordinate training to assist the review teams in carrying out their duties;
 - (3) assist the committee in developing model protocols for:

- (A) the reporting and investigating of child fatalities for law enforcement agencies, child protective services, justices of the peace and medical examiners, and other professionals involved in the investigations of child deaths;
- (B) the collection of data regarding child deaths and
- (C) the operation of the review teams; and (4) develop and implement procedures necessary for the operation of the committee.
- (d) The council shall promote education of the public regarding the incidence and causes of child deaths, the public role in preventing child deaths, and specific steps the public can undertake to prevent child deaths. The committee shall enlist the support and assistance of civic, philanthropic, and public service organizations in the performance of the duties imposed under this subsection.
- (e) The Texas Department of Health shall:
 - (1) collect data under this subchapter and coordinate the collection of data under this subchapter with other data collection activities; and
 - (2) perform annual statistical studies of the incidence and causes of child fatalities using the data collected under this subchapter.
- (f) The committee shall issue annual reports on the committee's activities, including findings and recommendations relating to each purpose and duty of the committee described by this section. Not later than December 1 of each even-numbered year, the committee shall publish the report and submit a copy of the report to the governor, lieutenant governor, and speaker of the house of representatives.

§ 264.504. Meetings of Committee.

- (a) Except as provided by Subsections (b), (c), and (d), meetings of the committee are subject to the open meetings law, Chapter 551, Government Code, as if the committee were a governmental body under that chapter.
- (b) Any portion of a meeting of the committee during which the committee discusses an individual child's death is closed to the public and is not subject to the open meetings law, Chapter 551, Government Code.
- (c) Information identifying a deceased child, a member of the child's family, a guardian or caretaker of the child, or an alleged or suspected perpetrator of abuse or neglect of the child may not be disclosed during a public meeting.

- (d) Information regarding the involvement of a state or local agency with the deceased child or another person described by Subsection (c) may not be disclosed during a public meeting.
- (e) The committee may conduct an open or closed meeting by telephone conference call or other electronic medium. A meeting held under this subsection is subject to the notice requirements applicable to other meetings. The notice of the meeting must specify as the location of the meeting the location where meetings of the committee are usually held. Each part of the meeting by telephone conference call that is required to be open to the public shall be audible to the public at the location specified in the notice of the meeting as the location of the meeting and shall be tape-recorded. The tape recording shall be made available to the public.
- (f) This section does not prohibit the committee from requesting the attendance at a closed meeting of a person who is not a member of the committee and who has information regarding a deceased child.

§ 264.505. Establishment of Review Team.

- (a) A multidisciplinary and multiagency child fatality review team may be established for a county to review child deaths in that county. A review team for a county with a population of less than 50,000 may join with an adjacent county or counties to establish a combined review team.
- (b) Any person who may be a member of a review team under Subsection (c) may initiate the establishment of a review team and call the first organizational meeting of the team.
- (c) A review team may include:
 - (1) a criminal prosecutor involved in prosecuting crimes against children;
 - (2) a sheriff;
 - (3) a justice of the peace or medical examiner;
 - (4) a police chief;
 - (5) a pediatrician experienced in diagnosing and treating child abuse and neglect;
 - (6) a child educator;
 - (7) a child mental health provider;
 - (8) a public health professional;
 - (9) a child protective services specialist;
 - (10) a sudden infant death syndrome family service provider;
 - (11) a neonatologist;
 - (12) a child advocate; and

- (13) a chief juvenile probation officer.
 - (d) Members of a review team may select additional team members according to community resources and needs.
 - (e) A review team shall select a presiding officer from its members.

§ 264.506. Purpose and Duties of Review Team.

- (a) The purpose of a review team is to decrease the incidence of preventable child deaths by:
 - (1) providing assistance, direction, and coordination to investigations of child deaths;
 - (2) promoting cooperation, communication, and coordination among agencies involved in responding to child fatalities;
 - (3) developing an understanding of the causes and incidence of child deaths in the county or counties in which the review team is located;
 - (4) recommending changes to agencies, through the agency's representative member, that will reduce the number of preventable child deaths; and
 - (5) advising the committee on changes to law, policy, or practice that will assist the team and the agencies represented on the team in fulfilling their duties.
- (b) To achieve its purpose, a review team shall:
 - (1) adapt and implement, according to local needs and resources, the model protocols developed by the department and the committee;
 - (2) meet on a regular basis to review child fatality cases and recommend methods to improve coordination of services and investigations between agencies that are represented on the team:
 - (3) collect and maintain data as required by the committee; and
 - (4) submit to the bureau of vital statistics data reports on deaths reviewed as specified by the committee.
- (c) A review team shall initiate prevention measures as indicated by the review team's findings.

§ 264.507. Duties of Presiding Officer.

The presiding officer of a review team shall:

- (1) send notices to the review team members of a meeting to review a child fatality;
- (2) provide a list to the review team members of each child fatality to be reviewed at the meeting;
- (3) submit data reports to the bureau of vital statistics not later than the 30th day after the date on which the review took place; and

(4) ensure that the review team operates according to the protocols developed by the department and the committee, as adapted by the review team.

§ 264.508. Review Procedure.

- (a) The review team of the county in which the injury, illness, or event that was the cause of the death of the child occurred, as stated on the child's death certificate, shall review the death.
- (b) On receipt of the list of child fatalities under Section 264.507, each review team member shall review the member's records and the records of the member's agency for information regarding each listed child.

§ 264.509. Access to Information.

(a) A review team may request information and records regarding a deceased child as necessary to carry out the review team's purpose and duties.

Records and information that may be requested under this section include:

- (1) medical, dental, and mental health care information; and
- (2) information and records maintained by any state or local government agency, including:
 - (A) a birth certificate:
 - (B) law enforcement investigative data;
 - (C) medical examiner investigative data;
 - (D) juvenile court records;
 - (E) parole and probation information and records: and
 - (F) child protective services information and records.
- (b) On request of the presiding officer of a review team, the custodian of the relevant information and records relating to a deceased child shall provide those records to the review team.
- (c) This subsection does not authorize the release of the original or copies of the mental health or medical records of any member of the child's family or the guardian or caretaker of the child or an alleged or suspected perpetrator of abuse or neglect of the child which are in the possession of any state or local government agency as provided in Subsection (a)(2). Information relating to the mental health or medical condition of a member of the child's family or the guardian or caretaker of the child or the alleged or suspected perpetrator of abuse or neglect of the child acquired as part of an investigation by a state or local government agency as provided in Subsection (a)(2) may be provided to the review team.

§ 264.510. Meeting of Review Team.

- (a) A meeting of a review team is closed to the public and not subject to the open meetings law, Chapter 551, Government Code.
- (b) This section does not prohibit a review team from requesting the attendance at a closed meeting of a person who is not a member of the review team and who has information regarding a deceased child.
- (c) Except as necessary to carry out a review team's purpose and duties, members of a review team and persons attending a review team meeting may not disclose what occurred at the meeting.
- (d) A member of a review team participating in the review of a child death is immune from civil or criminal liability arising from information presented in or opinions formed as a result of a meeting.

§ 264.511. Use of Information and Records; Confidentiality.

- (a) Information and records acquired by the committee or by a review team in the exercise of its purpose and duties under this subchapter are confidential and exempt from disclosure under the open records law, Chapter 552, Government Code, and may only be disclosed as necessary to carry out the committee's or review team's purpose and duties.
- (b) A report of the committee or of a review team or a statistical compilation of data reports is a public record subject to the open records law, Chapter 552, Government Code, as if the committee or review team were a governmental body under that chapter, if the report or statistical compilation does not contain any information that would permit the identification of an individual.
- (c) A member of a review team may not disclose any information that is confidential under this section.
- (d) Information, documents, and records of the committee or of a review team that are confidential under this section are not subject to subpoena or discovery and may not be introduced into evidence in any civil or criminal proceeding, except that information, documents, and records otherwise available from other sources are not immune from subpoena, discovery, or introduction into evidence solely because they were presented during proceedings of the committee or a review team or are maintained by the committee or a review team.

§ 264.512. Governmental Units.

The committee and a review team are governmental units for purposes of Chapter 101, Civil Practice and Remedies Code. A review team is a unit of local government under that chapter.

§ 264.513. Report of Death of Child.

- (a) A person who knows of the death of a child younger than six years of age shall immediately report the death to the medical examiner of the county in which the death occurs or, if the death occurs in a county that does not have a medical examiner's office or that is not part of a medical examiner's district, to a justice of the peace in that county.
- (b) The requirement of this section is in addition to any other reporting requirement imposed by law, including any requirement that a person report child abuse or neglect under this code.
- (c) A person is not required to report a death under this section that is the result of a motor vehicle accident. This subsection does not affect a duty imposed by another law to report a death that is the result of a motor vehicle accident.

§ 264.514. Procedure In the Event of Reportable Death.

- (a) A medical examiner or justice of the peace notified of a death of a child under Section 264.513 shall hold an inquest under Chapter 49, Code of Criminal Procedure, to determine whether the death is unexpected.
- (b) The medical examiner or justice of the peace shall immediately notify an appropriate local law enforcement agency if the medical examiner or justice of the peace determines that the death is unexpected, and that agency shall investigate the child's death.

§ 264.515. Investigation.

- (a) The investigation required by Section 264.514 must include:
 - (1) an autopsy, unless an autopsy was conducted as part of the inquest;
 - (2) an inquiry into the circumstances of the death, including an investigation of the scene of the death and interviews with the parents of the child, any guardian or caretaker of the child, and the person who reported the child's death; and
 - (3) a review of relevant information regarding the child from an agency, professional, or health care provider.

- (b) The review required by Subsection (a)(3) must include a review of any applicable medical record, child protective services record, record maintained by an emergency medical services provider, and law enforcement report.
- (c) The committee shall develop a protocol relating to investigation of an unexpected death of a child under this section. In developing the protocol, the committee shall consult with individuals and organizations that have knowledge and experience in the issues of child abuse and child deaths.

Section 3 Subsection (a) Article 49.04 Code of Criminal Procedure, is amended to read as follows:

- (a) A justice of the peace shall conduct an inquest into the death of a person who dies in the county served by the justice if:
- (8) the person is a child who is younger than six years of age and the death is reported under Chapter 264, Family Code.

Section 4 Subsection (e) Article 49.10, Code of Criminal Procedure, is amended to read as follows:

- (a) A justice of the peace shall order an autopsy performed on a body if:
 - (1) the deceased was a child younger than six years of age and the death was reported under Chapter 264, Family Code.

or additional copies of this manual, more information or assistance with forming a team in Texas contact:

Texas Department of Protective and Regulatory Services P.O. Box 149030 Austin, Texas 78714-9030 (512) 438-4963 (512) 438-3782 FAX

What Are Review Teams?

hild fatality review teams are multi-disciplinary, multiagency panels that review all child deaths regardless of the cause. Members include law enforcement, prosecutors, physicians, medical examiners, justices of the peace, public and mental health professionals, EMS, and child protective services and child advocates. By sharing information, team members discover the circumstances surrounding children's deaths. They identify gaps or break-

downs in agency services designed to protect children, and work to revise agency procedures and professional investigation protocols.

These teams are uniquely qualified to understand what no single agency or group working alone can: how and why children are dying in their community.

Because of the team's efforts, child fatalities are more accurately recorded and needed prevention initiatives can be developed. The ultimate result of a child death review system is an improved response to all child fatalities.