

**TABLE VII  
REPORTED DISEASES BY HEALTH SERVICE REGION  
CASES PER 100,000 POPULATION<sup>1</sup> 2013**

DISEASE	HSR 1	HSR 2	HSR 3	HSR 4	HSR 5	HSR 6	HSR 7	HSR 8	HSR 9	HSR 10	HSR 11	TOTAL
AMEBIASIS	0.1	0.0	0.9	0.0	0.0	0.9	0.8	0.8	0.0	0.5	0.3	0.7
AMEBIC CNS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
BABESIOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BOTULISM, FOODBORNE	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BOTULISM, INFANT <sup>2</sup>	0.0	0.0	0.0	12.6	0.0	1.0	4.6	2.5	11.5	0.0	0.0	1.7
BOTULISM, WOUND	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BRUCELLOSIS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0
CAMPYLOBACTERIOSIS	22.0	6.8	8.0	2.3	2.5	6.8	17.1	14.3	8.0	6.8	13.0	9.8
CHAGAS, CHRONIC INDETERMINATE	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.1
CHAGAS, CHRONIC SYMPTOMATIC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHICKENPOX (VARICELLA)	5.5	8.6	6.8	3.4	2.5	4.7	9.7	7.7	12.8	1.8	13.0	7.0
CREUTZFELDT-JAKOB DISEASE	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.0	0.1	0.1
CRYPTOSPORIDIOSIS	3.4	0.7	1.7	0.5	0.9	1.2	1.9	2.1	2.5	0.1	1.3	1.5
CYCLOSPORIASIS	0.1	0.7	2.4	0.5	0.3	1.5	0.9	0.3	2.0	0.4	0.3	1.3
CYSTICERCOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
DENGUE	0.0	0.5	0.2	0.0	0.0	0.2	0.2	0.3	0.0	0.1	2.3	0.4
EHRlichia CHAFFEENSIS	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0
ESCHERICHIA COLI, SHIGA TOXIN-PRODUCING (STEC)	1.1	2.7	2.2	1.1	1.0	3.8	2.2	1.7	0.4	0.8	1.2	2.3
HAEMOPHILUS INFLUENZAE TYPE B, INVASIVE	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0
HANTAVIRUS PULMONARY SYNDROME	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HEMOLYTIC UREMIC SYNDROME	0.1	0.0	0.1	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.1
HEPATITIS A, ACUTE	0.6	0.5	0.4	0.4	0.1	0.5	0.4	0.6	0.4	0.4	0.2	0.4
HEPATITIS B, ACUTE	0.5	0.7	0.3	0.9	0.5	0.6	1.0	0.4	0.9	0.1	0.4	0.5
HEPATITIS B, PERINATAL <sup>3</sup> (AGE <24 MONTHS)	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.2
HEPATITIS C, ACUTE	0.0	0.7	0.1	0.1	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.1
HEPATITIS E, ACUTE	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
INFLUENZA-ASSOCIATED PEDIATRIC MORTALITY <sup>4</sup>	0.0	0.0	0.1	0.0	0.0	0.2	0.5	0.4	0.0	0.4	0.4	0.2
LEGIONELLOSIS	0.2	0.5	0.9	0.5	0.4	0.6	0.6	0.8	0.2	0.2	0.2	0.6
LEISHMANIASIS	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0
LISTERIOSIS	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.4	0.0	0.3	0.1
LYME DISEASE	0.1	1.6	0.2	0.7	0.3	0.4	0.5	0.0	0.0	0.0	0.1	0.3
MALARIA	0.5	0.0	0.5	0.0	0.0	0.6	0.4	0.0	0.0	0.1	0.0	0.3
MEASLES	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
MENINGOCOCCAL INFECTION	0.2	0.0	0.2	0.0	0.3	0.1	0.1	0.1	0.0	0.2	0.0	0.1
MUMPS	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
PERTUSSIS	19.0	13.8	24.6	6.8	2.6	6.9	16.6	7.1	26.3	8.0	18.2	14.8
POLIOMYELITIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Q FEVER, ACUTE	0.4	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.4	0.0	0.3	0.1
Q FEVER, CHRONIC	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLOSIS	17.6	23.8	15.2	17.0	15.5	17.7	25.3	20.7	14.8	14.5	21.6	18.4
SHIGELLOSIS	3.6	7.3	8.9	5.8	1.4	16.3	5.5	3.9	1.8	3.7	7.8	8.9
SPOTTED FEVER GP RICKETTSIOSIS	0.0	0.2	0.1	0.3	0.3	0.1	0.3	0.0	0.0	0.0	2.3	0.3
ST LOUIS ENCEPHALITIS VIRUS, NEUROINVASIVE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STREPTOCOCCUS, GROUP A	3.4	0.9	1.6	1.7	0.5	1.5	1.9	1.4	1.8	0.1	1.5	1.6
STREPTOCOCCUS, GROUP B	5.3	3.4	3.7	2.6	1.2	3.6	4.3	5.1	3.7	1.4	5.3	3.9
STREPTOCOCCUS PNEUMONIAE	8.7	2.5	6.6	6.6	3.5	5.8	7.1	7.1	10.1	5.0	5.8	6.4
TETANUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TULAREMIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TYPHOID FEVER	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
TYPHUS, MURINE	0.0	0.0	0.1	0.0	0.0	0.3	0.6	0.2	0.0	0.0	7.6	0.8
VIBRIO PARAHAEMOLYTICUS	0.0	0.0	0.1	0.0	0.3	0.1	0.1	0.1	0.0	0.0	0.1	0.1
VIBRIO VULNIFICUS	0.0	0.0	0.0	0.2	0.4	0.2	0.0	0.1	0.0	0.0	0.1	0.1
VIBRIO, OTHER/UNSPECIFIED	0.0	0.2	0.1	0.0	0.0	0.3	0.1	0.2	0.0	0.0	0.3	0.1
VISA	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
WEST NILE FEVER	3.7	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.9	0.1	0.0	0.3
WEST NILE NEUROINVASIVE DISEASE	3.3	1.3	0.3	0.3	0.1	0.2	0.0	0.1	2.5	1.9	0.2	0.4
YERSINIOSIS	0.1	0.0	0.2	0.3	0.1	0.1	0.1	0.3	0.0	0.0	0.0	0.1

<sup>1</sup> DSHS Center for Health Statistics projected 2013 Texas population data <http://www.dshs.texas.gov/chs/popdat/downloads.shtm>.

<sup>2</sup> Infant botulism rates are calculated using the HSR populations under 1 year of age.

<sup>3</sup> Perinatal hepatitis B cases are defined as infants >1 months through 24 months of age. The rates were calculated using the HSR populations under 2 years of age, which approximates this cohort.

<sup>4</sup> Influenza-associated pediatric mortality rates were calculated for the HSR populations <18 years of age.