

Texas Influenza Surveillance Report 2022-2023 Season/ 2022 MMWR Week 47

(November 20, 2022 – November 26, 2022)
Report produced on 12/2/2022

Summary

*This report excludes COVID-19 data. For information about COVID-19 in Texas, please visit www.dshs.texas.gov/coronavirus.

Compared to the previous week, the percentage of specimens testing positive for influenza reported by hospital laboratories has increased. The percentage of patient visits due to influenza-like illness (ILI) has decreased. Two influenza-associated pediatric death were reported. 7 influenza-associated institutional outbreaks were reported in schools and long-term care facilities, with 1 new school closure.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week [†]	Page of Report
Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	Stayed the Same	Very High	Very High	-
Percentage of specimens positive for influenza by hospital laboratories	▲ 4.27%	32.73%	28.46%	1
Percentage of visits due to ILI (ILINet)	▼ 0.81%	9.01%	9.82%	4
Number of regions reporting increased flu/ILI activity	▲ 4	6	2	5
Number of regions reporting decreased flu/ILI activity	▼ 4	2	6	5
Number of variant/novel influenza infections	No cases reported	0	0	5
Number of ILI/influenza outbreaks	Increased	7	4	5-6
Number of pediatric influenza deaths	Increased	2	0	6-7

[†]Data displayed have been updated since last week's flu report with any new reports received.

Laboratory Results

Influenza

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week are summarized in the two tables below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Hospital Laboratories for the Current Week

	Week 47	Season to Date Week Ending: November 26, 2022
Number of labs reporting flu tests	20	
Number of specimens tested	12926	96821
Number of positive specimens (%)	4231 (32.73%)	23718 (24.50%)
Percentage of total tests that were antigen detection tests	33.17%	
Positive specimens by type/subtype [n (%)]		
Influenza A	4183 (98.87%)	23285 (98.17%)
Subtyping performed	774 (18.50%)	4169 (17.90%)
A (H1N1)	212 (27.39%)	900 (21.59%)
A (H3N2)	562 (72.61%)	3269 (78.41%)
Subtyping not performed	3409 (81.50%)	19116 (82.10%)
Influenza B	48 (1.13%)	433 (1.83%)

Figure 1: Number and Percentage of Tests (Antigen, Culture, PCR) Positive for Influenza by Type and Subtype Reported by Texas Hospital Laboratories, 2022-2023 Season





Table 3: Influenza Testing Performed by Texas Public Health Laboratories for the Current Week

	Week 47	Season to Date Week Ending: November 26, 2022
Number of labs reporting flu tests	2	
Number of specimens tested	83	919
Number of positive specimens (%)	16 (19.28%)	178 (19.37%)
Positive specimens by type/subtype/lineage [n (%)]		
Influenza A	16 (100.00%)	176 (98.88%)
Subtyping performed	14 (87.50%)	151 (85.80%)
A (H1N1)	5 (35.71%)	40 (26.49%)
A (H3N2)	9 (64.29%)	111 (73.51%)
Subtyping not performed	2 (12.50%)	25 (14.20%)
Influenza B	0 (0.00%)	2 (1.12%)
Lineage testing performed	0 (0.00%)	0 (0.00%)
B/Victoria	0 (0.00%)	0 (0.00%)
B/Yamagata	0 (0.00%)	0 (0.00%)
Lineage testing not performed	0 (0.00%)	2 (100.00%)
Other*	0 (0.00%)	0 (0.00%)

*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))

Figure 2: Number of Tests (PCR) Positive for Influenza by Type, Subtype, and Lineage Reported by Texas Public Health Laboratories, 2022-2023 Season



*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))

Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 4: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	16	3325	356	10.71%
HMPV	16	3313	169	5.10%
Parainfluenza virus	15	3295	285	8.65%
Rhino/enterovirus	16	3313	746	22.52%
RSV [†]	20	7369	712	9.66%
Seasonal coronavirus (does not include MERS-CoV or COVID-19)	16	3313	68	2.05%

[†] RSV tests displayed in the table are a combination of antigen detection, PCR, and culture tests. Some non-NREVSS reporters also contribute to the RSV data.

[^] Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at <https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx>.

Antigenic Characterization

No antigenic characterization data for Texas specimens are currently available. The DSHS Laboratory sends a representative sample of influenza viruses to the CDC throughout the flu season.

Antiviral Resistance

No antiviral resistance testing data for Texas specimens are available presently.

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

Table 5: Texas ILINet Reporting and Patient Visit Summary for the Current Week

Week 47	
Number of providers reporting	53
Number of providers reporting patient visits	53
Number (%) of providers with at least one ILI case	47 (88.68%)
Percentage of all visits due to ILI	9.01%
Texas ILINet baseline [‡] , 2022-2023	4.85%

[‡]The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

Special Note: The case definition was changed to capture respiratory pathogens causing illness, including CoVID-19, through the ILINet. The Influenza-like Illness (ILI) case definition for the 2022-2023 season is a patient with fever ($\geq 100^{\circ}\text{F}$, 37.8°C) AND cough and/or sore throat. There is no longer a restriction on the cause.

Table 6: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 12/1/2022 11:25 AM)

Week	Providers Reporting	Number of ILI Cases by Age Group (Years)					Total ILI (all ages)	Total Patients	% ILI
		0-4	5-24	25-49	50-64	65+			
202240	58	880	1279	268	103	57	2587	56131	4.61%
202241	61	1092	1568	397	161	66	3284	61260	5.36%
202242	59	1100	1860	445	201	78	3684	61477	5.99%
202243	61	1460	2704	573	226	106	5069	65582	7.73%
202244	61	1560	3061	692	269	125	5707	66745	8.55%
202245	59	1405	2426	567	431	130	4959	50158	9.89%
202246	48	1106	1723	429	159	142	3559	36233	9.82%
202247	53	1384	1747	984	311	193	4619	51244	9.01%

Figure 3: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2022-2023 Season





Figure 4: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2019–2023 Seasons



Note: The 2020-2021 Flu Season contains MMWR week 202053. For graphical display compatibility with seasons containing 52 weeks, average values were generated using MMWR week 52 and 1 for Seasons: 2019-2020, 2021-2022, and 2022-23.

Reports from Health Service Regions

Reports were received from all Health Service Regions (HSRs) during week 47.

Table 7: Influenza Activity compared to week 46 by Health Service Region (HSR)

Influenza Activity Comparison	
Increased	1, 2/3, 4/5N, 6/5S, 8, and 9/10
Same	
Decreased	7 and 11
Unsure	

Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas during the 2022-2023 season.

Institutional Outbreaks and School Closures

7 newly identified institutional outbreaks were reported in week 47.

Newly identified outbreaks were reported from Public Health Regions 1, 2/3, and 6/5S.

Outbreak facilities included long-term care facilities and schools. All reported outbreaks are currently under surveillance by the local or regional health jurisdiction. No fatalities have been reported with these outbreaks. One school has notified the health department of a closure that was enacted due to respiratory illnesses. The health jurisdiction remains in contact with the school to continue monitoring the outbreak and provide guidance.

Of those with confirmatory testing, influenza A has been identified as the circulating virus. Though some of these outbreaks have also identified other respiratory pathogens causing illness, such as RSV.

Outbreaks will continue to be monitored until closure. Health departments remain in communication with facilities experiencing these outbreaks to offer outbreak guidance, and aid when necessary.

P&I Mortality Surveillance Data

*Deaths due to COVID-19 may be classified as pneumonia deaths or influenza deaths (deaths due to “flu” or “flu-like illness”) in the absence of positive SARS-CoV-2 test results. Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

One thousand and ninety-eight (1098) P&I deaths have been reported in Texas during the 2022-2023 influenza season.

Table 8: Texas P&I Deaths Occurring October 2, 2022– November 26, 2022* by Age

Age Category (years)	Number of P&I Deaths ⁺	Mortality Rate (per 100,000)
0 - 4	<10	-
5 - 17	<10	-
18 - 49	80	0.58
50 - 64	175	3.33
65 +	832	18.86
Overall	1098	3.52

*NOTE: Data are provisional and subject to change, errors, and duplicates
 + If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

Table 9: Texas P&I Deaths Occurring October 2, 2022– November 26, 2022* by Health Service Region (HSR)

HSR	Number of P&I Deaths ⁺	Mortality Rate (per 100,000)
1	50	5.21
2/3	288	3.27
4/5N	77	4.95
6/5S	273	3.15
7	129	3.65
8	112	2.65
9/10	72	6.89
11	97	4.08
Unknown	-	-
Overall	1098	3.52

*NOTE: Data are provisional and subject to change, errors, and duplicates
 + If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

Influenza-Associated Pediatric Mortality

Two mortalities have been reported for week 47.

Both reports were provided by health facilities that identified and properly reported the cases to their local health jurisdictions.

Cases are identified as a 5-year-old female and 15-year-old male. The five-year-old did have multiple underlying conditions with confirmatory PCR testing identifying influenza A infection. The fifteen-year-old had no underlying conditions and was up to date on vaccinations except for current influenza vaccine. Lab specimens have been sent for subtyping confirmation. Once more data is available Table 10 will be updated to properly reflect any identified subtypes.


Four pediatric mortalities have been reported in Texas during the 2022-2023 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round by law in Texas.

Table 10: Influenza-Associated Pediatric Deaths Reported in Texas during the 2022-2023 Season

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2022							
October	0	2	0	0	0	0	2
November	0	0	1	0	1	0	2
Total	0	2	1	0	1	0	4

Statewide Influenza Activity Map

Figure 5: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending Nov. 26, 2022 (MMWR Week 47)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

Texas Influenza Surveillance Components and Measures

Activity codes (see <http://www.cdc.gov/flu/weekly/overview.htm>)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

ILINet Activity Indicator

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. *This condition is reportable by law in Texas.*

Texas ILINet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See <http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/> for information on how to become an ILINet provider.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, childcare, and correctional facilities report ILI and influenza outbreaks to health departments in Texas. *This condition is reportable by law in Texas.*

Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. *This condition is reportable by law in Texas.* <http://www.dshs.state.tx.us/idcu/disease/IAPM/>

Laboratory

DSHS Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

NREVSS

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system. **Laboratories sign up for this program by contacting DSHS.** <http://www.cdc.gov/surveillance/nrevss/>

Recommended Resources

Texas Department of State Health Services

DSHS influenza page: <http://www.texasflu.org/>

Influenza surveillance data and reports: <http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/>

Map of Texas Health Service Regions: <http://www.dshs.state.tx.us/regions/state.shtm>

Centers for Disease Control and Prevention

National FluView weekly flu report: <http://www.cdc.gov/flu/weekly/>

Variant influenza viruses: <http://www.cdc.gov/flu/swineflu/variant.htm>

Avian influenza viruses: <http://www.cdc.gov/flu/avianflu/index.htm>

Swine influenza viruses: <http://www.cdc.gov/flu/swineflu/index.htm>

Infection Control in Healthcare Facilities: <http://www.cdc.gov/flu/professionals/infectioncontrol/>

Seasonal Flu Information for Schools and Childcare Providers: <http://www.cdc.gov/flu/school/index.htm>

World Health Organization

Influenza page: <http://www.who.int/topics/influenza/en/>

Disease Outbreak News: <http://www.who.int/csr/don/en/>