

Reported Typhoid Fever Cases and Incidence Rates in Texas by Age Group, 2008 - 2017

| Age Group (Yrs) | YEAR* | | | | | | | | | | | | | | | | | | | |
|-----------------------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|
| | 2008 | | 2009 | | 2010 | | 2011 | | 2012 | | 2013 | | 2014 | | 2015 | | 2016 | | 2017 | |
| | Count | IR | Count | IR | Count | IR | Count | IR | Count | IR | Count | IR | Count | IR | Count | IR | Count | IR | Count | IR |
| <1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 |
| 01-04 | 4 | 0.3 | 2 | 0.1 | 5 | 0.3 | 1 | 0.1 | 2 | 0.1 | 4 | 0.2 | 2 | 0.1 | 5 | 0.3 | 4 | 0.2 | 8 | 0.5 |
| 05-09 | 3 | 0.2 | 4 | 0.2 | 3 | 0.2 | 4 | 0.2 | 3 | 0.2 | 1 | 0.1 | 2 | 0.1 | 4 | 0.2 | 8 | 0.4 | 4 | 0.2 |
| 10-14 | 4 | 0.2 | 1 | 0.1 | 3 | 0.2 | 3 | 0.2 | 3 | 0.2 | 2 | 0.1 | 2 | 0.1 | 3 | 0.1 | 1 | 0.0 | 2 | 0.1 |
| 15-19 | 2 | 0.1 | 1 | 0.1 | 1 | 0.1 | 4 | 0.2 | 2 | 0.1 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 4 | 0.2 | 3 | 0.1 |
| 20-29 | 10 | 0.3 | 7 | 0.2 | 13 | 0.3 | 5 | 0.1 | 5 | 0.1 | 1 | 0.0 | 6 | 0.2 | 0 | 0.0 | 8 | 0.2 | 1 | 0.0 |
| 30-39 | 5 | 0.1 | 7 | 0.2 | 2 | 0.1 | 4 | 0.1 | 10 | 0.2 | 1 | 0.0 | 4 | 0.1 | 7 | 0.2 | 6 | 0.2 | 6 | 0.1 |
| 40-49 | 1 | 0.0 | 1 | 0.0 | 2 | 0.1 | 1 | 0.0 | 0 | 0.0 | 3 | 0.1 | 1 | 0.0 | 1 | 0.0 | 3 | 0.1 | 1 | 0.0 |
| 50-59 | 3 | 0.1 | 0 | 0.0 | 2 | 0.1 | 2 | 0.1 | 1 | 0.0 | 0 | 0.0 | 2 | 0.1 | 2 | 0.1 | 2 | 0.1 | 2 | 0.1 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 2 | 0.1 | 3 | 0.1 | 1 | 0.0 | 0 | 0.0 | 1 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| State of Texas Total | 32 | 0.1 | 23 | 0.1 | 32 | 0.1 | 26 | 0.1 | 29 | 0.1 | 13 | 0.0 | 20 | 0.1 | 24 | 0.2 | 37 | 0.1 | 27 | 0.1 |

IR=incidence rate per 100,000

*Incidence rates are based on projected census data obtained from the DSHS Center for Health Statistics