

Texas Department of State Health Services

TVFC/ASN Policy and Manual Updates

Susmitha Mahankali Kellee Walker

General Manual Revisions

Updates

- Specified which policies apply to the Texas Vaccines for Children (TVFC) and Adult Safety Net (ASN) programs.
- Replaced DSHS Immunization Section with DSHS Immunization Program.
- Included all 18 standards in the Standards for Childhood Immunizations.
- Corrected grammatical errors
- Updated TVFC facility types



TEXAS Health and Human Services

Texas Department of State Health Services

TVFC Facility Types

- The Centers for Disease Control and Prevention (CDC) updates the eligible facility types for the VFC program annually.
- Facility types can be added and removed, and definitions can be updated.
- There are public and private TVFC facility types.

TVFC Facility Types (Public)

TEXAS Palth and Human Service

Texas Department of State

Health Services

- Harris Health System
- DSHS Public Health Department clinic
- DSHS Public Health Department clinic as agent for FQHC/RHCdeputized
- Federally Qualified Health Center
- HHSC Family Planning Clinic
- Indian Health Service, Tribal, or Urban Clinic
- Local Health Department (LHD)

- Local Health Department (LHD) as agent for FQHC/RHC-deputized
- Migrant Health Center
- Refugee Health Clinic
- Rural Health Clinic (RHC)
- State Hospital
- University Health System
- Women, Infants, and Children (WIC) Clinic

TVFC Facility Types (Private)

• Pharmacy

Texas Department of State Health Services Private Practice (e.g., family practice, pediatric, primary care)Retail Health Clinic

TVFC Facility Types (Public or Private)



Health Services

- Behavioral Health Clinic
- Birthing Hospital or Birthing Center
- Community Vaccinator (non-health department)
- Correctional Facility
- EMS Facility
- Family Planning Clinic (nonhealth department)

- Hospital
- Juvenile Detention Center
- Mobile Provider
- Residential/Congregate Care Facility
- School-Based Clinic (permanent clinic location)

- STD/HIV Clinic (nonhealth department)
- Student Health Services
- Teen Health Center (nonhealth department)
- Urgent/Immediate Care Center
- Other

TVFC Site Eligibility and **Enrollment**



Texas Department of State Health Services

 The primary vaccine coordinator and backup vaccine coordinator are required to have unique email addresses.

Practice Contacts for Careville Pediatrics, Pa												
										ntact	s	
SIIS Provider Site Information												
Careville Pediatrics, Pa		Prim	Primary Contact						Program Details			
1003 N SAINT MARYS ST		IFEAI	IFEANYI MBADUGHA/Estella Salinas						Organization NPI:			
Beeville TX 78102		Ph: (361) 492-5252/(361) 492-5252						Taxonomy:				
Ph: (361) 492-5252		Emai	Email: CAREVILLEPEDIATRICS@GMAIL.COM/estella.careville@gmail.com						Vx Administered: 🗹 Pediatrio			
Fax: (361) 492-5599									VIIS: CAREOD43 Manner of			
					Usage: Enro			nrc				
Email: <u>ESTELLA.CAREVILLE@GMAIL.COM</u>		🚳 Medical Group						VFC	FC 🖉 ASN			
County DEE Devices 11 Sub Pasiens 13								DIM: 111111 VTroke Chat				
County: BEE Region: 11 Sub-Region: 13		•						PIN: 111111 VTrcks State			τατι	
Contacts & Users (6) Search by: (Name/Email/Use										serr		
#	Name	POC	PRC	RMP	Primary Vx	Backup Vx	TVFC/ASN	COVID	BiDX	DQ	С	
					Coordinator	Coordinator	Signatory	Signatory				
(A)	Diana Huerta											
Ql	<u>dhuerta.careville@gmail.com</u> (361) 492-5252					 ✓ 						
	Estella Salinas										-	
Q 2	estella.careville@gmail.com		\checkmark		Image: A start and a start							
	(361) 492-5252											

Provider Manual: Chapter 1 Section B (TVFC Site Eligibility and Enrollment- Site Coordinator Responsibilities) Operations Manual: Section 7 (Enrolled Clinic Staff Responsibilities- Primary Backup Vaccine Coordinator)

TVFC Patient Eligibility and Screening

Nineteen-Year-Olds

- Patients who are 19 years of age and who previously initiated a vaccination series under the TVFC program are eligible to complete the series through the ASN program.
- HPV and Varicella have been removed from the ASN program and are not available as catch-up vaccines.

NOTE: A "series" in this case is specific to two doses of Hepatitis A (HepA); three doses of Hepatitis B (HepB); two doses of Meningococcal Conjugate (ACWY); two doses of Measles, Mumps and Rubella (MMR); and three doses of Tetanus, Diphtheria/Tetanus, Diphtheria, Pertussis (Td/Tdap).

This policy does not apply to Meningococcal B (MenB), Polio, *Haemophilus influenzae* type b (Hib), or Influenza (Flu) vaccines. This policy also does not apply to booster doses.

Provider manual: Chapter 2 Section D (TVFC Patient Eligibility and Screening-Nineteen Year Olds) Operations manual: Section 2.C (Standards and Policies-ASN program Eligibility)

8



Approved TVFC Vaccines Added

TVFC Program Formulary and Manuals

- Respiratory Syncytial Virus (RSV) immunization (Nirsevimab)
- Coronavirus (COVID-19)

TVFC Program Formulary for Selective MonthsMaternal RSV vaccine (Abrysvo)

Providers Manual: Chapter 3 Section I (vaccine management- Approved Vaccines) Operations Manual: Section 3.I (Vaccine Management- Approved Vaccines)

9



Vaccine Ordering for Newly Enrolled TVFC/ASN Sites

 Only the primary vaccine coordinator and backup vaccine coordinator have access to Vaccine Allocation and Ordering System (VAOS).



Texas Department of State Health Services

Providers Manual: Chapter 3 Section I (Vaccine Management)

Multi-Dose Vials (MDVs)

If a multi-dose has been opened or accessed (e.g., needlepunctured) the vial should be dated and discarded within 28 days, unless the manufacturer specifies a different (shorter or longer) date for that opened vial.



Refrigerator and Freezer Requirements

- Any currently enrolled provider using both compartments of a household combination unit that is consistently maintaining the required temperature ranges may continue to do so.
- If temperature excursions occur that cannot be attributed to another cause (e.g., a power outage), providers must discontinue use.

Providers enrolled after July 1, 2024, will not be allowed to use the freezer compartment of a household combination unit.

Provider manual: Chapter 3 Section V (Vaccine management- Storage and Handling) Operations Manual: Section 4.A (Data Reporting- Proper Equipment for Vaccine Storage Vaccine Storage Units)

12



Cold Chain Management and Vaccine Transport

 If a portable vaccine refrigerator/freezer unit is used to transport vaccines, follow the manufactures requirements regarding the use of use packing material, i.e., bubble wrap or cardboard.



Texas Department of State Health Services

> Provider Manual: Chapter 3 Section H (Vaccine Management- Cold Chain Management and Vaccine Transport) Operations Manual: Section 2.E (Standards and Policies- Off-site and mass vaccination clinics)

Data Logger Requirement

Health and Human Services

Texas Department of State

Health Services

- Record the numbers on both slides of the decimal point and do not round (ex: for 46.1°F or 8.1°C, note that the numbers to the right of the decimal meet the criteria for a temperature excursion).
- If a temperature excursion occurs based on the updated guidance, TVFC/ASN program providers must reach out to the vaccine manufacturer to obtain guidance on vaccine viability.

VAOS Reporting

 Monthly reporting in VAOS is required for all TVFC/ASN program-enrolled sites between the first and seventh of each month, whether a vaccine order is placed or not.



Standards and Policies

Withdrawal

Awardees must document the reason for unenrollment and who initiated the unenrollment in Provider Education Assessment and Reporting (PEAR).



TEXAS Health and Human Services

Texas Department of State Health Services

Data Reporting

Required Trainings

All users who have access to CDC Quality Assurance and Improvement (QAI) Databases (PEAR and REDCap) must complete and submit certificates for trainings annually:

- CDC You Call the Shots: Module 10
- CDC You Call the Shots: Module 16
- Vaccine Allocation and Ordering Systems (VAOS)
- Current Annual Policy Training Vaccine Education Online

TEXAS Health and Human Service: Texas Department of State

Health Services

Program Evaluation

"Standards for Childhood Immunizations" have been updated to include all 18 standards.

 Guidelines for detailed standards are available at <u>The Standards for</u> <u>Pediatric Immunization Practice</u>



Provider Manual: Chapter 5 Section I (Program Evaluation- Standards for Childhood Immunizations Operations Manual: Section 1.VI (General Information (Childhood Immunization Standards)

Program Evaluation

Common Site Visit Structures: Compliance, IQIP, Storage and Handling

- The signing clinician, primary vaccine coordinator, or backup vaccine coordinator must be present at all site visit related activities.
- DSHS QAI team will conduct all IQIP follow-up activities.



Documentation Requirements

ImmTrac2 Vaccine Eligibility Reporting Codes

- V01 for Private Pay/Insurance: Patient is <19-years-old
- V02 for Medicaid: Patient is <19-years-old
- V03 for No Insurance: Patient is <19-years-old
- V04 for American Indian/Alaskan Native: Patient is <19-years-old
- V05 for Underinsured, FQHC/RHC/Deputized: Patient is <19-years-old
- TXA01 for CHIP: Patient is <19-years-old
- TXA02 for Underinsured, Not FQHC/RHC/Deputized: Patient is <19-years-old
- TXA03 for 19-Year-Old Completing Series: Patient = 19-years-old
- TXA04 for Adult, No Insurance: Patient is >= 19-years-old
- TXA05 for Adult, Underinsured: Patient is >= 19-years-old
- TXA06 for Adult, Private Pay/Insurance: Patient is >= 19-years-old Underinsured



Adult Safety Net Program

- The following vaccines were removed from the ASN formulary:
 - Human Papillomavirus (HPV)
 - Pneumococcal Conjugate (PCV20)
 - Pneumococcal Polysaccharide (PPSV23)
 - Varicella

- The monovalent Coronavirus (COVID-19) vaccine was added to the ASN formulary.
 - Added guidance information on the COVID-19 vaccine

Adult Safety Net Program (Continued)

• 2024 manual language:

- The COVID-19 vaccine will remain available to enrolled ASN providers on a temporary basis and updates will be provided as they are made available
- Added language about COVID-19 vaccine administration fees
- 2024 manual language:
 - ASN sites may not charge an administration fee for the COVID-19 vaccine



Texas Department of State Health Services

General Reminders

Suspensions

TEXAS Health and Human Service

exas Department of State Health Services

- A live suspension report for TVFC/ASN providers is available on the <u>DSHS Regions SharePoint</u>.
- Suspended TVFC/ASN Program providers are listed by their DSHS PHR and reason for suspension.

Examples include:

- TVFC/ASN suspension due to program non-compliance.
- TVFC/ASN PEAR suspension due to overdue follow-up action items in PEAR.
- TVFC/ASN VAOS hold due to missing reports in VAOS.
- Withdrawal due to continued TVFC/ASN suspension status.

Vaccine Orders

Texas Department of State

Health Services

- Enrolled TVFC program providers should maintain a 75-day supply to order smaller amounts more frequently to avoid vaccine loss.
- REs should establish contact with providers that have not placed a vaccine order within the last six-month.

ACIP Vaccines

Texas Department of State

Health Services

- TVFC program policy states, TVFC program providers, unless designated as a "specialty provider", must offer all <u>ACIP</u> <u>recommended vaccine</u> to the eligible patient populations that they serve.
- Any updates to ACIP-recommended vaccines and CDC guidance will be communicated to REs and providers.

Vaccine Depots

- Vaccine depots are sites that receive, store, and distribute VFC vaccines but do not administer vaccines to eligible children.
- Vaccine depots are approved only for select awardees.
- Texas does not allow vaccine depots.

Communications

REs:

exas Department of State

lealth Services

- Receive communications from DSHS through <u>VacCallCenter@dshs.texas.gov</u>.
- The distribution lists come from the <u>RE Contact List</u> located on the <u>DSHS Regions SharePoint</u>.
- REs must ensure the list is updated with staff changes.

TVFC/ASN Providers:

- Receive communications from DSHS through GovDelivery.
- The provider's distribution list includes the PVC, BVC, and SC.
- Providers must ensure the email addresses are listed correctly.
- Providers should ensure they do not have any email restrictions.

Summary

 Throughout the year, the DSHS Immunization Program will announce new policies via official policy letters, memorandums and the monthly newsletter "TVFC/ASN Program News."



TEXAS Health and Human Services



Texas Department of State Health Services

Questions & Answers

DSHS Vaccine Call Center VacCallCenter@dshs.texas.gov