# 2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools		Mie	dle Schools		Junio	r/Senior Hig Schools	h	A	All Schools		
	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a. Physical activity	55.7	47.8 - 63.3	123	61.5	54.7 - 67.9	176	68.5	53.8 - 80.2	41	60.0	55.2 - 64.7	340
b. Nutrition	46.4	38.3 - 54.6	124	50.9	44.3 - 57.4	174	67.7	52.7 - 79.8	40	50.8	46.0 - 55.6	338
c. Tobacco-use prevention	43.7	36.1 - 51.5	123	40.8	33.9 - 48.1	174	60.3	46.7 - 72.5	40	43.9	39.1 - 48.9	337
d. Asthma	32.5	25.8 - 40.0	122	31.5	26.0 - 37.6	174	45.4	30.8 - 60.8	40	33.3	29.1 - 37.8	336
e. Injury and violence prevention	39.4	31.6 - 47.8	121	43.1	36.3 - 50.1	174	52.8	37.0 - 68.2	40	42.7	37.7 - 47.8	335
f. HIV, STD, and teen pregnancy prevention	36.1 29.3 - 43.4 121		30.5	24.2 - 37.5	173	41.4	29.2 - 54.9	39	33.7	29.3 - 38.4	333	

# 2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

		High Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools		
		_	95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Health education	62.0	54.4 - 69.0	120	67.3	61.0 - 73.0	172	67.7	52.7 - 79.8	40	65.3	60.7 - 69.6	332
b.	Physical education	58.3	50.0 - 66.1	119	71.6	64.6 - 77.7	172	72.0	58.0 - 82.7	39	66.5	61.6 - 71.1	330
c.	Physical activity	54.2	46.1 - 62.1	119	65.7	58.8 - 71.9	172	58.9	43.3 - 72.9	39	60.6	55.6 - 65.3	330
d.	School meal programs	46.6	38.2 - 55.3	119	44.1	37.9 - 50.5	172	57.8	41.8 - 72.4	38	46.4	41.6 - 51.4	329
e.	Foods and beverages available at school outside the school meal programs	41.6	34.4 - 49.2	119	43.2	36.8 - 49.9	171	47.4	33.6 - 61.6	38	43.0	38.4 - 47.8	328
f.	Health services	58.3	50.5 - 65.8	119	64.7	58.4 - 70.6	171	71.3	54.8 - 83.5	38	62.9	58.2 - 67.4	328
g.	Counseling, psychological, and social services	76.2	67.7 - 83.0	119	78.7	72.6 - 83.8	171	71.3	57.5 - 82.0	38	77.0	72.4 - 81.0	328
h.	Physical environment	74.8	67.2 - 81.2	119	72.8	65.7 - 78.8	171	79.1	67.7 - 87.3	38	74.2	69.5 - 78.4	328
i.	Social and emotional climate	80.1	72.4 - 86.1	119	87.4	82.1 - 91.3	171	79.1	62.2 - 89.7	38	83.8	79.6 - 87.2	328
j.	Family engagement	84.2	76.6 - 89.6	119	90.1	84.7 - 93.7	171	81.7	68.3 - 90.3	38	87.0	83.0 - 90.1	328
k.	Community involvement	88.4	81.8 - 92.8	118	89.9	84.4 - 93.6	170	86.9	71.9 - 94.5	38	89.0	85.3 - 91.9	326
1.	Employee wellness	53.9	45.1 - 62.4	115	59.0	52.2 - 65.4	167	50.0	35.2 - 64.8	38	56.1	51.0 - 61.1	320

### 2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
64.3	56.3 - 71.6	123	66.1	59.0 - 72.5	182	56.4	43.5 - 68.5	41	64.4	59.5 - 69.0	346

# 2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
92.9	87.8 - 95.9	127	91.6	86.8 - 94.7	187	95.2	83.3 - 98.7	41	92.4	89.4 - 94.6	355

### 2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
68.9	60.1 - 76.4	127	62.0	55.2 - 68.3	187	73.4	56.3 - 85.5	41	65.7	60.7 - 70.4	355

#### 2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

		High Schools			Mic	Idle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Identified student health needs based on a review of relevant data	80.1	72.2 - 86.2	88	76.0	67.9 - 82.6	116	79.5	62.3 - 90.1	29	78.0	72.8 - 82.5	233
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	85.0	75.8 - 91.2	88	77.4	70.2 - 83.3	116	76.1	61.9 - 86.2	29	80.3	75.3 - 84.6	233
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	52.0	42.1 - 61.7	88	44.4	36.8 - 52.4	116	48.3	33.3 - 63.6	29	47.9	42.1 - 53.7	233
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	87.4	78.8 - 92.8	88	88.0	82.0 - 92.3	116	82.9	65.8 - 92.5	29	87.2	82.7 - 90.7	233
e.	Reviewed health-related curricula or instructional materials	80.4	71.2 - 87.3	88	75.7	67.7 - 82.2	116	69.3	52.7 - 82.0	29	76.9	71.4 - 81.6	233
f.	Assessed the availability of physical activity opportunities for students	85.8	76.9 - 91.6	87	79.5	71.3 - 85.8	116	89.8	74.7 - 96.3	29	83.1	77.8 - 87.3	232
g.	Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	41.5	31.9 - 51.9	84	42.4	34.4 - 50.9	115	48.3	32.2 - 64.8	29	42.7	36.8 - 48.9	228

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

### 2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

H	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
75.3	68.2 - 81.2	126	53.7	46.7 - 60.6	186	41.4	28.0 - 56.3	39	60.8	56.0 - 65.3	351

### 2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Mie	Idle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
		95%			95%			95%			95%	
		Confidence			Confidence			Confidence			Confidence	
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. Lessons in class	80.6	72.8 - 86.5	129	77.4	71.5 - 82.3	186	87.6	73.7 - 94.7	40	79.6	75.3 - 83.3	355
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	69.8	61.9 - 76.7	127	65.1	58.2 - 71.5	181	41.1	27.0 - 56.8	39	64.6	59.8 - 69.2	347

### 2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

Н	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
38.1	31.4 - 45.2	127	15.9	11.2 - 22.1	185	2.5	0.4 - 14.4	40	23.1	19.4 - 27.2	352

# 2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, trangender, or questioning (LGBTQ) youth.

		High Schools		Mie	dle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	70.9	62.9 - 77.8		62.7	56.1 - 68.9	186	42.6	29.3 - 56.9	40	63.9	59.2 - 68.4	
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	94.7	89.5 - 97.4	129	91.1	86.2 - 94.3	186	82.3	69.2 - 90.5	40	91.6	88.5 - 94.0	355
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	74.4	67.1 - 80.6	129	68.6	60.9 - 75.4	186	60.3	49.4 - 70.3	40	70.1	65.1 - 74.6	355
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	55.9	47.9 - 63.7	129	40.0	33.0 - 47.4	186	40.1	26.6 - 55.3	40	46.1	41.1 - 51.2	355
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	58.8	50.4 - 66.7	128	40.2	33.2 - 47.7	183	47.9	35.1 - 61.0	40	48.1	43.1 - 53.3	351

### 2016 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	ddle Schools		Junio	or/Senior High Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
94.5	89.1 - 97.3	129	95.3	91.5 - 97.5	187	92.6	79.7 - 97.5	40	94.7	92.0 - 96.6	356

### 2016 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	h	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
96.9	92.3 - 98.8	129	95.7	91.9 - 97.8	186	97.5	85.6 - 99.6	40	96.4	93.9 - 97.8	355

### 2016 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	ddle Schools		Junio	or/Senior High Schools	1	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
94.6 89.3 - 97.3 129		129	93.1	89.0 - 95.8	187	90.1	76.5 - 96.2	40	93.4	90.5 - 95.4	356

#### 2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	Hi	High Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
	Percent	95% Confidence Percent Interval N			95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	100.0	†	142	100.0	†	22	100.0	t	164
b. Seventh grade	ş	§	§	97.2	93.6 - 98.8	177	97.3	84.5 - 99.6	37	97.2	94.1 - 98.7	214
c. Eighth grade	§	§	§	84.3	78.6 - 88.7	172	94.8	82.6 - 98.6	38	86.0	81.0 - 89.8	210
d. Ninth grade	92.7	86.7 - 96.1	122	-	-	6	95.0	82.9 - 98.7	40	93.4	88.6 - 96.2	168
e. Tenth grade	79.0	71.4 - 84.9	113	§	§	§	73.1	60.9 - 82.7	38	77.7	71.4 - 83.0	151
f. Eleventh grade	70.1	62.2 - 76.9	112	§	§	§	65.3	54.7 - 74.6	38	69.1	62.6 - 74.9	150
g. Twelfth grade	69.5	61.3 - 76.7	110	§	§	§	65.3	54.7 - 74.6	38	68.6	61.9 - 74.7	148

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# 2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	h	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
94.1 88.9 - 97.0 129			91.3	87.2 - 94.2	183	79.6	63.7 - 89.7	39	91.3	88.3 - 93.6	351

# 2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

		High Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	А	ll Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a.	Goals, objectives, and expected outcomes for physical education	97.8	93.6 - 99.2	129	96.6	93.8 - 98.1	185	92.6	79.7 - 97.5	40	96.6	94.6 - 97.9	354
b.	A chart describing the annual scope and sequence of instruction for physical education	83.9	77.8 - 88.7	129	84.4	79.4 - 88.4	185	67.4	52.2 - 79.6	40	82.6	78.9 - 85.7	354
c.	Plans for how to assess student performance in physical education	90.1	84.3 - 93.9	129	88.9	84.8 - 92.0	185	77.7	61.1 - 88.5	40	88.3	85.0 - 90.9	354
d.	A written physical education curriculum	84.1	77.1 - 89.3	129	84.0	78.9 - 88.0	185	67.7	54.6 - 78.6	40	82.5	78.7 - 85.7	354
e.	Resources for fitness testing	95.3	90.2 - 97.8	129	97.5	94.3 - 98.9	185	92.6	79.7 - 97.5	40	96.2	93.7 - 97.7	354
f.	Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	68.4	59.8 - 75.9	125	65.3	58.6 - 71.4	183	57.4	43.2 - 70.6	40	65.7	60.8 - 70.3	348

# 2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
24.2 17.6 - 32.3 128			35.7	29.1 - 42.9	183	67.4	51.9 - 79.8	40	34.4	29.7 - 39.3	351

# 2016 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	h	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
52.0	44.3 - 59.6	128	57.0	49.9 - 63.9	185	50.4	35.4 - 65.2	40	54.5	49.5 - 59.3	353

# 2016 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	h	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval					Percent	Interval	Ν	Percent	Interval	Ν
86.4	86.4 80.5 - 90.6 129			87.0 - 94.6	185	85.1	70.7 - 93.1	40	88.9	85.6 - 91.5	354

### 2016 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
68.3	59.9 - 75.6	129	52.8	45.6 - 59.9	185	62.8	48.9 - 74.8	40	59.8	54.7 - 64.6	354

# 2016 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
54.4 46.3 - 62.2 129			64.3	57.3 - 70.7	184	45.4	32.2 - 59.3	40	58.6	53.7 - 63.3	353

# 2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
97.7	93.3 - 99.2 129 97.4 95.0 - 98.6 18		186	95.0	82.9 - 98.7	40	97.2	95.4 - 98.4	355		

### 2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		High Schools		Mic	Idle Schools			or/Senior Hig Schools	h	А	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Cigarettes	96.9	92.4 - 98.8	128	95.0	91.4 - 97.1	183	94.9	82.5 - 98.7	39	95.7	93.4 - 97.3	350
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	96.9	92.4 - 98.8	128	94.5	90.8 - 96.8	183	94.9	82.5 - 98.7	39	95.5	93.1 - 97.1	350
c.	Cigars	96.9	92.4 - 98.8	128	93.0	89.7 - 95.2	183	94.9	82.5 - 98.7	39	94.7	92.4 - 96.3	350
d.	Pipes	96.9	92.4 - 98.8	128	93.5	90.0 - 95.8	183	94.9	82.5 - 98.7	39	94.9	92.6 - 96.6	350
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	96.1	91.3 - 98.3	128	93.3	89.2 - 95.9	182	92.4	79.2 - 97.5	39	94.3	91.6 - 96.2	349

### 2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		High Schools		Mic	Idle Schools			r/Senior Hig Schools	h	А	ll Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Cigarettes	96.9	92.3 - 98.8	126	94.9	91.3 - 97.1	181	92.2	79.1 - 97.3	38	95.4	93.0 - 97.0	345
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	96.9	92.3 - 98.8	126	93.8	89.9 - 96.3	180	92.2	79.1 - 97.3	38	94.9	92.3 - 96.6	344
c.	Cigars	96.9	92.3 - 98.8	126	92.8	89.0 - 95.3	180	89.6	75.7 - 95.9	38	94.1	91.5 - 95.9	344
d.	Pipes	96.9	92.3 - 98.8	126	92.8	89.0 - 95.3	180	92.2	79.1 - 97.3	38	94.3	91.8 - 96.1	344
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.2	89.9 - 97.8	125	92.0	87.4 - 95.0	179	89.6	75.7 - 95.9	38	93.0	90.0 - 95.1	342

### 2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mic	Idle Schools			r/Senior Hig Schools	h	Α	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	95.3	90.2 - 97.8	126	94.4	90.6 - 96.7	181	94.6	82.1 - 98.5	37	94.8	92.1 - 96.5	344
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	94.5	89.1 - 97.3	126	93.8	89.9 - 96.3	180	92.0	78.7 - 97.3	37	93.9	91.1 - 95.9	343
c.	Cigars	95.3	90.2 - 97.8	126	92.7	88.9 - 95.3	179	92.0	78.7 - 97.3	37	93.7	91.0 - 95.6	342
d.	Pipes	95.3	90.2 - 97.8	126	92.8	89.0 - 95.3	180	94.6	82.1 - 98.5	37	93.9	91.3 <b>-</b> 95.8	343
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.6 87.9 - 96.7 125		91.3	86.6 - 94.5	177	92.0	78.7 - 97.3	37	92.3	89.1 - 94.6	339	

# 2016 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	Hi	gh Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. During school hours	96.9	92.4 - 98.8	128	95.6	92.3 - 97.5	183	94.9	82.5 - 98.7	39	96.0	93.8 - 97.5	350
b. During non-school hours	96.2	91.5 - 98.4	128	94.6	90.9 - 96.8	183	94.9	82.5 - 98.7	39	95.2	92.8 - 96.9	350

### 2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	Hig	ch Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	Α	Il Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. During school hours	96.9	92.3 - 98.8	126	95.5	92.2 - 97.5	181	92.2	79.1 - 97.3	38	95.7	93.4 - 97.3	345
b. During non-school hours	96.2	91.4 - 98.3	126	93.9	90.0 - 96.3	180	92.2	79.1 - 97.3	38	94.6	92.0 - 96.4	344

### 2016 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High S	chools	Mic	Idle Schools		Junio	r/Senior Hig Schools	h	А	ll Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent In	iterval N	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. During school hours	95.3 90.2	2 - 97.8 126	95.0	91.4 - 97.1	181	94.6	82.1 - 98.5	37	95.1	92.5 - 96.8	344
b. During non-school hours	94.5 89.3	1 - 97.3 126	93.9	90.0 - 96.3	180	92.0	78.7 - 97.3	37	93.9	91.2 - 95.9	343

### 2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		High Schools		Mie	dle Schools			r/Senior Hig Schools	h	А	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
					Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	In school buildings	97.6	93.3 - 99.2	128	96.8	94.1 - 98.3	183	94.9	82.5 - 98.7	39	96.9	94.9 - 98.2	350
b.	Outside on school grounds, including parking lots and playing fields	97.6	93.3 - 99.2	128	96.8	94.1 - 98.3	183	94.9	82.5 - 98.7	39	96.9	94.9 - 98.2	350
c.	On school buses or other vehicles used to transport students	97.6	93.3 - 99.2	128	96.8	94.1 - 98.3	183	92.4	79.2 - 97.5	39	96.7	94.6 - 98.0	350
d.	At off-campus, school-sponsored events	97.6	93.3 - 99.2	128	95.1	91.6 - 97.1	181	94.9	82.5 - 98.7	39	96.1	93.8 - 97.5	348

### 2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		High Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	In school buildings	97.6	93.2 - 99.2	127	96.7	94.0 - 98.2	181	94.9	82.5 - 98.7	39	96.9	94.9 - 98.1	347
b.	Outside on school grounds, including parking lots and playing fields	96.9	92.2 - 98.8	127	96.2	93.2 - 97.9	181	92.4	79.2 - 97.5	39	96.1	93.8 - 97.5	347
c.	On school buses or other vehicles used to transport students	97.6	93.2 - 99.2	127	96.2	93.2 - 97.9	181	92.4	79.2 - 97.5	39	96.4	94.2 - 97.7	347
d.	At off-campus, school-sponsored events	96.9	92.2 - 98.8	127	90.5	85.7 - 93.8	179	92.4	79.2 - 97.5	39	93.2	90.2 - 95.3	345

### 2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		High Schools		Mie	dle Schools		Junio	r/Senior Hig Schools	h	А	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	In school buildings	95.2	90.1 - 97.8	127	96.1	93.1 - 97.9	180	92.4	79.2 - 97.5	39	95.4	93.0 - 97.0	346
b.	Outside on school grounds, including parking lots and playing fields	94.5	89.1 - 97.3	127	96.7	94.0 - 98.2	180	89.8	75.9 - 96.1	39	95.2	92.7 - 96.8	346
c.	On school buses or other vehicles used to transport students	95.2	90.1 - 97.8	127	95.5	92.2 - 97.5	181	89.8	75.9 - 96.1	39	94.9	92.3 - 96.6	347
d.	At off-campus, school-sponsored events	86.6	80.0 - 91.3	127	81.4	75.4 - 86.2	179	84.3	69.2 - 92.8	38	83.7	79.7 - 87.1	344

#### 2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

H	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
84.2	77.0 - 89.4	126	77.2	70.9 - 82.5	177	78.0	61.2 - 88.8	36	80.0	75.6 - 83.8	339	

### 2016 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
86.0	79.7 - 90.6	128	78.7	73.1 - 83.5	183	94.9	83.0 - 98.6	39	83.1	79.3 - 86.3	350

# 2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	Hi	gh Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	<u>g</u> h	А	ll Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. Faculty and staff	9.6	5.8 - 15.3	128	13.2	9.1 - 18.8	182	10.2	4.0 - 23.6	39	11.5	8.7 - 15.1	349
b. Students	13.7	8.9 - 20.5	128	10.1	6.7 - 15.1	181	15.3	7.0 - 30.1	39	12.0	9.1 - 15.7	348

### 2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	H	igh Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	А	Il Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a. Faculty and staff	13.5	9.4 - 19.1	128	17.7	13.5 - 22.8	181	5.1	1.4 - 17.0	39	14.9	12.0 - 18.2	348
b. Students	17.5	12.5 - 24.1	127	13.9	9.5 - 19.8	179	7.6	2.6 - 20.4	39	14.7	11.5 - 18.6	345

### 2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
15.2	10.1 - 22.2	127	15.4	10.8 - 21.6	179	10.2	4.0 - 23.6	39	14.8	11.5 - 18.9	345
#### 2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

		High Schools		Mic	Idle Schools			r/Senior Hig Schools	h	А	ll Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Foods or beverages are not offered at school celebrations	7.7	4.3 - 13.6	128	6.5	3.8 - 11.0	183	2.5	0.4 - 14.8	39	6.6	4.5 - 9.7	350
b.	Never	3.2	1.3 - 8.0	128	1.2	0.3 - 4.2	183	0.0	Ť	39	1.9	0.9 - 3.9	350
c.	Rarely	12.6	7.8 - 19.6	128	15.1	10.7 - 20.9	183	15.3	6.9 - 30.6	39	14.1	10.9 - 18.2	350
d.	Sometimes	48.4	40.0 - 56.8	128	46.1	39.6 - 52.8	183	53.8	37.3 - 69.6	39	47.7	42.8 - 52.7	350
e.	Always or almost always	28.0	20.9 - 36.5	128	31.1	25.6 - 37.2	183	28.4	16.6 - 44.1	39	29.6	25.4 - 34.3	350

### 2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

H	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
9.4	5.4 - 15.7	128	12.7	8.7 - 18.0	183	8.0	2.7 - 21.7	39	10.9	8.1 - 14.5	350

### 2016 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
74.5	67.4 - 80.5	127	48.1	41.8 - 54.4	184	31.3	18.2 - 48.2	39	56.6	52.2 - 60.9	350

### 2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mic	Idle Schools		Junio	r/Senior Hig Schools	h	А	ll Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Chocolate candy	15.8	10.5 - 23.1	127	5.7	3.4 - 9.4	182	2.5	0.4 - 14.8	39	9.3	6.8 - 12.6	348
b.	Other kinds of candy	17.1	12.1 - 23.7	127	6.9	4.5 - 10.6	181	2.5	0.4 - 14.8	39	10.5	8.0 - 13.6	347
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	29.6	22.7 - 37.6	127	16.5	11.9 - 22.5	181	2.5	0.4 - 14.8	39	20.3	16.5 - 24.6	347
d.	Low sodium or "no added salt" pretzels, crackers, or chips	51.8	43.6 - 59.8	126	34.6	28.8 - 40.8	181	18.2	8.8 - 33.8	39	39.6	35.1 - 44.3	346
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	28.9	22.0 - 36.8	127	15.5	11.4 - 20.8	181	5.1	1.3 - 17.5	39	19.7	16.2 - 23.8	347
f.	Ice cream or frozen yogurt that is not low in fat	21.3	15.7 - 28.4	127	17.9	13.5 - 23.3	181	2.9	0.4 - 16.6	39	17.8	14.5 - 21.6	347
g.	2% or whole milk (plain or flavored)	29.7	23.0 - 37.5	127	22.5	17.3 - 28.8	181	5.5	1.5 - 18.2	39	23.7	19.8 - 28.1	347
h.	Nonfat or 1% (low-fat) milk (plain)	38.9	31.7 - 46.7	127	29.9	24.0 - 36.6	181	10.2	4.0 - 23.6	39	31.5	27.3 - 36.1	347
i.	Water ices or frozen slushes that do not contain juice	18.1	12.6 - 25.2	127	12.1	9.0 - 16.0	181	0.0	t	39	13.2	10.5 - 16.6	347
j.	Soda pop or fruit drinks that are not 100% juice	30.8	23.8 - 38.9	127	9.0	5.6 - 14.1	181	5.1	1.3 - 17.5	39	17.1	13.7 - 21.1	347
k.	Sports drinks (e.g., Gatorade)	56.9	49.1 - 64.5	127	22.5	17.4 - 28.6	181	18.5	9.6 - 32.7	39	35.5	31.3 - 39.9	347

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

#### 2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	H	igh Schools		Mie	dle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
l. Energy drinks (e.g., Red Bull, Monster)	8.5	4.8 - 14.7	127	2.2	0.9 - 5.5	181	0.0	†	39	4.5	2.8 - 7.1	347
m. Bottled water	68.8	61.1 - 75.7	127	40.5	34.5 - 46.8	181	28.7	16.4 - 45.2	39	50.4	45.9 - 54.8	347
n. 100% fruit or vegetable juice	52.3	44.5 - 60.1	127	31.5	25.5 - 38.2	181	23.6	13.0 - 39.1	39	38.8	34.3 - 43.6	347
o. Foods or beverages containing caffeine	31.7	24.8 - 39.5	127	7.6	5.2 - 10.9	181	2.5	0.4 - 14.8	39	16.5	13.5 - 20.0	347
p. Fruits (not fruit juice)	39.8	33.1 - 46.8	126	29.0	23.4 - 35.4	181	8.0	2.7 - 21.7	39	31.1	27.1 - 35.5	346
q. Non-fried vegetables (not vegetable juice)	32.5	25.7 - 40.2	123	28.4	22.8 - 34.6	178	5.5	1.4 - 18.7	39	27.7	23.7 - 32.1	340

# 2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	А	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	17.3	12.4 - 23.8	127	15.7	11.3 - 21.5	179	13.1	5.5 - 28.1	38	16.1	12.8 - 20.0	344
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	58.2	50.8 - 65.2	127	46.6	39.3 - 53.9	179	47.8	33.3 - 62.6	38	51.2	46.3 - 56.1	344
c.	Provided information to students or families on the nutrition and caloric content of foods available	64.7	56.5 - 72.1	127	58.5	52.0 - 64.7	179	68.7	54.1 - 80.3	38	61.9	57.1 - 66.4	344
d.	Conducted taste tests to determine food preferences for nutritious items	41.3	33.7 - 49.2	127	40.5	33.6 - 47.8	179	20.9	11.4 - 35.2	38	38.9	34.2 - 44.0	344
e.	Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	32.0	25.3 - 39.6	127	16.1	11.4 - 22.1	178	34.3	20.7 - 51.1	38	24.0	20.1 - 28.5	343
f.	Served locally or regionally grown foods in the cafeteria or classrooms	33.2	26.0 - 41.2	127	22.3	16.6 - 29.4	178	23.5	13.0 - 38.7	38	26.7	22.3 - 31.5	343
g.	Planted a school food or vegetable garden	22.9	16.6 - 30.6	127	21.6	16.2 - 28.2	178	13.1	6.7 - 24.0	38	21.3	17.4 - 25.8	343
h.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	77.2	69.9 - 83.2	127	83.3	77.6 - 87.8	178	81.7	68.9 - 90.0	38	80.8	76.6 - 84.3	343

# 2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mie	Idle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
		<b>D</b>	95% Confidence	N.	<b>D</b>	95% Confidence	<b>N</b> T	<b>D</b>	95% Confidence	N	<b>D</b>	95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
i.	Used attractive displays for fruits and vegetables in the cafeteria	67.5	59.7 - 74.4	127	68.8	61.9 - 75.0	178	63.1	48.0 - 76.0	38	67.8	63.0 - 72.2	343
j.	Offered a self-serve salad bar to students	24.4	17.5 - 32.9	127	21.7	16.2 - 28.4	177	13.1	5.5 - 28.1	38	21.9	17.8 - 26.7	342
k.	Labeled healthful foods with appealing names (e.g., crunchy carrots)	38.9	31.3 - 47.0	127	35.8	29.9 - 42.2	177	52.2	40.7 - 63.5	38	38.6	34.1 - 43.2	342
1.	Encouraged students to drink plain water	76.9	69.0 - 83.3	125	76.1	70.1 - 81.3	174	94.8	82.6 - 98.6	38	78.2	73.9 - 82.0	337
m.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	54.1	45.4 - 62.7	126	50.5	43.5 - 57.6	172	44.4	31.8 - 57.8	38	51.4	46.2 - 56.5	336
n.	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	48.6	39.2 - 58.2	121	42.7	35.4 - 50.2	166	31.7	19.5 - 47.1	38	43.9	38.5 - 49.5	325

# 2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	gh Schools		Mie	dle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	In school buildings	70.2	62.6 - 76.8	128	73.0	66.4 - 78.7	178	74.5	59.1 - 85.6	39	72.0	67.4 - 76.2	345
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	62.5	55.4 - 69.1	128	66.3	59.4 - 72.5	178	66.9	53.3 - 78.1	39	64.8	60.3 - 69.2	345
c.	On school buses or other vehicles used to transport students	72.7	65.7 - 78.8	128	70.0	63.5 - 75.8	178	74.5	59.1 - 85.6	39	71.5	67.1 - 75.6	345
d.	In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	59.2	51.4 - 66.6	128	64.5	57.6 - 70.9	177	64.4	48.4 - 77.7	39	62.4	57.5 - 67.1	344
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	61.6	53.4 - 69.1	125	65.9	59.2 - 72.1	176	66.0	52.1 - 77.7	38	64.2	59.4 - 68.8	339

# 2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		Hi	igh Schools		Mic	dle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Yes, in all locations	79.0	72.0 - 84.7	128	60.0	53.1 - 66.6	173	70.9	53.0 - 84.1	38	68.7	63.9 - 73.0	339
b	Yes, in certain locations	16.9	12.0 - 23.4	128	28.8	22.7 - 35.8	173	23.9	12.2 - 41.5	38	23.6	19.6 - 28.1	339
c.	No	4.0	1.7 - 9.0	128	11.2	7.3 - 16.8	173	5.2	1.4 - 17.4	38	7.7	5.4 - 11.0	339

# 2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
96.0	91.0 - 98.3	128	88.8	83.2 - 92.7	173	94.8	82.6 - 98.6	38	92.3	89.0 - 94.6	339

### 2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

		High Schools		Mi	ddle Schools			or/Senior Hig Schools	h	Α	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
					Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Cafeteria during breakfast	95.4	90.3 - 97.8	129	94.8	91.1 - 96.9	179	100.0	†	39	95.5	93.0 - 97.1	347
b.	Cafeteria during lunch	95.4	90.3 - 97.8	129	95.4	92.6 - 97.1	179	100.0	†	39	95.8	93.6 - 97.3	347
c.	Gymnasium or other indoor physical activity facilities	98.3	94.0 - 99.6	127	97.1	93.6 - 98.7	179	100.0	†	39	97.9	95.8 - 98.9	345
d.	Outdoor physical activity facilities and sports fields	89.5	82.7 - 93.8	126	81.9	76.2 - 86.4	179	92.2	78.7 - 97.4	38	85.8	82.0 - 88.9	343
e.	Hallways throughout the school	97.5	92.9 - 99.2	122	98.9	95.9 - 99.7	168	100.0	t	37	98.4	96.5 - 99.3	327

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# 2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
84.9	78.9 - 89.4	127	82.5	77.1 - 86.8	178	54.2	42.3 - 65.6	39	80.7	77.1 - 83.9	344

# 2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
26.8	20.6 - 34.1	125	22.9	18.1 - 28.6	178	28.7	16.5 - 45.2	38	25.0	21.2 - 29.2	341

# 2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Hig Schools	h	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
24.0	18.0 - 31.2	128	20.8	16.1 - 26.5	177	7.6	2.6 - 20.4	39	20.8	17.3 - 24.8	344

# 2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

		High Schools		Mid	Idle Schools	:		r/Senior Hig Schools	gh	Α	ll Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	HIV testing	0.8	0.1 - 5.1	128	0.5	0.1 - 3.1	179	0.0	Ť	39	0.6	0.2 - 2.1	346
b.	HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	128	0.0	†	179	0.0	ŧ	39	0.0	†	346
c.	STD testing	0.8	0.1 - 5.1	128	0.5	0.1 - 3.1	179	0.0	†	39	0.6	0.2 - 2.1	346
d.	STD treatment	0.8	0.1 - 5.1	128	0.0	ţ	179	0.0	†	39	0.3	0.1 - 2.0	346
e.	Pregnancy testing	2.3	0.8 - 6.4	128	0.0	ţ	179	0.0	†	39	0.9	0.3 - 2.6	346
f.	Provision of condoms	0.8	0.1 - 5.1	128	0.0	ţ	179	0.0	†	39	0.3	0.1 - 2.0	346
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.8	0.1 - 5.1	128	0.0	ţ	179	0.0	†	39	0.3	0.1 - 2.0	346
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.8	0.1 - 5.1	128	0.0	ţ	178	0.0	t	39	0.3	0.1 - 2.0	345
i.	Prenatal care	3.4	1.3 - 8.2	122	1.0	0.3 - 3.8	173	0.0	Ť	38	1.8	0.9 - 3.9	333
j.	Human papillomavirus (HPV) vaccine administration	2.3	0.8 - 6.6	128	0.0	t	175	2.5	0.4 - 14.8	39	1.2	0.5 - 2.9	342

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

### 2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	igh Schools		Mic	Idle Schools			or/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N
a.	HIV testing	30.9	23.0 - 40.2	114	16.9	12.1 - 23.1	168	25.2	14.6 - 39.8	36	23.0	18.8 - 27.9	318
b.	HIV treatment (ongoing medical care for persons living with HIV)	33.9	26.3 - 42.4	127	19.8	14.6 - 26.2	178	30.9	19.3 - 45.6	39	26.4	22.1 - 31.2	344
c.	nPEP (non-occupational post-exposure prophylaxis for HIVa short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	36.3	28.7 - 44.6	127	20.3	15.0 - 26.8	178	30.9	19.3 - 45.6	39	27.6	23.3 - 32.3	344
d.	STD testing	32.8	24.8 - 42.0	114	18.8	13.9 - 24.9	168	25.9	15.0 - 41.0	35	24.8	20.5 - 29.6	317
e.	STD treatment	32.5	24.6 - 41.6	115	18.0	13.2 - 24.0	169	25.9	15.0 - 41.0	35	24.3	20.1 - 29.1	319
f.	Pregnancy testing	33.6	25.3 - 43.1	114	22.7	17.7 - 28.8	165	25.9	15.0 - 41.0	35	27.2	22.8 - 32.2	314
g.	Provision of condoms	18.7	13.0 - 26.3	119	14.7	10.4 - 20.4	172	19.2	10.2 - 33.0	37	16.7	13.2 - 20.8	328

### 2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		High Schools		Mic	Idle Schools			r/Senior Hig Schools	h	А	Il Schools		
		<b>D</b> .	95% Confidence	<b>N</b> .T		95% Confidence	<b>N</b> .T		95% Confidence	<b>N</b> .		95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
h.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	18.4	12.8 - 25.9	121	14.0	9.8 - 19.5	173	19.2	10.2 - 33.0	37	16.2	12.8 - 20.3	331
i.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	20.2	14.2 - 28.0	120	14.7	10.6 - 20.1	172	21.8	11.9 - 36.6	37	17.5	14.1 - 21.7	329
j.	Prenatal care	33.6	25.1 - 43.4	111	22.6	17.2 - 29.0	162	26.8	15.9 - 41.5	34	27.2	22.6 - 32.3	307
k.	Human papillomavirus (HPV) vaccine administration	37.6	29.5 - 46.4	123	24.1	18.8 - 30.3	176	28.4	17.5 - 42.4	39	29.7	25.3 - 34.5	338

### 2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Higl Schools	1	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
62.8	54.0 - 70.9	126	65.9	58.9 - 72.2	172	71.6	57.4 - 82.6	39	65.2	60.1 - 70.0	337

#### 2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	Н	igh Schools		Mic	Idle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	96.3	91.6 - 98.4	128	95.1	91.1 - 97.4	179	97.5	85.2 - 99.6	39	95.8	93.3 - 97.4	346
b. Food allergies	96.2	91.5 - 98.4	128	96.2	92.4 - 98.1	179	100.0	Ť	39	96.6	94.2 - 98.0	346
c. Diabetes	97.7	93.6 - 99.2	128	96.2	92.4 - 98.1	179	100.0	t	39	97.2	94.9 - 98.4	346
d. Epilepsy or seizure disorder	96.9	92.4 - 98.8	128	95.6	91.7 - 97.7	179	97.5	85.2 - 99.6	39	96.3	93.9 - 97.8	346
e. Obesity	45.5	37.9 - 53.3	128	45.9	40.2 - 51.7	179	45.8	34.2 - 57.9	39	45.7	41.4 - 50.2	346
f. Hypertension/high blood pressure	76.9	69.5 - 82.9	126	76.0	69.9 - 81.2	175	72.0	58.0 - 82.7	39	76.0	71.6 - 79.8	340

#### 2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	Hi	igh Schools		Mie	ddle Schools			or/Senior Hig Schools	h	А	Il Schools	
	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν
a. Asthma	56.4	48.6 - 64.0		47.7	41.0 - 54.4		46.2	31.0 - 62.1	39	50.9	46.1 - 55.8	
b. Food allergies	54.9	47.1 - 62.5	126	46.0	39.3 - 52.8	177	46.2	31.0 - 62.1	39	49.5	44.6 - 54.4	342
c. Diabetes	56.9	49.1 - 64.5	125	48.2	41.5 - 55.0	177	46.2	31.0 - 62.1	39	51.4	46.5 - 56.2	341
d. Epilepsy or seizure disorder	-	-	1	-	-	1	-	-	0	-	-	2
e. Obesity	41.3	33.5 - 49.5	126	37.4	30.8 - 44.4	177	40.7	26.7 - 56.5	39	39.2	34.4 - 44.2	342
f. Hypertension/high blood pressure	53.6	45.5 - 61.5	125	45.9	39.2 - 52.7	177	46.2	31.0 - 62.1	39	48.9	44.0 - 53.9	341

### 2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

		High Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N
a.	This school does not provide any sexual or reproductive health services	80.9	73.1 - 86.9	119	81.3	75.3 - 86.2	171	58.2	41.9 - 72.9	38	78.9	74.4 - 82.8	328
b.	Parental consent is required before any sexual or reproductive health services are provided	14.9	9.8 - 22.0	119	18.0	13.3 - 23.9	171	39.2	24.2 - 56.5	38	18.9	15.3 - 23.2	328
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	2.5	0.9 - 7.2	119	0.0	t	171	0.0	†	38	1.0	0.3 - 2.8	328
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	t	119	0.7	0.1 - 4.1	171	0.0	†	38	0.3	0.1 - 2.1	328
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.6	0.4 - 5.9	119	0.0	ţ	171	2.6	0.4 - 15.2	38	0.9	0.3 - 2.6	328
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	ţ	119	0.0	ţ	171	0.0	†	38	0.0	ţ	328

### 2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

		High Schools		Mi	ddle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools		
		Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	Ν	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	This school does not refer any sexual or reproductive health services	57.7	48.5 - 66.4	107	69.4	62.2 - 75.8	157	56.0	37.2 - 73.2	32	63.7	58.3 - 68.8	296
b.	Parental consent is required before any sexual or reproductive health services are referred	26.1	19.2 - 34.4	107	28.1	22.0 - 35.1	157	34.7	19.4 - 53.9	32	27.9	23.4 - 33.0	296
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	7.7	4.0 - 14.4	107	0.6	0.1 - 4.0	157	3.1	0.5 - 17.8	32	3.6	2.0 - 6.4	296
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	4.6	2.0 - 10.3	107	1.1	0.3 - 4.1	157	6.2	1.6 - 21.1	32	2.9	1.6 - 5.4	296
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	2.9	1.0 - 8.1	107	0.7	0.1 - 4.4	157	0.0	†	32	1.5	0.6 - 3.7	296
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	1.0	0.2 - 6.1	107	0.0	Ť	157	0.0	ţ	32	0.4	0.1 - 2.4	296

# 2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	А	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
a.	Provided parents and families with information about how to communicate with their child about sex	26.5	19.8 - 34.4	128	31.7	25.7 - 38.4	179	25.8	15.5 - 39.8	39	29.1	24.8 - 33.8	346
b.	Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	54.6	47.5 - 61.4	127	57.9	50.4 - 65.1	175	38.9	26.2 - 53.3	39	54.7	49.8 - 59.5	341
c.	Involved parents as school volunteers in the delivery of health education activities and services	38.6	31.2 - 46.6	126	34.8	28.4 - 41.8	174	28.7	18.8 - 41.2	39	35.7	31.1 - 40.6	339
d.	Linked parents and families to health services and programs in the community	73.7	65.8 - 80.2	126	63.6	57.0 - 69.7	173	54.2	45.3 - 62.8	39	66.6	62.1 - 70.9	338

# 2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

Н	igh Schools		Mi	ddle Schools		Junio	or/Senior Hig Schools	h	I	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν
83.5	75.8 - 89.1	127	85.4	79.9 - 89.6	179	89.8	75.9 - 96.1	39	85.1	81.0 - 88.4	345

### 2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junio	or/Senior Higl Schools	All Schools				
	95%		95%				95%		95%			
Confidence			Confidence			Confidence			Confidence			
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
45.8	38.8 - 52.9	128	39.5	32.3 - 47.1	179	22.9	14.0 - 35.2	39	40.3	35.6 - 45.3	346	

# 2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junio	or/Senior Higl Schools	1	All Schools			
	95%		95%			95%			95%			
Confidence			Confidence			Confidence			Confidence			
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
69.3	61.0 - 76.5	128	51.2	44.4 - 57.9	177	53.8	39.3 - 67.8	39	58.6	53.7 - 63.3	344	

# 2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junio	or/Senior Higl Schools	1	All Schools			
	95%		95%			95%			95%			
Confidence			Confidence			Confidence			Confidence			
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
89.9	83.4 - 94.0	129	89.5	84.9 - 92.8	180	94.9	82.5 - 98.7	39	90.2	86.8 - 92.7	348	

# 2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junio	or/Senior Higl Schools	All Schools				
	95%		95%			95%			95%			
Confidence			Confidence			Confidence			Confidence			
Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	Percent	Interval	Ν	
68.8	60.2 - 76.2	129	57.6	51.1 - 63.9	177	79.6	63.1 - 89.9	39	64.2	59.3 - 68.8	345	