

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity	55.7	47.8 - 63.3	123	61.5	54.7 - 67.9	176	68.5	53.8 - 80.2	41	60.0	55.2 - 64.7	340
b. Nutrition	46.4	38.3 - 54.6	124	50.9	44.3 - 57.4	174	67.7	52.7 - 79.8	40	50.8	46.0 - 55.6	338
c. Tobacco-use prevention	43.7	36.1 - 51.5	123	40.8	33.9 - 48.1	174	60.3	46.7 - 72.5	40	43.9	39.1 - 48.9	337
d. Asthma	32.5	25.8 - 40.0	122	31.5	26.0 - 37.6	174	45.4	30.8 - 60.8	40	33.3	29.1 - 37.8	336
e. Injury and violence prevention	39.4	31.6 - 47.8	121	43.1	36.3 - 50.1	174	52.8	37.0 - 68.2	40	42.7	37.7 - 47.8	335
f. HIV, STD, and teen pregnancy prevention	36.1	29.3 - 43.4	121	30.5	24.2 - 37.5	173	41.4	29.2 - 54.9	39	33.7	29.3 - 38.4	333

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	62.0	54.4 - 69.0	120	67.3	61.0 - 73.0	172	67.7	52.7 - 79.8	40	65.3	60.7 - 69.6	332
b. Physical education	58.3	50.0 - 66.1	119	71.6	64.6 - 77.7	172	72.0	58.0 - 82.7	39	66.5	61.6 - 71.1	330
c. Physical activity	54.2	46.1 - 62.1	119	65.7	58.8 - 71.9	172	58.9	43.3 - 72.9	39	60.6	55.6 - 65.3	330
d. School meal programs	46.6	38.2 - 55.3	119	44.1	37.9 - 50.5	172	57.8	41.8 - 72.4	38	46.4	41.6 - 51.4	329
e. Foods and beverages available at school outside the school meal programs	41.6	34.4 - 49.2	119	43.2	36.8 - 49.9	171	47.4	33.6 - 61.6	38	43.0	38.4 - 47.8	328
f. Health services	58.3	50.5 - 65.8	119	64.7	58.4 - 70.6	171	71.3	54.8 - 83.5	38	62.9	58.2 - 67.4	328
g. Counseling, psychological, and social services	76.2	67.7 - 83.0	119	78.7	72.6 - 83.8	171	71.3	57.5 - 82.0	38	77.0	72.4 - 81.0	328
h. Physical environment	74.8	67.2 - 81.2	119	72.8	65.7 - 78.8	171	79.1	67.7 - 87.3	38	74.2	69.5 - 78.4	328
i. Social and emotional climate	80.1	72.4 - 86.1	119	87.4	82.1 - 91.3	171	79.1	62.2 - 89.7	38	83.8	79.6 - 87.2	328
j. Family engagement	84.2	76.6 - 89.6	119	90.1	84.7 - 93.7	171	81.7	68.3 - 90.3	38	87.0	83.0 - 90.1	328
k. Community involvement	88.4	81.8 - 92.8	118	89.9	84.4 - 93.6	170	86.9	71.9 - 94.5	38	89.0	85.3 - 91.9	326
l. Employee wellness	53.9	45.1 - 62.4	115	59.0	52.2 - 65.4	167	50.0	35.2 - 64.8	38	56.1	51.0 - 61.1	320

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
64.3	56.3 - 71.6	123	66.1	59.0 - 72.5	182	56.4	43.5 - 68.5	41	64.4	59.5 - 69.0	346

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.9	87.8 - 95.9	127	91.6	86.8 - 94.7	187	95.2	83.3 - 98.7	41	92.4	89.4 - 94.6	355

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.9	60.1 - 76.4	127	62.0	55.2 - 68.3	187	73.4	56.3 - 85.5	41	65.7	60.7 - 70.4	355

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Identified student health needs based on a review of relevant data	80.1	72.2 - 86.2	88	76.0	67.9 - 82.6	116	79.5	62.3 - 90.1	29	78.0	72.8 - 82.5	233
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	85.0	75.8 - 91.2	88	77.4	70.2 - 83.3	116	76.1	61.9 - 86.2	29	80.3	75.3 - 84.6	233
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	52.0	42.1 - 61.7	88	44.4	36.8 - 52.4	116	48.3	33.3 - 63.6	29	47.9	42.1 - 53.7	233
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	87.4	78.8 - 92.8	88	88.0	82.0 - 92.3	116	82.9	65.8 - 92.5	29	87.2	82.7 - 90.7	233
e. Reviewed health-related curricula or instructional materials	80.4	71.2 - 87.3	88	75.7	67.7 - 82.2	116	69.3	52.7 - 82.0	29	76.9	71.4 - 81.6	233
f. Assessed the availability of physical activity opportunities for students	85.8	76.9 - 91.6	87	79.5	71.3 - 85.8	116	89.8	74.7 - 96.3	29	83.1	77.8 - 87.3	232
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	41.5	31.9 - 51.9	84	42.4	34.4 - 50.9	115	48.3	32.2 - 64.8	29	42.7	36.8 - 48.9	228

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
75.3	68.2 - 81.2	126	53.7	46.7 - 60.6	186	41.4	28.0 - 56.3	39	60.8	56.0 - 65.3	351

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	80.6	72.8 - 86.5	129	77.4	71.5 - 82.3	186	87.6	73.7 - 94.7	40	79.6	75.3 - 83.3	355
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	69.8	61.9 - 76.7	127	65.1	58.2 - 71.5	181	41.1	27.0 - 56.8	39	64.6	59.8 - 69.2	347

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	70.2	62.6 - 76.8	128	73.0	66.4 - 78.7	178	74.5	59.1 - 85.6	39	72.0	67.4 - 76.2	345
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	62.5	55.4 - 69.1	128	66.3	59.4 - 72.5	178	66.9	53.3 - 78.1	39	64.8	60.3 - 69.2	345
c. On school buses or other vehicles used to transport students	72.7	65.7 - 78.8	128	70.0	63.5 - 75.8	178	74.5	59.1 - 85.6	39	71.5	67.1 - 75.6	345
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	59.2	51.4 - 66.6	128	64.5	57.6 - 70.9	177	64.4	48.4 - 77.7	39	62.4	57.5 - 67.1	344
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	61.6	53.4 - 69.1	125	65.9	59.2 - 72.1	176	66.0	52.1 - 77.7	38	64.2	59.4 - 68.8	339

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	79.0	72.0 - 84.7	128	60.0	53.1 - 66.6	173	70.9	53.0 - 84.1	38	68.7	63.9 - 73.0	339
b. Yes, in certain locations	16.9	12.0 - 23.4	128	28.8	22.7 - 35.8	173	23.9	12.2 - 41.5	38	23.6	19.6 - 28.1	339
c. No	4.0	1.7 - 9.0	128	11.2	7.3 - 16.8	173	5.2	1.4 - 17.4	38	7.7	5.4 - 11.0	339

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.0	91.0 - 98.3	128	88.8	83.2 - 92.7	173	94.8	82.6 - 98.6	38	92.3	89.0 - 94.6	339

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	95.4	90.3 - 97.8	129	94.8	91.1 - 96.9	179	100.0	†	39	95.5	93.0 - 97.1	347
b. Cafeteria during lunch	95.4	90.3 - 97.8	129	95.4	92.6 - 97.1	179	100.0	†	39	95.8	93.6 - 97.3	347
c. Gymnasium or other indoor physical activity facilities	98.3	94.0 - 99.6	127	97.1	93.6 - 98.7	179	100.0	†	39	97.9	95.8 - 98.9	345
d. Outdoor physical activity facilities and sports fields	89.5	82.7 - 93.8	126	81.9	76.2 - 86.4	179	92.2	78.7 - 97.4	38	85.8	82.0 - 88.9	343
e. Hallways throughout the school	97.5	92.9 - 99.2	122	98.9	95.9 - 99.7	168	100.0	†	37	98.4	96.5 - 99.3	327

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.9	78.9 - 89.4	127	82.5	77.1 - 86.8	178	54.2	42.3 - 65.6	39	80.7	77.1 - 83.9	344

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
26.8	20.6 - 34.1	125	22.9	18.1 - 28.6	178	28.7	16.5 - 45.2	38	25.0	21.2 - 29.2	341

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
24.0	18.0 - 31.2	128	20.8	16.1 - 26.5	177	7.6	2.6 - 20.4	39	20.8	17.3 - 24.8	344

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.8	0.1 - 5.1	128	0.5	0.1 - 3.1	179	0.0	†	39	0.6	0.2 - 2.1	346
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	128	0.0	†	179	0.0	†	39	0.0	†	346
c. STD testing	0.8	0.1 - 5.1	128	0.5	0.1 - 3.1	179	0.0	†	39	0.6	0.2 - 2.1	346
d. STD treatment	0.8	0.1 - 5.1	128	0.0	†	179	0.0	†	39	0.3	0.1 - 2.0	346
e. Pregnancy testing	2.3	0.8 - 6.4	128	0.0	†	179	0.0	†	39	0.9	0.3 - 2.6	346
f. Provision of condoms	0.8	0.1 - 5.1	128	0.0	†	179	0.0	†	39	0.3	0.1 - 2.0	346
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.8	0.1 - 5.1	128	0.0	†	179	0.0	†	39	0.3	0.1 - 2.0	346
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.8	0.1 - 5.1	128	0.0	†	178	0.0	†	39	0.3	0.1 - 2.0	345
i. Prenatal care	3.4	1.3 - 8.2	122	1.0	0.3 - 3.8	173	0.0	†	38	1.8	0.9 - 3.9	333
j. Human papillomavirus (HPV) vaccine administration	2.3	0.8 - 6.6	128	0.0	†	175	2.5	0.4 - 14.8	39	1.2	0.5 - 2.9	342

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	30.9	23.0 - 40.2	114	16.9	12.1 - 23.1	168	25.2	14.6 - 39.8	36	23.0	18.8 - 27.9	318
b. HIV treatment (ongoing medical care for persons living with HIV)	33.9	26.3 - 42.4	127	19.8	14.6 - 26.2	178	30.9	19.3 - 45.6	39	26.4	22.1 - 31.2	344
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	36.3	28.7 - 44.6	127	20.3	15.0 - 26.8	178	30.9	19.3 - 45.6	39	27.6	23.3 - 32.3	344
d. STD testing	32.8	24.8 - 42.0	114	18.8	13.9 - 24.9	168	25.9	15.0 - 41.0	35	24.8	20.5 - 29.6	317
e. STD treatment	32.5	24.6 - 41.6	115	18.0	13.2 - 24.0	169	25.9	15.0 - 41.0	35	24.3	20.1 - 29.1	319
f. Pregnancy testing	33.6	25.3 - 43.1	114	22.7	17.7 - 28.8	165	25.9	15.0 - 41.0	35	27.2	22.8 - 32.2	314
g. Provision of condoms	18.7	13.0 - 26.3	119	14.7	10.4 - 20.4	172	19.2	10.2 - 33.0	37	16.7	13.2 - 20.8	328

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	18.4	12.8 - 25.9	121	14.0	9.8 - 19.5	173	19.2	10.2 - 33.0	37	16.2	12.8 - 20.3	331
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	20.2	14.2 - 28.0	120	14.7	10.6 - 20.1	172	21.8	11.9 - 36.6	37	17.5	14.1 - 21.7	329
j. Prenatal care	33.6	25.1 - 43.4	111	22.6	17.2 - 29.0	162	26.8	15.9 - 41.5	34	27.2	22.6 - 32.3	307
k. Human papillomavirus (HPV) vaccine administration	37.6	29.5 - 46.4	123	24.1	18.8 - 30.3	176	28.4	17.5 - 42.4	39	29.7	25.3 - 34.5	338

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
62.8	54.0 - 70.9	126	65.9	58.9 - 72.2	172	71.6	57.4 - 82.6	39	65.2	60.1 - 70.0	337

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	96.3	91.6 - 98.4	128	95.1	91.1 - 97.4	179	97.5	85.2 - 99.6	39	95.8	93.3 - 97.4	346
b. Food allergies	96.2	91.5 - 98.4	128	96.2	92.4 - 98.1	179	100.0	†	39	96.6	94.2 - 98.0	346
c. Diabetes	97.7	93.6 - 99.2	128	96.2	92.4 - 98.1	179	100.0	†	39	97.2	94.9 - 98.4	346
d. Epilepsy or seizure disorder	96.9	92.4 - 98.8	128	95.6	91.7 - 97.7	179	97.5	85.2 - 99.6	39	96.3	93.9 - 97.8	346
e. Obesity	45.5	37.9 - 53.3	128	45.9	40.2 - 51.7	179	45.8	34.2 - 57.9	39	45.7	41.4 - 50.2	346
f. Hypertension/high blood pressure	76.9	69.5 - 82.9	126	76.0	69.9 - 81.2	175	72.0	58.0 - 82.7	39	76.0	71.6 - 79.8	340

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	56.4	48.6 - 64.0	126	47.7	41.0 - 54.4	177	46.2	31.0 - 62.1	39	50.9	46.1 - 55.8	342
b. Food allergies	54.9	47.1 - 62.5	126	46.0	39.3 - 52.8	177	46.2	31.0 - 62.1	39	49.5	44.6 - 54.4	342
c. Diabetes	56.9	49.1 - 64.5	125	48.2	41.5 - 55.0	177	46.2	31.0 - 62.1	39	51.4	46.5 - 56.2	341
d. Epilepsy or seizure disorder	-	-	1	-	-	1	-	-	0	-	-	2
e. Obesity	41.3	33.5 - 49.5	126	37.4	30.8 - 44.4	177	40.7	26.7 - 56.5	39	39.2	34.4 - 44.2	342
f. Hypertension/high blood pressure	53.6	45.5 - 61.5	125	45.9	39.2 - 52.7	177	46.2	31.0 - 62.1	39	48.9	44.0 - 53.9	341

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	80.9	73.1 - 86.9	119	81.3	75.3 - 86.2	171	58.2	41.9 - 72.9	38	78.9	74.4 - 82.8	328
b. Parental consent is required before any sexual or reproductive health services are provided	14.9	9.8 - 22.0	119	18.0	13.3 - 23.9	171	39.2	24.2 - 56.5	38	18.9	15.3 - 23.2	328
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	2.5	0.9 - 7.2	119	0.0	†	171	0.0	†	38	1.0	0.3 - 2.8	328
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	†	119	0.7	0.1 - 4.1	171	0.0	†	38	0.3	0.1 - 2.1	328
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.6	0.4 - 5.9	119	0.0	†	171	2.6	0.4 - 15.2	38	0.9	0.3 - 2.6	328
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	119	0.0	†	171	0.0	†	38	0.0	†	328

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	57.7	48.5 - 66.4	107	69.4	62.2 - 75.8	157	56.0	37.2 - 73.2	32	63.7	58.3 - 68.8	296
b. Parental consent is required before any sexual or reproductive health services are referred	26.1	19.2 - 34.4	107	28.1	22.0 - 35.1	157	34.7	19.4 - 53.9	32	27.9	23.4 - 33.0	296
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	7.7	4.0 - 14.4	107	0.6	0.1 - 4.0	157	3.1	0.5 - 17.8	32	3.6	2.0 - 6.4	296
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	4.6	2.0 - 10.3	107	1.1	0.3 - 4.1	157	6.2	1.6 - 21.1	32	2.9	1.6 - 5.4	296
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	2.9	1.0 - 8.1	107	0.7	0.1 - 4.4	157	0.0	†	32	1.5	0.6 - 3.7	296
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	1.0	0.2 - 6.1	107	0.0	†	157	0.0	†	32	0.4	0.1 - 2.4	296

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	26.5	19.8 - 34.4	128	31.7	25.7 - 38.4	179	25.8	15.5 - 39.8	39	29.1	24.8 - 33.8	346
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	54.6	47.5 - 61.4	127	57.9	50.4 - 65.1	175	38.9	26.2 - 53.3	39	54.7	49.8 - 59.5	341
c. Involved parents as school volunteers in the delivery of health education activities and services	38.6	31.2 - 46.6	126	34.8	28.4 - 41.8	174	28.7	18.8 - 41.2	39	35.7	31.1 - 40.6	339
d. Linked parents and families to health services and programs in the community	73.7	65.8 - 80.2	126	63.6	57.0 - 69.7	173	54.2	45.3 - 62.8	39	66.6	62.1 - 70.9	338

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
83.5	75.8 - 89.1	127	85.4	79.9 - 89.6	179	89.8	75.9 - 96.1	39	85.1	81.0 - 88.4	345

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
45.8	38.8 - 52.9	128	39.5	32.3 - 47.1	179	22.9	14.0 - 35.2	39	40.3	35.6 - 45.3	346

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
69.3	61.0 - 76.5	128	51.2	44.4 - 57.9	177	53.8	39.3 - 67.8	39	58.6	53.7 - 63.3	344

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
89.9	83.4 - 94.0	129	89.5	84.9 - 92.8	180	94.9	82.5 - 98.7	39	90.2	86.8 - 92.7	348

TEXAS

2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.8	60.2 - 76.2	129	57.6	51.1 - 63.9	177	79.6	63.1 - 89.9	39	64.2	59.3 - 68.8	345