

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|----------------|-------------|-----|----------------|-------------|-----|----------------------------|-------------|----|----------------|-------------|-----|
| 95% Confidence | | | 95% Confidence | | | 95% Confidence | | | 95% Confidence | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 63.5 | 55.1 - 71.2 | 134 | 64.8 | 57.7 - 71.4 | 187 | 65.5 | 49.3 - 78.8 | 32 | 64.4 | 59.3 - 69.2 | 353 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N |
| 63.5 | 55.1 - 71.2 | 134 | 64.8 | 57.7 - 71.4 | 187 | 65.5 | 49.3 - 78.8 | 32 | 64.4 | 59.3 - 69.2 | 353 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N |
| a. Issue a warning to the student | 38.3 | 31.0 - 46.1 | 132 | 33.3 | 27.3 - 39.9 | 185 | 42.8 | 32.7 - 53.6 | 33 | 36.1 | 31.8 - 40.8 | 350 |
| b. Confiscate product | 0.0 | † | 135 | 0.0 | † | 188 | 0.0 | † | 32 | 0.0 | † | 355 |
| c. Notify parents or guardians | 0.0 | † | 135 | 0.0 | † | 188 | 0.0 | † | 33 | 0.0 | † | 356 |
| d. Develop a behavior contract with the student | 13.6 | 9.3 - 19.6 | 134 | 9.8 | 6.5 - 14.4 | 187 | 9.4 | 3.1 - 25.2 | 33 | 11.3 | 8.6 - 14.6 | 354 |
| e. Refer to a school counselor | 9.9 | 6.2 - 15.5 | 134 | 6.2 | 3.6 - 10.4 | 187 | 6.4 | 1.7 - 21.6 | 33 | 7.7 | 5.5 - 10.7 | 354 |
| f. Refer to a school administrator | 0.0 | † | 135 | 1.6 | 0.6 - 4.7 | 188 | 0.0 | † | 33 | 0.8 | 0.3 - 2.4 | 356 |
| g. Refer to an assistance, education, or cessation program | 17.4 | 12.5 - 23.8 | 134 | 23.1 | 18.0 - 29.1 | 186 | 21.4 | 10.0 - 40.0 | 33 | 20.7 | 17.1 - 24.8 | 353 |
| h. Refer to legal authorities (e.g., school resource officer) | 12.2 | 7.8 - 18.7 | 135 | 7.4 | 4.5 - 12.0 | 187 | 27.4 | 14.1 - 46.5 | 33 | 11.1 | 8.3 - 14.8 | 355 |
| i. Issue an in-school suspension (half day or full day) | 8.1 | 4.6 - 13.9 | 134 | 6.4 | 3.7 - 10.8 | 187 | 6.2 | 1.6 - 21.0 | 32 | 7.1 | 4.9 - 10.1 | 353 |
| j. Issue an after-school or weekend detention | 46.8 | 39.2 - 54.6 | 133 | 50.6 | 43.9 - 57.4 | 187 | 60.5 | 44.2 - 74.8 | 33 | 50.0 | 45.2 - 54.9 | 353 |
| k. Issue an out-of-school suspension | 20.0 | 15.0 - 26.2 | 134 | 14.5 | 10.7 - 19.4 | 187 | 33.1 | 20.6 - 48.5 | 33 | 18.4 | 15.2 - 22.0 | 354 |
| l. Expel from school | 60.2 | 52.7 - 67.1 | 133 | 67.5 | 60.9 - 73.4 | 186 | 85.0 | 68.7 - 93.6 | 33 | 66.2 | 61.6 - 70.5 | 352 |

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N |
| a. Issue a warning to the student | 9.9 | 6.1 - 15.5 | 132 | 7.1 | 4.2 - 11.7 | 185 | 12.0 | 4.7 - 27.5 | 33 | 8.6 | 6.2 - 11.9 | 350 |
| b. Confiscate product | 0.0 | † | 135 | 0.5 | 0.1 - 3.2 | 188 | 0.0 | † | 32 | 0.3 | 0.0 - 1.7 | 355 |
| c. Notify parents or guardians | 0.0 | † | 135 | 0.5 | 0.1 - 3.2 | 188 | 0.0 | † | 33 | 0.3 | 0.0 - 1.7 | 356 |
| d. Develop a behavior contract with the student | 10.5 | 6.4 - 16.8 | 134 | 10.5 | 7.2 - 15.2 | 187 | 21.1 | 11.1 - 36.2 | 33 | 11.5 | 8.7 - 14.9 | 354 |
| e. Refer to a school counselor | 15.4 | 10.4 - 22.3 | 134 | 10.7 | 7.2 - 15.6 | 187 | 18.1 | 8.0 - 35.7 | 33 | 13.2 | 10.2 - 17.0 | 354 |
| f. Refer to a school administrator | 0.0 | † | 135 | 1.1 | 0.3 - 4.0 | 188 | 0.0 | † | 33 | 0.6 | 0.2 - 2.1 | 356 |
| g. Refer to an assistance, education, or cessation program | 27.0 | 20.3 - 35.0 | 134 | 22.6 | 17.6 - 28.4 | 186 | 24.1 | 13.3 - 39.5 | 33 | 24.5 | 20.5 - 28.9 | 353 |
| h. Refer to legal authorities (e.g., school resource officer) | 14.0 | 9.6 - 20.0 | 135 | 9.2 | 6.2 - 13.4 | 187 | 15.0 | 6.4 - 31.3 | 33 | 11.6 | 9.0 - 14.9 | 355 |
| i. Issue an in-school suspension (half day or full day) | 4.5 | 2.1 - 9.3 | 134 | 2.1 | 0.8 - 5.3 | 187 | 6.6 | 1.7 - 22.2 | 32 | 3.4 | 2.0 - 5.8 | 353 |
| j. Issue an after-school or weekend detention | 19.8 | 14.1 - 27.0 | 133 | 17.0 | 12.5 - 22.7 | 187 | 21.1 | 11.5 - 35.5 | 33 | 18.5 | 14.9 - 22.6 | 353 |
| k. Issue an out-of-school suspension | 13.6 | 9.2 - 19.5 | 134 | 16.5 | 12.1 - 21.9 | 187 | 24.4 | 12.5 - 42.3 | 33 | 16.0 | 12.8 - 19.9 | 354 |
| l. Expel from school | 15.4 | 10.7 - 21.7 | 133 | 19.3 | 14.2 - 25.7 | 186 | 9.0 | 3.1 - 23.6 | 33 | 16.8 | 13.4 - 20.9 | 352 |

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS
2022 School Health Profiles Report
Weighted Principal Survey Results

28_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N |
| a. Issue a warning to the student | 8.5 | 4.8 - 14.4 | 132 | 6.1 | 3.7 - 9.8 | 185 | 6.0 | 1.6 - 20.4 | 33 | 7.0 | 4.9 - 10.0 | 350 |
| b. Confiscate product | 0.8 | 0.1 - 4.7 | 135 | 0.0 | † | 188 | 0.0 | † | 32 | 0.3 | 0.0 - 1.9 | 355 |
| c. Notify parents or guardians | 0.0 | † | 135 | 0.0 | † | 188 | 0.0 | † | 33 | 0.0 | † | 356 |
| d. Develop a behavior contract with the student | 39.8 | 32.3 - 47.8 | 134 | 49.9 | 43.4 - 56.5 | 187 | 30.1 | 19.2 - 43.8 | 33 | 44.1 | 39.5 - 48.9 | 354 |
| e. Refer to a school counselor | 47.5 | 40.6 - 54.5 | 134 | 47.2 | 40.8 - 53.7 | 187 | 30.1 | 16.8 - 47.8 | 33 | 45.8 | 41.2 - 50.4 | 354 |
| f. Refer to a school administrator | 2.2 | 0.8 - 6.3 | 135 | 1.0 | 0.3 - 3.7 | 188 | 0.0 | † | 33 | 1.4 | 0.6 - 3.2 | 356 |
| g. Refer to an assistance, education, or cessation program | 37.3 | 30.0 - 45.1 | 134 | 37.5 | 31.2 - 44.3 | 186 | 24.4 | 11.9 - 43.6 | 33 | 36.2 | 31.6 - 41.1 | 353 |
| h. Refer to legal authorities (e.g., school resource officer) | 41.1 | 33.8 - 48.9 | 135 | 46.0 | 39.4 - 52.7 | 187 | 45.5 | 29.3 - 62.7 | 33 | 44.0 | 39.3 - 48.9 | 355 |
| i. Issue an in-school suspension (half day or full day) | 28.8 | 22.4 - 36.1 | 134 | 34.8 | 28.8 - 41.4 | 187 | 27.9 | 17.3 - 41.8 | 32 | 31.8 | 27.6 - 36.4 | 353 |
| j. Issue an after-school or weekend detention | 29.5 | 22.4 - 37.6 | 133 | 24.1 | 18.9 - 30.2 | 187 | 15.4 | 6.6 - 32.0 | 33 | 25.4 | 21.4 - 30.0 | 353 |
| k. Issue an out-of-school suspension | 45.2 | 37.8 - 52.8 | 134 | 40.7 | 34.4 - 47.4 | 187 | 30.4 | 18.3 - 46.0 | 33 | 41.6 | 37.0 - 46.3 | 354 |
| l. Expel from school | 22.2 | 16.2 - 29.5 | 133 | 11.1 | 7.4 - 16.2 | 186 | 3.0 | 0.5 - 17.2 | 33 | 14.7 | 11.6 - 18.6 | 352 |

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | | | N | | | N | | | N | |
| a. Issue a warning to the student | 43.4 | 35.9 - 51.2 | 132 | 53.5 | 47.0 - 59.9 | 185 | 39.1 | 26.1 - 53.9 | 33 | 48.2 | 43.5 - 52.9 | 350 |
| b. Confiscate product | 99.2 | 95.3 - 99.9 | 135 | 99.5 | 96.8 - 99.9 | 188 | 100.0 | † | 32 | 99.4 | 97.9 - 99.8 | 355 |
| c. Notify parents or guardians | 100.0 | † | 135 | 99.5 | 96.8 - 99.9 | 188 | 100.0 | † | 33 | 99.7 | 98.3 - 100.0 | 356 |
| d. Develop a behavior contract with the student | 36.0 | 29.0 - 43.7 | 134 | 29.8 | 24.1 - 36.2 | 187 | 39.5 | 24.6 - 56.6 | 33 | 33.1 | 28.8 - 37.8 | 354 |
| e. Refer to a school counselor | 27.1 | 21.4 - 33.7 | 134 | 35.9 | 30.2 - 42.1 | 187 | 45.5 | 29.8 - 62.1 | 33 | 33.3 | 29.2 - 37.6 | 354 |
| f. Refer to a school administrator | 97.8 | 93.7 - 99.2 | 135 | 96.3 | 92.6 - 98.2 | 188 | 100.0 | † | 33 | 97.2 | 95.0 - 98.4 | 356 |
| g. Refer to an assistance, education, or cessation program | 18.3 | 12.8 - 25.4 | 134 | 16.8 | 12.0 - 23.1 | 186 | 30.1 | 17.6 - 46.4 | 33 | 18.6 | 14.9 - 22.9 | 353 |
| h. Refer to legal authorities (e.g., school resource officer) | 32.6 | 25.6 - 40.4 | 135 | 37.4 | 31.0 - 44.3 | 187 | 12.0 | 4.7 - 27.5 | 33 | 33.2 | 28.8 - 38.0 | 355 |
| i. Issue an in-school suspension (half day or full day) | 58.6 | 50.7 - 66.2 | 134 | 56.7 | 50.0 - 63.1 | 187 | 59.3 | 41.7 - 74.8 | 32 | 57.7 | 52.8 - 62.4 | 353 |
| j. Issue an after-school or weekend detention | 3.9 | 1.7 - 8.7 | 133 | 8.3 | 5.1 - 13.2 | 187 | 3.0 | 0.5 - 17.2 | 33 | 6.1 | 4.0 - 9.1 | 353 |
| k. Issue an out-of-school suspension | 21.2 | 15.6 - 28.1 | 134 | 28.3 | 22.5 - 34.9 | 187 | 12.0 | 4.6 - 28.1 | 33 | 24.0 | 20.1 - 28.4 | 354 |
| l. Expel from school | 2.3 | 0.8 - 6.4 | 133 | 2.2 | 0.8 - 5.4 | 186 | 3.0 | 0.5 - 17.2 | 33 | 2.3 | 1.2 - 4.3 | 352 |

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | | | N | | | N | | | N | |
| a. Foods or beverages are not offered at school celebrations | 5.1 | 2.5 - 10.2 | 134 | 4.9 | 2.6 - 8.9 | 188 | 3.0 | 0.5 - 17.2 | 33 | 4.8 | 3.1 - 7.5 | 355 |
| b. Never | 2.2 | 0.8 - 6.4 | 134 | 1.1 | 0.3 - 4.1 | 188 | 3.0 | 0.5 - 17.2 | 33 | 1.7 | 0.8 - 3.7 | 355 |
| c. Rarely | 13.8 | 8.8 - 20.8 | 134 | 15.9 | 11.4 - 21.7 | 188 | 9.0 | 3.0 - 24.3 | 33 | 14.4 | 11.2 - 18.5 | 355 |
| d. Sometimes | 51.6 | 43.3 - 59.8 | 134 | 55.9 | 49.6 - 62.1 | 188 | 30.1 | 20.6 - 41.6 | 33 | 51.9 | 47.2 - 56.6 | 355 |
| e. Always or almost always | 27.3 | 21.0 - 34.6 | 134 | 22.1 | 17.0 - 28.3 | 188 | 54.9 | 38.6 - 70.2 | 33 | 27.1 | 23.1 - 31.6 | 355 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|----------------|-------------|-----|----------------|-------------|-----|----------------------------|-------------|----|----------------|-------------|-----|
| 95% Confidence | | | 95% Confidence | | | 95% Confidence | | | 95% Confidence | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 67.6 | 60.2 - 74.1 | 135 | 46.4 | 40.0 - 53.0 | 189 | 39.5 | 24.6 - 56.6 | 33 | 54.2 | 49.5 - 58.7 | 357 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N |
| a. Chocolate candy | 18.2 | 12.7 - 25.5 | 133 | 9.5 | 6.1 - 14.6 | 189 | 18.4 | 8.4 - 35.7 | 33 | 13.8 | 10.6 - 17.7 | 355 |
| b. Other kinds of candy | 18.1 | 12.5 - 25.3 | 133 | 10.7 | 7.0 - 15.9 | 189 | 18.4 | 8.4 - 35.7 | 33 | 14.3 | 11.0 - 18.3 | 355 |
| c. Salty snacks that are not low in fat (e.g., regular potato chips) | 30.9 | 24.2 - 38.5 | 133 | 22.9 | 17.5 - 29.4 | 189 | 33.5 | 19.3 - 51.4 | 33 | 27.0 | 22.8 - 31.6 | 355 |
| d. Low sodium or "no added salt" pretzels, crackers, or chips | 53.5 | 45.7 - 61.2 | 133 | 34.3 | 28.0 - 41.2 | 189 | 36.5 | 22.7 - 52.9 | 33 | 42.0 | 37.3 - 46.9 | 355 |
| e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat | 32.2 | 25.5 - 39.8 | 133 | 20.6 | 15.2 - 27.3 | 189 | 30.4 | 16.1 - 49.9 | 33 | 26.0 | 21.8 - 30.8 | 355 |
| f. Ice cream or frozen yogurt that is not low in fat | 23.5 | 17.1 - 31.4 | 133 | 24.5 | 19.0 - 30.9 | 189 | 24.4 | 13.5 - 40.2 | 33 | 24.1 | 20.0 - 28.7 | 355 |
| g. 2% or whole milk (plain or flavored) | 31.6 | 25.1 - 39.0 | 133 | 27.2 | 21.5 - 33.8 | 189 | 30.4 | 17.3 - 47.7 | 33 | 29.2 | 25.0 - 33.9 | 355 |
| h. Nonfat or 1% (low-fat) milk (plain) | 35.5 | 28.9 - 42.6 | 133 | 25.9 | 20.2 - 32.6 | 188 | 30.4 | 18.8 - 45.3 | 33 | 30.1 | 25.9 - 34.6 | 354 |
| i. Water ices or frozen slushes that do not contain juice | 22.0 | 15.9 - 29.6 | 133 | 18.2 | 13.6 - 23.8 | 189 | 15.4 | 8.0 - 27.6 | 33 | 19.4 | 15.8 - 23.6 | 355 |
| j. Soda pop or fruit drinks that are not 100% juice | 20.4 | 14.4 - 28.1 | 133 | 14.0 | 9.9 - 19.6 | 189 | 15.4 | 6.6 - 32.0 | 33 | 16.7 | 13.2 - 20.9 | 355 |
| k. Sports drinks (e.g., Gatorade) | 52.4 | 45.6 - 59.1 | 133 | 21.5 | 16.4 - 27.8 | 189 | 27.4 | 15.4 - 44.0 | 33 | 34.2 | 30.1 - 38.5 | 355 |
| l. Energy drinks (e.g., Red Bull, Monster) | 3.8 | 1.7 - 8.4 | 133 | 0.5 | 0.1 - 3.2 | 189 | 3.0 | 0.5 - 16.4 | 33 | 2.0 | 1.0 - 4.0 | 355 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | | | N | | | N | | | N | |
| m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water) | 63.1 | 55.3 - 70.2 | 132 | 39.3 | 33.2 - 45.8 | 189 | 36.5 | 21.3 - 54.9 | 33 | 48.3 | 43.7 - 53.0 | 354 |
| n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash) | 29.6 | 23.5 - 36.6 | 133 | 16.0 | 11.7 - 21.5 | 189 | 12.0 | 4.7 - 27.5 | 33 | 21.0 | 17.5 - 25.0 | 355 |
| o. 100% fruit or vegetable juice | 34.0 | 27.1 - 41.7 | 133 | 25.7 | 20.5 - 31.5 | 189 | 27.4 | 14.1 - 46.5 | 33 | 29.1 | 25.0 - 33.6 | 355 |
| p. Foods or beverages containing caffeine | 25.2 | 19.1 - 32.6 | 133 | 5.1 | 2.8 - 9.0 | 189 | 12.0 | 4.7 - 27.5 | 33 | 13.6 | 10.7 - 17.1 | 355 |
| q. Fruits (not fruit juice) | 34.0 | 27.3 - 41.4 | 133 | 23.0 | 17.9 - 29.0 | 189 | 18.1 | 8.2 - 35.1 | 33 | 26.9 | 22.9 - 31.2 | 355 |
| r. Non-fried vegetables (not vegetable juice) | 30.1 | 23.6 - 37.5 | 133 | 17.2 | 12.7 - 22.9 | 189 | 12.0 | 4.7 - 27.5 | 33 | 21.8 | 18.2 - 26.0 | 355 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|----------|----------------|-------------------------|----------|----------------------------|-------------------------|----------|-------------|-------------------------|----------|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | Interval | | N | Interval | | N | Interval | | N | Interval |
| a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages | 13.0 | 8.5 - 19.4 | 132 | 15.1 | 10.8 - 20.8 | 185 | 18.1 | 10.0 - 30.5 | 33 | 14.6 | 11.4 - 18.4 | 350 |
| b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating | 46.3 | 39.0 - 53.8 | 132 | 40.4 | 34.2 - 47.0 | 186 | 60.5 | 43.4 - 75.4 | 33 | 44.6 | 40.0 - 49.3 | 351 |
| c. Provided information to students or families on the nutrition and caloric content of foods available | 62.4 | 54.7 - 69.5 | 132 | 54.5 | 47.6 - 61.2 | 186 | 72.9 | 58.7 - 83.6 | 33 | 59.3 | 54.5 - 63.9 | 351 |
| d. Conducted taste tests to determine food preferences for nutritious items | 33.0 | 25.8 - 41.0 | 132 | 31.3 | 25.4 - 37.9 | 186 | 21.1 | 11.5 - 35.5 | 33 | 31.0 | 26.6 - 35.7 | 351 |
| e. Served locally or regionally grown foods in the cafeteria or classrooms | 25.0 | 18.5 - 33.0 | 132 | 17.8 | 13.1 - 23.8 | 185 | 30.1 | 18.7 - 44.6 | 33 | 21.8 | 17.9 - 26.2 | 350 |
| f. Planted a school food or vegetable garden | 20.6 | 15.0 - 27.6 | 132 | 21.4 | 16.6 - 27.0 | 185 | 24.1 | 13.7 - 38.8 | 33 | 21.3 | 17.8 - 25.4 | 350 |
| g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access | 80.4 | 73.3 - 86.0 | 132 | 81.2 | 75.1 - 86.1 | 186 | 60.5 | 43.4 - 75.4 | 33 | 79.0 | 74.7 - 82.8 | 351 |
| h. Used attractive displays for fruits and vegetables in the cafeteria | 68.9 | 61.3 - 75.6 | 131 | 72.3 | 65.3 - 78.3 | 186 | 57.5 | 43.8 - 70.2 | 33 | 69.6 | 64.9 - 74.0 | 350 |
| i. Offered a self-serve salad bar to students | 20.4 | 14.8 - 27.4 | 132 | 15.6 | 11.0 - 21.6 | 184 | 27.8 | 19.0 - 38.7 | 33 | 18.6 | 15.1 - 22.7 | 349 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|----------|----------------|-------------------------|----------|----------------------------|-------------------------|----------|-------------|-------------------------|----------|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | Interval | | N | Interval | | N | Interval | | N | Interval |
| j. Provided students with at least 20 minutes to eat lunch after they receive their meal | 94.6 | 89.3 - 97.3 | 132 | 97.4 | 94.0 - 98.8 | 186 | 97.0 | 83.6 - 99.5 | 33 | 96.2 | 93.8 - 97.8 | 351 |
| k. Encouraged students to drink plain water | 89.4 | 84.2 - 93.0 | 132 | 89.7 | 84.4 - 93.3 | 186 | 94.0 | 79.6 - 98.4 | 33 | 90.0 | 86.6 - 92.5 | 351 |
| l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance | 39.1 | 31.9 - 46.9 | 132 | 37.7 | 30.8 - 45.1 | 186 | 54.9 | 40.3 - 68.6 | 33 | 39.8 | 35.0 - 44.8 | 351 |
| m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes | 34.5 | 26.8 - 43.1 | 131 | 36.2 | 30.6 - 42.2 | 186 | 33.5 | 18.9 - 52.0 | 33 | 35.3 | 30.8 - 40.1 | 350 |

TEXAS

**2022 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| a. In school buildings | 72.3 | 64.4 - 79.1 | 134 | 73.4 | 67.1 - 78.8 | 185 | 60.5 | 45.5 - 73.8 | 33 | 71.8 | 67.2 - 76.0 | 352 |
| b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus | 62.6 | 54.5 - 70.0 | 134 | 70.2 | 63.7 - 76.0 | 185 | 54.5 | 38.1 - 70.0 | 33 | 65.7 | 60.9 - 70.3 | 352 |
| c. On school buses or other vehicles used to transport students | 73.9 | 66.4 - 80.2 | 134 | 74.6 | 68.4 - 80.0 | 185 | 54.5 | 38.1 - 70.0 | 33 | 72.5 | 68.0 - 76.6 | 352 |
| d. In school publications (e.g., newsletters, newspapers, web sites, other school publications) | 61.9 | 54.0 - 69.2 | 134 | 69.2 | 62.0 - 75.5 | 185 | 51.5 | 34.5 - 68.1 | 33 | 64.7 | 59.7 - 69.4 | 352 |
| e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media) | 65.6 | 58.3 - 72.3 | 134 | 69.3 | 62.6 - 75.2 | 185 | 48.5 | 32.6 - 64.7 | 33 | 66.0 | 61.3 - 70.3 | 352 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|------------------------------|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| a. Yes, in all locations | 93.3 | 88.7 - 96.1 | 136 | 93.5 | 89.1 - 96.2 | 189 | 91.0 | 83.6 - 95.2 | 33 | 93.2 | 90.5 - 95.2 | 358 |
| b. Yes, in certain locations | 3.0 | 1.2 - 7.3 | 136 | 3.3 | 1.5 - 6.9 | 189 | 6.0 | 1.6 - 20.4 | 33 | 3.4 | 2.0 - 5.8 | 358 |
| c. No | 3.7 | 1.6 - 8.4 | 136 | 3.2 | 1.5 - 6.7 | 189 | 3.0 | 0.5 - 17.2 | 33 | 3.4 | 2.0 - 5.8 | 358 |

TEXAS

**2022 School Health Profiles Report
Weighted Principal Survey Results**

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|-------------------------|-------------|-----|-------------------------|-------------|-----|-----------------------------------|-------------|----|-------------------------|-------------|-----|
| 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 96.3 | 91.6 - 98.4 | 136 | 96.8 | 93.3 - 98.5 | 189 | 97.0 | 82.8 - 99.5 | 33 | 96.6 | 94.2 - 98.0 | 358 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| a. Cafeteria during breakfast | 100.0 | † | 133 | 96.3 | 92.7 - 98.2 | 188 | 100.0 | † | 32 | 98.1 | 96.2 - 99.1 | 353 |
| b. Cafeteria during lunch | 100.0 | † | 133 | 97.4 | 94.0 - 98.8 | 188 | 100.0 | † | 32 | 98.6 | 96.9 - 99.4 | 353 |
| c. Gymnasium or other indoor physical activity facilities | 95.4 | 90.4 - 97.8 | 131 | 93.5 | 89.1 - 96.2 | 186 | 97.0 | 82.8 - 99.5 | 33 | 94.6 | 91.7 - 96.4 | 350 |
| d. Outdoor physical activity facilities or sports fields | 90.1 | 84.3 - 93.9 | 131 | 85.8 | 80.0 - 90.0 | 182 | 86.4 | 68.4 - 94.9 | 30 | 87.5 | 83.8 - 90.5 | 343 |
| e. Hallways throughout the school | 100.0 | † | 134 | 97.4 | 94.1 - 98.9 | 188 | 100.0 | † | 33 | 98.7 | 96.9 - 99.4 | 355 |

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|-------------------------|-------------|-----|-------------------------|-------------|-----|----------------------------|-------------|----|-------------------------|-------------|-----|
| 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 88.9 | 83.1 - 92.9 | 138 | 87.6 | 83.0 - 91.1 | 190 | 65.9 | 53.6 - 76.3 | 32 | 86.2 | 82.9 - 89.0 | 360 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|-------------------------|-------------|-----|-------------------------|-------------|-----|----------------------------|-------------|----|-------------------------|-------------|-----|
| 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 21.7 | 15.9 - 28.9 | 138 | 23.5 | 18.0 - 29.9 | 189 | 24.1 | 13.3 - 39.5 | 33 | 22.8 | 18.9 - 27.3 | 360 |

TEXAS

**2022 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a school-based health center that offers health services to students.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---------------------|-------------|-----|-----------------------|-------------|-----|-----------------------------------|-------------|----|--------------------|-------------|-----|
| 95% Confidence | | | 95% Confidence | | | 95% Confidence | | | 95% Confidence | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 25.7 | 19.9 - 32.5 | 138 | 20.6 | 16.4 - 25.6 | 189 | 24.8 | 15.2 - 37.7 | 33 | 23.0 | 19.6 - 26.8 | 360 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|----------|----------------|-------------------------|----------|----------------------------|-------------------------|----------|-------------|-------------------------|----------|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | Interval | | N | Interval | | N | Interval | | N | Interval |
| a. HIV testing | 1.5 | 0.4 - 5.4 | 138 | 0.6 | 0.1 - 3.7 | 188 | 0.0 | † | 33 | 0.9 | 0.3 - 2.6 | 359 |
| b. HIV treatment (ongoing medical care for persons living with HIV) | 2.3 | 0.8 - 6.4 | 138 | 0.6 | 0.1 - 3.7 | 188 | 0.0 | † | 33 | 1.2 | 0.5 - 3.0 | 359 |
| c. STD testing | 1.5 | 0.4 - 5.4 | 138 | 1.2 | 0.3 - 4.4 | 188 | 0.0 | † | 33 | 1.2 | 0.5 - 3.0 | 359 |
| d. STD treatment | 2.3 | 0.8 - 6.4 | 138 | 1.7 | 0.6 - 4.9 | 188 | 0.0 | † | 33 | 1.8 | 0.8 - 3.8 | 359 |
| e. Pregnancy testing | 3.6 | 1.6 - 8.0 | 138 | 1.6 | 0.6 - 4.6 | 188 | 3.0 | 0.5 - 17.2 | 33 | 2.5 | 1.4 - 4.6 | 359 |
| f. Provision of condoms | 2.2 | 0.8 - 6.4 | 138 | 1.2 | 0.3 - 4.4 | 188 | 0.0 | † | 33 | 1.5 | 0.7 - 3.4 | 359 |
| g. Provision of condom-compatible lubricants (i.e., water- or silicone-based) | 1.5 | 0.4 - 5.4 | 138 | 1.2 | 0.3 - 4.4 | 188 | 0.0 | † | 33 | 1.2 | 0.5 - 3.0 | 359 |
| h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD]) | 1.5 | 0.4 - 5.4 | 138 | 1.7 | 0.6 - 4.9 | 188 | 0.0 | † | 33 | 1.5 | 0.6 - 3.4 | 359 |
| i. Prenatal care | 11.2 | 6.9 - 17.7 | 138 | 2.3 | 0.9 - 5.8 | 188 | 9.0 | 3.0 - 24.3 | 33 | 6.5 | 4.4 - 9.6 | 359 |
| j. Human papillomavirus (HPV) vaccine administration | 2.8 | 1.1 - 7.0 | 138 | 1.6 | 0.6 - 4.7 | 188 | 0.0 | † | 33 | 2.0 | 1.0 - 3.9 | 359 |
| k. Assessment for alcohol or other drug use, abuse, or dependency | 30.6 | 24.1 - 37.9 | 138 | 18.6 | 13.6 - 24.8 | 188 | 15.0 | 6.6 - 30.7 | 33 | 23.1 | 19.2 - 27.4 | 359 |

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| l. Tobacco-use cessation (e.g., individual or group counseling) | 17.6 | 12.1 - 25.0 | 137 | 14.4 | 10.4 - 19.5 | 188 | 12.0 | 4.9 - 26.8 | 33 | 15.5 | 12.2 - 19.4 | 358 |
| m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes) | 80.2 | 73.4 - 85.6 | 138 | 86.1 | 80.4 - 90.3 | 188 | 94.0 | 79.6 - 98.4 | 33 | 84.4 | 80.5 - 87.7 | 359 |
| n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction) | 63.6 | 55.9 - 70.6 | 138 | 72.6 | 66.4 - 78.1 | 188 | 84.6 | 67.3 - 93.6 | 33 | 70.0 | 65.5 - 74.2 | 359 |
| o. Case management for students with chronic health conditions (e.g., asthma, diabetes) | 68.7 | 60.8 - 75.7 | 138 | 73.4 | 67.2 - 78.8 | 188 | 75.6 | 56.4 - 88.1 | 33 | 71.7 | 67.1 - 76.0 | 359 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | | | N | | | N | | | N | |
| a. HIV testing | 34.9 | 27.9 - 42.6 | 134 | 20.7 | 15.8 - 26.7 | 185 | 18.4 | 9.5 - 32.7 | 33 | 26.2 | 22.2 - 30.6 | 352 |
| b. HIV treatment (ongoing medical care for persons living with HIV) | 32.8 | 25.8 - 40.7 | 133 | 20.1 | 15.3 - 26.0 | 185 | 18.4 | 9.5 - 32.7 | 33 | 25.0 | 21.1 - 29.4 | 351 |
| c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive) | 31.2 | 24.6 - 38.6 | 134 | 20.1 | 15.3 - 26.0 | 185 | 15.4 | 7.7 - 28.3 | 33 | 24.1 | 20.3 - 28.4 | 352 |
| d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV) | 30.4 | 24.0 - 37.7 | 134 | 20.1 | 15.3 - 26.0 | 185 | 15.4 | 7.7 - 28.3 | 33 | 23.8 | 20.1 - 28.0 | 352 |
| e. STD testing | 34.8 | 27.9 - 42.4 | 134 | 21.8 | 16.8 - 27.7 | 185 | 18.4 | 9.5 - 32.7 | 33 | 26.7 | 22.7 - 31.0 | 352 |
| f. STD treatment | 33.4 | 26.4 - 41.1 | 134 | 21.8 | 16.8 - 27.7 | 185 | 18.4 | 9.5 - 32.7 | 33 | 26.1 | 22.1 - 30.5 | 352 |
| g. Pregnancy testing | 44.8 | 37.1 - 52.9 | 133 | 22.9 | 17.6 - 29.2 | 185 | 18.4 | 9.5 - 32.7 | 33 | 31.2 | 26.9 - 35.9 | 351 |
| h. Provision of condoms | 31.1 | 24.6 - 38.4 | 134 | 17.3 | 12.8 - 23.0 | 185 | 18.4 | 9.5 - 32.7 | 33 | 22.9 | 19.2 - 27.1 | 352 |
| i. Provision of condom-compatible lubricants (i.e., water- or silicone-based) | 27.3 | 21.0 - 34.7 | 134 | 16.8 | 12.4 - 22.4 | 185 | 15.4 | 7.7 - 28.3 | 33 | 20.9 | 17.3 - 25.0 | 352 |
| j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD]) | 28.7 | 22.5 - 35.9 | 134 | 17.9 | 13.3 - 23.6 | 185 | 18.4 | 9.5 - 32.7 | 33 | 22.2 | 18.6 - 26.4 | 352 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| k. Prenatal care | 47.4 | 39.5 - 55.4 | 134 | 21.8 | 16.7 - 28.0 | 185 | 24.4 | 13.1 - 40.9 | 33 | 32.3 | 27.9 - 36.9 | 352 |
| l. Human papillomavirus (HPV) vaccine administration | 34.0 | 27.1 - 41.8 | 134 | 21.7 | 16.6 - 27.8 | 185 | 15.4 | 7.7 - 28.3 | 33 | 26.1 | 22.0 - 30.5 | 352 |
| m. Alcohol or other drug abuse treatment | 53.5 | 45.3 - 61.5 | 134 | 35.6 | 29.9 - 41.9 | 185 | 27.4 | 15.0 - 44.7 | 33 | 42.0 | 37.4 - 46.8 | 352 |
| n. Tobacco-use cessation (e.g., individual or group counseling) | 50.6 | 42.9 - 58.2 | 134 | 33.3 | 27.1 - 40.0 | 185 | 30.4 | 16.9 - 48.4 | 33 | 39.9 | 35.3 - 44.8 | 352 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|----------------|-------------|-----|----------------|-------------|-----|----------------------------|-------------|----|----------------|-------------|-----|
| 95% Confidence | | | 95% Confidence | | | 95% Confidence | | | 95% Confidence | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 62.9 | 55.3 - 70.0 | 138 | 63.7 | 57.0 - 70.0 | 186 | 59.3 | 44.6 - 72.5 | 32 | 63.0 | 58.3 - 67.5 | 356 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| a. Asthma | 96.6 | 92.3 - 98.5 | 137 | 97.4 | 94.1 - 98.9 | 189 | 97.0 | 82.8 - 99.5 | 33 | 97.0 | 94.8 - 98.3 | 359 |
| b. Food allergies | 95.2 | 91.4 - 97.4 | 137 | 98.0 | 95.0 - 99.2 | 189 | 100.0 | † | 33 | 97.1 | 95.2 - 98.2 | 359 |
| c. Diabetes | 96.5 | 92.1 - 98.5 | 137 | 97.5 | 94.4 - 98.9 | 189 | 97.0 | 82.8 - 99.5 | 33 | 97.0 | 94.9 - 98.3 | 359 |
| d. Epilepsy or seizure disorder | 96.5 | 92.1 - 98.5 | 137 | 98.0 | 95.0 - 99.2 | 189 | 100.0 | † | 33 | 97.6 | 95.5 - 98.7 | 359 |
| e. Obesity | 43.4 | 36.0 - 51.2 | 137 | 42.5 | 35.7 - 49.6 | 188 | 36.5 | 20.5 - 56.1 | 33 | 42.3 | 37.5 - 47.4 | 358 |
| f. Hypertension/high blood pressure | 71.6 | 64.3 - 78.0 | 137 | 75.4 | 69.1 - 80.8 | 188 | 63.5 | 46.3 - 77.9 | 33 | 72.9 | 68.3 - 76.9 | 358 |
| g. Oral health condition (e.g., abscess, tooth decay) | 43.1 | 35.5 - 51.1 | 137 | 42.1 | 35.2 - 49.4 | 188 | 48.5 | 31.1 - 66.3 | 33 | 43.1 | 38.1 - 48.2 | 358 |

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|----------------|-----|----------------|----------------|-----|----------------------------|----------------|----|-------------|----------------|-----|
| | Percent | 95% Confidence | | Percent | 95% Confidence | | Percent | 95% Confidence | | Percent | 95% Confidence | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| a. Asthma | 47.4 | 39.6 - 55.3 | 134 | 44.2 | 37.7 - 50.9 | 186 | 30.1 | 18.7 - 44.6 | 33 | 44.2 | 39.5 - 49.0 | 353 |
| b. Food allergies | 46.6 | 38.8 - 54.7 | 134 | 44.4 | 38.1 - 51.0 | 186 | 30.1 | 18.7 - 44.6 | 33 | 44.0 | 39.3 - 48.8 | 353 |
| c. Diabetes | 47.4 | 39.6 - 55.3 | 134 | 44.8 | 38.4 - 51.4 | 186 | 30.1 | 18.7 - 44.6 | 33 | 44.5 | 39.8 - 49.3 | 353 |
| d. Epilepsy or seizure disorder | 46.6 | 39.0 - 54.4 | 134 | 43.8 | 37.4 - 50.4 | 186 | 30.1 | 18.7 - 44.6 | 33 | 43.7 | 39.1 - 48.5 | 353 |
| e. Obesity | 40.7 | 33.9 - 47.8 | 134 | 32.4 | 26.5 - 38.9 | 185 | 27.9 | 17.8 - 40.9 | 32 | 35.3 | 31.1 - 39.8 | 351 |
| f. Hypertension/high blood pressure | 43.7 | 36.1 - 51.6 | 134 | 40.9 | 34.5 - 47.7 | 185 | 27.1 | 16.8 - 40.5 | 33 | 40.8 | 36.1 - 45.6 | 352 |
| g. Oral health condition (e.g., abscess, tooth decay) | 42.8 | 35.6 - 50.2 | 134 | 38.2 | 31.9 - 45.0 | 185 | 27.1 | 16.8 - 40.5 | 33 | 39.0 | 34.6 - 43.7 | 352 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N | Percent | 95% Confidence Interval | N |
| a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies | 45.5 | 37.2 - 53.9 | 134 | 33.8 | 28.2 - 39.9 | 183 | 36.8 | 23.2 - 53.0 | 33 | 38.8 | 34.1 - 43.6 | 350 |
| b. Sexual health services that adolescents should receive | 38.1 | 30.0 - 46.9 | 134 | 27.5 | 21.9 - 33.8 | 183 | 38.0 | 22.8 - 55.9 | 32 | 32.7 | 28.0 - 37.7 | 349 |
| c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services | 43.3 | 35.0 - 52.0 | 134 | 34.5 | 28.8 - 40.8 | 183 | 48.9 | 34.9 - 63.0 | 33 | 39.4 | 34.7 - 44.2 | 350 |
| d. Importance of maintaining student confidentiality for sexual health services | 56.0 | 47.9 - 63.8 | 134 | 48.4 | 42.3 - 54.5 | 183 | 57.9 | 40.4 - 73.6 | 33 | 52.3 | 47.5 - 57.0 | 350 |
| e. How to create or use a student referral guide for sexual health services | 31.4 | 24.0 - 39.9 | 134 | 18.1 | 13.9 - 23.4 | 183 | 30.1 | 16.3 - 48.7 | 33 | 24.5 | 20.5 - 29.1 | 350 |
| f. How to make successful referrals of students to sexual health services | 35.0 | 27.4 - 43.4 | 134 | 19.9 | 15.1 - 25.7 | 183 | 30.1 | 17.2 - 47.1 | 33 | 26.9 | 22.7 - 31.5 | 350 |
| g. Best practices for adolescent sexual health services provision, such as making services youth-friendly | 37.4 | 29.4 - 46.1 | 134 | 21.3 | 16.4 - 27.3 | 183 | 30.4 | 17.3 - 47.7 | 33 | 28.6 | 24.2 - 33.4 | 350 |
| h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students | 37.4 | 29.6 - 46.0 | 134 | 22.5 | 17.5 - 28.4 | 183 | 30.4 | 17.3 - 47.7 | 33 | 29.2 | 24.9 - 33.9 | 350 |

TEXAS
2022 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|----------|----------------|-------------------------|----------|----------------------------|-------------------------|----------|-------------|-------------------------|----------|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | Interval | | N | Interval | | N | Interval | | N | Interval |
| a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports) | 91.4 | 85.7 - 95.0 | 137 | 95.4 | 91.6 - 97.5 | 187 | 72.6 | 56.0 - 84.6 | 33 | 91.8 | 88.7 - 94.1 | 357 |
| b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma) | 76.0 | 67.8 - 82.6 | 137 | 72.2 | 66.1 - 77.6 | 187 | 57.5 | 41.7 - 71.9 | 33 | 72.4 | 67.8 - 76.6 | 357 |
| c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success) | 90.6 | 85.1 - 94.2 | 137 | 84.8 | 79.8 - 88.8 | 187 | 66.5 | 48.6 - 80.7 | 33 | 85.5 | 82.0 - 88.5 | 357 |
| d. Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders) | 60.9 | 52.6 - 68.6 | 137 | 55.0 | 48.8 - 61.1 | 185 | 45.1 | 30.6 - 60.6 | 33 | 56.5 | 51.7 - 61.2 | 355 |
| e. Pro-social skills training (e.g., school counseling groups) | 80.9 | 74.4 - 86.1 | 137 | 82.1 | 76.2 - 86.7 | 187 | 66.9 | 47.2 - 82.1 | 33 | 80.3 | 76.1 - 83.9 | 357 |
| f. Small groups for specific issues (e.g., depression, parental divorce) | 70.6 | 63.2 - 77.0 | 137 | 70.9 | 64.3 - 76.7 | 187 | 46.9 | 30.5 - 64.0 | 32 | 68.7 | 64.0 - 73.0 | 356 |

TEXAS
2022 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|--|--------------|-------------------------|----------|----------------|-------------------------|----------|----------------------------|-------------------------|----------|-------------|-------------------------|----------|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | N | Interval | | N | Interval | | N | Interval | | N | Interval |
| a. Provided parents with information to support parent-adolescent communication about sex | 21.1 | 15.5 - 27.9 | 134 | 25.3 | 20.2 - 31.2 | 183 | 24.4 | 13.5 - 40.2 | 33 | 23.5 | 19.8 - 27.7 | 350 |
| b. Provided parents with information to support parent-adolescent communication about topics other than sex | 37.5 | 30.3 - 45.2 | 134 | 37.6 | 31.9 - 43.6 | 183 | 36.5 | 22.7 - 52.9 | 33 | 37.4 | 33.1 - 42.0 | 350 |
| c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules) | 44.0 | 36.6 - 51.8 | 133 | 44.2 | 37.8 - 50.7 | 185 | 39.5 | 24.6 - 56.6 | 33 | 43.7 | 39.0 - 48.5 | 351 |
| d. Provided parents with information to support one-on-one time between adolescents and their health care providers | 28.3 | 22.1 - 35.5 | 132 | 26.4 | 20.9 - 32.6 | 185 | 21.4 | 11.6 - 36.2 | 33 | 26.7 | 22.7 - 31.1 | 350 |
| e. Provided parents with information about physical education and physical activity programs | 60.6 | 52.7 - 67.9 | 132 | 62.0 | 55.7 - 67.9 | 184 | 60.9 | 44.0 - 75.5 | 33 | 61.3 | 56.6 - 65.8 | 349 |
| f. Involved parents as school volunteers in the delivery of health education activities and services | 25.0 | 19.2 - 31.8 | 132 | 25.0 | 19.5 - 31.5 | 186 | 45.5 | 30.7 - 61.1 | 33 | 26.9 | 22.9 - 31.3 | 351 |
| g. Involved parents as school volunteers in physical education or physical activity programs | 29.2 | 22.3 - 37.2 | 131 | 32.2 | 26.1 - 39.0 | 185 | 51.9 | 36.8 - 66.6 | 33 | 32.8 | 28.4 - 37.7 | 349 |
| h. Linked parents and families to health services and programs in the community | 70.8 | 62.6 - 77.7 | 132 | 73.4 | 66.6 - 79.2 | 186 | 54.5 | 37.1 - 70.9 | 33 | 70.6 | 65.7 - 75.1 | 351 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes) | 46.2 | 38.6 - 53.9 | 133 | 40.9 | 34.5 - 47.6 | 185 | 33.5 | 22.5 - 46.6 | 33 | 42.3 | 37.7 - 47.0 | 351 |
| j. Provided parents with information about before- or after-school programs available in the community | 63.3 | 55.5 - 70.5 | 132 | 72.1 | 65.2 - 78.0 | 184 | 48.9 | 38.4 - 59.4 | 33 | 66.5 | 61.8 - 70.9 | 349 |

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|----------------|-------------|-----|----------------|-------------|-----|----------------------------|-------------|----|----------------|-------------|-----|
| | 95% Confidence | | | 95% Confidence | | | 95% Confidence | | | 95% Confidence | | |
| | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| a. Service-learning programs, that is, community service designed to meet specific learning objectives | 59.7 | 52.0 - 67.0 | 135 | 51.0 | 44.8 - 57.2 | 185 | 42.1 | 27.0 - 58.8 | 33 | 53.7 | 49.1 - 58.3 | 353 |
| b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students | 51.8 | 44.0 - 59.6 | 135 | 54.8 | 47.9 - 61.5 | 185 | 21.4 | 10.5 - 38.7 | 33 | 50.6 | 45.7 - 55.4 | 353 |

TEXAS

**2022 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

| | High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|---|--------------|-------------------------|-----|----------------|-------------------------|-----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
| | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | | Percent | 95% Confidence Interval | |
| | | Interval | N | | Interval | N | | Interval | N | | Interval | N |
| a. Service-learning programs, that is, community service designed to meet specific learning objectives | 55.7 | 48.1 - 63.0 | 134 | 44.5 | 37.9 - 51.2 | 184 | 36.5 | 21.8 - 54.2 | 33 | 48.2 | 43.5 - 53.0 | 351 |
| b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students | 50.7 | 42.9 - 58.4 | 134 | 49.4 | 43.0 - 55.7 | 184 | 31.4 | 18.7 - 47.7 | 32 | 48.3 | 43.6 - 53.0 | 350 |

TEXAS

**2022 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

| High Schools | | | Middle Schools | | | Junior/Senior High Schools | | | All Schools | | |
|-------------------------|-------------|-----|-------------------------|-------------|-----|-----------------------------------|-------------|----|-------------------------|-------------|-----|
| 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | | 95% Confidence Interval | | |
| Percent | Interval | N | Percent | Interval | N | Percent | Interval | N | Percent | Interval | N |
| 72.6 | 64.5 - 79.4 | 136 | 53.6 | 46.8 - 60.3 | 186 | 72.1 | 55.3 - 84.4 | 32 | 62.9 | 58.0 - 67.5 | 354 |