TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

		High Schools		Mic	ldle Schools		Junio	r/Senior High Schools	h	A	All Schools		
		Doroont	95% Confidence	N	Domont	95% Confidence	N	Domont	95% Confidence Interval	N	Dargant	95% Confidence	N
		Percent	Interval	IN	Percent	Interval	IN	Percent	mtervai	IN	Percent	Interval	IN
a.	Physical education and physical activity	51.2	43.0 - 59.4	139	48.6	42.8 - 54.5	195	49.5	31.8 - 67.4	36	49.7	45.0 - 54.5	370
b.	Nutrition	43.3	35.8 - 51.2	139	37.1	31.1 - 43.4	195	49.8	32.5 - 67.2	36	40.7	36.1 - 45.5	370
c.	Tobacco-use prevention	44.9	37.4 - 52.7	139	37.0	30.8 - 43.5	194	55.3	38.0 - 71.5	36	41.8	37.2 - 46.7	369
d.	Alcohol- and other drug-use prevention	47.1	39.7 - 54.6	139	37.8	31.3 - 44.7	193	52.6	34.9 - 69.6	36	42.9	38.1 - 47.8	368
e.	Chronic health conditions (e.g., asthma, food allergies)	35.6	28.9 - 43.1	139	28.5	23.0 - 34.7	194	41.6	24.8 - 60.6	36	32.6	28.2 - 37.2	369
f.	Unintentional injury and violence prevention (safety)	41.3	33.7 - 49.3	139	31.5	26.0 - 37.6	194	44.3	27.7 - 62.3	36	36.6	32.1 - 41.3	369
g.	Sexual health, including HIV, other STD, and pregnancy prevention	42.7	34.7 - 51.1	139	28.1	22.5 - 34.5	194	41.6	24.8 - 60.6	36	35.2	30.5 - 40.1	369

TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

		H	High Schools		Mic	idle Schools		Junio	r/Senior Hig Schools	h	A	ll Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Reviewed district's local wellness policy	86.8	80.6 - 91.2	142	81.9	76.1 - 86.6	195	84.0	68.2 - 92.8	37	84.0	80.2 - 87.3	374
b.	Helped revise district's local wellness policy	67.4	60.5 - 73.7	142	58.4	52.3 - 64.2	195	70.3	57.9 - 80.3	37	63.1	58.9 - 67.2	374
c.	Communicated to school staff about district's local wellness policy	83.4	77.2 - 88.1	142	73.7	67.1 - 79.4	195	81.3	67.8 - 90.0	37	78.3	74.1 - 82.0	374
d.	Communicated to parents and families about district's local wellness policy	82.5	76.1 - 87.5	142	70.9	64.5 - 76.6	195	75.7	60.2 - 86.5	37	76.0	71.7 - 79.8	374
e.	Communicated to students about district's local wellness policy	80.4	73.6 - 85.7	142	68.1	61.5 - 74.0	195	75.7	60.2 - 86.5	37	73.7	69.3 - 77.7	374
f.	Measured school's compliance with district's local wellness policy	72.2	65.1 - 78.4	142	56.6	49.9 - 63.0	195	70.3	55.6 - 81.8	37	64.1	59.6 - 68.5	374
g.	Developed an action plan that describes steps to meet requirements of district's local wellness policy	68.9	61.8 - 75.2	142	52.5	45.9 - 59.1	195	65.3	53.6 - 75.5	37	60.3	55.8 - 64.6	374

2022 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
90.1	85.2 - 93.5	143	89.9	85.6 - 93.1	194	94.7	81.8 - 98.6	37	90.4	87.5 - 92.7	374	

2022 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.0	56.4 - 70.9	143	55.0	48.6 - 61.3	196	75.6	60.1 - 86.5	37	60.6	55.9 - 65.0	376

2022 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

		Hi	igh Schools		Mic	dle Schools			r/Senior Higl Schools	h	A	ll Schools	
			95% Confidence	3.7		95% Confidence	3.7	.	95% Confidence	3.7	.	95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identified student health needs based on a review of relevant data	78.1	68.3 - 85.5	91	74.3	66.0 - 81.1	108	92.7	76.3 - 98.0	27	78.0	72.4 - 82.8	226
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	84.4	75.9 - 90.3	91	80.1	71.7 - 86.4	108	74.3	56.8 - 86.4	27	81.2	75.9 - 85.6	226
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	61.4	50.2 - 71.6	91	50.4	42.1 - 58.6	107	55.1	42.2 - 67.3	27	55.6	49.4 - 61.6	225
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	97.7	91.9 - 99.4	91	86.2	78.7 - 91.3	108	92.7	76.3 - 98.0	27	91.8	87.8 - 94.6	226
e.	Reviewed health-related curricula or instructional materials	84.8	76.2 - 90.6	91	74.6	66.4 - 81.3	108	81.6	63.1 - 92.0	27	79.7	74.4 - 84.1	226

^{*}Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics. N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that use the following types of security staff during the regular school day.

		Hi	gh Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Security guards (private or school employees/contractors)	51.9	45.0 - 58.7	140	30.6	25.5 - 36.3	189	12.0	4.7 - 27.5	34	37.5	33.6 - 41.6	363
b.	School resource officers (SROs)	71.7	64.1 - 78.2	142	73.3	67.9 - 78.1	193	21.1	13.2 - 32.1	34	68.0	63.9 - 71.8	369
c.	Police officers other than SROs (i.e., county or local law enforcement)	37.3 30.4 - 44.7 140		31.3	25.2 - 38.1	191	31.2	20.8 - 44.0	35	33.7	29.3 - 38.3	366	

2022 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

		High Schools		Mic	ldle Schools			r/Senior High Schools	1	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Included before- or after-school settings as part of the School Improvement Plan	73.0	66.1 - 79.0	142	67.5	60.5 - 73.8	193	51.8	38.9 - 64.4	35	68.3	63.7 - 72.6	370
b.	Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	66.9	59.1 - 73.8	141	47.1	40.7 - 53.6	193	48.9	35.3 - 62.7	35	55.2	50.6 - 59.7	369
c.	Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	37.5 30.4 - 45.2 141			36.5	30.5 - 43.0	193	34.1	18.7 - 53.7	35	36.7	32.2 - 41.5	369

2022 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

H	High Schools			ddle Schools		Junior/Se	enior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
47.4	41.0 - 54.0	139	18.2	14.0 - 23.3	189	14.4	6.4 - 29.5	36	29.5	26.0 - 33.3	364

TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

		High Schools		Mie	ddle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	84.9	79.1 - 89.3	137	77.9	71.8 - 82.9	187	63.1	46.5 - 77.1	35	79.3	75.3 - 82.8	359
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	97.9	94.0 - 99.3	137	94.8	90.7 - 97.1	187	91.5	77.1 - 97.2	35	95.7	93.2 - 97.3	359
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	80.4	73.3 - 86.0	136	71.6	65.0 - 77.4	186	65.9	50.0 - 79.0	35	74.6	70.1 - 78.6	357
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	50.0	41.7 - 58.2	135	36.5	30.4 - 43.0	186	34.4	20.3 - 51.9	35	41.6	36.9 - 46.6	356
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	55.7	47.1 - 64.0	135	41.5	34.9 - 48.4	186	37.2	23.5 - 53.4	35	46.7	41.7 - 51.8	356

2022 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.9	94.1 - 99.3	139	96.9	93.5 - 98.6	190	94.3	80.7 - 98.5	35	97.1	94.9 - 98.3	364

2022 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.5	94.6 - 99.6	138	99.0	96.4 - 99.7	188	100.0	†	35	98.9	97.3 - 99.6	361

2022 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.8 93.8 - 99.3 138			97.3	93.9 - 98.8	189	97.1	83.3 - 99.6	34	97.5	95.4 - 98.6	361

TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

		High Schools		Mic	dle Schools		Junio	r/Senior Higl Schools	1	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Assessing student suicide risk	97.1	94.3 - 98.6		95.9	92.3 - 97.9	188	88.3	72.7 - 95.6	34	95.7	93.4 - 97.2	
b.	Notifying parents when a student is at risk for suicide	98.6	94.8 - 99.6	136	97.5	94.4 - 98.9	188	88.3	72.7 - 95.6	34	97.1	95.0 - 98.3	358
c.	Referring students at risk for suicide to mental health services	97.0	92.7 - 98.8	136	96.4	92.8 - 98.2	188	88.3	72.7 - 95.6	34	95.9	93.4 - 97.5	358
d.	Responding to a suicide attempt at school	97.9	94.0 - 99.3	136	94.6	91.1 - 96.7	188	81.9	64.9 - 91.8	33	94.8	92.3 - 96.5	357
e.	Supporting students returning to school after a suicide attempt	94.9	90.9 - 97.2	136	93.1	89.6 - 95.5	188	76.6	58.9 - 88.3	34	92.3	89.6 - 94.4	358
f.	Responding to the death of a student or staff member from suicide	95.0	91.0 - 97.3	135	92.5	88.8 - 95.1	188	76.6	58.9 - 88.3	34	92.0	89.3 - 94.1	357

TEXAS

2022 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a	. Grade 6	§	§	§	98.8	95.7 - 99.7	158	100.0	†	28	99.0	96.3 - 99.7	186
b	. Grade 7	§	§	§	97.8	94.6 - 99.1	183	100.0	†	34	98.2	95.4 - 99.3	217
c	. Grade 8	§	§	§	83.2	77.5 - 87.7	182	100.0	†	34	85.8	81.0 - 89.6	216
d	. Grade 9	96.1	91.2 - 98.3	129	-	-	4	96.7	81.5 - 99.5	34	96.3	92.2 - 98.3	167
e	. Grade 10	82.4	75.3 - 87.8	134	§	§	§	82.1	64.7 - 92.0	34	82.3	76.0 - 87.3	168
f.	Grade 11	77.8	70.3 - 83.9	134	§	§	§	79.2	61.2 - 90.2	34	78.1	71.3 - 83.7	168
g	. Grade 12	77.8	70.3 - 83.9	134	§	§	§	78.6	60.0 - 90.0	33	78.0	71.1 - 83.6	167

^{*}Among schools with students in that grade.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[§] Grade is not applicable for type of school.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which any physical education teachers or specialists received professional development on physical education or physical activity during the past year.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.2	83.4 - 93.1	135	90.6	86.4 - 93.6	188	82.5	73.4 - 88.9	34	89.3	86.3 - 91.7	357

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

		High Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	86.8	80.5 - 91.3	134	82.4	76.9 - 86.8	188	75.9	57.7 - 88.0	33	83.6	79.6 - 86.8	355
b.	Require physical education teachers to follow a written physical education curriculum	84.0	77.8 - 88.7	133	80.0	74.6 - 84.5	188	75.9	58.3 - 87.7	33	81.2	77.3 - 84.5	354
c.	Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	76.3	69.4 - 82.1	132	58.6	52.3 - 64.7	186	50.0	37.2 - 62.8	32	64.8	60.5 - 69.0	350
d.	Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	9.0	5.5 - 14.4	133	9.0	5.7 - 13.9	188	12.4	4.7 - 28.9	33	9.3	6.8 - 12.6	354
e.	Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	97.8	93.8 - 99.3	133	97.5	95.3 - 98.7	188	88.0	71.9 - 95.4	33	96.8	94.8 - 98.0	354
f.	Limit physical education class sizes so that they are the same size as other subject areas	54.9	46.8 - 62.7	131	42.1	35.3 - 49.2	188	48.1	36.4 - 60.1	33	47.6	42.8 - 52.5	352
g.	Have a dedicated budget for physical education materials and equipment	89.0	82.6 - 93.2	133	93.4	89.1 - 96.0	187	81.2	67.5 - 90.0	33	90.5	87.3 - 93.0	353
h.	Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	92.0	86.3 - 95.4	134	85.4	80.2 - 89.3	188	81.9	64.9 - 91.8	33	87.7	84.1 - 90.5	355
i.	Include students with disabilities in regular physical education courses as appropriate	100.0	†	134	99.5	96.8 - 99.9	188	100.0	†	33	99.7	98.3 - 100.0	355

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
64.2	56.2 - 71.5	136	46.0	39.7 - 52.4	188	63.5	46.3 - 77.9	33	54.8	50.1 - 59.5	357	

2022 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.*

H	High Schools			ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.8	57.3 - 71.6	135	56.5	50.1 - 62.6	188	90.6	75.5 - 96.8	33	62.8	58.3 - 67.1	356

Page 18 of 66

 $[\]hbox{*Not including physical education and classroom physical activity}.$

2022 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Sch	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
84.7 79.0 - 89.1 136			90.7	86.2 - 93.9	188	91.0	75.7 - 97.0	33	88.4	85.1 - 91.0	357	

2022 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

		H	igh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence		
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Before the school day	84.6	77.5 - 89.8	136	72.1	66.1 - 77.5	188	84.6	67.3 - 93.6	33	78.2	74.0 - 81.9	357
b.	After the school day	92.6	87.1 - 95.9	136	89.0	84.0 - 92.6	188	97.0	82.8 - 99.5	33	91.2	87.9 - 93.6	357

2022 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

		Hi	gh Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Physical activity or sports facilities	52.6	44.5 - 60.6	135	59.6	52.7 - 66.2	189	42.5	24.1 - 63.2	33	55.3	50.2 - 60.3	357
b.	Kitchen facilities and equipment	14.1	9.3 - 20.8	135	12.2	8.3 - 17.7	188	21.1	10.1 - 38.7	33	13.7	10.6 - 17.7	356
c.	Gardens (e.g., herb or vegetable plots)	10.2	6.2 - 16.4	135	7.8	4.9 - 12.1	189	12.0	6.1 - 22.4	33	9.1	6.7 - 12.3	357

2022 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Scl	nools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
35.9 28.2 - 44.4 134			35.3	29.4 - 41.7	188	39.5	22.8 - 59.0	33	35.9	31.3 - 40.9	355	

2022 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

H	igh Schools		Mie	ddle Schools		Junior/Se	nior High Scl	ools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
60.9 53.7 - 67.7 135		59.3	52.4 - 65.9	188	78.6	60.0 - 90.0	33	61.7	56.9 - 66.2	356	

2022 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

H	igh Schools		Mi	ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.5	94.5 - 99.6	137	97.9	94.7 - 99.2	191	100.0	†	33	98.3	96.4 - 99.2	361

TEXAS 2022 School Health Profiles Report

Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		Hi	gh Schools		Mic	dle Schools			/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	97.0	92.7 - 98.8	136	96.3	92.7 - 98.2	190	100.0	†	33	96.9	94.7 - 98.2	359
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.0	92.7 - 98.8	136	96.2	92.5 - 98.1	190	100.0	†	33	96.9	94.6 - 98.2	359
c.	Cigars	94.7	89.6 - 97.4	136	94.7	90.7 - 97.1	190	100.0	†	33	95.2	92.5 - 97.0	359
d.	Pipes	94.7	89.6 - 97.4	136	95.8	91.9 - 97.8	190	100.0	†	33	95.7	93.2 - 97.4	359
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.8	93.7 - 99.2	136	96.8	93.4 - 98.5	190	100.0	†	33	97.5	95.4 - 98.7	359

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

TEXAS 2022 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	97.0	92.6 - 98.8	135	94.2	90.0 - 96.7	188	100.0	†	33	95.8	93.3 - 97.4	356
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	96.4	91.8 - 98.4	136	93.2	88.8 - 95.9	188	100.0	†	33	95.1	92.4 - 96.8	357
c.	Cigars	94.7	89.6 - 97.4	136	93.2	88.8 - 96.0	188	100.0	†	33	94.4	91.6 - 96.3	357
d.	Pipes	94.7	89.6 - 97.4	136	93.7	89.4 - 96.3	188	100.0	†	33	94.7	91.9 - 96.5	357
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.8	93.7 - 99.2	136	93.7	89.4 - 96.3	188	100.0	†	33	95.9	93.4 - 97.5	357

N = Unweighted number of observations

Page 26 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mic	dle Schools			/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	96.4	91.8 - 98.4	136	94.2	89.9 - 96.7	188	100.0	†	33	95.6	93.0 - 97.2	357
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	95.7	91.0 - 98.0	136	93.1	88.7 - 95.9	188	100.0	†	33	94.8	92.1 - 96.6	357
c.	Cigars	94.1	88.8 - 96.9	136	93.2	88.8 - 95.9	188	100.0	†	33	94.1	91.3 - 96.1	357
d.	Pipes	94.1	88.8 - 96.9	136	93.2	88.8 - 95.9	188	100.0	†	33	94.1	91.3 - 96.1	357
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.1	92.9 - 98.9	136	93.7	89.3 - 96.3	188	100.0	†	33	95.6	93.1 - 97.2	357

N = Unweighted number of observations

Page 27 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

		Hi	igh Schools		Mic	ldle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	98.5	94.5 - 99.6	135	97.2	93.8 - 98.8	190	100.0	†	33	98.0	95.9 - 99.0	358
b.	During non-school hours	78.0	70.8 - 83.7	135	84.9	78.9 - 89.4	189	90.6	74.8 - 96.9	33	82.7	78.5 - 86.2	357

Page 28 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	Hi	igh Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	96.3	91.8 - 98.4	135	95.8	92.0 - 97.8	190	97.0	82.8 - 99.5	33	96.1	93.6 - 97.6	358
b. During non-school hours	72.0	64.2 - 78.7	135	77.5	71.2 - 82.7	188	84.6	67.3 - 93.6	33	75.9	71.4 - 79.9	356

2022 School Health Profiles Report Weighted Principal Survey Results

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools		Mic	dle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
	95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	97.0 92.6 - 98.8	135	95.2	91.3 - 97.4	190	97.0	82.8 - 99.5	33	96.1	93.6 - 97.6	358
b. During non-school hours	72.0 64.2 - 78.7	135	76.4	69.9 - 81.8	188	81.6	64.3 - 91.6	33	75.1	70.5 - 79.2	356

2022 School Health Profiles Report Weighted Principal Survey Results

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		Hi	gh Schools		Mie	ddle Schools			r/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	97.7	93.4 - 99.2	135	97.2	93.8 - 98.8	190	100.0	†	33	97.7	95.5 - 98.8	358
b.	Outside on school grounds, including parking lots and playing fields	98.5	94.5 - 99.6	135	96.7	93.1 - 98.5	189	100.0	†	33	97.7	95.6 - 98.8	357
c.	On school buses or other vehicles used to transport students	98.5	94.5 - 99.6	135	97.2	93.8 - 98.8	190	100.0	†	33	98.0	95.9 - 99.0	358
d.	At off-campus, school-sponsored events	98.5	94.5 - 99.6	135	96.7	93.1 - 98.5	190	100.0	†	32	97.7	95.6 - 98.8	357

N = Unweighted number of observations

Page 31 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

2022 School Health Profiles Report Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	igh Schools		Mie	ddle Schools			r/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	98.5	94.5 - 99.6	135	95.6	91.7 - 97.7	189	100.0	†	33	97.1	94.9 - 98.4	357
b.	Outside on school grounds, including parking lots and playing fields	97.7	93.4 - 99.2	135	93.5	89.1 - 96.2	190	100.0	†	33	95.8	93.2 - 97.4	358
c.	On school buses or other vehicles used to transport students	98.5	94.5 - 99.6	135	95.1	91.1 - 97.4	190	97.0	82.8 - 99.5	33	96.6	94.3 - 98.0	358
d.	At off-campus, school-sponsored events	96.2	91.6 - 98.4	135	94.7	90.5 - 97.0	190	93.8	79.0 - 98.4	32	95.2	92.6 - 97.0	357

Page 32 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		Hi	gh Schools		Mie	ddle Schools			or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	97.0	92.6 - 98.8	135	94.6	90.5 - 97.0	189	100.0	†	33	96.0	93.6 - 97.6	357
b.	Outside on school grounds, including parking lots and playing fields	96.3	91.8 - 98.4	135	90.8	85.8 - 94.2	190	97.0	82.8 - 99.5	33	93.6	90.6 - 95.6	358
c.	On school buses or other vehicles used to transport students	96.3	91.8 - 98.4	135	94.1	89.9 - 96.7	190	97.0	82.8 - 99.5	33	95.3	92.6 - 97.0	358
d.	At off-campus, school-sponsored events	91.1	85.2 - 94.8	135	87.2	81.6 - 91.3	190	87.6	76.9 - 93.8	32	88.8	85.2 - 91.6	357

Page 33 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent Interval N			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.5	55.1 - 71.2	134	64.8	57.7 - 71.4	187	65.5	49.3 - 78.8	32	64.4	59.3 - 69.2	353

2022 School Health Profiles Report Weighted Principal Survey Results

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

	High Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Perce	ent Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.5 55.1 - 71.2 134			64.8	57.7 - 71.4	187	65.5	49.3 - 78.8	32	64.4	59.3 - 69.2	353

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

		High Schools 95%			Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Issue a warning to the student	38.3	31.0 - 46.1		33.3	27.3 - 39.9	185	42.8	32.7 - 53.6	33	36.1	31.8 - 40.8	
b.	Confiscate product	0.0	†	135	0.0	†	188	0.0	†	32	0.0	†	355
c.	Notify parents or guardians	0.0	†	135	0.0	†	188	0.0	†	33	0.0	†	356
d.	Develop a behavior contract with the student	13.6				6.5 - 14.4	187	9.4	3.1 - 25.2	33	11.3	8.6 - 14.6	354
e.	Refer to a school counselor	9.9				3.6 - 10.4	187	6.4	1.7 - 21.6	33	7.7	5.5 - 10.7	354
f.	Refer to a school administrator	0.0	†	135	1.6	0.6 - 4.7	188	0.0	†	33	0.8	0.3 - 2.4	356
g.	Refer to an assistance, education, or cessation program	17.4	12.5 - 23.8	134	23.1	18.0 - 29.1	186	21.4	10.0 - 40.0	33	20.7	17.1 - 24.8	353
h.	Refer to legal authorities (e.g., school resource officer)	12.2	7.8 - 18.7	135	7.4	4.5 - 12.0	187	27.4	14.1 - 46.5	33	11.1	8.3 - 14.8	355
i.	Issue an in-school suspension (half day or full day)	8.1	4.6 - 13.9	134	6.4	3.7 - 10.8	187	6.2	1.6 - 21.0	32	7.1	4.9 - 10.1	353
j.	Issue an after-school or weekend detention	46.8 39.2 - 54.6 133			50.6	43.9 - 57.4	187	60.5	44.2 - 74.8	33	50.0	45.2 - 54.9	353
k.	Issue an out-of-school suspension	20.0 15.0 - 26.2 134			14.5	10.7 - 19.4	187	33.1	20.6 - 48.5	33	18.4	15.2 - 22.0	354
1.	Expel from school	60.2	52.7 - 67.1	133	67.5	60.9 - 73.4	186	85.0	68.7 - 93.6	33	66.2	61.6 - 70.5	352

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

		High Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	9.9	6.1 - 15.5	132	7.1	4.2 - 11.7	185	12.0	4.7 - 27.5	33	8.6	6.2 - 11.9	350
b.	Confiscate product	0.0	†	135	0.5	0.1 - 3.2	188	0.0	†	32	0.3	0.0 - 1.7	355
c.	Notify parents or guardians	0.0	†	135	0.5	0.1 - 3.2	188	0.0	†	33	0.3	0.0 - 1.7	356
d.	Develop a behavior contract with the student	10.5				7.2 - 15.2	187	21.1	11.1 - 36.2	33	11.5	8.7 - 14.9	354
e.	Refer to a school counselor	15.4				7.2 - 15.6	187	18.1	8.0 - 35.7	33	13.2	10.2 - 17.0	354
f.	Refer to a school administrator	0.0	†	135	1.1	0.3 - 4.0	188	0.0	†	33	0.6	0.2 - 2.1	356
g.	Refer to an assistance, education, or cessation program	27.0	20.3 - 35.0	134	22.6	17.6 - 28.4	186	24.1	13.3 - 39.5	33	24.5	20.5 - 28.9	353
h.	Refer to legal authorities (e.g., school resource officer)	14.0	9.6 - 20.0	135	9.2	6.2 - 13.4	187	15.0	6.4 - 31.3	33	11.6	9.0 - 14.9	355
i.	Issue an in-school suspension (half day or full day)	4.5	2.1 - 9.3	134	2.1	0.8 - 5.3	187	6.6	1.7 - 22.2	32	3.4	2.0 - 5.8	353
j.	Issue an after-school or weekend detention	19.8				12.5 - 22.7	187	21.1	11.5 - 35.5	33	18.5	14.9 - 22.6	353
k.	Issue an out-of-school suspension	13.6				12.1 - 21.9	187	24.4	12.5 - 42.3	33	16.0	12.8 - 19.9	354
1.	Expel from school	15.4	10.7 - 21.7	133	19.3	14.2 - 25.7	186	9.0	3.1 - 23.6	33	16.8	13.4 - 20.9	352

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N =Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

		High Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	8.5	4.8 - 14.4	132	6.1	3.7 - 9.8	185	6.0	1.6 - 20.4	33	7.0	4.9 - 10.0	350
b.	Confiscate product	0.8	0.1 - 4.7	135	0.0	†	188	0.0	†	32	0.3	0.0 - 1.9	355
c.	Notify parents or guardians	0.0	†	135	0.0	†	188	0.0	†	33	0.0	†	356
d.	Develop a behavior contract with the student	39.8	32.3 - 47.8	134	49.9	43.4 - 56.5	187	30.1	19.2 - 43.8	33	44.1	39.5 - 48.9	354
e.	Refer to a school counselor	47.5	40.6 - 54.5	134	47.2	40.8 - 53.7	187	30.1	16.8 - 47.8	33	45.8	41.2 - 50.4	354
f.	Refer to a school administrator	2.2	0.8 - 6.3	135	1.0	0.3 - 3.7	188	0.0	†	33	1.4	0.6 - 3.2	356
g.	Refer to an assistance, education, or cessation program	37.3	30.0 - 45.1	134	37.5	31.2 - 44.3	186	24.4	11.9 - 43.6	33	36.2	31.6 - 41.1	353
h.	Refer to legal authorities (e.g., school resource officer)	41.1	33.8 - 48.9	135	46.0	39.4 - 52.7	187	45.5	29.3 - 62.7	33	44.0	39.3 - 48.9	355
i.	Issue an in-school suspension (half day or full day)	28.8	22.4 - 36.1	134	34.8	28.8 - 41.4	187	27.9	17.3 - 41.8	32	31.8	27.6 - 36.4	353
j.	Issue an after-school or weekend detention	29.5				18.9 - 30.2	187	15.4	6.6 - 32.0	33	25.4	21.4 - 30.0	353
k.	Issue an out-of-school suspension	45.2	37.8 - 52.8	134	40.7	34.4 - 47.4	187	30.4	18.3 - 46.0	33	41.6	37.0 - 46.3	354
1.	Expel from school	22.2	16.2 - 29.5	133	11.1	7.4 - 16.2	186	3.0	0.5 - 17.2	33	14.7	11.6 - 18.6	352

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

28_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

		High Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Issue a warning to the student	43.4	35.9 - 51.2	132	53.5	47.0 - 59.9	185	39.1	26.1 - 53.9	33	48.2	43.5 - 52.9	350
b.	Confiscate product	99.2	95.3 - 99.9	135	99.5	96.8 - 99.9	188	100.0	†	32	99.4	97.9 - 99.8	355
c.	Notify parents or guardians	100.0	†	135	99.5	96.8 - 99.9	188	100.0	†	33	99.7	98.3 - 100.0	356
d.	Develop a behavior contract with the student	36.0	29.0 - 43.7	134	29.8	24.1 - 36.2	187	39.5	24.6 - 56.6	33	33.1	28.8 - 37.8	354
e.	Refer to a school counselor	27.1	21.4 - 33.7	134	35.9	30.2 - 42.1	187	45.5	29.8 - 62.1	33	33.3	29.2 - 37.6	354
f.	Refer to a school administrator	97.8	93.7 - 99.2	135	96.3	92.6 - 98.2	188	100.0	†	33	97.2	95.0 - 98.4	356
g.	Refer to an assistance, education, or cessation program	18.3	12.8 - 25.4	134	16.8	12.0 - 23.1	186	30.1	17.6 - 46.4	33	18.6	14.9 - 22.9	353
h.	Refer to legal authorities (e.g., school resource officer)	32.6	25.6 - 40.4	135	37.4	31.0 - 44.3	187	12.0	4.7 - 27.5	33	33.2	28.8 - 38.0	355
i.	Issue an in-school suspension (half day or full day)	58.6	50.7 - 66.2	134	56.7	50.0 - 63.1	187	59.3	41.7 - 74.8	32	57.7	52.8 - 62.4	353
j.	Issue an after-school or weekend detention	3.9			8.3	5.1 - 13.2	187	3.0	0.5 - 17.2	33	6.1	4.0 - 9.1	353
k.	Issue an out-of-school suspension	21.2	15.6 - 28.1	134	28.3	22.5 - 34.9	187	12.0	4.6 - 28.1	33	24.0	20.1 - 28.4	354
1.	Expel from school	2.3	0.8 - 6.4	133	2.2	0.8 - 5.4	186	3.0	0.5 - 17.2	33	2.3	1.2 - 4.3	352

[†] Confidence intervals not applicable for 0 percent or 100 percent.

TEXAS

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

		Hi	igh Schools		Mic	ldle Schools			or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Foods or beverages are not offered at school celebrations	5.1	2.5 - 10.2	134	4.9	2.6 - 8.9	188	3.0	0.5 - 17.2	33	4.8	3.1 - 7.5	355
b.	Never	2.2	0.8 - 6.4	134	1.1	0.3 - 4.1	188	3.0	0.5 - 17.2	33	1.7	0.8 - 3.7	355
c.	Rarely	13.8	8.8 - 20.8	134	15.9	11.4 - 21.7	188	9.0	3.0 - 24.3	33	14.4	11.2 - 18.5	355
d.	Sometimes	51.6 43.3 - 59.8 134		55.9	49.6 - 62.1	188	30.1	20.6 - 41.6	33	51.9	47.2 - 56.6	355	
e.	Always or almost always	27.3	21.0 - 34.6	134	22.1	17.0 - 28.3	188	54.9	38.6 - 70.2	33	27.1	23.1 - 31.6	355

2022 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
67.6	60.2 - 74.1	135	46.4	40.0 - 53.0	189	39.5	24.6 - 56.6	33	54.2	49.5 - 58.7	357

TEXAS

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mic	dle Schools		Junio	or/Senior Higl Schools	1	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Chocolate candy	18.2	12.7 - 25.5	133	9.5	6.1 - 14.6	189	18.4	8.4 - 35.7	33	13.8	10.6 - 17.7	355
b.	Other kinds of candy	18.1	12.5 - 25.3	133	10.7	7.0 - 15.9	189	18.4	8.4 - 35.7	33	14.3	11.0 - 18.3	355
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	30.9	24.2 - 38.5	133	22.9	17.5 - 29.4	189	33.5	19.3 - 51.4	33	27.0	22.8 - 31.6	355
d.	Low sodium or "no added salt" pretzels, crackers, or chips	53.5	45.7 - 61.2	133	34.3	28.0 - 41.2	189	36.5	22.7 - 52.9	33	42.0	37.3 - 46.9	355
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	32.2	25.5 - 39.8	133	20.6	15.2 - 27.3	189	30.4	16.1 - 49.9	33	26.0	21.8 - 30.8	355
f.	Ice cream or frozen yogurt that is not low in fat	23.5	17.1 - 31.4	133	24.5	19.0 - 30.9	189	24.4	13.5 - 40.2	33	24.1	20.0 - 28.7	355
g.	2% or whole milk (plain or flavored)	31.6	25.1 - 39.0	133	27.2	21.5 - 33.8	189	30.4	17.3 - 47.7	33	29.2	25.0 - 33.9	355
h.	Nonfat or 1% (low-fat) milk (plain)	35.5	28.9 - 42.6	133	25.9	20.2 - 32.6	188	30.4	18.8 - 45.3	33	30.1	25.9 - 34.6	354
i.	Water ices or frozen slushes that do not contain juice	22.0	15.9 - 29.6	133	18.2	13.6 - 23.8	189	15.4	8.0 - 27.6	33	19.4	15.8 - 23.6	355
j.	Soda pop or fruit drinks that are not 100% juice	20.4	14.4 - 28.1	133	14.0	9.9 - 19.6	189	15.4	6.6 - 32.0	33	16.7	13.2 - 20.9	355
k.	Sports drinks (e.g., Gatorade)	52.4 45.6 - 59.1 133		21.5	16.4 - 27.8	189	27.4	15.4 - 44.0	33	34.2	30.1 - 38.5	355	
1.	Energy drinks (e.g., Red Bull, Monster)	3.8	1.7 - 8.4	133	0.5	0.1 - 3.2	189	3.0	0.5 - 16.4	33	2.0	1.0 - 4.0	355

TEXAS

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		Hi	igh Schools		Mic	dle Schools		Junio	r/Senior High Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m.	Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	63.1	55.3 - 70.2	132	39.3	33.2 - 45.8	189	36.5	21.3 - 54.9	33	48.3	43.7 - 53.0	354
n.	Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	29.6	23.5 - 36.6	133	16.0	11.7 - 21.5	189	12.0	4.7 - 27.5	33	21.0	17.5 - 25.0	355
0.	100% fruit or vegetable juice	34.0	27.1 - 41.7	133	25.7	20.5 - 31.5	189	27.4	14.1 - 46.5	33	29.1	25.0 - 33.6	355
p.	Foods or beverages containing caffeine	25.2	19.1 - 32.6	133	5.1	2.8 - 9.0	189	12.0	4.7 - 27.5	33	13.6	10.7 - 17.1	355
q.	Fruits (not fruit juice)	34.0	27.3 - 41.4	133	23.0	17.9 - 29.0	189	18.1	8.2 - 35.1	33	26.9	22.9 - 31.2	355
r.	Non-fried vegetables (not vegetable juice)	30.1	23.6 - 37.5	133	17.2	12.7 - 22.9	189	12.0	4.7 - 27.5	33	21.8	18.2 - 26.0	355

TEXAS

32. Percentage of schools that have done any of the following activities during the current school year.

		High Schools		Mic	dle Schools		Junio	or/Senior High Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	13.0	8.5 - 19.4	132	15.1	10.8 - 20.8	185	18.1	10.0 - 30.5	33	14.6	11.4 - 18.4	350
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	46.3	39.0 - 53.8	132	40.4	34.2 - 47.0	186	60.5	43.4 - 75.4	33	44.6	40.0 - 49.3	351
c.	Provided information to students or families on the nutrition and caloric content of foods available	62.4	54.7 - 69.5	132	54.5	47.6 - 61.2	186	72.9	58.7 - 83.6	33	59.3	54.5 - 63.9	351
d.	Conducted taste tests to determine food preferences for nutritious items	33.0	25.8 - 41.0	132	31.3	25.4 - 37.9	186	21.1	11.5 - 35.5	33	31.0	26.6 - 35.7	351
e.	Served locally or regionally grown foods in the cafeteria or classrooms	25.0	18.5 - 33.0	132	17.8	13.1 - 23.8	185	30.1	18.7 - 44.6	33	21.8	17.9 - 26.2	350
f.	Planted a school food or vegetable garden	20.6	15.0 - 27.6	132	21.4	16.6 - 27.0	185	24.1	13.7 - 38.8	33	21.3	17.8 - 25.4	350
g.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	80.4	73.3 - 86.0	132	81.2	75.1 - 86.1	186	60.5	43.4 - 75.4	33	79.0	74.7 - 82.8	351
h.	Used attractive displays for fruits and vegetables in the cafeteria	68.9 61.3 - 75.6 131		72.3	65.3 - 78.3	186	57.5	43.8 - 70.2	33	69.6	64.9 - 74.0	350	
i.	Offered a self-serve salad bar to students	20.4	14.8 - 27.4	132	15.6	11.0 - 21.6	184	27.8	19.0 - 38.7	33	18.6	15.1 - 22.7	349

TEXAS

32. Percentage of schools that have done any of the following activities during the current school year.

		Hi	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
j.	Provided students with at least 20 minutes to eat lunch after they receive their meal	94.6	89.3 - 97.3	132	97.4	94.0 - 98.8	186	97.0	83.6 - 99.5	33	96.2	93.8 - 97.8	351
k.	Encouraged students to drink plain water	89.4	84.2 - 93.0	132	89.7	84.4 - 93.3	186	94.0	79.6 - 98.4	33	90.0	86.6 - 92.5	351
1.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	39.1	31.9 - 46.9	132	37.7	30.8 - 45.1	186	54.9	40.3 - 68.6	33	39.8	35.0 - 44.8	351
m	. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	34.5	26.8 - 43.1	131	36.2	30.6 - 42.2	186	33.5	18.9 - 52.0	33	35.3	30.8 - 40.1	350

TEXAS

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	High Schools		Mic	dle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
		D	95% Confidence	N	D	95% Confidence	NT	Damant	95% Confidence	NT.	D	95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	72.3	64.4 - 79.1	134	73.4	67.1 - 78.8	185	60.5	45.5 - 73.8	33	71.8	67.2 - 76.0	352
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	62.6	54.5 - 70.0	134	70.2	63.7 - 76.0	185	54.5	38.1 - 70.0	33	65.7	60.9 - 70.3	352
c.	On school buses or other vehicles used to transport students	73.9	66.4 - 80.2	134	74.6	68.4 - 80.0	185	54.5	38.1 - 70.0	33	72.5	68.0 - 76.6	352
d.	In school publications (e.g., newsletters, newspapers, web sites, other school publications)	61.9	54.0 - 69.2	134	69.2	62.0 - 75.5	185	51.5	34.5 - 68.1	33	64.7	59.7 - 69.4	352
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	65.6	58.3 - 72.3	134	69.3	62.6 - 75.2	185	48.5	32.6 - 64.7	33	66.0	61.3 - 70.3	352

TEXAS

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		Hi	igh Schools		Mic	ldle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Yes, in all locations	93.3	88.7 - 96.1	136	93.5	89.1 - 96.2	189	91.0	83.6 - 95.2	33	93.2	90.5 - 95.2	358
b.	Yes, in certain locations	3.0	1.2 - 7.3	136	3.3	1.5 - 6.9	189	6.0	1.6 - 20.4	33	3.4	2.0 - 5.8	358
c.	No	3.7	1.6 - 8.4	136	3.2	1.5 - 6.7	189	3.0	0.5 - 17.2	33	3.4	2.0 - 5.8	358

2022 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent Interval N			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.3 91.6 - 98.4 136			96.8	93.3 - 98.5	189	97.0	82.8 - 99.5	33	96.6	94.2 - 98.0	358

TEXAS

35. Percentage of schools that offer a free source of drinking water in the following locations.*

		Hi	gh Schools		Mic	ddle Schools			r/Senior Higi Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cafeteria during breakfast	100.0	†	133	96.3	92.7 - 98.2	188	100.0	†	32	98.1	96.2 - 99.1	353
b.	Cafeteria during lunch	100.0	†	133	97.4	94.0 - 98.8	188	100.0	†	32	98.6	96.9 - 99.4	353
c.	Gymnasium or other indoor physical activity facilities	95.4	90.4 - 97.8	131	93.5	89.1 - 96.2	186	97.0	82.8 - 99.5	33	94.6	91.7 - 96.4	350
d.	Outdoor physical activity facilities or sports fields	90.1	84.3 - 93.9	131	85.8	80.0 - 90.0	182	86.4	68.4 - 94.9	30	87.5	83.8 - 90.5	343
e.	Hallways throughout the school	100.0	†	134	97.4	94.1 - 98.9	188	100.0	†	33	98.7	96.9 - 99.4	355

^{*}Among schools with that location.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2022 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

	Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
		95%			95%			95%			95%	
		Confidence			Confidence			Confidence			Confidence	
Pe	Percent Interval N			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.9 83.1 - 92.9 138			138	87.6	83.0 - 91.1	190	65.9	53.6 - 76.3	32	86.2	82.9 - 89.0	360

2022 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
21.7 15.9 - 28.9 138			23.5	18.0 - 29.9	189	24.1	13.3 - 39.5	33	22.8	18.9 - 27.3	360

2022 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
25.7 19.9 - 32.5 138			20.6	16.4 - 25.6	189	24.8	15.2 - 37.7	33	23.0	19.6 - 26.8	360

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

		Hi	High Schools 95%		Mi	ddle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	1.5	0.4 - 5.4	138	0.6	0.1 - 3.7	188	0.0	†	33	0.9	0.3 - 2.6	359
b.	HIV treatment (ongoing medical care for persons living with HIV)	2.3	0.8 - 6.4	138	0.6	0.1 - 3.7	188	0.0	†	33	1.2	0.5 - 3.0	359
c.	STD testing	1.5	0.4 - 5.4	138	1.2	0.3 - 4.4	188	0.0	†	33	1.2	0.5 - 3.0	359
d.	STD treatment	2.3	0.8 - 6.4	138	1.7	0.6 - 4.9	188	0.0	†	33	1.8	0.8 - 3.8	359
e.	Pregnancy testing	3.6	1.6 - 8.0	138	1.6	0.6 - 4.6	188	3.0	0.5 - 17.2	33	2.5	1.4 - 4.6	359
f.	Provision of condoms	2.2	0.8 - 6.4	138	1.2	0.3 - 4.4	188	0.0	†	33	1.5	0.7 - 3.4	359
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.5	0.4 - 5.4	138	1.2	0.3 - 4.4	188	0.0	†	33	1.2	0.5 - 3.0	359
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.5	0.4 - 5.4	138	1.7	0.6 - 4.9	188	0.0	†	33	1.5	0.6 - 3.4	359
i.	Prenatal care	11.2	6.9 - 17.7	138	2.3	0.9 - 5.8	188	9.0	3.0 - 24.3	33	6.5	4.4 - 9.6	359
j.	Human papillomavirus (HPV) vaccine administration	2.8	1.1 - 7.0	138	1.6	0.6 - 4.7	188	0.0	†	33	2.0	1.0 - 3.9	359
k.	Assessment for alcohol or other drug use, abuse, or dependency	30.6	24.1 - 37.9	138	18.6	13.6 - 24.8	188	15.0	6.6 - 30.7	33	23.1	19.2 - 27.4	359

Page 53 of 66

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

TEXAS

39. Percentage of schools that provide the following services to students.

		Hi	igh Schools		Mic	Idle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
1.	Tobacco-use cessation (e.g., individual or group counseling)	17.6	12.1 - 25.0	137	14.4	10.4 - 19.5	188	12.0	4.9 - 26.8	33	15.5	12.2 - 19.4	358
m	Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	80.2	73.4 - 85.6	138	86.1	80.4 - 90.3	188	94.0	79.6 - 98.4	33	84.4	80.5 - 87.7	359
n.	Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	63.6	55.9 - 70.6	138	72.6	66.4 - 78.1	188	84.6	67.3 - 93.6	33	70.0	65.5 - 74.2	359
0.	Case management for students with chronic health conditions (e.g., asthma, diabetes)	68.7	60.8 - 75.7	138	73.4	67.2 - 78.8	188	75.6	56.4 - 88.1	33	71.7	67.1 - 76.0	359

TEXAS

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		High Schools 95%		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
			Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	34.9	27.9 - 42.6	134	20.7	15.8 - 26.7	185	18.4	9.5 - 32.7	33	26.2	22.2 - 30.6	352
b.	HIV treatment (ongoing medical care for persons living with HIV)	32.8	25.8 - 40.7	133	20.1	15.3 - 26.0	185	18.4	9.5 - 32.7	33	25.0	21.1 - 29.4	351
c.	nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	31.2	24.6 - 38.6	134	20.1	15.3 - 26.0	185	15.4	7.7 - 28.3	33	24.1	20.3 - 28.4	352
d.	PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	30.4	24.0 - 37.7	134	20.1	15.3 - 26.0	185	15.4	7.7 - 28.3	33	23.8	20.1 - 28.0	352
e.	STD testing	34.8	27.9 - 42.4	134	21.8	16.8 - 27.7	185	18.4	9.5 - 32.7	33	26.7	22.7 - 31.0	352
f.	STD treatment	33.4	26.4 - 41.1	134	21.8	16.8 - 27.7	185	18.4	9.5 - 32.7	33	26.1	22.1 - 30.5	352
g.	Pregnancy testing	44.8	37.1 - 52.9	133	22.9	17.6 - 29.2	185	18.4	9.5 - 32.7	33	31.2	26.9 - 35.9	351
h.	Provision of condoms	31.1	24.6 - 38.4	134	17.3	12.8 - 23.0	185	18.4	9.5 - 32.7	33	22.9	19.2 - 27.1	352
i.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	27.3	21.0 - 34.7	134	16.8	12.4 - 22.4	185	15.4	7.7 - 28.3	33	20.9	17.3 - 25.0	352
j.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	28.7	22.5 - 35.9	134	17.9	13.3 - 23.6	185	18.4	9.5 - 32.7	33	22.2	18.6 - 26.4	352

TEXAS

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	n	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent				Interval	N	Percent	Interval	N	Percent	Interval	N
k.	Prenatal care	47.4	39.5 - 55.4	134	21.8	16.7 - 28.0	185	24.4	13.1 - 40.9	33	32.3	27.9 - 36.9	352
1.	Human papillomavirus (HPV) vaccine administration	34.0	27.1 - 41.8	134	21.7	16.6 - 27.8	185	15.4	7.7 - 28.3	33	26.1	22.0 - 30.5	352
m.	Alcohol or other drug abuse treatment	53.5	45.3 - 61.5	134	35.6	29.9 - 41.9	185	27.4	15.0 - 44.7	33	42.0	37.4 - 46.8	352
n.	Tobacco-use cessation (e.g., individual or group counseling)	50.6	42.9 - 58.2	134	33.3	27.1 - 40.0	185	30.4	16.9 - 48.4	33	39.9	35.3 - 44.8	352

2022 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
62.9 55.3 - 70.0 138			63.7	57.0 - 70.0	186	59.3	44.6 - 72.5	32	63.0	58.3 - 67.5	356

TEXAS

2022 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

		Hi	igh Schools		Mic	ldle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma	96.6	92.3 - 98.5	137	97.4	94.1 - 98.9	189	97.0	82.8 - 99.5	33	97.0	94.8 - 98.3	359
b.	Food allergies	95.2	91.4 - 97.4	137	98.0	95.0 - 99.2	189	100.0	†	33	97.1	95.2 - 98.2	359
c.	Diabetes	96.5	92.1 - 98.5	137	97.5	94.4 - 98.9	189	97.0	82.8 - 99.5	33	97.0	94.9 - 98.3	359
d.	Epilepsy or seizure disorder	96.5	92.1 - 98.5	137	98.0	95.0 - 99.2	189	100.0	†	33	97.6	95.5 - 98.7	359
e.	Obesity	43.4	36.0 - 51.2	137	42.5	35.7 - 49.6	188	36.5	20.5 - 56.1	33	42.3	37.5 - 47.4	358
f.	Hypertension/high blood pressure	71.6	64.3 - 78.0	137	75.4	69.1 - 80.8	188	63.5	46.3 - 77.9	33	72.9	68.3 - 76.9	358
g.	Oral health condition (e.g., abscess, tooth decay)	43.1	35.5 - 51.1	137	42.1	35.2 - 49.4	188	48.5	31.1 - 66.3	33	43.1	38.1 - 48.2	358

 $[\]dagger$ Confidence intervals not applicable for 0 percent or 100 percent.

TEXAS

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

		Hi	gh Schools		Mic	dle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95%			95%			95%			95%	
		Percent	Confidence Interval	N	Percent	Confidence Interval	N	Percent	Confidence Interval	N	Percent	Confidence Interval	N
		reicein	mervar	11	reicent	intervar	11	reicent	micivai	11	reicent	micivai	11
a.	Asthma	47.4	39.6 - 55.3	134	44.2	37.7 - 50.9	186	30.1	18.7 - 44.6	33	44.2	39.5 - 49.0	353
b.	Food allergies	46.6	38.8 - 54.7	134	44.4	38.1 - 51.0	186	30.1	18.7 - 44.6	33	44.0	39.3 - 48.8	353
c.	Diabetes	47.4	39.6 - 55.3	134	44.8	38.4 - 51.4	186	30.1	18.7 - 44.6	33	44.5	39.8 - 49.3	353
d.	Epilepsy or seizure disorder	46.6	39.0 - 54.4	134	43.8	37.4 - 50.4	186	30.1	18.7 - 44.6	33	43.7	39.1 - 48.5	353
e.	Obesity	40.7	33.9 - 47.8	134	32.4	26.5 - 38.9	185	27.9	17.8 - 40.9	32	35.3	31.1 - 39.8	351
f.	Hypertension/high blood pressure	43.7	36.1 - 51.6	134	40.9	34.5 - 47.7	185	27.1	16.8 - 40.5	33	40.8	36.1 - 45.6	352
g.	Oral health condition (e.g., abscess, tooth decay)	42.8	35.6 - 50.2	134	38.2	31.9 - 45.0	185	27.1	16.8 - 40.5	33	39.0	34.6 - 43.7	352

TEXAS

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

		Hi	High Schools			ldle Schools		Junio	or/Senior High Schools	h	A	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	45.5	37.2 - 53.9	134	33.8	28.2 - 39.9	183	36.8	23.2 - 53.0	33	38.8	34.1 - 43.6	350
b.	Sexual health services that adolescents should receive	38.1	30.0 - 46.9	134	27.5	21.9 - 33.8	183	38.0	22.8 - 55.9	32	32.7	28.0 - 37.7	349
c.	Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	43.3	35.0 - 52.0	134	34.5	28.8 - 40.8	183	48.9	34.9 - 63.0	33	39.4	34.7 - 44.2	350
d.	Importance of maintaining student confidentiality for sexual health services	56.0	47.9 - 63.8	134	48.4	42.3 - 54.5	183	57.9	40.4 - 73.6	33	52.3	47.5 - 57.0	350
e.	How to create or use a student referral guide for sexual health services	31.4	24.0 - 39.9	134	18.1	13.9 - 23.4	183	30.1	16.3 - 48.7	33	24.5	20.5 - 29.1	350
f.	How to make successful referrals of students to sexual health services	35.0	27.4 - 43.4	134	19.9	15.1 - 25.7	183	30.1	17.2 - 47.1	33	26.9	22.7 - 31.5	350
g.	Best practices for adolescent sexual health services provision, such as making services youth-friendly	37.4	29.4 - 46.1	134	21.3	16.4 - 27.3	183	30.4	17.3 - 47.7	33	28.6	24.2 - 33.4	350
h.	Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	37.4	29.6 - 46.0	134	22.5	17.5 - 28.4	183	30.4	17.3 - 47.7	33	29.2	24.9 - 33.9	350

TEXAS

45. Percentage of schools that provide the following mental health programs or services to students.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
			95%		95%			95%			95%		
		Percent	Confidence Interval	N	Percent	Confidence Interval	N	Percent	Confidence Interval	N	Percent	Confidence Interval	N
a.	Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	91.4	85.7 - 95.0	137	95.4	91.6 - 97.5	187	72.6	56.0 - 84.6	33	91.8	88.7 - 94.1	357
b.	Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	76.0	67.8 - 82.6	137	72.2	66.1 - 77.6	187	57.5	41.7 - 71.9	33	72.4	67.8 - 76.6	357
c.	School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	90.6	85.1 - 94.2	137	84.8	79.8 - 88.8	187	66.5	48.6 - 80.7	33	85.5	82.0 - 88.5	357
d.	Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders)	60.9	52.6 - 68.6	137	55.0	48.8 - 61.1	185	45.1	30.6 - 60.6	33	56.5	51.7 - 61.2	355
e.	Pro-social skills training (e.g., school counseling groups)	80.9	74.4 - 86.1	137	82.1	76.2 - 86.7	187	66.9	47.2 - 82.1	33	80.3	76.1 - 83.9	357
f.	Small groups for specific issues (e.g., depression, parental divorce)	70.6	63.2 - 77.0	137	70.9	64.3 - 76.7	187	46.9	30.5 - 64.0	32	68.7	64.0 - 73.0	356

TEXAS

46. Percentage of schools that have done any of the following activities during the current school year.

		High Schools 95% Confidence			Mic	Middle Schools 95% Confidence			Junior/Senior High Schools 95% Confidence			All Schools			
												95% Confidence			
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
a.	Provided parents with information to support parent-adolescent communication about sex	21.1	15.5 - 27.9	134	25.3	20.2 - 31.2	183	24.4	13.5 - 40.2	33	23.5	19.8 - 27.7	350		
b.	Provided parents with information to support parent-adolescent communication about topics other than sex	37.5	30.3 - 45.2	134	37.6	31.9 - 43.6	183	36.5	22.7 - 52.9	33	37.4	33.1 - 42.0	350		
c.	Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	44.0	36.6 - 51.8	133	44.2	37.8 - 50.7	185	39.5	24.6 - 56.6	33	43.7	39.0 - 48.5	351		
d.	Provided parents with information to support one-on-one time between adolescents and their health care providers	28.3	22.1 - 35.5	132	26.4	20.9 - 32.6	185	21.4	11.6 - 36.2	33	26.7	22.7 - 31.1	350		
e.	Provided parents with information about physical education and physical activity programs	60.6	52.7 - 67.9	132	62.0	55.7 - 67.9	184	60.9	44.0 - 75.5	33	61.3	56.6 - 65.8	349		
f.	Involved parents as school volunteers in the delivery of health education activities and services	25.0	19.2 - 31.8	132	25.0	19.5 - 31.5	186	45.5	30.7 - 61.1	33	26.9	22.9 - 31.3	351		
g.	Involved parents as school volunteers in physical education or physical activity programs	29.2	22.3 - 37.2	131	32.2	26.1 - 39.0	185	51.9	36.8 - 66.6	33	32.8	28.4 - 37.7	349		
h.	Linked parents and families to health services and programs in the community	70.8	62.6 - 77.7	132	73.4	66.6 - 79.2	186	54.5	37.1 - 70.9	33	70.6	65.7 - 75.1	351		

2022 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		High Schools		Middle Schools			Junior/Senior High Schools			All Schools			
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i.	Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	46.2	38.6 - 53.9	133	40.9	34.5 - 47.6	185	33.5	22.5 - 46.6	33	42.3	37.7 - 47.0	351
j.	Provided parents with information about before- or after-school programs available in the community	63.3	55.5 - 70.5	132	72.1	65.2 - 78.0	184	48.9	38.4 - 59.4	33	66.5	61.8 - 70.9	349

2022 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

		High Schools		Middle Schools			Junior/Senior High Schools			All Schools			
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	59.7	52.0 - 67.0	135	51.0	44.8 - 57.2	185	42.1	27.0 - 58.8	33	53.7	49.1 - 58.3	353
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	51.8	44.0 - 59.6	135	54.8	47.9 - 61.5	185	21.4	10.5 - 38.7	33	50.6	45.7 - 55.4	353

2022 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

		High Schools		Middle Schools			Junior/Senior High Schools			All Schools			
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	55.7	48.1 - 63.0	134	44.5	37.9 - 51.2	184	36.5	21.8 - 54.2	33	48.2	43.5 - 53.0	351
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	50.7	42.9 - 58.4	134	49.4	43.0 - 55.7	184	31.4	18.7 - 47.7	32	48.3	43.6 - 53.0	350

2022 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	A	All Schools				
	95%			95%			95%		95%				
	Confidence			Confidence			Confidence		Confidence				
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
72.6	64.5 - 79.4	136	53.6	46.8 - 60.3	186	72.1	55.3 - 84.4	32	62.9	58.0 - 67.5	354		