

***Texas PRAMS Phase 6 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
1a	PRE_DIET	(a) Pre-pregnancy dieting	NY1F	.B=DK/BLANK 1=NO 2=YES
1b	PRE_EXER	(b) Pre-pregnancy exercise 3+ days/wk	NY1F	.B=DK/BLANK 1=NO 2=YES
1c	PRE_RX	(c) Pre-pregnancy prescrip meds	NY1F	.B=DK/BLANK 1=NO 2=YES
1d	PRE_DIAB	(d) Pre-pregnancy ck/tx for diabetes	NY1F	.B=DK/BLANK 1=NO 2=YES
1e	PRE_HBP	(e) Pre-pregnancy ck/tx for high blood p	NY1F	.B=DK/BLANK 1=NO 2=YES
1f	PRE_MH	(f) Pre-pregnancy ck/tx for depression/a	NY1F	.B=DK/BLANK 1=NO 2=YES
1g	PRE_HIST	(g) Pre-pregnancy talk fam med hist	NY1F	.B=DK/BLANK 1=NO 2=YES
1h	PRE_DDS	(h) Pre-pregnancy teeth cleaned	NY1F	.B=DK/BLANK 1=NO 2=YES
2a	INWORK	a) Insurance paid by -- job	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
2b	INSPAID	(b) Insurance paid by -- someone else	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
2c	INSMED	(c) Insurance paid by -- Medicaid	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
2d	INSMIL	(d) Insurance paid by -- TRICARE or military	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
2h	INSOTH	f) Insurance paid by -- Other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
2j	INSNONE	h) Insurance paid by -- No insurance	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
3	VITAMIN	Multivitamin -- # of times /wk	VITAMIN	.B=BLANK/DK 1=DIDNT TAKE VITAMIN 2=1-3 TIMES/WEEK 3=4-6 TIMES/WEEK 4=EVERY DAY/WEEK
7	BPG_DIAB	Diabetes before pregnancy	NY1F	.B=DK/BLANK 1=NO 2=YES

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
8	PREV_LB	Previous -- live birth	NY1F	.B=DK/BLANK 1=NO 2=YES
9	PREV6NBW	Previous -- normal birth weight	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
10	PREV_PRE	Previous -- premature	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
11	FEEL_PG	Preg -- intention	FEEL_PG	.B=BLANK .D=DK 1=SOONER 2=LATER 3=THEN 4=DID NOT WANT
12	PREG_TRY	Preg -- trying	NY1F	.B=DK/BLANK 1=NO 2=YES
13	BC_WHEN4	BC -- use when got preg	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
14a	NBC_MIND	a) No BC -- didn't mind preg	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
14b	NBC_TIME	b) No BC -- couldn't at time	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
14c	NBC_SIDE	c) No BC -- side effects	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
14d	NBC_GET	d) No BC -- couldn't get	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
14e	NBC_STER	e) No BC -- sterile	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
14f	NBC_HUSB	f) No BC -- husb/part didn't want	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
14g	NBC_OTH	g) No BC -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15a	SURE_PGU	a) Sure preg -- wks/mnth	UNITF	.B=BLANK .D=DK .S=SKIP 1=WEEKS 2=MONTHS 7=DK
15b	SURE_PG	b) Sure preg -- time	NUMSDF	.B=BLANK .D=DK .S=SKIP 77=DK
16a	PNC_1STU	a) 1st PNC visit -- wks/mnth	PNC_1STU	.B=DK/BLANK 1=WEEKS 2=MONTHS 3=DID NOT GO
16b	PNC_1ST	b) 1st PNC visit -- number	NUMSF	.B=DK/BLANK .S=SKIP
17	ERLY6PNC	PNC early -- as wanted	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18a	EP6APPT	a) PNC later -- no appt	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18b	EP6MONY	b) PNC later -- no money	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18c	EP6TRAN	c) PNC later -- no transportation	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18d	EP6START	d) PNC later -- no early ins care	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
18e	EP6BUSY	e) PNC later -- too busy	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18f	EP6LEAVE	f) PNC later -- no leave time work or sc	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18g	EP6MEDI	g) PNC later -- no Medicaid card	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18h	EP6CHLD	h) PNC later -- no child care	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18i	EP6PREG	i) PNC later -- didn't know I was pregnant	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18j	EP6SECRT	j) PNC later -- keep pregnant secret	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
18k	EP6PNC	k) PNC later -- didn't want PNC	FALSTRUE	.B=BLANK/DK .S=SKIP 1=false 2=true
19	SRC_PNC3	PNC sources -- locations	SRC_PNC	.B=DK/BLANK .S=SKIP 1=HOSPITAL CLINIC 2=HLTH DEPT CLINIC 3=MD / HMO 4=MILITARY 5=IHS 6=COMMUNITY CLINIC

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
				7=OTHER 8=AK NATIVE CLINC 11=RURAL HEALTH CTR 12=WELL CHILD CLNIC 13=HMO/PPO 14=MILITARY FACILTY 15=COMMUN. HLTH CTR 16=PRENATL CARE ASS 17=INDIAN HLTH CLNC 18=BIRTHING CENTER 19=AK NATIVE CLINIC 20=NURSE MID-WIFE 21=NON-NURSE MIDWIF 22=PRM CAR/CMM H.C. 23=STATE HOSPITAL 24=NEIGHBORHOOD CLINIC 26=FAM PRAC RES PRG 28=MIDWIFE OFFICE 29=AT HOME 30=MIDWIFE 31=MULTIPLE DOCTORS 32=GROUP PRENATAL CARE
20a	PP_WORK	a) PNC paid by -- Job	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
20b	PP_PAID	b) PNC paid by -- insurance not from a j	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
20c	PP_MEDIC	c) PNC paid by -- Medicaid	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
20d	PP_MILIT	d) PNC paid by -- Military	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
20h	PP_OTH	f) PNC paid by -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
20j	PP_NONE	h) PNC paid by -- no insurance	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
21a	TLK_SMK	a) HCW talk -- smoking	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
21b	TLK_BF	b) HCW talk -- breastfeeding	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21c	TLK_DRK	c) HCW talk -- drinking alcohol	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21d	TLK_BELT	d) HCW talk -- seatbelt use	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21e	TLK_MEDS	e) HCW talk -- safe meds	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21f	TLK_DRUG	f) HCW talk -- illegal drugs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21g	TLK_BDEF	g) HCW talk -- birth defects tests	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21h	TLK_PRET	h) HCW talk -- preterm labor signs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21i	TLK_LABR	i) HCW talk -- early labor	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21j	TLK_HIVT	j) HCW talk -- testing for HIV	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21k	TLK_DPRS	k) HCW talk -- depression	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21l	TLK_ABUS	l) HCW talk -- physical abuse	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
22	TLK_WT	HCW ask -- amt weight gain	NYS1F	.B=DK/BLANK .M=NOT PRINTD ON QX .N=NOT RECORDED .S=SKIP .T=TEEN MOM - NOT ASKED 1=NO 2=YES

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
23	HIVTEST	HIV test -- have dur preg	NYD1F	.B=BLANK .D=DK 1=NO 2=YES 7=DK
24	FOLIC	Folic acid -- prevents birth defects	NY1F	.A=NOT APPLICABLE .B=DK/BLANK .N=NOT RECORDED .U=UNKNOWN 1=NO 2=YES
25	WIC_PREG	WIC -- dur preg	NY1F	.B=DK/BLANK 1=NO 2=YES
26	PG_GDB	Gestational diabetes- this pregnancy	NY1F	.B=DK/BLANK 1=NO 2=YES
27a	MORB_BLD	a) Morbidity -- vag bleeding	NY1F	.B=DK/BLANK 1=NO 2=YES
7b	MORB_KID	b) Morbidity -- kidney/bladder infect	NY1F	.B=DK/BLANK 1=NO 2=YES
27c	MORB_NAU	c) Morbidity -- nausea	NY1F	.B=DK/BLANK 1=NO 2=YES
27d	MORB_CRV	d) Morbidity -- cervix closed	NY1F	.B=DK/BLANK 1=NO 2=YES
27e	MORB5BP	e) Morbidity -- HBP	NY1F	.B=DK/BLANK 1=NO 2=YES
27f	MORB_PLA	f) Morbidity -- placenta	NY1F	.B=DK/BLANK 1=NO 2=YES
27g	MORB_LAB	g) Morbidity -- preterm labor	NY1F	.B=DK/BLANK 1=NO 2=YES
27h	MORB_PRM	h) Morbidity -- PROM	NY1F	.B=DK/BLANK 1=NO 2=YES
27i	MORB_TRN	i) Morbidity -- Blood transfusion	NY1F	.B=DK/BLANK 1=NO 2=YES
27j	MORB_CAR	j) Morbidity -- car crash injury	NY1F	.B=DK/BLANK 1=NO 2=YES
28	PREMSHOT	Weekly shots 17P	NYD1F	.B=BLANK .D=DK .N=NOT RECORDED 1=NO

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
				2=YES 7=DK
29	SMK2YRS	SMK -- >=1 cigs last 2 yrs	NY1F	.B=DK/BLANK 1=NO 2=YES
30	SMK6_3B	SMK -- 3 mnths bef, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
31	SMK6_3L	SMK -- last 3 mnths, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
32	SMK6_3N	SMK -- now, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
33	SMK_NWRL	Inside smoking rules now	SMK_NWRL	.B=DK/BLANK 1=NOT ALLOWED ANYWHERE 2=ALLOWED SOME PLACES/TIMES 3=PERMITTED ANYWHERE
34	DRK_2YRS	DRK -- last 2 years	NY1F	.B=DK/BLANK 1=NO 2=YES
35a	DRK6_3B	DRK -- 3 mnths bef, drinks/wk	DRINK5F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=7 TO 13 DRINKS A WEEK 3=4 TO 6 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
35b	DRK6_3BB	DRK -- 3 mnths bef, four+ drinks/sit	DRKBNG6F	.B=DK/BLANK .S=SKIP 1=6 OR MORE TIMES 2=4 TO 5 TIMES 3=2 TO 3 TIMES 4=1 TIME 5=0 (NEVER 4 OR MORE AT ONCE)
36a	DRK6_3L	DRK -- last 3 mnths, drinks/wk	DRINK5F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=7 TO 13 DRINKS A WEEK 3=4 TO 6 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
36b	DRK6_3LB	DRK -- last 3 mnths, four+ drinks/sit	DRKBNG6F	.B=DK/BLANK .S=SKIP 1=6 OR MORE TIMES 2=4 TO 5 TIMES 3=2 TO 3 TIMES 4=1 TIME 5=0 (NEVER 4 OR MORE AT ONCE)
37a	STRS_FM3	a) Stress -- family member ill	NY1F	.B=DK/BLANK 1=NO 2=YES
37b	STRS_DV3	b) Stress -- divorce	NY1F	.B=DK/BLANK 1=NO 2=YES
37c	STRS_MOV	c) Stress -- moved	NY1F	.B=DK/BLANK 1=NO 2=YES
37d	STRS_HOM	d) Stress -- homeless	NY1F	.B=DK/BLANK 1=NO 2=YES
37e	STRS_JOB	e) Stress -- husb/part lost job	NY1F	.B=DK/BLANK 1=NO 2=YES
37f	STRS_WRK	f) Stress -- mom lost job	NY1F	.B=DK/BLANK 1=NO 2=YES
37g	STRS_ARG	g) Stress -- argue lots	NY1F	.B=DK/BLANK 1=NO 2=YES
37h	STRS_PG	h) Stress -- husb/part preg no	NY1F	.B=DK/BLANK 1=NO 2=YES
37i	STRS_BIL	i) Stress -- couldn't pay bill	NY1F	.B=DK/BLANK 1=NO 2=YES

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
37j	STRS_FT4	j) Stress -- physical fight	NY1F	.B=DK/BLANK 1=NO 2=YES
37k	STRS_JL3	k) Stress -- husb/part in jail	NY1F	.B=DK/BLANK 1=NO 2=YES
37l	STRS_DRG	l) Stress -- others drugs	NY1F	.B=DK/BLANK 1=NO 2=YES
37m	STRS_DH3	m) Stress -- others died	NY1F	.B=DK/BLANK 1=NO 2=YES
38	PAB6HUS	Abuse -- 12 mnths b4 preg, husb/part	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
39	PAD6HUS	Abuse -- dur preg, husb/part	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
43	INDUCE	Doc tried to induce labor	NYD1F	.B=BLANK .D=DK .N=NOT RECORDED 1=NO 2=YES 7=DK
44a	IND_INF	Induce -- water broke	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
44b	IND_DUE	Induce -- past due date	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
44c	IND_SIZE	Induce -- baby size	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
44d	IND_BBY	Induce -- baby not well	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
44e	IND_HLTH	Induce -- mother health	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
44f	IND_PLAN	Induce -- plan my delivery	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
44g	IND_DOC	Induce -- specific provider	NYSF	.B=DK/BLANK .S=SKIP

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
				1=NO (UNCHECKED) 2=YES (CHECKED)
44h	IND_OTH	Induce -- other reason	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
45	DEL6HOW	Delivery -- method used	DEL_EXP	.B=BLANK/DK 1=VAGINALLY 2=CESAREAN SECTION
46a	CES_PREV	C-section -- prev c-section (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46b	CES_POS	C-section -- wrong position (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46c	CES_DUE	C-section -- past due date (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46d	CES_SIZE	C-section -- baby too big (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46e	CES_DGR	C-section -- labor dangerous (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46f	CES_COMP	C-section -- complication (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46g	CES_IND	C-section -- induce failed (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46h	CES_TIME	C-section -- labor too long (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46i	CES_PROB	C-section -- fetal problems before/during labor (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46j	CES_PLAN	C-section -- schedule delivery (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
46k	CES_NVAG	C-section -- not want vaginal (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
46l	CES_OTH	C-section -- other reason (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48a	PD_WORK	a) Delivery paid -- insurance from job	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
48b	PD_PAID	b) Delivery paid -- insurance not from a	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
48c	PD_MEDIC	c) Delivery paid -- Medicaid	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
48d	PD_MILIT	d) Delivery paid -- Military	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
48h	PD_OTH	f) Delivery paid -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
48j	PD_NONE	h) Delivery paid -- no insurance	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
49	INF_ICU	Infant ICU -- at birth	NYD1F	.B=BLANK .D=DK 1=NO 2=YES
50	LTH_HOSP	Hosp baby stay -- length of time	LTH_HOSP	.B=BLANK 1=< 1 DAY 2=1-2 DAYS 3=3-5 DAYS 4=6-14 DAYS 5=MORE THAN 14 DAYS 6=NOT BORN IN HOSPITAL 7=STILL IN HOSPITAL
51	INFLIVE5	Infant alive -- now	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
52	INFWMOM5	Infant living -- with mom	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
53	BF5EVER	Breastfeed -- ever	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54a	BFI5BSK	BF init barrs -- baby too sick	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

***Texas PRAMS Phase 6 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
54b	BFI5MSK	BF init barrs -- mom too sick/meds	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54c	BFI5CHLD	BF init barrs -- other children	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54d	BFI5HOME	BF init barrs -- household duties	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54e	BFI5LIKE	BF init barrs -- didn't like BF	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54f	BFI6HARD	BF init barrs -- Tried but it was hard	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54g	BFI6WANT	BF init barrs -- Didn't want to	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54h	BFI5EMB	BF init barrs -- embarrassed	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54i	BFI5WORK	BF init barrs -- work/school	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54j	BFI5BODY	BF init barrs -- want body to self	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
54k	BFI5OTH	BF init barrs -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
55	BF5STILL	Breastfeed -- still	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
56a	BF5LNGTU	a) BF duration -- wks/mnth	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK 6=ONLY FED BRSTMLK

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
56b	BF5LNGTH	b) BF duration -- length of time	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK 42=ONLY FED BRSTMLK
58a1	BF6LIQDU	a1) BF oth liquids -- wks/mnth	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK 6=ONLY FED BRSTMLK
58a2	BF6LIQD	a2) BF oth liquids -- baby's age	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK 42=ONLY FED BRSTMLK
58b1	BF6FOODU	b1) BF oth food -- wks/mnth	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK 6=ONLY FED BRSTMLK
58b2	BF6FOOD	b2) BF oth foods -- baby's age	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK 42=ONLY FED BRSTMLK
59	SLEEPPOS	Sleeping position -- baby	SLEEPPOS	.B=DK/BLANK .S=SKIP 1=SIDE 2=BACK 3=STOMACH 4=SIDE/BACK 5=SIDE/STOMACH 6=BACK/STOMACH 7=ALL 3 POSITIONS
60	SLEEPBED	Sleep -- someone with baby	FREQ5F	.B=BLANK/DK .S=SKIP 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
61	DR_1WK	Doctor -- baby visit 1st week	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
62	WBC_HAD	WBC -- any visits	NYS1F	.B=DK/BLANK .M=NOT PRINTD ON QX .N=NOT RECORDED .S=SKIP

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
				.T=TEEN MOM - NOT ASKED 1=NO 2=YES
63	SHOT3MTH	WBC shots -- bef 3 mnths old	SHOT3MTH	.B=BLANK/DK .S=SKIP 1=NO 2=YES 3=NO/BABY LT 3 MO OLD
64	BC_NOW4	Postpartum BC -- using now	NY1F	.B=DK/BLANK 1=NO 2=YES
65a	BCB_NSEX	a) PP BC barrs -- abstinence	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65b	BCB_PREG	b) PP BC barrs -- want preg	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65c	BCB_WANT	c) PP BC barrs -- didn't want to use	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65d	BCB_HUSB	d) PP BC barrs -- husb/part didn't want	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65e	BCB_INFT	e) PP BC barrs -- thinks sterile	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65f	BCB_PAY	f) PP BC barrs -- can't pay	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65g	BCB_PNOW	g) PP BC barrs -- preg now	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
65h	BCB_OTH	h) PP BC barrs -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
66	PPV_CHK	PPV -- checkup for self	NY1F	.A=NOT APPLICABLE .B=DK/BLANK .N=NOT RECORDED .U=UNKNOWN 1=NO 2=YES

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
67a	PP_SAD	Feelings postpartum- down, depressed, sa	NVR1AL5F	.B=BLANK/DK 1=NEVER 2=RARELY 3=SOMETIMES 4=OFTEN 5=ALWAYS
67b	PP_NHOPE	Feelings postpartum- hopeless	NVR1AL5F	.B=BLANK/DK 1=NEVER 2=RARELY 3=SOMETIMES 4=OFTEN 5=ALWAYS
67c	PP_SLOW	Feelings postpartum- slowed down	NVR1AL5F	.B=BLANK/DK 1=NEVER 2=RARELY 3=SOMETIMES 4=OFTEN 5=ALWAYS
68	CSS_FREQ	Safety CSS -- often baby use	FREQ5F	.B=BLANK/DK .S=SKIP 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
69a	DDS_PREG/DDSXPREG*	DDS cleaning -- dur preg	NYS1F/NY1F	.B=DK/BLANK .M=NOT PRINTD ON QX .N=NOT RECORDED .S=SKIP** .T=TEEN MOM - NOT ASKED 1=NO 2=YES
69d	DDS_PPRT/DDSXPPRT*	DDS cleaning -- after preg	NYS1F/NY1F	.B=DK/BLANK .M=NOT PRINTD ON QX .N=NOT RECORDED .S=SKIP** .T=TEEN MOM - NOT ASKED 1=NO 2=YES

**Texas PRAMS Phase 6 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
70	INCOME5	Income -- 12 mnths bef, total income	INCOME5F	.B=DK/BLANK 1=LESS THAN \$10,000 2=\$10,000 TO \$14,999 3=\$15,000 TO \$19,999 4=\$20,000 TO \$24,999 5=\$25,000 TO \$34,999 6=\$35,000 TO \$49,999 7=\$50,000 OR MORE 8=LESS THAN \$ 8,000 9=\$ 8,000 TO \$ 9,999 10=\$50,000 TO \$74,999 11=\$75,000 OR MORE 12=\$50,000 TO \$69,999 13=\$70,000 OR MORE 14=\$50,000 TO \$64,999 15=\$65,000 TO \$79,999 16=\$80,000 OR MORE 17=\$50,000 TO \$99,999 18=\$100,000 OR MORE 19=\$65,000 TO \$74,999
71	INC_NDEP	Income -- dependents (+self)	NUMF	.B=DK/BLANK

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
BRSTFED	Infant being breast-fed?	YNF	.U=UNKNOWN 1=YES 2=NO
B_ORDER	Birth order	BCF	.U=UNKNOWN
CIG_1TRI	No. of cigarettes smoked daily - 1st trimester	BCF	.U=UNKNOWN
CIG_2TRI	No. of cigarettes smoked daily - 2nd trimester	BCF	.U=UNKNOWN
CIG_3TRI	No. of cigarettes smoked daily - 3rd trimester	BCF	.U=UNKNOWN
CIG_PRIOR	No. of cigarettes smoked daily - prior to preg	BCF	.U=UNKNOWN
DEFECT	Was the baby born with a birth defect?	YNF	.U=UNKNOWN 1=YES 2=NO
DEL_1CS	C-sect, 1st	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_FORC	Forceps delivery	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_RCS	Repeated C-section	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VACM	Vacuum delivery	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VAG	Vaginal delivery	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
DEL_VCS	Vaginal delivery after C-section	YNYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
FHISP_BC	Fathers Hispanic ethnicity	YNYF	.U=UNKNOWN 1=YES 2=NO
FRACE_AMI	Paternal race - American Indian/Alaska native	YNYF	.U=UNKNOWN 1=YES 2=NO
FRACE_ASIAN_PU	Paternal Race Asian grouped	YNYF	.U=UNKNOWN 1=YES 2=NO
FRACE_BLK	Paternal race - Black	YNYF	.U=UNKNOWN 1=YES 2=NO
FRACE_MULTO_PU	Paternal Race Multiple/Other	YNYF	.U=UNKNOWN 1=YES 2=NO
FRACE_NHOPI_PU	Paternal Race Native Hawaiian Other Pacific Islander grouped	YNYF	.U=UNKNOWN 1=YES 2=NO
FRACE_WHT	Paternal race - White	YNYF	.U=UNKNOWN 1=YES 2=NO
GEST_WK_PU	Clinical estimate of gestational age grouped	PU_GSTWK	.U=Unknown 27=27 or less weeks 43=43 or more weeks

***PRAMS Phase 6 Birth Certificate Variables***

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
GRAM_NAPHSIS	Birth weight grouped into 250-gram intervals	NP_GRAM	.U=UNKNOWN 125=0227-0249 375=0250-0499 625=0500-0749 875=0750-0999 1125=1000-1249 1375=1250-1499 1625=1500-1749 1875=1750-1999 2125=2000-2249 2375=2250-2499 2625=2500-2749 2875=2750-2999 3125=3000-3249 3375=3250-3499 3625=3500-3749 3875=3750-3999 4125=4000-4249 4375=4250-4499 4625=4500-4749 4875=4750-4999 5125=5000-5249 5375=5250-5499 5625=5500-5749 5875=5750-5999 6125=6000-6249 6375=6250-6499 6625=6500-6749 6875=6750-6999 7125=7000-7249 7375=7250-7499 7625=7500-7749 7875=7750-7999 8125=8000-8165
HISP_BC	Mother Hispanic?	YNF	.U=UNKNOWN 1=YES 2=NO
ILLB_MO	Interval Since Last Live Birth (Months)	ILLB_R	.A=Not applicable - 1st live birth .U=Unknown
INFER_TR	Infertility treatment	YNF	.U=UNKNOWN 1=YES 2=NO
KESSNER	Kessner Index	KESSNERF	1=ADEQUATE PNC 2=INTERMEDIATE PNC 3=INADEQUATE PNC 4=UNKNOWN PNC

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
KOTELCHUCK	Kotelchuck Index	KOTELCHUCK	.U=UNKNOWN 1=INADEQUATE 2=INTERMEDIATE 3=ADEQUATE 4=ADEQUATE PLUS
LGA	Large for Gestational Age Based on 90th Percentile	YNF	.U=UNKNOWN 1=YES 2=NO
MACROSOMIA	Macrosomia: >= 4500 gram birth weight	YNF	.U=UNKNOWN 1=YES 2=NO
MARRIED	Marital status	MARRIEDF	.U=UNKNOWN 1=MARRIED 2=OTHER
MAT_AGE_PU	Maternal age grouped	PU_MAGE	.U=Unknown 17=17 or younger 45=45 or older
MAT_DEG	Maternal highest degree received	DEGREEF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRD,NO DIPLOMA 3=HIGH SCHL GRAD/GED 4=SOME COLLEGE,NO DEG 5=ASSOCIATE DEGREE 6=BACHELORS DEGREE 7=MASTERS DEGREE 8=DOCTORATE/PROF DEG 9=UNKNOWN
MAT_ED	Maternal years of education	EDUCF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRADE,NO DIPLOMA 3=HIGH SCHOOL GRAD/GED 4=SOME COLLEGE,NO DEG/ASSOCIATE DEG 5=BACHELORS/MASTERS/DOCTORATE/PROF
MAT_RACE_PU_1	Maternal Race grouped (pre-2003 birth certificate layout)	PU_RACE	.U=UNKNOWN 1= ASIAN/PAC ISLANDER 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 23=OTHER/MULTIPLE RACE
MAT_RACE_PU	Maternal Race grouped	PU_RACE	.U=UNKNOWN 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 21=ASIAN 22=HAWAIIAN/OTH PAC ISLNDR 23=OTHER/MULTIPLE RACE

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
MAT_TRAN	Mother transferred?	YNF	.U=UNKNOWN 1=YES 2=NO
MAT_WIC	Mother get WIC food during pregnancy?	YNF	.U=UNKNOWN 1=YES 2=NO
MM_DIAB	BC: Gestational diabetes?	YNF	.U=UNKNOWN 1=YES 2=NO
MM_FEVER	BC: mom had fever Note: This variable is from the "Characteristics of Labor and Delivery (45)" section of the U.S. standard birth certificate. This variable is coded as "yes" if chorioamnionitis is coded "Y", it is coded as "no" if chorioamnionitis is "N", else it is coded "unknown".	YNF	.U=UNKNOWN 1=YES 2=NO
MM_HBP	BC: hypertension? Note: This variable is from the "Risk factors in this pregnancy (41)" section of the U.S. standard birth certificate. This variable is coded as "yes" if either pre-pregnancy hypertension or gestational hypertension is coded "Y", it is coded as "no" if both are "N", else it is coded "unknown".	YNF	.U=UNKNOWN 1=YES 2=NO

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
MM_NOMD	BC: No medical risk factors? Note: This variable is coded as "yes" if prepregnancy diabetes, gestational diabetes, prepregnancy hypertension, gestational hypertension, previous preterm births, poor pregnancy outcome, and vaginal bleeding are all coded "N", it is coded as "no" if any are "Y", else it is coded as "unknown".	YNF	.U=UNKNOWN 1=YES 2=NO
MOMCIG	No. of cigarettes smoked daily during pregnancy Note: This variable is calculated by finding the average of the No. of Cigs in 1st Trimester, No. of Cigs in 2nd Trimester, and No. of Cigs in 3rd Trimester. If any of these 3 values is unknown then variable is coded "unknown".	BCSMOKEF	.U=UNKNOWN 0=NO SMOKE 97=97 OR MORE
MOMSMOKE	Did mom smoke? Note: This variable is coded "yes" if Mom smoked in any of the three trimesters.	YNF	.U=UNKNOWN 1=YES 2=NO

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
MOM_BMIG_BC	VAR: MOM BMI GROUPED FROM BC	BMIG4REV	.U=UNKNOWN 1=UNDERWT ( < 18.5) 2=NORMAL (18.5-24.9) 3=OVERWT (25.0-29.9) 4=OBESE (30.0+ )
MRACE_AMI	Maternal race - American Indian/Alaska native	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_ASIAN_PU	Maternal Race Asian grouped	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_BLK	Maternal race - Black	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_MULTO_PU	Maternal Race Multiple/Other	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_NHOPI_PU	Maternal Race Native Hawaiian Other Pacific Islander grouped	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_WHT	Maternal race - White	YNF	.U=UNKNOWN 1=YES 2=NO
NCHS_URB_RUR2	Urban/rural coding from NCHS - 2 levels	URB_RUR	.U=UNKNOWN 1=URBAN 2=RURAL
OTH_TERM	No. of Previous Other Pregnancy Outcomes Note: This variable is from the " NUMBER OF OTHER PREGNANCY OUTCOMES (36)" section of the U.S. standard birth certificate. This item includes spontaneous or induced losses or	O_TERM	.N=NOT RECORDED .U=UNKNOWN 0=NONE 7=7 OR MORE

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
	ectopic pregnancies.		
PAT_ACK	Acknowledgment of paternity	YNF	.N=NOT RECORDED .U=UNKNOWN 1=YES 2=NO
PAT_DEG	Paternal highest degree received	DEGREEF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRD,NO DIPLOMA 3=HIGH SCHL GRAD/GED 4=SOME COLLEGE,NO DEG 5=ASSOCIATE DEGREE 6=BACHELORS DEGREE 7=MASTERS DEGREE 8=DOCTORATE/PROF DEG
PAT_ED	Paternal years of education	EDUCF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRADE,NO DIPLOMA 3=HIGH SCHOOL GRAD/GED 4=SOME COLLEGE,NO DEG/ASSOCIATE DEG 5=BACHELORS/MASTERS/DOCTORATE/PROF
PAT_RACE_PU	Paternal Race grouped	PU_RACE	.U=UNKNOWN 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 21=ASIAN 22=HAWAIIAN/OTH PAC ISLNDR 23=OTHER/MULTIPLE RACE
PAY	Method of payment	PAY_DELF	.U=UNKNOWN 1=MEDICAID 2=PRIVATE INS 3=SELF-PAY 4=INDIAN H.S. 5=CHAMPUS/TRICARE 6=OTHER GOV 8=OTHER
PLURAL	Plurality	PLURALF	.U=UNKNOWN 1=SINGLE 2=TWIN 3=OTH MULT
PNC_MTH	Month of first prenatal care visit Note: This variable is calculated using the Date of Last	PNC_MTHF	.U=UNKNOWN 88=NO PNC 99=UNKNOWN

***PRAMS Phase 6 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
	Menstrual Period and the Date of First Prenatal Care Visit. If either of these values are unknown then variable is coded "unknown".		
PNC_VST	Number of prenatal care visit	BCF	.U=UNKNOWN
POB	Place of birth	POBF	.U=UNKNOWN 1=HOSPITAL 2=BIRTHING CENTER 3=MD OFFICE/CLINIC 4=RESIDENCE 5=OTHER
PRE_LB_NAPHSIS	Number of previous live births grouped	NP_PRELB	.U=UNKNOWN 0=0 1=1 2=2 3=3-5 4=6+
P_PRTERM	Previous preterm births	YNF	.U=UNKNOWN 1=YES 2=NO
SEX	Sex of infant	SEXF	.U=UNKNOWN 1=MALE 2=FEMALE
SGA_10	Small for Gestational Age Based on 10th Percentile	YNF	.U=UNKNOWN 1=YES 2=NO
SGA_2SD	Small for Gestational Age Based on 2SD from Mean	YNF	.U=UNKNOWN 1=YES 2=NO
TRANS	Infant transferred	YNF	.U=UNKNOWN 1=YES 2=NO
YY4_DOB	Year of birth	BCF	.U=UNKNOWN

***PRAMS Phase 6 Operations/Weighting Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
BC_FLAG	Birth Certificate Layout	BCFLAGF	1=PRE-2003 2=2003
HISPANIC	HISPANIC ETHNIC GROUP	NY1F	.U=UNKNOWN 1=NO 2=YES
ID	MOTHERS ID NUMBER		
INQX	In Combined Questionnaire		
LANGUAGE	Language -- English/Spanish/Chinese	LANGUAGE	1=ENGLISH 2=SPANISH 3=CHINESE
MODECONT	MODE OF CONTACT	MODEF	.U=UNKNOWN 0=NEITHER 1=MAIL 2=PHONE 3=BOTH(MAIL/PHONE) 4=HOSPITAL ONLY 5=HOSPITAL MAIL 6=HOSPITAL PHONE 7=WEB 8=WEB AND MAIL 9=WEB AND PHONE 10=MAIL, WEB, AND PHONE
MODE_PRT	MODE OF PARTICIPATION	MODEF	.U=UNKNOWN 0=NEITHER 1=MAIL 2=PHONE 3=BOTH(MAIL/PHONE) 4=HOSPITAL ONLY 5=HOSPITAL MAIL 6=HOSPITAL PHONE 7=WEB 8=WEB AND MAIL 9=WEB AND PHONE 10=MAIL, WEB, AND PHONE
NEST_YR	BC WT: YEAR (SUDAAN NEST VARIABLE)		
PARTICIP	DID MOM EVER PARTICIPATE?	PARTICIP	0=CONTACTED/NOT PARTICIPATE 1=CONTACTED/PARTICIPATED 9=NOT CONTACTED
QX_PHASE	QUESTIONNAIRE PHASE NUMBER		
SAMCNT	BC WT: SAMPLE COUNT		
STATE	STATE NAME	\$STATEF	

***PRAMS Phase 6 Operations/Weighting Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
STRATUMC	BC WT: STRATA STATES COMBINED		
SUD_NEST	SUDAAN Nest Variable		
TOTCNT	BC WT: TOTAL COUNT		
TYPE	Type of survey response	QX_TYPE	1=MAIL SURVEY 2=PHONE SURVEY
VERS	Phase 6: Survey 1: QDE version 1		
WTANAL	BC WT: ANALYSIS WT		
WTONE	BC WT: SAMPLE WEIGHT		
WTTHREE	BC WT: NONCOVERAGE WT		
WTTWO	BC WT: NONRESPONSE WT		

**PRAMS Phase 6 Analytic Variables**

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
BF5WEEKS	VAR: # WEEKS BREASTFED BABY	BF_DURF	.B=DK/BLANK .S=SKIP 84=DIDNT BREASTFEED 85=BREASTFED<1 WEEK 86=BREASTFEDING NOW
BF6FOOD_WKS	VAR: # WEEKS FIRST FED FOOD	BF_AGEF	.B=BLANK .S=SKIP 85=<1 WEEK OLD 86=ONLY BREASTMILK
BF6LIQD_WKS	VAR: # WEEKS FIRST FED LIQUIDS	BF_AGEF	.B=BLANK .S=SKIP 85=<1 WEEK OLD 86=ONLY BREASTMILK
DRK63B_A	VAR: YES/NO DRINK 3 BEF PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
DRK63L_A	VAR: YES/NO DRINK LAST 3 MTH PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
EP6NUMB	VAR: # BARRIERS TO EARLY PNC	NUMSF	.B=DK/BLANK .S=SKIP
HIVTEST_DK	VAR: TESTED FOR HIV? (DONT KNOW=7)	NYD1F	.B=BLANK .D=DK 1=NO 2=YES 7=DK
INFQ_AGE	VAR: INF AGE (DAYS) QUEST COMPLETED	NUMSF	.B=DK/BLANK
INFQ_AGE_MOD	VAR: INF AGE (DAYS) QUEST COMPLETED (CLEANED)	NUMSF	.B=DK/BLANK

*PRAMS Phase 6 Analytic Variables*

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
INF_ICU_DK	VAR: BABY IN INTENSIVE CARE? (DONT KNOW=7)	NYD1F	.B=BLANK .D=DK 1=NO 2=YES 7=DK
INF_LIVE	VAR: INFANT ALIVE NOW	NY1F	.B=DK/BLANK 1=NO 2=YES
INF_WMOM	VAR: INFANT WITH MOM	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INS_NUMB	VAR: # PRE-PREGNANCY HEALTH INSURANCE PLANS	NUMF	.B=DK/BLANK
MOM_BMIG	VAR: MOM BMI GROUPED FROM QX	BMIG4F	.B=DK / BLANK 1=UNDERWT (< 19.8) 2=NORMAL (19.8-26) 3=OVERWT (> 26-29) 4=OBESE (> 29)
MOM_BMIG_QX_REV	VAR: MOM BMI GROUPED FROM QX REVISED	BMIG4REV	.B=DK / BLANK 1=UNDERWT ( < 18.5) 2=NORMAL (18.5-24.9) 3=OVERWT (25.0-29.9) 4=OBESE (30.0 + )
NOHOSP_B	VAR: BABY STAY IN HOSP?	NOHOSP_B	.B=DK/BLANK 1=NO 2=YES 3=STILL HOSP
NOHOSP_M	VAR: MOTHER DELIVERED IN HOSP?	NY1F	.B=DK/BLANK 1=NO 2=YES
PD_NUMB	VAR: # SOURCES PAYMENT FOR DELIVERY	NUMF	.B=DK/BLANK

*PRAMS Phase 6 Analytic Variables*

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
PNCNO	VAR: NO PNC VISITS	NY1F	.B=DK/BLANK 1=NO 2=YES
PNC_1TRM	VAR: START PNC 1ST TRIMESTER?	PNC_1TRM	.B=DK/BLANK 1=YES 2=NO 3=NO PNC
PNC_WKS	VAR: WEEKS 1ST PNC VISIT	PNC_WKS	.B=DK/BLANK 99=NO PNC
PP_NUMB	VAR: # SOURCES PAYMENT FOR PNC	NUMSF	.B=DK/BLANK .S=SKIP
PREGHX	VAR: HX PREV LIVE BIRTHS	PREGHX	.B=DK/BLANK 1=NO PREV LIVE BRTH 2=OK (NOT LBW OR PRETERM) 3=LBW 4=PRETERM 5=LBW & PRETERM
SMK63B_A	VAR: YES/NO SMOKE 3 BEF PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK63L_A	VAR: YES/NO SMOKE LAST 3 MTH PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK6C_NW	VAR: CHANGE SMOKING LAST 3 & NOW	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED

***PRAMS Phase 6 Analytic Variables***

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
SMK6C_PG	VAR: CHANGE SMOKING DURING PREG	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6C_PP	VAR: CHANGE SMOKING 3 BEFORE & NOW	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6NW_A	VAR: YES/NO SMOKE NOW	NY1F	.B=DK/BLANK 1=NO 2=YES
STRS_TT3	VAR: TOTAL # STRESSES	NUMF	.B=DK/BLANK
STRS_T_G	VAR: TOTAL # STRESSES, GROUPED	STRS_T_G	.B=DK/BLANK 0=NONE 1=1-2 2=3-5 3=6 OR MORE
SURE_PGU_DK	VAR: WHEN SURE PREGNANT UNIT? (DONT KNOW=7)	UNITF	.B=BLANK .D=DK 1=WEEKS 2=MONTHS 7=DK
SURE_PG_DK	VAR: WHEN SURE PREGNANT LENGTH? (DONT KNOW=77)	NUMSDF	.B=BLANK .D=DK 77=DK
SURE_WKS	VAR: WEEKS WHEN SURE PREG	NUMF	.B=DK/BLANK