

**Texas PRAMS Phase 8 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
4a	BPG_DIAB8	Health prob -- Diabetes	NY1F	.B=DK/BLANK 1=NO 2=YES
4b	BPG_HBP8	Health prob -- HBP	NY1F	.B=DK/BLANK 1=NO 2=YES
4c	BPG_DEPRS8	Health prob -- Depression	NY1F	.B=DK/BLANK 1=NO 2=YES
5	VITAMIN	Multivitamin -- # of times /wk	VITAMIN	.B=BLANK/DK 1=DIDNT TAKE VITAMIN 2=1-3 TIMES/WEEK 3=4-6 TIMES/WEEK 4=EVERY DAY/WEEK
6	PRE_VIST	Pre preg--health care visit	NY1F	.B=DK/BLANK 1=NO 2=YES
7a	TYP_DOCT_RAW	Health care type--checkup with dr	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7b	TYP_OBGN_RAW	Health care type--checkup with my OB/GYN	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7c	TYP_ILLN_RAW	Health care type--visit for illness	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7d	TYP_INJR_RAW	Health care type--visit for injury	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7e	TYP_BC_RAW	Health care type--visit for family planning/birth control	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7f	TYP_MH_RAW	Health care type--visit for depression or anxiety	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7g	TYP_DDS_RAW	Health care type--visit with dentist	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
7h	TYP_OTHR_RAW	Health care type--other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
8a	PRE_VIT_RAW	Pre-preg -- folic acid	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8b	PRE_WT_RAW	Pre-preg -- weight	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8c	PRE_MORB_RAW	Pre-preg-- control med conditions	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8d	PRE_KIDS_RAW	Pre-preg -- want to have kids	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8e	PRE_PRBC_RAW	Pre-preg -- birth control tp prevent preg	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8f	PRE_HLTH_RAW	Pre-preg--improve health before preg	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8g	PRE_STI_RAW	Pre-preg -- talk about STIs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8h	PRE_SMK_RAW	Pre-preg --smk during preg	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8i	PRE_ABUS_RAW	Pre-preg --hurt emotional/physical	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8j	PRE_MHDP_RAW	Pre-preg --feeling down/depressed	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8k	PRE_WORK_RAW	Pre-preg -- kind of work	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
8l	PRE_HIVT_RAW	Pre-preg -- tested for HIV	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
9a	INSWORK8	Insurance paid by -- job	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9b	INSPAR	Insurance paid by -- parent	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9c	INSHCEX	Insurance paid by -- Health Care Exchange	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9d	INSMED	Insurance paid by -- Medicaid	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9e_SSO	INSCHIP	Insurance paid by -- CHIP or CHIP Perinatal	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9f1_SSO	INSGOV	Insurance paid by -- Medicaid managed care including STAR, STAR+PLUS, or STAR Health	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9g_SSO	INSMIL	Insurance paid by -- TRICARE or military	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9i	INSOTH	Insurance paid by -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
9k	INSNONE	Insurance paid by -- No insurance	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
10	PP8_NOPNC	Insurance paid by - didn't have any PNC	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
10a	PP8_WORK_RAW	Insurance paid by -- job	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10b	PP8_PAR_RAW	Insurance paid by -- parent	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10c	PP8_HCEX_RAW	Insurance paid by -- Health Care Exchange	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10d	PP_MEDIC_RAW	Insurance paid by -- Medicaid	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
10e_SSO	PP_CHIP_RAW	Insurance paid by – CHIP or CHIP Perinatal	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10f1_SSO	PP_GOV_RAW	Insurance paid by -- Medicaid managed care including STAR, STAR+PLUS, or STAR Health	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10g_SSO	PP_MILIT_RAW	Insurance paid by -- TRICARE or military	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10i	PP_OTH_RAW	Insurance paid by -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
10k	PP_NONE_RAW	Insurance paid by -- No insurance	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
11a	HI_WORK8	Insurance paid by -- job	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11b	HI_PAR	Insurance paid by -- parent	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11c	HI_HCEX	Insurance paid by -- Health Care Exchange	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11d	HI_MEDIC	Insurance paid by -- Medicaid	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11e_SSO	HI_CHIP	Insurance paid by – CHIP or CHIP Perinatal	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11f1_SSO	HI_GOV	Insurance paid by -- Medicaid managed care including STAR, STAR+PLUS, or STAR Health	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11g_SSO	HI_MILIT	Insurance paid by -- TRICARE or military	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11i	HI_OTH	Insurance paid by -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
11k	HI_NONE	Insurance paid by -- No insurance	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
12	PGINTENT	Preg -- intention	PGINTENT	.B=BLANK 1=LATER 2=SOONER 3=THEN 4=DID NOT WANT THEN OR ANY TIME 5=WAS NOT SURE
13	PREG_TRY	Preg -- trying	NY1F	.B=DK/BLANK 1=NO 2=YES
14	BC_WHEN4	Birth control -- use when got pregnant (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
15a	NBC_MIND	No BC -- didnt mind preg (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15b	NBC_TIME	No BC -- couldnt at time (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15c	NBC_SIDE	No BC -- side effects (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15d	NBC_GET	No BC -- couldnt get (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15e	NBC_STER	No BC -- sterile (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15f	NBC_HUSB	No BC -- husb/part didnt want (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15g	NBC_MEM	No BC -- forgot (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
15h	NBC_OTH	No BC -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
16a	PNC_1STU	1st PNC visit -- wks/mnth	PNC_1STU	.B=DK/BLANK 1=WEEKS 2=MONTHS 3=DID NOT GO
16b	PNC_1ST	1st PNC visit -- number	NUMSF	.B=DK/BLANK .S=SKIP
17	ERLY6PNC	PNC early -- as wanted (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
				1=NO 2=YES
18a	EP6APPT	PNC later -- no appt (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18b	EP6MONEY	PNC later -- no money (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18c	EP6TRAN	PNC later -- no transportation (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18d	EP6START	PNC later -- no early ins care (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18e	EP6BUSY	PNC later -- too busy (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18f	EP6LEAVE	PNC later -- no leave time work or school (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18g	EP6MEDI	PNC later -- no Medicaid card (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18h	EP6CHLD	PNC later -- no child care (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18i	EP6PREG	PNC later -- didnt know I was pregnant (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18j	EP6SECRT	PNC later -- keep preg secret (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
18k	EP6PNC	PNC later -- didnt want PNC (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
19	SRC_PNC3	PNC sources -- locations (FORCED SKIP)	SRC_PNC	.B=DK/BLANK .S=SKIP 1=HOSPITAL CLINIC 2=HLTH DEPT CLINIC 3=MD / HMO 4=MILITARY 5=IHS 6=COMMUNITY CLINIC 7=OTHER

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
				8=AK NATIVE CLINC 11=RURAL HEALTH CTR 12=WELL CHILD CLNIC 13=HMO/PPO 14=MILITARY FACILTY 15=COMMUN. HLTH CTR 16=PRENATL CARE ASS 17=INDIAN HLTH CLNC 18=BIRTHING CENTER 19=AK NATIVE CLINIC 20=NURSE MID-WIFE 21=NON-NURSE MIDWIF 22=PRM CAR/CMM H.C. 23=STATE HOSPITAL 24=NEIGHBORHOOD CLINIC 26=FAM PRAC RES PRG 28=MIDWIFE OFFICE 29=AT HOME 30=MIDWIFE 31=MULTIPLE DOCTORS 32=GROUP PRENATAL CARE
20a	TLK_SMK	HCW talk -- smoking (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20b	TLK_BF	HCW talk -- breastfeeding (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20c	TLK_DRK	HCW talk -- drinking alcohol (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20d	TLK_BELT	HCW talk -- seatbelt use (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20e	TLK_MEDS	HCW talk -- safe meds (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20f	TLK_DRUG	HCW talk -- illegal drugs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20g	TLK_BDEF	HCW talk -- birth defects tests (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20h	TLK_PRET	HCW talk -- preterm labor signs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
20i	TLK_DPRS	HCW talk -- depression (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
20j	TLK_ABUS	HCW talk -- physical abuse (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21a	TLK_WT_RAW	HCW ask -- amt weight gain	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21b	ASK_MEDS_RAW	HCW ask -- prescript meds	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21c	TLK_CIGS_RAW	HCW ask -- if smoking cigs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21d	TLK_ETOH_RAW	HCW ask -- if drinking alcohol	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21e	ASK_ABUS_RAW	HCW ask -- hurt emotional/physical	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21f	ASK_DPRS_RAW	HCW ask -- if down/depressed	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21g	ASK_DRUG_RAW	HCW ask -- using drugs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21h	ASK_HIVT_RAW	HCW ask -- want HIV test	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21i	ASK_BF_RAW	HCW ask -- plan to breastfeed	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
21j	ASK_PPBC_RAW	HCW ask -- plan to use PP BC	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
22	FOLIC	Folic acid -- prevents birth defects	NY1F	.B=DK/BLANK 1=NO 2=YES
23	FLUSHOT	Flu vacc -- info from care workers	NY1F	.B=DK/BLANK 1=NO 2=YES
24	FLUPREG	Flu vacc -- before delivery	FL12GETF	.B=BLANK/DK 1=NO 2=YES,BEFORE PREGNANCY 3=YES,DURING PREGNANCY
25	PG_TDAP8	Receive Tdap vaccination	NYD1F	.B=BLANK .D=DK 1=NO 2=YES
25	PG_TDAP8_DK	Receive Tdap vaccination (DONT KNOW=7)	NYD1F	.B=BLANK 1=NO 2=YES 7=DK
26	DDS_CLN	DDS -- teeth cleaned	NY1F	.B=DK/BLANK 1=NO 2=YES
27a	DDS_CARE	DDS -- important to care for teeth/gums	NY1F	.B=DK/BLANK 1=NO 2=YES
27b	DDS_TALK	DDS -- dental talk	NY1F	.B=DK/BLANK 1=NO 2=YES
27c	DDS_INS	DDS -- insurance	NY1F	.B=DK/BLANK 1=NO 2=YES
27d	DDS_PROB	DDS -- needed to see for problem	NY1F	.B=DK/BLANK 1=NO 2=YES
27e	DDSWENT	DDS -- went for problem	NY1F	.B=DK/BLANK 1=NO 2=YES
28a	DDS_ACPT8	DDS -- find dentist/clinic taking preg patients	NY1F	.B=DK/BLANK 1=NO 2=YES
28b	DDS_MEDI8	DDS -- find dentist/clinic taking Medicaid patients	NY1F	.B=DK/BLANK 1=NO 2=YES
28c	DDS_SAFE8	DDS -- didn't think it was safe	NY1F	.B=DK/BLANK 1=NO 2=YES
28d	DDS_COST8	DDS -- couldn't afford to go	NY1F	.B=DK/BLANK 1=NO 2=YES

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
29a	PG_GDB8	Health prob during preg -- Diabetes	NY1F	.B=DK/BLANK 1=NO 2=YES
29b	MORB_BP8	Health prob during preg -- HBP	NY1F	.B=DK/BLANK 1=NO 2=YES
29c	MH_PGDX8	Health prob during preg -- Depression	NY1F	.B=DK/BLANK 1=NO 2=YES
30	PREMSHOT	Weekly shots 17P	NYD1F	.B=BLANK .D=DK 1=NO 2=YES
30	PREMSHOT_DK	Weekly shots 17P (DONT KNOW=7)	NYD1F	.B=BLANK 1=NO 2=YES 7=DK
31	SMK2YRS	SMK -- >=1 cigs last 2 yrs	NY1F	.B=DK/BLANK 1=NO 2=YES
32	SMK6_3B_RAW	SMK -- 3 mnths bef, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
33	SMK6_3L_RAW	SMK -- last 3 mnths, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
34	SMK6_3N_RAW	SMK -- now, # cigs/day	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
35	SMK_PGNO	SMK -- # smokers in home dur preg	NUMF	.B=DK/BLANK
36	SMK_NWRL	Inside smoking rules now	SMK_NW RL	.B=DK/BLANK 1=NOT ALLOWED ANYWHERE 2=ALLOWED SOME PLACES/TIMES 3=PERMITTED ANYWHERE
37a	SMK_ECIG	SMK --used ecigs in last 2 yrs	NY1F	.B=DK/BLANK 1=NO 2=YES
37b	SMK_HOOK	SMK --used hookah in last 2 yrs	NY1F	.B=DK/BLANK 1=NO 2=YES
37c_SAO	SMK_CHEW	SMK -- chewing tobacco, snuff, snus, dip	NY1F	.B=DK/BLANK 1=NO 2=YES
37h_TX	SMK_NICTN	SMK -- nicotine patch, nicotine gum, nicotine lozenge	NY1F	.B=DK/BLANK 1=NO 2=YES
38	ECIG_3B_RAW	ECIG -- 3 mnths bef, how often	ECIG_FRE Q	.B=BLANK/DK .S=SKIP 1=MORE THAN ONCE A DAY 2=ONCE A DAY 3=2-6 DAYS A WEEK 4=1 DAY A WEEK OR LESS 5=NOT USE ELECTRONIC VAPOR PRODUCTS
39	ECIG_3L_RAW	ECIG -- last 3 months, how often	ECIG_FRE Q	.B=BLANK/DK .S=SKIP 1=MORE THAN ONCE A DAY 2=ONCE A DAY 3=2-6 DAYS A WEEK 4=1 DAY A WEEK OR LESS 5=NOT USE ELECTRONIC VAPOR PRODUCTS

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
40	DRK_2YRS	DRK -- last 2 years	NY1F	.B=DK/BLANK 1=NO 2=YES
41	DRK8_3B_RAW	DRK -- 3 mnths bef, drinks/wk	DRINK8F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=8 TO 13 DRINKS A WEEK 3=4 TO 7 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
42	DRK8_3L	DRK -- last 3 mnths, drinks/wk (FORCED SKIP)	DRINK8F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=8 TO 13 DRINKS A WEEK 3=4 TO 7 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
43a	STRS_FM3	Stress -- family member ill	NY1F	.B=DK/BLANK 1=NO 2=YES
43b	STRS_DV3	Stress -- divorce	NY1F	.B=DK/BLANK 1=NO 2=YES
43c	STRS_MOV	Stress -- moved	NY1F	.B=DK/BLANK 1=NO 2=YES
43d	STRSHOME	Stress -- homeless	NY1F	.B=DK/BLANK 1=NO 2=YES
43e	STRS_JOB	Stress -- husb/part lost job	NY1F	.B=DK/BLANK 1=NO 2=YES
43f	STRS_WRK	Stress -- mom lost job	NY1F	.B=DK/BLANK 1=NO 2=YES
43g	STRS_PAY	Stress -- husb/part/self reduce wrk/pay	NY1F	.B=DK/BLANK 1=NO 2=YES

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
43h	STRS_AWY	Stress -- apart from husb/part work related	NY1F	.B=DK/BLANK 1=NO 2=YES
43i	STRS_ARG	Stress -- argue lots	NY1F	.B=DK/BLANK 1=NO 2=YES
43j	STRS_PG	Stress -- husb/part preg no	NY1F	.B=DK/BLANK 1=NO 2=YES
43k	STRS_BIL	Stress -- couldnt pay bill	NY1F	.B=DK/BLANK 1=NO 2=YES
43l	STRS_JL3	Stress -- husb/part/self in jail	NY1F	.B=DK/BLANK 1=NO 2=YES
43m	STRS_DRG	Stress -- others drugs	NY1F	.B=DK/BLANK 1=NO 2=YES
43n	STRS_DH3	Stress -- others close died	NY1F	.B=DK/BLANK 1=NO 2=YES
44a	PAB6HUS	Abuse -- 12 mnths b4 preg, h/p  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
44b	PAB_XHUS	Abuse -- 12 mnths b4 preg, ex-h/p  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
44c_SAO	PAB_FAM	Abuse -- 12 mnths b4 preg, another family member  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
44d_SAO	PAB_OTH	Abuse -- 12 mnths b4 preg, someone else  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
45a	PAD6HUS	Abuse --during preg, h/p  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
45b	PAD_XHUS	Abuse -- during preg, ex-h/p  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
45c_SAO	PAD_FAM	Abuse -- during preg, another family member  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
45d_SAO	PAD_OTH	Abuse -- during preg, someone else  Texas did not include this question for minors, as defined in the jurisdiction	NYS1F	.B=DK/BLANK .T=TEEN MOM - NOT ASKED 1=NO 2=YES
47	INDUCE	Doc tried to induce labor	NYD1F	.B=BLANK .D=DK 1=NO 2=YES
47	INDUCE_DK	HCW try to induce labor? (DONT KNOW=7)	NYD1F	.B=BLANK 1=NO 2=YES 7=DK
48a	IND_INF	Induce -- water broke (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48b	IND_DUE	Induce -- past due date (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48c	IND_SIZE	Induce -- baby size (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48d	IND_BBY	Induce -- baby not well (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48e	IND_COMP	Induce -- complication (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48f	IND_PLAN	Induce -- plan my delivery (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48g	IND_DOC	Induce -- specific provider (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
48h	IND_OTH	Induce -- other reason (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
49	DEL6HOW	Delivery -- method used	DEL_EXP	.B=BLANK/DK 1=VAGINALLY 2=CESAREAN SECTION
50a	CES_PREV	C-section -- prev c-section (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
				1=NO (UNCHECKED) 2=YES (CHECKED)
50b	CES_POS	C-section -- wrong position (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50c	CES_DUE	C-section -- past due date (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50d	CES_SIZE	C-section -- baby too big (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50e	CES_DGR	C-section -- labor dangerous (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50f	CES_COMP	C-section -- complication (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50g	CES_IND	C-section -- induce failed (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50h	CES_TIME	C-section -- labor too long (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50i	CES_PROB	C-section -- fetal problems before/during labor (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50j	CES_PLAN	C-section -- schedule delivery (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50k	CES_NVAG	C-section -- not want vaginal (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
50l	CES_OTH	C-section -- other reason (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
51	LTH_HOSP	Hosp baby stay -- length of time	LTH_HOSP	.B=BLANK 1=< 1 DAY 2=1-2 DAYS 3=3-5 DAYS 4=6-14 DAYS 5=MORE THAN 14 DAYS 6=NOT BORN IN HOSPITAL 7=STILL IN HOSPITAL

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
52	INFLIVE5_RAW	Infant alive -- now	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
53	INFWMOM5_RAW	Infant living -- with mom	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54a	BFINF_DR_RAW	BF info--from my doctor	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54b	BFINF_NUR_RAW	BF info--from nurse/midwide/doula	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
534c	BFINF_SPC_RAW	BF info--breasfeeding/lactation spec	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54d	BFINF_BDR_RAW	BF info--baby doc	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54e	BFINF_GRP_RAW	BF info--breasfeed support grp	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54f	BFINF_HOT_RAW	BF info--breasfeed hotline	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54g	BFINF_FAM_RAW	BF info--from family/friends	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
54h	BFINF_OTH_RAW	BF info--other	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
55	BF5EVER_RAW	Breastfeed -- ever	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
56a	BFI5MSK	BF init barrs -- mom too sick/meds (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
56b	BFI5CHLD	BF init barrs -- other children (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56c	BFI5HOME	BF init barrs -- household duties (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56d	BFI5LIKE	BF init barrs -- didnt like BF (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56e	BFI6HARD	BF init barrs -- tried but it was hard (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56f	BFI6WANT	BF init barrs -- didnt want to (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56g	BFI8WORK	BF init barrs -- work (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56h	BFI8SCHL	BF init barrs -- school (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
56i	BFI5OTH	BF init barrs -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
57	BF5STILL_RAW	Breastfeed -- still	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
58a	BF5LNGTU_RAW	BF duration -- wks/mnth	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK
58b	BF5LNGTH_RAW	BF duration -- length of time	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK
59a	BFH6INFO	BF hosp -- staff gave info (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
59b	BFH6ROOM	BF hosp -- baby in hosp room (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59c	BFH6BFED	BF hosp -- baby fed in room (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59d	BFH6HELP	BF hosp -- staff helped (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59e	BFH6HOUR	BF hosp -- fed in 1st hour (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59f	BFH8SKIN	BF hosp -- skin-to-skin contact (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59g	BFH6ONLY	BF hosp -- fed only breast milk (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59h	BFH6WHEN	BF hosp -- feed on demand (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59i	BFH6PUMP	BF hosp -- gave breast pump (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59j	BFH6GIFT	BF hosp -- gift pack w/ formula (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59k	BFH6FONE	BF hosp -- help phone # (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
59l	BFH7PACI	BF hosp -- staff gave pacifier (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
60a	BF6LIQDU	BF oth liquids -- wks/mnth (FORCED SKIP)	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK 6=ONLY FED BRSTMLK
60b	BF6LIQD	BF oth liquids -- babys age (FORCED SKIP)	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK 42=ONLY FED BRSTMLK

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
60c	BF6LIQD_WKS	VAR: # WEEKS FIRST FED LIQUIDS	BF_AGEF	.B=BLANK/DK .S=SKIP 85=<1 WEEK OLD 86=ONLY BREASTMILK
61	SLEEPPPOS_RAW	Sleeping position -- baby	SLEEPPPOS	.B=DK/BLANK .S=SKIP 1=SIDE 2=BACK 3=STOMACH 4=SIDE/BACK 5=SIDE/STOMACH 6=BACK/STOMACH 7=ALL 3 POSITIONS
62	SLEEPOWN_RAW	Sleep -- baby alone	FREQ5F	.B=BLANK/DK .S=SKIP 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
63	SLP_ROOM_RAW	Sleep -- baby in room with mom	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64a	SLP_CRB8_RAW	Baby slept -- in crib/bassinet/play yard	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64b	SLP_MAT8_RAW	Baby slept -- on mattress/bed	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64c	SLP_CHR_RAW	Baby slept -- on couch/futon/chair	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64d	SLP_SWG_RAW	Baby slept -- in car seat/swing	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64e	SLP_SAK_RAW	Baby slept -- in sleep sack or wearable blanket	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64f	SLP_NBLK_RAW	Baby slept -- with blanket	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
64g	SLP_TOYPIL_RAW	Baby slept -- with toys, cushions or pillows	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
64h	SLP_NPAD_RAW	Baby slept -- with bumper pads	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
65a	SLP2BACK_RAW	Recommend sleep--place on back	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
65b	SLP2CRB_RAW	Recommend sleep--place in crib/bassinet/play yard	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
65c	SLP2MYRM_RAW	Recommend sleep--place baby crib/bed in my room	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
65d	SLP2NTBD_RAW	Recommend sleep--can or cannot go in baby bed	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
66	BBY_1WK	Doctor -- baby visit 1st week (FORCED SKIP)	BBY_1WK	.B=BLANK/DK .S=SKIP 1=NO 2=YES 3=BABY STILL IN HOSPITAL THEN
67	WBC_HAD	WBC -- any visits (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
68	SHOT3MTH	WBC shots -- bef 3 mnths old (FORCED SKIP)	SHOT3MTH	.B=BLANK/DK .S=SKIP 1=NO 2=YES 3=NO/BABY LT 3 MO OLD
69	BC_NOW4	Postpartum BC -- using now	NY1F	.B=DK/BLANK 1=NO 2=YES
70a	BCB_PREG_RAW	PP BC barrs -- want preg	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
70b	BCB_PNOW_RAW	PP BC barrs -- preg now	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70c	BCB_TUBE_RAW	PP BC barrs -- tubes tied/blocked	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70d	BCB_WANT_RAW	PP BC barrs -- didnt want to use	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70e	BCB_SIDE_RAW	PP BC barrs -- side effect	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70f	BCB_NSEX_RAW	PP BC barrs -- abstinence	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70g	BCB_HUSB_RAW	PP BC barrs -- husb/part didnt want	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70h	BCB_PAY_RAW	PP BC barrs -- cant pay	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
70i	BCB_OTH_RAW	PP BC barrs -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71a	BCP_TUBE_RAW	BC postpart -- tubes tied	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71b	BCP_VASE_RAW	BC postpart -- vasectomy	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71c	BCP_PILL_RAW	BC postpart -- pill	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71d	BCP_COND_RAW	BC postpart -- condoms	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<i>Q#</i>	<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
71e	BCP_SHT3_RAW	BC postpart -- shots every 3 mnths	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71f	BCP_PTRG_RAW	BC postpart -- contraceptive patch/ring	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71g	BCP_IUD_RAW	BC postpart -- IUD	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71h	BCP_IMPL_RAW	BC postpart -- contraceptive implant	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71i	BCP_RHYT_RAW	BC postpart -- rhythm	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71j	BCP_PULL_RAW	BC postpart -- withdrawal	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71k	BCP_NSEX_RAW	BC postpart -- abstinence	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
71l	BCP_OTH_RAW	BC postpart -- other	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
72	PPV_CHK	PPV -- checkup for self	NY1F	.B=DK/BLANK 1=NO 2=YES
73a	VPP_VIT_RAW	PPV -- folic acid	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73b	VPP_EAT_RAW	PP talk -- eating and exercise	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73c	VPP_WAIT_RAW	PPV -- wait before preg	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
73d	VPP_BCM_RAW	PPV -- BC methods	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73e	VPP_PREBC_RA W	PPV -- prescribe birth control	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73f	VPP_NSRT_RAW	PPV -- insert IUD or implant	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73g	VPP_SMOK_RAW	PPV --HCW ask about smoking cigs	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73h	VPP_ABUS_RAW	PPV--HCW ask about abuse	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73i	VPP_DEPR_RAW	PPV -- ask about depression	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
73j	VPP_DIAB_RAW	PPV--test for diabetes	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
74	MH_PPDPR	MH -- depress since birth	FREQ5F	.B=BLANK/DK 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
75	MH_PPINT	MH -- no interest since birth	FREQ5F	.B=BLANK/DK 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
76	MH_PPHLP	MH -- after birth ask help	NY1F	.B=DK/BLANK 1=NO 2=YES
77	MH_PPDX	MH -- after birth told depress	NY1F	.B=DK/BLANK 1=NO 2=YES

**PRAMS Phase 8 Questionnaire Variables, Sequential**

<b>Q#</b>	<b>Variable</b>	<b>SAS Label</b>	<b>Format</b>	<b>Codes</b>
78	FRUIT_RP	Preg -- daily fruit	SERV_RP	.B=DK/BLANK 1=ZERO SERVINGS (NONE) 2=1 OR 2 SERVINGS PER DAY 3=3 OR 4 SERVINGS PER DAY 4=5 OR MORE SERVINGS PER DAY
79	VEG_RP	Preg -- daily veggies	SERV_RP	.B=DK/BLANK 1=ZERO SERVINGS (NONE) 2=1 OR 2 SERVINGS PER DAY 3=3 OR 4 SERVINGS PER DAY 4=5 OR MORE SERVINGS PER DAY
80a	LIV_HUSB	Live with -- husb/part	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80b	LIV_CL12	Live with -- kids <12 mo	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80bi	LIV_NL12	Live with -- # kids < 12 mo	NUMSF	.B=DK/BLANK .S=SKIP
80c	LIV_LT5	Live with -- kids 1 - 5	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80d	LIV_NLT5	Live with -- other	NUMSF	.B=DK/BLANK .S=SKIP
80e	LIV_CGE6	Live with -- kids 6 and older	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80f	LIV_NGE6	Live with -- live alone	NUMSF	.B=DK/BLANK .S=SKIP
80g	LIV_MOTH	Live with -- mother	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80h	LIV_FATH	Live with -- father	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80i	LIV_INLW	Live with -- in-laws	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80j	LIV_FRND	Live with -- friend/roommate	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
80k	LIV_REL	Live with -- other relative	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80l	LIV_OTH	Live with -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
80m	LIV_NO	Live with -- live alone	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81a	LVN_HUSB	Live with -- husb/part	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81b	LVN_CL12	Live with -- kids <12 mo	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81bi	LVN_NL12	Live with -- # kids < 12 mo	NUMSF	.B=DK/BLANK .S=SKIP
81c	LVN_LT5	Live with -- kids 1 - 5	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81d	LVN_NLT5	Live with -- # kids 1 - 5	NUMSF	.B=DK/BLANK .S=SKIP
81e	LVN_CGE6	Live with -- kids 6 and older	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81f	LVN_NGE6	Live with -- # kids 6 and older	NUMSF	.B=DK/BLANK .S=SKIP
81g	LVN_MOTH	Live with -- mother	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81h	LVN_FATH	Live with -- father	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81i	LVN_INLW	Live with -- in-laws	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81j	LVN_FRND	Live with -- friend/roommate	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81k	LVN_REL	Live with -- other relative	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
81l	LVN_OTH	Live with -- other	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)

***PRAMS Phase 8 Questionnaire Variables, Sequential***

<b><i>Q#</i></b>	<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
81m	LVN_NO	Live with -- live alone	NYF	.B=DK/BLANK 1=NO (UNCHECKED) 2=YES (CHECKED)
82	FATH_AGE_DK	Father -- age at conception (DONT KNOW=777)	NUMDF	.B=BLANK 777=DK
83	INCOME8	Income -- 12 mnths bef, total income	INCOME8 F	.B=DK/BLANK 1=\$ 0 TO \$16,000 2=\$16,001 TO \$20,000 3=\$20,001 TO \$24,000 4=\$24,001 TO \$28,000 5=\$28,001 TO \$32,000 6=\$32,001 TO \$40,000 7=\$40,001 TO \$48,000 8=\$48,001 TO \$57,000 9=\$57,001 TO \$60,000 10=\$60,001 TO \$73,000 11=\$73,001 TO \$85,000 12=\$85,001 OR MORE 13=\$ 0 TO \$10,000 14=\$10,001 TO \$16,000 15=\$85,001 TO \$99,999 16=\$100,000 OR MORE 17=\$85,001 TO \$99,000 18=\$99,001 TO \$109,000 19=\$109,001 OR MORE 20=\$ 85,001 TO \$100,000 21=\$100,001 TO \$120,000 22=\$120,001 OR MORE 101=\$ 0 TO \$ 20,000 102=\$20,001 TO \$ 25,000 103=\$ 25,001 TO \$ 30,000 104=\$ 30,001 TO \$ 36,000 105=\$ 36,001 TO \$ 40,000 106=\$ 40,001 TO \$ 50,000 107=\$ 50,001 TO \$ 60,000 108=\$ 60,001 TO \$ 71,000 109=\$ 71,001 TO \$ 75,000 110=\$ 75,001 TO \$ 91,000 111=\$ 91,001 TO \$107,000 112=\$107,001 OR MORE 201=\$ 0 TO \$ 18,000 202=\$18,001 TO \$ 23,000 203=\$23,001 TO \$ 28,000 204=\$28,001 TO \$ 33,000 205=\$33,001 TO \$ 37,000 206=\$37,001 TO \$ 46,000 207=\$46,001 TO \$ 55,000 208=\$55,001 TO \$ 65,000 209=\$65,001 TO \$ 69,000 210=\$69,001 TO \$ 84,000 211=\$84,001 TO \$ 98,000 212=\$98,001 OR MORE
84	INC_NDEP	Income -- dependents (+self)	NUMF	.B=DK/BLANK

*PRAMS Phase 8 Questionnaire Variables, Sequential*

***PRAMS Phase 8 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
BRSTFED	Infant being breast-fed?	YNF	.U=UNKNOWN 1=YES 2=NO
B_ORDER	Birth order	BCF	.U=UNKNOWN
CIG_1TRI	No. of cigarettes smoked daily -1st trimester	BCF	.U=UNKNOWN
CIG_2TRI	No. of cigarettes smoked daily -2nd trimester	BCF	.U=UNKNOWN
CIG_3TRI	No. of cigarettes smoked daily -3rd trimester	BCF	.U=UNKNOWN
CIG_PRIOR	No. of cigarettes smoked daily - prior to preg	BCF	.U=UNKNOWN
DEFECT	Was the baby born with a birth defect?	YNF	.U=UNKNOWN 1=YES 2=NO
DEL_1CS	C-sect, 1st	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_FORC	Forceps delivery	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_RCS	Repeated C-secton	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VACM	Vacuum delivery	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VAG	Vaginal delivery	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
DEL_VCS	Vaginal delivery after C-section	NYF	.N=NOT RECORDED .U=UNKNOWN 1=NO (UNCHECKED) 2=YES (CHECKED)
FHISP_BC	Fathers Hispanic ethnicity	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_AMI	Paternal race - American Indian/Alaska native	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_ASIAN_PU	Paternal Race Asian grouped	YNF	.U=UNKNOWN 1=YES 2=NO

***PRAMS Phase 8 Birth Certificate Variables***

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
FRACE_BLK	Paternal race - Black	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_MULTO_PU	Paternal Race Multiple/Other	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_NHOPI_PU	Paternal Race Native Hawaiian Other Pacific Islander grouped	YNF	.U=UNKNOWN 1=YES 2=NO
FRACE_WHT	Paternal race - White	YNF	.U=UNKNOWN 1=YES 2=NO
GEST_WK_PU	Clinical estimate of gestational age grouped	PU_GSTWK	.U=Unknown 27=27 or less weeks 43=43 or more weeks
GRAM_NAPHSIS	Birth weight grouped into 250-gram intervals	NP_GRAM	.U=UNKNOWN 125=0227-0249 375=0250-0499 625=0500-0749 875=0750-0999 1125=1000-1249 1375=1250-1499 1625=1500-1749 1875=1750-1999 2125=2000-2249 2375=2250-2499 2625=2500-2749 2875=2750-2999 3125=3000-3249 3375=3250-3499 3625=3500-3749 3875=3750-3999 4125=4000-4249 4375=4250-4499 4625=4500-4749 4875=4750-4999 5125=5000-5249 5375=5250-5499 5625=5500-5749 5875=5750-5999 6125=6000-6249 6375=6250-6499 6625=6500-6749 6875=6750-6999 7125=7000-7249 7375=7250-7499 7625=7500-7749 7875=7750-7999 8125=8000-8165

***PRAMS Phase 8 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
HISP_BC	Mother Hispanic?	YNF	.U=UNKNOWN 1=YES 2=NO
ILLB_MO	Interval Since Last Live Birth (Months)	ILLB_R	.A=Not applicable - 1st live birth .U=Unknown
INFER_TR	Infertility treatment	YNF	.U=UNKNOWN 1=YES 2=NO
KESSNER	Kessner Index	KESSNERF	1=ADEQUATE PNC 2=INTERMEDIATE PNC 3=INADEQUATE PNC 4=UNKNOWN PNC
KOTELCHUCK	Kotelchuck Index	KOTELCHUCK	.U=UNKNOWN 1=INADEQUATE 2=INTERMEDIATE 3=ADEQUATE 4=ADEQUATE PLUS
LGA	Large for Gestational Age Based on 90th Percentile	YNF	.U=UNKNOWN 1=YES 2=NO
MACROSOMIA	Macrosomia: >= 4500 gram birth weight	YNF	.U=UNKNOWN 1=YES 2=NO
MARRIED	Marital status	MARRIEDF	.U=UNKNOWN 1=MARRIED 2=OTHER
MAT_AGE_PU	Maternal age grouped	PU_MAGE	.U=Unknown 17=17 or younger 45=45 or older
MAT_DEG	Maternal highest degree received	DEGREEF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRD,NO DIPLOMA 3=HIGH SCHL GRAD/GED 4=SOME COLLEGE,NO DEG 5=ASSOCIATE DEGREE 6=BACHELORS DEGREE 7=MASTERS DEGREE 8=DOCTORATE/PROF DEG
MAT_ED	Maternal years of education	EDUCF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRADE,NO DIPLOMA 3=HIGH SCHOOL GRAD/GED 4=SOME COLLEGE,NO DEG/ASSOCIATE DEG 5=BACHELORS/MASTERS/D OCTORATE/PROF

## *PRAMS Phase 8 Birth Certificate Variables*

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
MAT_RACE_PU	Maternal Race grouped	PU_RACE	.U=UNKNOWN 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 21=ASIAN 22=HAWAIIAN/OTH PAC ISLNDR 23=OTHER/MULTIPLE RACE
MAT_TRAN	Mother transferred?	YNF	.U=UNKNOWN 1=YES 2=NO
MAT_WIC	Mother get WIC food during pregnancy?	YNF	.U=UNKNOWN 1=YES 2=NO
MM_DIAB	BC: Gestational diabetes?	YNF	.U=UNKNOWN 1=YES 2=NO
MM_FEVER	BC: mom had fever Note: This variable is from the "Characteristics of Labor and Delivery (45)" section of the U.S. standard birth certificate. This variable is coded as "yes" if chorioamnionitis is coded "Y", it is coded as "no" if chorioamnionitis is "N", else it is coded "unknown".	YNF	.U=UNKNOWN 1=YES 2=NO
MM_HBP	BC: hypertension? Note: This variable is from the "Risk factors in this pregnancy (41)" section of the U.S. standard birth certificate. This variable is coded as "yes" if either prepregnancy hypertension or gestational hypertension is coded "Y", it is coded as "no" if both are "N", else it is coded "unknown".	YNF	.U=UNKNOWN 1=YES 2=NO
MM_LMP	Month of last menstrual period	BCF	.U=UNKNOWN
MM_NOMD	BC: No medical risk factors? Note: This variable is coded as "yes" if prepregnancy diabetes, gestational diabetes, prepregnancy hypertension, gestational hypertension, previous preterm births, poor pregnancy outcome, and vaginal bleeding are all coded "N", it is coded as "no" if any are "Y", else it is coded as "unknown". (If a site did not collect poor pregnancy outcome and/or vaginal bleeding, then these fields are not included in the calculation of MM_NOMD. These fields are no longer required by NCHS as part of the U.S. standard birth certificate as of 2014.)	YNF	.U=UNKNOWN 1=YES 2=NO

***PRAMS Phase 8 Birth Certificate Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
MOMCIG	No. of cigarettes smoked daily during pregnancy Note: This variable is calculated by finding the average of the No. of Cigs in 1st Trimester, No. of Cigs in 2nd Trimester, and No. of Cigs in 3rd Trimester. If any of these 3 values is unknown then variable is coded "unknown".	BCSMOKEF	.U=UNKNOWN 0=NO SMOKE 97=97 OR MORE
MOMSMOKE	Did mom smoke? Note: This variable is coded "yes" if Mom smoked in any of the three trimesters.	YNF	.N=NOT RECORDED .U=UNKNOWN 1=YES 2=NO
MOM_BMIG_BC	VAR: MOM BMI GROUPED FROM BC	BMIG4REV	.B=DK / BLANK .U=UNKNOWN 1=UNDERWT ( < 18.5) 2=NORMAL (18.5-24.9) 3=OVERWT (25.0-29.9) 4=OBESE (30.0 + )
MRACE_AMI	Maternal race - American Indian/Alaska native	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_ASIAN_PU	Maternal Race Asian grouped	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_BLK	Maternal race - Black	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_MULTO_PU	Maternal Race Multiple/Other	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_NHOPI_PU	Maternal Race Native Hawaiian Other Pacific Islander grouped	YNF	.U=UNKNOWN 1=YES 2=NO
MRACE_WHT	Maternal race - White	YNF	.U=UNKNOWN 1=YES 2=NO
NCHS_URB_RUR2	Urban/rural coding from NCHS - 2 levels	URB_RUR	.U=UNKNOWN 1=URBAN 2=RURAL
OTH_TERM	No. of Previous Other Pregnancy Outcomes Note: This variable is from the "NUMBER OF OTHER PREGNANCY OUTCOMES (36)" section of the U.S. standard birth certificate. This item includes spontaneous or induced losses or ectopic pregnancies.	O_TERM	.U=UNKNOWN 0=NONE 7=7 OR MORE

### ***PRAMS Phase 8 Birth Certificate Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
PAT_ACK	Acknowledgment of paternity	YNF	.N=NOT RECORDED .U=UNKNOWN 1=YES 2=NO
PAT_DEG	Paternal highest degree received	DEGREEF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRD,NO DIPLOMA 3=HIGH SCHL GRAD/GED 4=SOME COLLEGE,NO DEG 5=ASSOCIATE DEGREE 6=BACHELORS DEGREE 7=MASTERS DEGREE 8=DOCTORATE/PROF DEG 9=UNKNOWN
PAT_ED	Paternal years of education	EDUCF	.U=UNKNOWN 1=<= 8TH GRADE 2=9-12 GRADE,NO DIPLOMA 3=HIGH SCHOOL GRAD/GED 4=SOME COLLEGE,NO DEG/ASSOCIATE DEG 5=BACHELORS/MASTERS/D OCTORATE/PROF
PAT_RACE_PU	Paternal Race grouped	PU_RACE	.U=UNKNOWN 2=WHITE 3=BLACK 4=AM INDIAN 10=AK NATIVE 21=ASIAN 22=HAWAIIAN/OTH PAC ISLNDR 23=OTHER/MULTIPLE RACE
PAY	Method of payment	PAY_DELF	.U=UNKNOWN 1=MEDICAID 2=PRIVATE INS 3=SELF-PAY 4=INDIAN H.S. 5=CHAMPUS/TRICARE 6=OTHER GOV 8=OTHER 9=UNKNOWN
PLURAL	Plurality	PLURALF	.U=UNKNOWN 1=SINGLE 2=TWIN 3=OTH MULT
PNC_MTH	Month of first prenatal care visit Note: This variable is calculated using the Date of Last Menstrual Period and the Date of First Prenatal Care Visit. If either of these values are unknown then variable is coded "unknown".	PNC_MTHF	.U=UNKNOWN 88=NO PNC
PNC_VST	Number of prenatal care visit	BCF	.U=UNKNOWN

***PRAMS Phase 8 Birth Certificate Variables***

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
POB	Place of birth	POBF	.U=UNKNOWN 1=HOSPITAL 2=BIRTHING CENTER 3=MD OFFICE/CLINIC 4=RESIDENCE 5=OTHER
PRE_LB_NAPHSIS	Number of previous live births grouped	NP_PRELB	.U=UNKNOWN 0=0 1=1 2=2 3=3-5 4=6+
P_PRTERM	Previous preterm births	YNF	.U=UNKNOWN 1=YES 2=NO
SEX	Sex of infant	SEXF	.U=UNKNOWN 1=MALE 2=FEMALE
SGA_10	Small for Gestational Age Based on 10th Percentile	YNF	.U=UNKNOWN 1=YES 2=NO
SGA_2SD	Small for Gestational Age Based on 2SD from Mean	YNF	.U=UNKNOWN 1=YES 2=NO
TRANS	Infant transferred	YNF	.U=UNKNOWN 1=YES 2=NO
YY4_DOB	Year of birth	BCF	.U=UNKNOWN

***PRAMS Phase 8 Operations/Weighting Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
BC_FLAG	Birth Certificate Layout	BCFLAGF	1=PRE-2003 2=2003
HISPANIC	HISPANIC ETHNIC GROUP	NY1F	.U=UNKNOWN 1=NO 2=YES
LANGUAGE	Language -- English/Spanish/Chinese	LANGUAGE	1=ENGLISH 2=SPANISH 3=CHINESE
ID	MOTHERS ID NUMBER		
INQX	In Combined Questionnaire	NY1F	0=NO 1=YES
MODECONT	MODE OF CONTACT	MODEF	0=NEITHER 1=MAIL 2=PHONE 3=BOTH(MAIL/PHONE) 7=WEB 8=WEB AND MAIL 9=WEB AND PHONE 10=MAIL, WEB, AND PHONE
MODE_PRT	MODE OF PARTICIPATION	MODEF	0=NEITHER 1=MAIL 2=PHONE 3=BOTH(MAIL/PHONE) 7=WEB 8=WEB AND MAIL 9=WEB AND PHONE 10=MAIL, WEB, AND PHONE
NEST_YR	BC WT: YEAR (SUDAAN NEST VARIABLE)		
PARTICIP	DID MOM EVER PARTICIPATE?	PARTICIP	0=CONTACTED/NOT PARTICIPATE 1=CONTACTED/PARTICIPATED 9=NOT CONTACTED
QX_PHASE	QUESTIONNAIRE PHASE NUMBER		
SAMCNT	BC WT: SAMPLE COUNT		
STATE	STATE NAME	\$STATEF	
STRATUMC	BC WT: STRATA STATE'S COMBINED	STRATCF	
SUD_NEST	SUDAAN Nest Variable		
TYPE	Type of survey response	QX_TYPE	1=MAIL SURVEY 2=PHONE SURVEY 3=WEB SURVEY
TOTCNT	BC WT: TOTAL COUNT		
WTANAL	BC WT: ANALYSIS WT		
WTONE	BC WT: SAMPLE WEIGHT		
WTHREE	BC WT: NONCOVERAGE WT		
WTTWO	BC WT: NONRESPONSE WT		

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
ASK_ABUS	HCW ask -- hurt emotional / physical (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
ASK_BF	HCW ask -- plan to breastfeed (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
ASK_DPRS	HCW ask -- if down / depressed (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
ASK_DRUG	HCW ask -- using drugs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
ASK_HIPT	HCW ask -- want HIV test (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
ASK_MEDS	HCW ask -- prescript meds (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
ASK_PPBC	HCW ask -- plan to use PP BC (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BCB_HUSB	PP BC barrs -- husb/part didnt want (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_NSEX	PP BC barrs -- abstinence (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_OTH	PP BC barrs -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_PAY	PP BC barrs -- cant pay (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_PNOW	PP BC barrs -- preg now (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
BCB_PREG	PP BC barrs -- want preg (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_SIDE	PP BC barrs -- side effect (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_TUBE	PP BC barrs -- tubes tied/blocked (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCB_WANT	PP BC barrs -- didnt want to use (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_COND	BC postpart -- condoms (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_IMPL	BC postpart -- contraceptive implant (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_IUD	BC postpart -- IUD (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_NSEX	BC postpart -- abstinence (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_OTH	BC postpart -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_PILL	BC postpart -- pill (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_PTRG	BC postpart -- contraceptive patch/ring (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_PULL	BC postpart -- withdrawal (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
BCP_RHYT	BC postpart -- rhythm (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_SHT3	BC postpart -- shots every 3 mnths (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_TUBE	BC postpart -- tubes tied (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BCP_VASE	BC postpart -- vasectomy (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
BF5EVER	Breastfeed -- ever (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BF5LNGTH	BF duration -- length of time (FORCED SKIP)	BFDUR4F	.B=BLANK .S=SKIP 41=LESS THAN 1 WEEK
BF5LNGTU	BF duration -- wks/mnths (FORCED SKIP)	BFUNIT4F	.B=BLANK .S=SKIP 1=WEEKS 2=MONTHS 5=LESS THAN 1 WEEK
BF5STILL	Breastfeed -- still (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BF5WEEKS	VAR: # WEEKS BREASTFED BABY	BF_DURF	.B=DK/BLANK .S=SKIP 84=DIDNT BREASTFEED 85=BREASTFED<1 WEEK 86=BREASTFEDING NOW
BFINF_BDR	BF info -- from baby doctor (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BFINF_DR	BF info -- from my doctor (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

***PRAMS Phase 8 Analytic Variables***

<b><i>Variable</i></b>	<b><i>SAS Label</i></b>	<b><i>Format</i></b>	<b><i>Codes</i></b>
BFINF_FAM	BF info -- from family / friends (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BFINF_GRP	BF info -- from support group (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BFINF_HOT	BF info -- from hotline (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BFINF_NUR	BF info -- from nurse / midwife / doula (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BFINF_OTH	BF info -- other (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
BFINF_SPC	BF info -- from breastfeeding or lactation specialist (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
DRK83B_A	VAR: YES/NO DRINK 3 BEF PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
DRK8_3B	DRK -- 3 mnths bef, drinks/wk (FORCED SKIP)	DRINK8F	.B=DK/BLANK .S=SKIP 1=14 DRINKS OR MORE A WEEK 2=8 TO 13 DRINKS A WEEK 3=4 TO 7 DRINKS A WEEK 4=1 TO 3 DRINKS A WEEK 5=LESS THAN 1 DRINK A WEEK 6=I DIDNT DRINK THEN
ECIG_3B	ECIG -- 3 months before, how often (FORCED SKIP)	ECIG_FREQ	.B=BLANK/DK .S=SKIP 1=MORE THAN ONCE A DAY 2=ONCE A DAY 3=2-6 DAYS A WEEK 4=1 DAY A WEEK OR LESS 5=NOT USE ELECTRONIC VAPOR PRODUCTS

## ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
ECIG_3B_A	ECIG -- 3 months before, how often, all moms	ECIG_FREQ	.B=BLANK/DK 1=MORE THAN ONCE A DAY 2=ONCE A DAY 3=2-6 DAYS A WEEK 4=1 DAY A WEEK OR LESS 5=NOT USE ELECTRONIC VAPOR PRODUCTS
ECIG_3L	ECIG -- last 3 months, how often (FORCED SKIP)	ECIG_FREQ	.B=BLANK/DK .S=SKIP 1=MORE THAN ONCE A DAY 2=ONCE A DAY 3=2-6 DAYS A WEEK 4=1 DAY A WEEK OR LESS 5=NOT USE ELECTRONIC VAPOR PRODUCTS
ECIG_3L_A	ECIG -- last 3 months, how often, all moms	ECIG_FREQ	.B=BLANK/DK 1=MORE THAN ONCE A DAY 2=ONCE A DAY 3=2-6 DAYS A WEEK 4=1 DAY A WEEK OR LESS 5=NOT USE ELECTRONIC VAPOR PRODUCTS
HI_NUMB	VAR: # SOURCES PAYMENT FOR PRESENT HEALTH INSURANCE	NUMF	.B=DK/BLANK
INFLIVE5	Infant alive -- now (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INFQ_AGE	VAR: INF AGE (DAYS) QUEST COMPLETED	NUMSF	.B=DK/BLANK
INFQ_AGE_MOD	VAR: INF AGE (DAYS) QUEST COMPLETED (CLEANED)	NUMSF	.B=DK/BLANK
INFWMOM5	Infant living -- with mom (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INF_LIVE	VAR: INFANT ALIVE NOW	NY1F	.B=DK/BLANK 1=NO 2=YES
INF_WMOM	VAR: INFANT WITH MOM	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
INS_NUMB	VAR: # PRE-PREGNANCY HEALTH INSURANCE PLANS	NUMF	.B=DK/BLANK

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
MOM_BMIG	VAR: MOM BMI GROUPED FROM QX	BMIG4F	.B=DK / BLANK 1=UNDERWT (< 19.8) 2=NORMAL (19.8-26) 3=OVERWT (> 26-29) 4=OBESE (> 29)
MOM_BMIG_QX_REV	VAR: MOM BMI GROUPED FROM QX REVISED	BMIG4REV	.B=DK / BLANK 1=UNDERWT ( < 18.5) 2=NORMAL (18.5-24.9) 3=OVERWT (25.0-29.9) 4=OBESE (30.0+ )
NOHOSP_B	VAR: BABY STAY IN HOSP?	NOHOSP_B	.B=DK/BLANK 1=NO 2=YES 3=STILL HOSP
PNCNO	VAR: NO PNC VISITS	NY1F	.B=DK/BLANK 1=NO 2=YES
PNC_1TRM	VAR: START PNC 1ST TRIMESTER?	PNC_1TRM	.B=DK/BLANK 1=YES 2=NO 3=NO PNC
PNC_WKS	VAR: WEEKS 1ST PNC VISIT	PNC_WKS	.B=DK/BLANK 99=NO PNC
PP8_HCEX	Insurance paid by -- Health Care Exchange (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP8_PAR	Insurance paid by -- parent (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP8_WORK	Insurance paid by -- job (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_CHIP	Insurance paid by -- SCHIP/CHIP (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_DEPRESS	VAR: POST-PARTUM DEPRESSION INDICATOR	NY1F	.B=DK/BLANK 1=NO 2=YES
PP_GOV	Insurance paid by -- other government (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
PP_MEDIC	Insurance paid by -- Medicaid (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_MILIT	Insurance paid by -- TRICARE or military (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_NONE	Insurance paid by -- No insurance (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_NUMB	VAR: # SOURCES PAYMENT FOR PNC	NUMSF	.B=DK/BLANK .S=SKIP
PP_OTH	Insurance paid by -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
PP_TYPE	Insurance paid by -- Other specified (FORCED SKIP)		
PRE_ABUS	Pre-preg -- hurt emotional / physical (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_HIPT	Pre-preg -- tested for HIV (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_HLTH	Pre-preg -- improve health before preg (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_KIDS	Pre-preg -- want to have kids (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_MHDP	Pre-preg -- feeling down / depressed (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_MORB	Pre-preg -- control med conditions (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_PRBC	Pre-preg -- birth control to prevent preg (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
PRE_SMK	Pre-preg -- smoke during preg (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_STI	Pre-preg -- talk about STIs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_VIT	Pre-preg -- folic acid (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_WORK	Pre-preg -- kind of work (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
PRE_WT	Pre-preg -- weight (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLEEPOWN	Sleep -- baby alone (FORCED SKIP)	FREQ5F	.B=BLANK/DK .S=SKIP 1=ALWAYS 2=OFTEN/ALMOST ALWAYS 3=SOMETIMES 4=RARELY 5=NEVER
SLEEPPPOS	Sleeping position -- baby (FORCED SKIP)	SLEEPPPOS	.B=DK/BLANK .S=SKIP 1=SIDE 2=BACK 3=STOMACH 4=SIDE/BACK 5=SIDE/STOMACH 6=BACK/STOMACH 7=ALL 3 POSITIONS
SLP2BACK	Recommend sleep -- place on back (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP2CRB	Recommend sleep -- place in crib / bassinet / play yard (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP2MYRM	Recommend sleep -- place baby crib / bed in my room (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
SLP2NTBD	Recommend sleep -- can or cannot go in baby bed (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_CHR	Baby slept -- on couch / sofa / chair (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_CRB8	Baby slept -- in crib / bassinet / play yard (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_MAT8	Baby slept -- on mattress / bed (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_NBLK	Baby slept -- with blanket (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_NPAD	Baby slept -- with bumper pads (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_ROOM	Sleep -- baby in room with mom (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_SAK	Baby slept -- in sleep sack or wearable blanket (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_SWG	Baby slept -- in car seat / swing (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SLP_TOYPIL	Baby slept -- with toys, cushions, or pillows (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
SMK63B_A	VAR: YES/NO SMOKE 3 BEF PREG	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK63L_A	VAR: YES/NO SMOKE LAST 3 MTH PREG	NY1F	.B=DK/BLANK 1=NO 2=YES

**PRAMS Phase 8 Analytic Variables**

<i>Variable</i>	<i>SAS Label</i>	<i>Format</i>	<i>Codes</i>
SMK6C_NW	VAR: CHANGE SMOKING LAST 3 & NOW	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6C_PG	VAR: CHANGE SMOKING DURING PREG	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6C_PP	VAR: CHANGE SMOKING 3 BEFORE & NOW	SMK_CHNG	.B=DK/BLANK 1=NONSMOKER 2=SMOKER WHO QUIT 3=#CIGS REDUCED 4=#CIGS SAME/MORE 5=NONSMOKR RESUMED
SMK6NW_A	VAR: YES/NO SMOKE NOW	NY1F	.B=DK/BLANK 1=NO 2=YES
SMK6_3B	SMK -- 3 mnths bef, #cigs/day (FORCED SKIP)	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
SMK6_3L	SMK -- last 3 mnths, #cigs/day (FORCED SKIP)	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
SMK6_3N	SMK -- now, #cigs/day (FORCED SKIP)	SMOKE5F	.B=DK/BLANK .S=SKIP 1=41 CIGARETTES OR MORE 2=21 TO 40 CIGARETTES 3=11 TO 20 CIGARETTES 4=6 TO 10 CIGARETTES 5=1 TO 5 CIGARETTES 6=LESS THAN 1 CIGARETTE 7=NONE (0 CIGARETTES)
TLK_CIGS	HCW ask -- if smoking cigs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_ETOH	HCW ask -- if drinking alcohol (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TLK_WT	HCW ask -- amt weight gain (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
TYP_BC	Health care type -- visit for family planning / birth control (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
TYP_DDS	Health care type -- visit with dentist (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
TYP_DOCT	Health care type -- checkup with dr (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
TYP_ILLN	Health care type -- visit for illness (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
TYP_INJR	Health care type -- visit for injury (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
TYP_MH	Health care type -- visit for depression or anxiety (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)

### ***PRAMS Phase 8 Analytic Variables***

<i><b>Variable</b></i>	<i><b>SAS Label</b></i>	<i><b>Format</b></i>	<i><b>Codes</b></i>
TYP_OBGN	Health care type -- checkup with my OB/GYN (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
TYP_OTHR	Health care type -- other (FORCED SKIP)	NYSF	.B=DK/BLANK .S=SKIP 1=NO (UNCHECKED) 2=YES (CHECKED)
VPP_ABUS	PPV -- HCW ask about abuse (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_BCM	PPV -- BC methods (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_DEPR	PPV -- ask about depression (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_DIAB	PPV -- test for diabetes (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_EAT	PPV -- eating and exercise (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_NSRT	PPV -- insert IUD or implant (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_PREBSC	PPV -- prescribe birth control (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_SMOK	PPV -- HCW ask about smoking cigs (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_VIT	PPV -- folic acid (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES
VPP_WAIT	PPV -- wait before preg (FORCED SKIP)	NYS1F	.B=DK/BLANK .S=SKIP 1=NO 2=YES

*PRAMS Phase 8 Analytic Variables*