

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS OUTPATIENT PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2024

BAC	CKGROUND	2
PUE	BLIC USE DATA FILE (PUDF)	2
PAT	TIENT/PHYSICIAN CONFIDENTIALITY	2
RES	STRICTIONS ON DATA USE	4
OUT	TPATIENT FACILITY COMMENTS	6
DAT	TA FILES	6
DAT	TA DICTIONARY	7
CIT	ATION	7
DAT	TA DICTIONARY	9
	BASE DATA FILE	
	CLASSIFICATION DATA FILE	28
	CHARGES DATA FILE	
	FACILITY TYPE INDICATOR FILE	42
	GROUPER FILE	45
DAT	TA FIELDS	47
	BASE DATA FILE	
	CLASSIFICATION DATA FILE	
	CHARGES DATA FILE	53
	FACILITY TYPE DATA FILE	54
	GROUPER FILE	55

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004, and the DSHS Center for Health Statistics is now responsible for the implementation of THSC Chapter 108. Outpatient data collection began with services from hospitals and ambulatory surgery centers (ASC) on October 1, 2009, under 25 Texas Administrative Code (TAC), Sections 421.61 – 421.69. The outpatient data collection was limited to patients that received one or more invasive/incisive surgical or one or more radiological/imaging procedures.

Collection of hospital-based emergency department data began with services starting January 1, 2015, under 25 TAC, Sections 421.71 – 421.79.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repealed the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015, data.

Freestanding Emergency Medical Care Facilities (FEMCF) data collection began with services that occurred on October 1, 2020, under the amended rules in 25 TAC, Sections 421.71 – 421.79.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for Texas outpatient data. These data are extracted from DSHS's outpatient services database. The providers/submitters have, by rule, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e., for calendar year, data be sure to check the first quarter of the following year also).

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Texas Outpatient (Hospitals, Ambulatory Surgery Centers (ASC), and Freestanding Emergency Medical Care Facilities) Services Data database (TOSD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013 (c) also stipulates that DSHS may not release, and a person or entity may not gain

DSHS/THCIC	Da 2	DSHS Document # E25-14164
www.dshs.texas.gov/THCIC	Page 2	Last Updated: July, 2025

access to, any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the TOSD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, service dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital, an ASC or an FEMCF has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital, an ASC, or an FEMCF has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital, an ASC, or an FEMCF has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients). The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from

dates, statement through dates and procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019, Texas Register on page 44 TexReg 429 and became effective January 30, 2019. Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Outpatient Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any healthcare facility quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital or ambulatory surgery center, or freestanding emergency medical care facility for the purpose of verifying information supplied in the DSHS Outpatient Services Public Use Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data, the licensee must give the

following assurances with respect to the use of DSHS Outpatient Public Use Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the outpatient records of patients in this data set with personally identifiable records from any other source, including any THCIC research data file (effective Aug 1, 2012);
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not nor permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:

Texas Outpatient Services Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];

- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

OUTPATIENT FACILITY COMMENTS

(Users are advised to consider Hospitals/Ambulatory Surgery Centers (ASCs)/Freestanding Emergency Medical Care Facilities (FEMCFs) comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals or ambulatory surgery centers or FEMCFs at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals, ASCs, FEMCFs and are not necessarily the views of the DSHS. Hospitals or ambulatory surgery centers and freestanding emergency medical care facilities that submitted comments are identified in 'Reporting Status of Texas Outpatient Facilities'.

A Facility Type file has 31 variables, including the THCIC_ID and facility name. Variables clarifying the type of provider (Pediatric, Teaching Facility, Long Term Care, etc.) are included also. This is useful for data users focusing on a certain type of facility. Additionally, POA provider indicator and certification status are included.

DATA FILES

The 2024 PUDF is available in five files, the Base Data, Classification Data, Charges Data, Grouper Data, and Facility Type Data files. The files are also available in fixed length and tab-delimited formats. The size of the files are as follows:

First quarter, 1425* facilities:

Base Data	5,739,427 records	129 variables	Fixed field format	4,850 MB	Tab-delimited	2,224 MB
Classification Data	5,739,427 records	51 variables	Fixed field format	1,308 MB	Tab-delimited	566 MB
Charges	41,760,050 records	13 variables	Fixed field format	3,266 MB	Tab-delimited	2,139 MB
Grouper Data	41,760,050 records	17 variables	Fixed field format	4,460 MB	Tab-delimited	4,233 MB
Facility Type Data	1,425 records	32 variables	Fixed field format	134 KB	Tab-delimited	114 KB

Second quarter, 1414* facilities:

Base Data	5,738,827 records	129 variables	Fixed field format	4,849 MB	Tab-delimited	2,224 MB
Classification Data	5,738,827 records	51 variables	Fixed field format	1,308 MB	Tab-delimited	566 MB
Charges	41,692,975 records	13 variables	Fixed field format	3,260 MB	Tab-delimited	2,137 MB
Grouper Data	41,692,975 records	17 variables	Fixed field format	4,453 MB	Tab-delimited	4,229 MB
Facility Type Data	1,414 records	32 variables	Fixed field format	133 KB	Tab-delimited	113 KB

Third quarter, 1418* facilities:

Base Data	5,806,298 records	129 variables	Fixed field format	4,906 MB	Tab-delimited	2,256 MB
Classification Data	5,806,298 records	51 variables	Fixed field format	1,323 MB	Tab-delimited	572 MB
Charges	42,402,773 records	13 variables	Fixed field format	3,316 MB	Tab-delimited	2,174 MB
Grouper Data	42,402,773 records	17 variables	Fixed field format	4,529 MB	Tab-delimited	4,300 MB
Facility Type Data	1,418 records	32 variables	Fixed field format	133 KB	Tab-delimited	113 KB

^{*} Final number of reporting hospitals, calculated as the result of the original number of reporting hospitals minus the number of hospital(s) with ALL claims submitted wrong due to wrong type of bills.

The data is provided in fixed length and tab-delimited text formats and is best view when imported into a software application. No software is included with the PUDF. The data file has been tested with several software applications, including Microsoft Access (some files may not fit due to record limitations in the application), Statistical Analysis Software (SAS), and Statistical Package for the Social Sciences (SPSS).

Updates to any PUDF data are available through the THCIC website, http://www.dshs.texas.gov/thcic/, which should be checked periodically as notifications of an update are posted on it.

DATA DICTIONARY

This document provides the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element and brief explanation of the data element.
Data Source	Descriptions of data elements are taken from specifications manuals. Provided by the health care facility on the claim form (Claim)
	Assigned by DSHS (Assigned)
	Provided to THCIC by the healthcare facility (Provider)
	Calculated by DSHS (Calculated)
Type	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Any data provided by a facility that has been determined to be invalid has been assigned the value ` (Back quote mark).

Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

DSHS/THCIC	Do 20 7	DSHS Document # E25-14164
www.dshs.texas.gov/THCIC	Page 7	Last Updated: July, 2025

Texas Outpatient Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

REVISION

Field 1: Service_Quarter: Additional information regarding the breakdown of months into quarters added

Field 30: As of January 1, 2022, THCIC is no longer collecting PAT_REASON_FOR_VISIT in Outpatient Professional claims.

DATA DICTIONARY

BASE DATA FILE

Field 1:	SERVICE_QUARTER						
Description:	Quarter during which service occurred. Year and quarter of service. $yyyyQn$.						
	1st Quarter (YYYYQ1): 1st January-31st March of that corresponding year						
	2nd Quarter (YYYYQ2						
	3rd Quarter (YYYYQ3						
	4th Quarter (YYYYQ4			esponding year			
	* Late submissions by fa						
Beginning Position:	1	Data Source:	Assigned				
Length:	6	Type:	Alphanumeric				
Field 2:	RECORD_ID						
Description:	Record Identification Nu						
	•		_	earch Data Files (RDF's).			
Beginning Position:	7	Data Source:	Assigned				
Length:	12	Туре:	Alphanumeric				
Field 3:	THCIC_ID		ii i parra				
Description:	Provider ID. Unique iden						
Suppression:				ne Provider ID '999999'. If			
	a facility reported fewer	than 5 events for a pa	articular gender, includi	ng 'unknown', Provider			
D 1 1 D 1/1	ID is '999998'.	T					
Beginning Position:	19	Data Source:	Assigned				
Length:	6 CDEC INVEST	Type:	Alphanumeric				
Field 4:	SPEC_UNIT_1						
Description:		• •	-	mber of days by Type of			
C. P. G.L.	Bill or Revenue Code. Ir	Coronary Care Unit	days in the unit.	Padiatria Unit			
Coding Scheme:	D	Detoxification Unit	Y	Pediatric Unit Psychiatric Unit			
	I	Intensive Care Unit	R	Rehabilitation Unit			
	Н	Hospice Unit	U	Sub-acute Care Unit			
	N	Nursery	S	Skilled Nursing Unit			
	B O	Obstetric Unit	Blank	Acute Care			
Beginning Position:	25	Oncology Unit Data Source:	Calculated				
Length:	1	Type:	Alphanumeric				
Field 5:	SPEC_UNIT_2	турс.	Aiphanamene				
Description:	Specialty Unit in which	2nd most days during	stay occurred based on	number of days by Type			
Description.	of Bill or Revenue Code		stay occurred based on	number of days by Type			
Coding Scheme:	Same as SPEC_UNIT_1						
Beginning Position:	26	Data Source:	Calculated				
Length:	1	Type:	Alphanumeric				
Field 6:	SPEC_UNIT_3	2,500		_			
Description:		3rd most days during	stay occurred based on	number of days by Type of			
	Bill or Revenue Code.		~··· ,	in in the second			
Coding Scheme:	Same as SPEC_UNIT_1						
Beginning Position:	27	Data Source:	Calculated				
Length:	1	Type:	Alphanumeric				
Field 7:	SPEC_UNIT_4	V 1	*				
Description:		4 th most days during	stay occurred based on i	number of days by Type of			
•	Bill or Revenue Code.		•	, , , , ,			
Coding Scheme:	Same as SPEC_UNIT_1						
Beginning Position:	28	Data Source:	Calculated				
Length:	1	Type:	Alphanumeric				
Field 8:	SPEC_UNIT_5						
DSHS/THCIC			Delle	Document # E25-14164			
www.dshs.texas.gov/	THCIC	— Page 9 —		ast Updated: July, 2025			
www.usns.texas.gov/	THEIC		L	asi Opuaicu: July, 2023			

Specialty Unit in which 5th most days during stay occurred based on number of days by Type of **Description:** Bill or Revenue Code. **Coding Scheme:** Same as SPEC UNIT 1. **Beginning Position:** 29 **Data Source:** Calculated Length: Alphanumeric Type: SEX CODE Field 9: **Description:** Gender of the patient as recorded at date of start of care. Suppressed as "" (null) if an ICD-10-CM code indicates a mental health disorder, drug or **Suppression:** alcohol use. or an HIV diagnosis (patients covered by 42 USC §290dd-2, 42 CFR Part 2, HIPPA of 1996, and Texas HEALTH AND SAFETY CODE - TITLE 2). If a facility reported fewer than 5 patients of a particular gender, including unknown, Provider ID is '999998' and Provider Name and Patient ZIP Code are blank for those patients. Μ Male **Coding Scheme:** F Female Unknown U Invalid **Beginning Position:** 30 **Data Source:** Claim Length: Type: Alphanumeric PAT_COUNTY Field 10: **Description:** FIPS code of patient's county. **Suppression:** County FIPS is blank if an ICD-10-CM code indicates a mental health disorder, drug or alcohol use, or an HIV diagnosis (patients covered by 42 USC §290dd-2, 42 CFR Part 2, HIPPA of 1996, and Texas HEALTH AND SAFETY CODE - TITLE 2). 001 129 Donley 385 Real Anderson Kaufman **Coding scheme:** 003 Andrews 131 Duval 259 Kendall 387 Red River 005 Angelina 133 Eastland 261 Kenedy 389 Reeves 391 007 Aransas 135 Ector 263 Kent Refugio 009 Archer 137 Edwards 265 Kerr 393 Roberts Kimble Robertson 011 Armstrong 139 Ellis 395 013 141 El Paso 269 Atascosa Rockwall King 271 399 015 143 Runnels Austin Frath Kinney 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox Sabine 021 149 283 La Salle 405 Favette San Augustine Bastrop 023 277 407 Baylor 151 Fisher Lamar San Jacinto 025 Bee 153 Floyd 279 409 San Patricio Bell 027 155 Foard 281 Lampasas 411 San Saba 029 157 Fort Bend 285 413 Schleicher Bexar Lavaca 031 Blanco 159 Franklin 287 Lee 415 Scurry Shackelford 033 Borden 161 Freestone 289 Leon 417 035 163 291 Liberty 419 Bosque Frio Shelby 293 037 165 421 **Bowie** Gaines Limestone Sherman Lipscomb 039 Brazoria 167 Galveston 295 423 Smith 041 297 Live Oak 425 Somervell Brazos 169 Garza 043 Brewster 171 Gillespie 299 Llano 427 Starr 045 Glasscock 301 429 Stephens Briscoe 173 Loving 047 Brooks 175 Goliad 303 Lubbock 431 Sterling 049 Stonewall Brown 177 Gonzales 305 Lynn 433 307 McCulloch 051 Burleson 179 Gray 435 Sutton 053 Burnet 181 Gravson 309 McLennan 437 Swisher 055 Caldwell 183 311 McMullen 439 Tarrant Gregg 057 Calhoun 185 Grimes 313 Madison 441 Taylor 059 Callahan 187 Guadalupe 315 443 Terrell Marion 061 Cameron 189 Hale 317 Martin 445 Terry 063 191 319 Throckmorton Camp Hall Mason 447 065 Carson 193 Hamilton 321 Matagorda 449 Titus 195 Hansford 323 Tom Green 067 Cass Mayerick 451 325 069 Castro 197 Hardeman Medina 453 Travis 071 Chambers 199 Hardin 327 Menard 455 Trinity 073 201 329 Midland 457 Cherokee Harris Tyler 331 075 203 Harrison 459 Upshur Childress Milam 077 Clay 205 Hartley 333 Mills 461 Upton 079 Cochran 207 Haskell 335 Mitchell 463 081 Coke 209 337 465 Val Verde Havs Montague Hemphill 339 083 Coleman 211 Montgomery 467 Van Zandt 085 Collin 213 Henderson 341 Moore 469 Victoria 087 Collingsworth 215 Hidalgo 343 Morris 471 Walker Hill 345 Motley 473 Waller Colorado DSHS/THCIC **DSHS Document** # E25-14164

Page 10

www.dshs.texas.gov/THCIC

Last Updated: July, 2025

	091	Comal	219	Hockley	347	Nacogdoches	475	Ward
	093	Comanche	221	Hood	349	Navarro	477	Washington
	095	Concho	223	Hopkins	351	Newton	479	Webb
	097	Cooke	225	Houston	353	Nolan	481	Wharton
	099	Coryell	227	Howard	355	Nueces	483	Wheeler
	101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
	103	Crane	231	Hunt	359	Oldham	487	Wilbarger
	105 107	Crockett Crosby	233 235	Hutchinson Irion	361 363	Orange Palo Pinto	489 491	Willacy Williamson
	107	Culberson	233	Jack	365	Panola	493	Wilson
	111	Dallam	239	Jackson	367	Parker	495	Winkler
	113	Dallas	241	Jasper	369	Parmer	497	Wise
	115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
	117	Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
	119	Delta	247	Jim Hogg	375	Potter	503	Young
	121	Denton	249	Jim Wells	377	Presidio	505	Zapata
	123	Dewitt	251	Johnson	379	Rains	507	Zavala
	125	Dickens	253	Jones	381	Randall		
	127	Dimmit	255	Karnes	383	Reagan		Invalid
Beginning Position:	31			Data Source:	Assign	ed; based on pat	ient ZIF	code
Length:	3			Type:	Alphan	umeric		
Field 11:	PAT :	STATE		V 1				
			م داند	dduaga in Tawaa	and aone	ionona statas C	ton dond	2 ahamaatan
Description:		of the patient's m	_	ddress III Texas	and com	iguous states. 5	tanuaru	2-character
		Service abbrevia	ition.					
Coding Scheme:	AR	Arkansas						
	LA	Louisiana						
	NM	New Mexico						
	OK	Oklahoma						
	TX	Texas						
	ZZ	All other states ar	id Americ	can Territories				
	FC	Foreign country						
	XX	Foreign country						
Beginning Position:	34		Ι	Data Source:	Claim			
Length:	2]	Type:	Alphan	umeric		
Field 12:	PAT_	ZIP						-
Description:		ts' five-digit ZIP	codo					
_				77D 1 1 C	.1	20		
Suppression:		st 2 digits are bla						
	The Z	IP code equals '8	8888' i	f state equals 'Z	ZZ' (state	s other than Tex	as and t	he adjacent
	states)							
		IP Code is blank	if natie	nt state equals 'l	FC' (fore	ion country) a t	facility t	for the quarter
		wer than 50 patie						
			nts repo	orted or fewer th	ian 5 pan	ents reported of	a partic	ular gender,
		ing 'unknown'.						
	ZIP co	de is reported as	"'" (ba	ck quote) if an I	CD-10-C	CM code indicat	es a mei	ntal health
		er, drug or alcoho						
		Part 2, HIPPA of						
B B		art 2, THEFA OF				SAILII COI	JL - 11.	LLE 2).
Beginning Position:	36			Data Source:	Claim			
Length:	5		1	Type:	Alphan	umeric		
Field 13:	PAT	COUNTRY						
Description:	Count	ry of patient's res	sidentia	Laddress List n	naintaine	d by the Internat	tional O	roanization for
Description.		ardization (ISO).	naciina	r address. List ii	iamitamo	a by the interna-	tionai O	igamzation for
	Standa		1				1 (()	n a 1
~ .				country has less	than 5 n	atients or report	ed as "`	" (back quote) if
Suppression:	The co							
Suppression:	The co	ountry code is bia D-10-CM code in		a mental health		drug or alcoho	l use, or	an HIV
Suppression:	The co	D-10-CM code in	dicates		disorder			
Suppression:	The co an ICI diagno	D-10-CM code in osis (patients cover	dicates ered by	42 USC §290do	disorder			
•	The co an ICI diagno HEAL	D-10-CM code in osis (patients cove TH AND SAFE	dicates ered by TY CO	42 USC §290do DE - TITLE 2).	disorder			
Coding scheme:	The co an ICI diagno HEAL	D-10-CM code in osis (patients cover	dicates ered by TY CO	42 USC §290do DE - TITLE 2).	disorder			
•	The co an ICI diagno HEAL	D-10-CM code in osis (patients cove TH AND SAFE	dicates ered by FY CO omplete	42 USC §290do DE - TITLE 2).	disorder			
Coding scheme: Beginning Position:	The co an ICI diagno HEAL See ww	D-10-CM code in osis (patients cove TH AND SAFE	dicates ered by TY CO omplete I	42 USC §290do DE - TITLE 2). e list. Oata Source:	disorder d-2, 42 C Claim	FR Part 2, HIPF		
Coding scheme: Beginning Position: Length:	The coan ICI diagnother HEAL See www.41	D-10-CM code in osis (patients cove TH AND SAFE' ww.ISO.org for c	dicates ered by FY CO omplete I	42 USC §290do DE - TITLE 2). e list. Data Source: Type:	disorder d-2, 42 C	FR Part 2, HIPF		
Coding scheme: Beginning Position: Length: Field 14:	The co an ICI diagno HEAL See ww 41 2 PUBL	D-10-CM code in osis (patients cov. TH AND SAFE ww.ISO.org for color the control of the control	dicates ered by TY CO omplete I REGIO	42 USC §290do DE - TITLE 2). e list. Data Source: Type:	disorder d-2, 42 C Claim	FR Part 2, HIPF		
Coding scheme: Beginning Position: Length: Field 14: Description:	The co an ICI diagno HEAL See ww 41 2 PUBL Public	D-10-CM code in osis (patients covorth AND SAFE) www.ISO.org for control of the c	dicates ered by TY CO omplete I REGIO	42 USC §290dd DE - TITLE 2). e list. Data Source: Type: DN nt's address.	disorder d-2, 42 C Claim Alphan	FR Part 2, HIPF	PA of 19	96, and Texas
Coding scheme: Beginning Position: Length: Field 14:	The co an ICI diagno HEAL See ww 41 2 PUBL Public	D-10-CM code in osis (patients cov. TH AND SAFE ww.ISO.org for color the control of the control	dicates ered by TY CO omplete I REGIO	42 USC §290dd DE - TITLE 2). e list. Data Source: Type: DN nt's address.	disorder d-2, 42 C Claim Alphan	FR Part 2, HIPF	PA of 19	96, and Texas
Coding scheme: Beginning Position: Length: Field 14: Description:	The co an ICI diagno HEAL See ww 41 2 PUBL Public The pu	D-10-CM code in osis (patients covered to the control of the contr	dicates ered by TY CO omplete I TREGIO of patier n field	42 USC §290do DE - TITLE 2). e list. Data Source: Type: DN nt's address. is blank if an IC	disorder d-2, 42 C Claim Alphan	FR Part 2, HIPF umeric I code indicates	PA of 19	96, and Texas
Coding scheme: Beginning Position: Length: Field 14: Description:	The co an ICI diagnot HEAL See ww 41 2 PUBL Public The pu	D-10-CM code in osis (patients covered to the control of the contr	dicates ered by FY CO omplete I REGIO of patier n field ol use, o	42 USC §290do DE - TITLE 2). e list. Data Source: Type: DN nt's address. is blank if an IC or an HIV diagn	disorder d-2, 42 C Claim Alphan CD-10-CN osis (pati	FR Part 2, HIPF umeric I code indicates ents covered by	a ment	al health C \$290dd-2, 42
Coding scheme: Beginning Position: Length: Field 14: Description:	The co an ICI diagnot HEAL See ww 41 2 PUBL Public The pu	D-10-CM code in osis (patients covered to the control of the contr	dicates ered by FY CO omplete I REGIO of patier n field ol use, o	42 USC §290do DE - TITLE 2). e list. Data Source: Type: DN nt's address. is blank if an IC or an HIV diagn	disorder d-2, 42 C Claim Alphan CD-10-CN osis (pati	FR Part 2, HIPF umeric I code indicates ents covered by	a ment	al health C \$290dd-2, 42
Coding scheme: Beginning Position: Length: Field 14: Description:	The co an ICI diagnot HEAL See ww 41 2 PUBL Public The pu	D-10-CM code in osis (patients covered to the control of the contr	dicates ered by FY CO omplete I TREGIO of patier on field ol use, o 1996, a	42 USC §290do DE - TITLE 2). e list. Data Source: Type: DN nt's address. is blank if an IC or an HIV diagn nd Texas HEAL	disorder d-2, 42 C Claim Alphan CD-10-CN osis (pati	FR Part 2, HIPF umeric I code indicates ents covered by SAFETY COI	e a mente 42 USO DE - TI	al health C \$290dd-2, 42
Coding scheme: Beginning Position: Length: Field 14: Description: Suppression:	The co an ICI diagno HEAL See ww 41 2 PUBL Public The pu disorde CFR P	D-10-CM code in osis (patients cov. TH AND SAFE ww.ISO.org for complete the complet	dicates ered by FY CO omplete I TREGIO of patier on field ol use, o 1996, a	42 USC §290do DE - TITLE 2). e list. Data Source: Type: DN nt's address. is blank if an IC or an HIV diagn	disorder d-2, 42 C Claim Alphan CD-10-CN osis (pati	FR Part 2, HIPF umeric I code indicates ents covered by SAFETY COI DSHS D	a ment 42 USO DE - TI	al health C \$290dd-2, 42 TLE 2).

Cadina ashama.	1 Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith,						
Coding scheme:		Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts,					
						armer,	Potter, Randall, Roberts,
	2	Sherman, Swisher, Terry, Archer, Baylor, Brown, C				stland.	Fisher, Foard, Hardeman,
	_	Haskell, Jack, Jones, Ken					
	2	Stonewall, Taylor, Throc					W 6 N D1
	3	Pinto, Parker, Rockwall,	Somervell, Ta	arrant, Wi	se counties		son, Kaufman, Navarro, Palo
	4	Anderson, Bowie, Camp, Marion, Morris, Panola, I					nderson, Hopkins, Lamar, ndt, Wood counties
	5	Angelina, Hardin, Housto	on, Jasper, Jef	ferson, N			Polk, Sabine, San Augustine,
	6	Austin, Brazoria, Chambe	San Jacinto, Shelby, Trinity, Tyler counties Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery,				
	7	Walker, Waller, Wharton counties Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes,					
	,	Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson,					
	8	San Saba, Travis, Washington, Williamson counties Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales,					
	O	Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val					
		Verde, Victoria, Wilson,				~ 1	
	9						sscock, Howard, Irion, Kimble, Schleicher, Sterling, Sutton,
		Terrell, Tom Green, Upto				tee res,	bemelener, stermig, sutton,
	10	Brewster, Culberson, El I				IZl	. VI-b I : O-b
	11	Aransas, Bee, Brooks, Ca McMullen, Nueces, Refu				•	
	``	Invalid					
Beginning Position:	43		Data So	urce:	Assigned		
Length:	2	CTH OF CEDITOR	Type:		Alphanumeric		
Field 15:		GTH_OF_SERVICE		E	ware Data through C	4-4	and Thur Data The
Description:		gth of service in days <i>e</i> mum length of service				tatem	ent Inru Date. The
Beginning Position:	45	mum length of service	Data So		Calculated		
Length:	2		Type:	u1 cc.	Alphanumeric		
Field 16:		_AGE			•		
Description:	Code	e indicating age of pati	ent in days	or year	s on date of service		
Coding Scheme:	00	0-28 days	10	35-39		20	85-89
	01 02	29-365 days 1-4 years	11 12	40-44 45-49		21 HIV	90+ and drug/alcohol use patients:
	03	5-9	13	50-54		22	0-17
	04	10-14	14	55-59		23	18-44
	05	15-17	15	60-64		24	45-64
	06 07	18-19 20-24	16 17	65-69 70-74		25 26	65-74 75+
	08	25-29	18	75-79		``	Invalid
	09	30-34	19	80-84			
Beginning Position:	47		Data So	urce:	Assigned		
Length:	2	NE .	Type:		Alphanumeric		
Field 17: Description:	RA('s roos				
Suppression:		e indicating the patient		s of one	race that race is ch	anaed	to 'Other' (code equals 5).
Coding Scheme:	11 a 1	American Indian/Eskimo		5 O1 O11C	Tace that face is chi	angcu	to Other (code equals 3).
county benefite.	2	Asian or Pacific Islander					
	3 4	Black White					
	5	Other					
	`	Invalid	_				
Beginning Position:	49		Data So	urce:	Claim		
Length:	l Exercises		Type:		Alphanumeric		
Field 18:		INICITY		C 41	4: <i>4</i>		
Description:	Code	e indicating the Hispan	iic origin o	tne pa	uent.		

DSHS/THCIC www.dshs.texas.gov/THCIC

- Page 12 -

DSHS Document # E25-14164 Last Updated: July, 2025

Suppression:	If a facility has fewer than ten patients of one race the ethnicity of patients of that race is
Coding Scheme:	suppressed (code is blank). 1 Hispanic Origin 2 Not of Hispanic Origin
Doginaina Dogition	Invalid Data Source: Claim
Beginning Position: Length:	1 Type: Alphanumeric
Field 19:	FIRST_PAYMENT_SRC
Description:	Code indicating the expected primary source of payment.
Coding Scheme:	09 Self Pay (Removed from 5010 format, use "ZZ" HM Health Maintenance Organization
	beginning 2Q2012 data) 10 Central Certification LI Liability
	11 Other Non-federal Programs LM Liability Medical
	12 Preferred Provider Organization (PPO) MA Medicare Part A
	13 Point of Service (POS) MB Medicare Part B 14 Exclusive Provider Organization (EPO) MC Medicaid
	15 Indemnity Insurance TV Title V
	16 Health Maintenance Organization (HMO) OF Other Federal Program Medicare Risk
	AM Automobile Medical VA Veteran Administration Plan BL Blue Cross/Blue Shield WC Workers Compensation Health Claim
	CH CHAMPUS ZZ Charity, Indigent or Unknown
	CI Commercial Insurance Invalid
	DS Disability Insurance
Beginning Position:	51 Data Source: Claim
Length:	2 Type: Alphanumeric
Field 20:	SECONDARY_PAYMENT_SRC
Description:	Code indicating the expected secondary source of payment.
Coding Scheme:	Same as field FIRST_PAYMENT_SRC
Beginning Position:	Data Source: Claim
Length:	2 Type: Alphanumeric
Field 21:	TYPE_OF_BILL Describes an air a information about the alaim data submitted. First digit, toward facility.
Description:	Provides specific information about the claim data submitted. First digit = type of facility.
Coding Scheme:	Second digit = type of care. Third digit = sequence of the claim. 1^{st} digit—Type of Facility 2^{nd} digit—Type of Care 3^{rd} digit—Sequence of claim
Couning Scheme.	1 Hospital 1 Inpatient, including Medicare 0 Non-payment/Zero claim
	Part A
	2 Skilled nursing 2 Inpatient, Medicare Part B only 1 Admit through discharge claim 3 Home health 3 Outpatient 2 Interim—first claim
	4 Religious non-medical health 4 Outpatient Other, Medicare 3 Interim—continuing claim
	care–Hospital Part B only
	5 Religious non-medical health 5 Intermediate Care—Level I 4 Interim—last claim care—Extended care
	6 Intermediate care 6 Intermediate Care—Level II 5 Late charge(s) only claim 7 Clinic 7 Sub-acute inpatient – Level III 6 Adjustment of prior claim (Not
	used by Medicare)
	8 Special facility 8 Swing bed 7 Replacement of prior claim
D!! D!4!	8 Void/cancel of prior claim
Beginning Position: Length:	55 Data Source: Claim 3 Type: Alphanumeric
Field 22:	CONDITION_CODE_1
1 icid 22.	Code describing a condition relating to the claim.
Coding Scheme:	01 Military service related 83 C-section/Inductions 39 weeks or greater
couning sometimes	02 Condition is employment related 84 Dialysis for Acute Kidney Injury (AKI)
	Patient covered by insurance not reflected here 85 Delayed Recertification of Hospice Terminal Illness
	04 Information only bill. 86 Additional Hemodialysis Treatment with Medical Justification
	05 Lien has been filed A0 TRICARE external partnership program
	ESRD patient in first 18 months of entitlement A1 FPSDT/CHAP
	COVERED by EGHP Treatment of non-terminal condition for hospice
	07 Physically handicapped children's program
DSHS/THCIC	DSHS Document # E25-14164
www.dshs.texas.gov	THCIC Page 13 Last Updated: July, 2025

08	Beneficiary would not provide information	A3	Special Federal Funding
09	concerning other insurance coverage Neither patient or spouse is employed	A4	Family planning
10	Patient and/or spouse is employed but no EGHP	A5	Disability
10	exists	AJ	Disability
11	Disabled beneficiary but no LGHP coverage exists	A6	Vaccines/Medicare 100% payment
17	Patient is homeless	A9	Second opinion surgery
18	Maiden name retained	AA	Abortion performed due to rape
19	Child retains mother's name	AB	Abortion performed due to incest
20	Beneficiary requested billing	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality
21	Billing for denial notice	AD	Abortion performed due to life endangering physical condition
22	Patient on multiple drug regimen	AE	Abortion performed due to physical health of mother that is not life endangering
23	Home care giver available	AF	Abortion performed due to emotional/psychological health of mother
24	Home IV patient also receiving HHA services	AG	Abortion performed due to social or economic reasons
25	Patient is non-US resident	AH	Elective abortion
26	VA eligible patient chooses to receive services in a Medicare certified facility	ΑI	Sterilization
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AJ	Payer responsible for co-payment
28	Patient and/or spouse's EGHP is secondary to Medicare	AK	Air ambulance required
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	AL	Specialized treatment/bed unavailable
30	Non-research services provided to patients enrolled in a qualified clinical trial	AM	Non-emergency medically necessary stretcher transport required
31	Patient is student (full time - day)	AN	Pre-admission screening not required
32	Patient is student (cooperative/work study program)	В0	Medicare coordinated care demonstration claim
33	Patient is student (full time - night)	B1	Beneficiary is ineligible for demonstration program
34	Patient is student (part-time)	B4	Admission unrelated to discharge on same day
36	General care patient in a special unit	BP	Gulf Oil Spill of 2010
37	Ward accommodation at patient request	C1	Approved as billed
38	Semi-private room not available	C2	Automatic approval as billed based on focused review
39	Private room medically necessary	C3	Partial approval
40	Same day transfer	C4	Admission/services denied
41	Partial hospitalization	C5	Post payment review applicable
42	Continuing care not related to inpatient admission	C6	Admission Preauthorization
43	Continuing care not provided within prescribed postdischarge window	C7	Extended Authorization
44	Inpatient admission changed to outpatient	D0	Changes to Service Dates
45	Ambiguous Gender Category	D1	Changes to Charges
46	Non-availability statement on file	D3	Second or Subsequent Interim PPS Bill Change in clinical and as (ICD) for diagnosis
47	Transfer from another Home Health Agency	D4	Change in clinical codes (ICD) for diagnosis and/or procedure codes.
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D5	Cancel to correct Insured's ID or Provider ID
49	Product replacement within product lifecycle	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
50	Product Replacement for Known Recall of a Product	D7	Change to Make Medicare the Secondary Payer
51	Attestation of Unrelated Outpatient Nondiagnostic Services	D8	Change to Make Medicare the Primary Payer
52	Out of Hospice Service Area	D9	Any Other Change
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	DR	Disaster related

	54	No Skilled Home Health Visits in Billing Period Policy Exception Documented at the Home	l. E0	Changes in Patient Status
		Health Agency		
	55	SNF bed not available	G0	Distinct Medical Visit
	56	Medical appropriateness	H0	Delayed Filing, Statement of Intent Submitted
	57	SNF readmission Terminated Medicare+Choice organization	H2	Discharge by a Hospice Provider for Cause
	58	enrollee	Н3	Reoccurrence of GI Bleed Comorbid Category
	59	Non-primary ESRD facility	H4	Reoccurrence of Pneumonia Comorbid Category
	60	Day outlier	H5	Reoccurrence of Pericarditis Comorbid Category
	61	Cost outlier	P1	Do not Resuscitate Order (DNR)
	66	Provider does not wish cost outlier payment	P7	Direct Inpatient Admission from Emergency Room
	67	Beneficiary elects not to use life time reserve (LTR) days	R1	Request for reopening Reason Code - Mathematical or Computational Mistake
	68	Beneficiary elects to use life time reserve (LTR) days	R2	Request for reopening Reason Code -Inaccurate Data Entry
	69	IME/DGME/N&AH Payment Only	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	70	Self-administered anemia management drug	R4	Request for reopening Reason Code - Computer Errors
	71	Full care in unit	R5	Request for reopening Reason Code - Incorrectly Identified Duplicate Claim
	72	Self care in unit	R6	Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	73	Self care training	R7	Request for reopening Reason Code - Corrections other than clerical errors
	74	Home		Request for reopening Reason Code - New and Material Evidence
	75	Home - 100% reimbursement	R9	Request for reopening Reason Code - Faulty Evidence
	76	Back-up in facility dialysis	WO	United Mine Workers of America (UMWA) Demonstration Indicator
	77	Provider accepts or is obligated/required due to contractual arrangement or law to accept payment by a primary payer as payment	w2	Duplicate of Original Bill
	78	New coverage not implemented by HMO	W3	Level I Appeal
	79	CORF services provided offsite	W4	Level II Appeal
	80	Home dialysis - nursing facility	W5	Level III Appeal
	81	C-section/Inductions <39 Weeks-Medical Necessity		
	82	C-section/Inductions <39 Weeks-Elective		
Beginning Position:	58	Data Source:	Claim	
Length:	2	Type:	Alphanu	imeric
Field 23:		IDITION_CODE_2		
		describing a condition relating to the cla	aim.	
Coding Scheme:		e as Field CONDITION_CODE_1.	CI.	
Beginning Position:	60	Data Source:	Claim	
Length: Field 24:	2	Type: IDITION CODE 3	Alphanu	imeric
rieia 24:		describing a condition relating to the cla	aim	
Coding Scheme:		e as Field CONDITION CODE 1.	aiiii.	
Beginning Position:	62	Data Source:	Claim	
Length:	2		Claim Alphanumeric	
		Type:	Aiphani	interic
Field 25:		IDITION_CODE_4 describing a condition relating to the cla	aim.	
Coding Scheme:		e as Field CONDITION_CODE_1.		
Beginning Position:	64	Data Source:	Claim	
Length:	2	Type:	Alphanu	imeric
Field 26:		IDITION_CODE_5	piiuiit	
11010 201		describing a condition relating to the cla	aim.	
	2000	a condition forming to the ch		DOMO D

- Page 15 -

DSHS Document # E25-14164

Last Updated: July, 2025

DSHS/THCIC

Coding Scheme: Same as Field CONDITION_CODE_1. **Beginning Position:** 66 **Data Source:** Claim Length: Type: Alphanumeric **Field 27: CONDITION CODE 6** Code describing a condition relating to the claim. Same as Field CONDITION CODE 1. **Coding Scheme: Beginning Position: Data Source:** 68 Claim Length: Type: Alphanumeric CONDITION_CODE 7 Field 28: Code describing a condition relating to the claim. **Coding Scheme:** Same as Field CONDITION CODE 1. **Beginning Position:** 70 **Data Source:** Length: 2 Type: Alphanumeric Field 29: **CONDITION CODE 8** Code describing a condition relating to the claim. **Coding Scheme:** Same as Field CONDITION_CODE_1. **Beginning Position: Data Source:** 72 Claim Length: Type: Alphanumeric Field 30: PAT REASON FOR VISIT ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. *Note: As of January 1, 2022, THCIC is no longer collecting PAT REASON FOR VISIT in **Outpatient Professional claims Beginning Position:** 74 **Data Source:** Claim Length: 7 Type: Alphanumeric Field 31: PRINC DIAG CODE ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim 81 Alphanumeric Length: Type: OTH_DIAG_CODE_1 Field 32: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 88 **Data Source:** Claim Length: 7 Type: Alphanumeric Field 33: OTH_DIAG_CODE_2 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 95 Claim **Data Source:** Length: Alphanumeric Type: Field 34: OTH DIAG CODE 3 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 102 **Data Source:** Claim Length: Type: Alphanumeric Field 35: OTH_DIAG_CODE_4 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 109 **Data Source:** Claim Length: Type: Alphanumeric OTH DIAG CODE 5 Field 36: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 116 **Data Source:** Claim Length: 7 Alphanumeric Type: DSHS/THCIC **DSHS Document** # E25-14164

Page 16

Last Updated: July, 2025

Field 37:	OTH_DIAG_CODE_6	
ricia 57.		g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third character	
Beginning Position:	123 Data So	
Length:	7 Type:	Alphanumeric
Field 38:	OTH_DIAG_CODE_7	·
	ICD-10-CM diagnosis code, includin	g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third character	
Beginning Position:	130 Data S	
Length:	7 Type:	Alphanumeric
Field 39:	OTH_DIAG_CODE_8	
		g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Doginning Dogition.	implied following the third character 137 Data S	
Beginning Position: Length:	137 Data S 6 Type:	Alphanumeric
Field 40:	OTH_DIAG_CODE_9	Aiphanumenc
riciu 40.		g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third character	
Beginning Position:	144 Data So	
Length:	7 Type:	Alphanumeric
Field 41:	OTH_DIAG_CODE_10	•
	ICD-10-CM diagnosis code, includin	g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third character	
Beginning Position:	151 Data S	
Length:	7 Type:	Alphanumeric
Field 42:	OTH_DIAG_CODE_11	
		g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Doginalna Dogisian.	implied following the third character 158 Data S	
Beginning Position: Length:	158 Data S 6 Type:	ource: Claim Alphanumeric
Field 43:	OTH_DIAG_CODE_12	Aiphanumere
riciu 45.		
		g the 4th 5th 6th and 7th digits if applicable. Decimal is
	ICD-10-CM diagnosis code, including	g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:		•
Beginning Position: Length:	ICD-10-CM diagnosis code, including implied following the third character	•
	ICD-10-CM diagnosis code, including implied following the third character 165 Data S ection 165	ource: Claim
Length:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Set 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including the control of the character	ource: Claim Alphanumeric g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character	ource: Claim Alphanumeric g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position:	ICD-10-CM diagnosis code, including implied following the third characters 165 Data Set 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including implied following the third characters 172 Data Set 172	cource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim
Length: Field 44: Beginning Position: Length:	ICD-10-CM diagnosis code, including implied following the third characters 165 Data Set 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including implied following the third characters 172 Data Set 7 Type:	ource: Claim Alphanumeric g the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position:	ICD-10-CM diagnosis code, including implied following the third character 165 Data Scott Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including implied following the third character 172 Data Scott Type: OTH_DIAG_CODE_14	ource: Claim Alphanumeric g the 4th, 5th, 6th and 7th digits if applicable. Decimal is Ource: Claim Alphanumeric
Length: Field 44: Beginning Position: Length:	ICD-10-CM diagnosis code, including implied following the third character 165 Data Set 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including implied following the third character 172 Data Set 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, including including the third character 172 Data Set 7 Type:	ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position: Length: Field 45:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 170 Data Sc 170 Data	ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position:	ICD-10-CM diagnosis code, including implied following the third characters 165 Data Set 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including implied following the third characters 172 Data Set 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, including implied following the third characters 179 Data Set 179 Data Set 179 Data Set 179	ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Claim Claim
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type:	ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is ource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type: OTH_DIAG_CODE_15	cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric Claim Alphanumeric
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc. 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc. 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc. 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, including the third character 179 Data Sc. 7 Type:	cource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type: OTH_DIAG_CODE_15	cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric Ing the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric Ing the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric Ing the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource.
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type:	cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource to the 4th, 5th, 6th and 7th digits if applicable. Decimal is a course of the 4th, 5th, 6th and 7th digits if applicable. Decimal is a course of the 4th, 5th, 6th and 7th digits if applicable.
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc 7 Type: OTH_DIAG_CODE_16	Durce: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Durce: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Durce: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46: Beginning Position: Length:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc 7 Type:	Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46: Beginning Position: Length: Field 47:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc. 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc. 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc. 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type:	Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46: Beginning Position: Length: Field 47:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc. 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc. 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc. 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 193 Data Sc. 193	Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric ag the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Claim Claim Claim Claim
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46: Beginning Position: Length: Field 47:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc. 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc. 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc. 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type:	Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is Dource: Claim Alphanumeric
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46: Beginning Position: Length: Field 47: Beginning Position: Length: Field 47:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 193 Data Sc 7 Type:	Durce: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric
Length: Field 44: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46: Beginning Position: Length: Field 47:	ICD-10-CM diagnosis code, includin implied following the third character 165 Data Sc. 7 Type: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, includin implied following the third character 172 Data Sc. 7 Type: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, includin implied following the third character 179 Data Sc. 7 Type: OTH_DIAG_CODE_15 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 186 Data Sc. 7 Type: OTH_DIAG_CODE_16 ICD-10-CM diagnosis code, includin implied following the third character 193 Data Sc. 7 Type:	Durce: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric In the 4th, 5th, 6th and 7th digits if applicable. Decimal is a cource: Claim Alphanumeric

Field 48:	OTH_DIAG_CODE_17		
1 iciu 40.		e, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	200	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 49:	OTH_DIAG_CODE_18		
	ICD-10-CM diagnosis code	e, including the 4t	th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	207	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 50:	OTH_DIAG_CODE_19		1. 5d. 7d
			h, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:	implied following the third 214	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 51:	OTH_DIAG_CODE_20	турс.	raphanameric
11010 511		e, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		, , , ,
Beginning Position:	221	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 52:	OTH_DIAG_CODE_21		
	ICD-10-CM diagnosis code	e, including the 41	th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	228	Data Source:	Claim
Length:	7 OTH DIAG CODE 22	Type:	Alphanumeric
Field 53:	OTH_DIAG_CODE_22	inaludina tha At	h 5th 6th and 7th digits if applicable Designal is
	implied following the third		th, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:	235	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 54:	OTH_DIAG_CODE_23	J.F.	r
	ICD-10-CM diagnosis code	e, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	242	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 55:	OTH_DIAG_CODE_24		
			th, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:	implied following the third 249	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 56:	RELATED_CAUSE_COI		Alphanumere
ricia 50.			an illness, injury or an accident.
Coding Scheme:	AA Auto accident		
8	AB Abuse		
8	AP Another party responsible		
ğ	AP Another party responsible EM Employment		
	AP Another party responsible EM Employment OA Other accident		
Beginning Position:	AP Another party responsible EM Employment OA Other accident 256	Data Source:	Claim
Beginning Position: Length:	AP Another party responsible EM Employment OA Other accident 256 2	Type:	Claim Alphanumeric
Beginning Position:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI	Type: DE _2	Alphanumeric
Beginning Position: Length: Field 57:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI Code identifying an accomp	Type: DE _2 panying cause of	Alphanumeric an illness, injury or an accident.
Beginning Position: Length: Field 57: Coding Scheme:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI Code identifying an accomp Same as Field RELATED_	Type: DE _2 panying cause of CAUSE_CODE_	Alphanumeric an illness, injury or an accident. 1.
Beginning Position: Length: Field 57: Coding Scheme: Beginning Position:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI Code identifying an accomp Same as Field RELATED_0 258	Type: DE _2 panying cause of CAUSE_CODE_ Data Source:	Alphanumeric an illness, injury or an accident. 1. Claim
Beginning Position: Length: Field 57: Coding Scheme: Beginning Position: Length:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI Code identifying an accomp Same as Field RELATED_C 258 2	Type: DE _2 panying cause of CAUSE_CODE_ Data Source: Type:	Alphanumeric an illness, injury or an accident. 1.
Beginning Position: Length: Field 57: Coding Scheme: Beginning Position: Length: Field 58:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI Code identifying an accomp Same as Field RELATED_0 258	Type: DE _2 panying cause of CAUSE_CODE_ Data Source: Type:	Alphanumeric an illness, injury or an accident. 1. Claim Alphanumeric
Beginning Position: Length: Field 57: Coding Scheme: Beginning Position: Length:	AP Another party responsible EM Employment OA Other accident 256 2 RELATED_CAUSE_COI Code identifying an accomp Same as Field RELATED_0 258 2 RELATED_CAUSE_COI	Type: DE _2 panying cause of CAUSE_CODE_ Data Source: Type:	Alphanumeric an illness, injury or an accident. 1. Claim

Code identifying an accompanying cause of an illness, injury or an accident. **Coding Scheme:** Same as Field RELATED CAUSE CODE 1. **Beginning Position:** 260 Data Source: Claim Length: Alphanumeric Type: E CODE 1 Field 59: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the primary external cause of morbidity. A decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric Field 60: E CODE 2 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 269 Data Source: Claim Length: Type: Alphanumeric Field 61: E CODE 3 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: Alphanumeric Type: Field 62: E CODE 4 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 283 Data Source: Claim Length: 7 Type: Alphanumeric Field 63: E CODE 5 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: Alphanumeric 7 Type: Field 64: E CODE 6 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 297 **Data Source:** Claim Length: Type: Alphanumeric Field 65: E CODE 7 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 304 **Data Source:** Claim Length: 7 Alphanumeric Type: Field 66: E CODE 8 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 311 **Data Source:** Claim Length: 7 Type: Alphanumeric E CODE 9 Field 67: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 318 **Data Source:** Claim Length: Alphanumeric Type: Field 68: E CODE 10 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 325 **Data Source:** Claim Length: Alphanumeric Type: Field 69: PROC CODE 1 DSHS/THCIC **DSHS Document** # E25-14164 Page 19

Last Updated: July, 2025

Code for the surgical or other procedure with the highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 332 **Data Source:** Claim Length: Alphanumeric Type: 5 Field 70: PROC CODE 2 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** Claim Length: Alphanumeric 5 Type: **Field 71:** PROC CODE 3 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 342 Data Source: Claim Length: 5 Type: Alphanumeric **Field 72:** PROC CODE 4 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** 347 Claim Length: Alphanumeric Type: PROC CODE 5 Field 73: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 352 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 74: PROC_CODE 6 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** 357 Claim Length: Alphanumeric Type: 5 Field 75: PROC CODE 7 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 362 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 76: PROC CODE 8 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 367 **Data Source:** Claim Length: Type: Alphanumeric **Field 77:** PROC CODE 9 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 372 **Data Source:** Claim Length: Alphanumeric 5 Type: Field 78: PROC CODE 10 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 377 **Data Source:** Claim Length: Alphanumeric Type: **Field 79**: PROC CODE 11 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 382 **Data Source:** Claim Length: Alphanumeric Type: Field 80: PROC CODE 12 DSHS/THCIC **DSHS Document** # E25-14164 Page 20

www.dshs.texas.gov/THCIC

Last Updated: July, 2025

Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 387 **Data Source:** Claim Length: Alphanumeric Type: 5 PROC CODE 13 Field 81: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** Claim Length: Alphanumeric 5 Type: Field 82: PROC CODE 14 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 397 Data Source: Claim Length: 5 Type: Alphanumeric Field 83: PROC CODE 15 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 402 **Data Source:** Claim Length: 5 Type: Alphanumeric PROC CODE 16 Field 84: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 407 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 85: PROC CODE 17 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position: Data Source:** 412 Claim Length: Alphanumeric 5 Type: Field 86: PROC CODE 18 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 417 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 87: PROC CODE 19 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 422 **Data Source:** Claim Length: 5 Type: Alphanumeric Field 88: PROC CODE 20 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 427 **Data Source:** Claim Length: 5 Alphanumeric Type: Field 89: PROC CODE 21 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 432 **Data Source:** Claim Length: Alphanumeric 5 Type: Field 90: PROC CODE 22 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 437 **Data Source:** Claim Length: Alphanumeric Type: Field 91: PROC CODE 23 DSHS/THCIC **DSHS Document** # E25-14164 Page 21

Last Updated: July, 2025

Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 442 **Data Source:** Claim Length: Alphanumeric 5 Type: PROC CODE 24 Field 92: Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 447 **Data Source:** Claim Length: Alphanumeric 5 Type: Field 93: PROC CODE 25 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code. **Beginning Position:** 452 Data Source: Claim Length: 5 Type: Alphanumeric Field 94: OTHER AMOUNT Ancillary Service Charge, Other Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0002-0099, 022X-024X, 052X-053X, 055X-060X, 064X-070X, 076X-078X, 090X-095X, 099X. **Beginning Position: Data Source:** 457 Calculated Length: 12 Type: Numeric Field 95: PHARM AMOUNT Ancillary Service Charge, Pharmacy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 026X, 063X. **Beginning Position:** 469 **Data Source:** Calculated Length: 12 Numeric Type: Field 96: MEDSURG AMOUNT Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 027X, 062X. **Beginning Position:** 481 **Data Source:** Calculated 12 Length: Type: Numeric DME AMOUNT **Field 97:** Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue centers 0290-0292, 0294-0299. **Beginning Position:** 493 **Data Source:** Calculated Length: 12 Type: Numeric Field 98: USED DME AMOUNT Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0293. **Beginning Position:** 505 **Data Source:** Calculated Length: 12 Type: Numeric Field 99: PT AMOUNT Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 042X. **Beginning Position: Data Source:** Calculated 517 Length: Numeric 12 Type: OT_AMOUNT **Field 100:** Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 043X. 529 **Beginning Position: Data Source:** Calculated DSHS/THCIC **DSHS Document** # E25-14164 Page 22 Last Updated: July, 2025

Length:	12	Type:	Numeric		
Field 101:	SPEECH_AMOUNT				
	algorithm. Sum of charges a 044X, 047X.	associated with re	Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center		
Beginning Position:	541	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 102:	IT_AMOUNT				
			y Charge Amount. Calculated using MEDPAR		
	algorithm. Sum of charges a 041X, 046X.	associated with re	evenue codes other than 0100-0219, revenue center		
Beginning Position:	553	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 103:	BLOOD AMOUNT	* *			
		or blood provided	during the patient's stay. Calculated using		
			ated with revenue codes other than 0100-0219,		
	revenue center 038X.	8			
Beginning Position:	565	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 104:	BLOOD_ADMIN_AMOU				
11000 10 11	Ancillary Service Charge for	or blood storage at algorithm. Sum	and processing related to the patient's stay. of charges associated with revenue codes other		
Beginning Position:	577	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 105:	OR AMOUNT	Type.	Numeric		
rieid 105:	_	D	Classical Calada da da MEDDAD		
	algorithm. Sum of charges a 036X, 071X-072X.	associated with re	Charge amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center		
Beginning Position:	589	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 106:	LITH_AMOUNT				
			e Amount. Calculated using MEDPAR algorithm.		
			es other than 0100-0219, revenue center 079X.		
Beginning Position:	601	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 107:	CARD_AMOUNT				
	Ancillary Service Charge, C	Cardiology Charg	e Amount. Calculated using MEDPAR algorithm.		
	Sum of charges associated v 073X.	with revenue code	es other than 0100-0219, revenue center 048X,		
Beginning Position:	613	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 108:	ANES_AMOUNT	JT			
11014 1001		Anesthesia Charg	e Amount. Calculated using MEDPAR algorithm.		
			es other than 0100-0219, revenue center 037X.		
Beginning Position:	625	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 109:	LAB_AMOUNT	турс.	rumene		
riciu 107.		aboratory Chara	e Amount. Calculated using MEDPAR algorithm.		
			es other than 0100-0219, revenue center 030X-		
Beginning Position:	637	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 110:	RAD_AMOUNT	÷ J P • •			
_ 1014 11V	THE PART OF THE PA				

DSHS/THCIC Page 23 DSHS Document # E25-14164

www.dshs.texas.gov/THCIC Last Updated: July, 2025

Ancillary Service Charge, Radiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 028X, 032X-035X, 040X. **Beginning Position:** 649 **Data Source:** Calculated Length: 12 Numeric Type: Field 111: MRI AMOUNT Ancillary Service Charge, MRI Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 061X. **Beginning Position:** 661 **Data Source:** Calculated Length: 12 Type: Numeric **Field 112:** OP AMOUNT Ancillary Service Charge, Outpatient Services Charge Amount, Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 049X-050X. **Beginning Position:** 673 **Data Source:** Calculated Length: 12 Type: Numeric **Field 113:** ER AMOUNT Ancillary Service Charge, Emergency Room Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 045X. **Beginning Position:** 685 **Data Source:** Calculated Length: 12 Type: Numeric AMBULANCE AMOUNT **Field 114:** Ancillary Service Charge, Ambulance Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 054X. **Beginning Position: Data Source:** Calculated Length: 12 Numeric Type: PRO FEE AMOUNT **Field 115:** Ancillary Service Charge, Professional Fee Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 096X-098X. **Beginning Position:** 709 **Data Source:** Calculated Length: 12 Type: Numeric ORGAN_AMOUNT **Field 116:** Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 081X, 089X. **Beginning Position: Data Source:** Calculated 721 Length: 12 Type: Numeric **Field 117:** ESRD AMOUNT Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 080X, 082X-085X, 088X. **Beginning Position:** 733 **Data Source:** Calculated Length: 12 Type: Numeric CLINIC AMOUNT **Field 118:** Ancillary Service Charge, Clinic Visit Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 051X. **Beginning Position: Data Source:** Calculated 745 Length: 12 Type: Numeric **Field 119:** TOTAL CHARGES Sum of accommodation charges, non-covered accommodation charges, ancillary charges, noncovered ancillary charges. Replaces TOTAL_CHARGES_23. **Beginning Position:** 757 **Data Source:** Claim Length: 12 Numeric Type: DSHS/THCIC **DSHS Document** # E25-14164

Page 24

www.dshs.texas.gov/THCIC

Last Updated: July, 2025

Field 120:	TOTAL_NON_COV_CHA		s, non-covered ancillary charges.
Beginning Position:	769	nodation charges Data Source:	claim
	12		Numeric
Length: Field 121:	TOTAL_CHARGES_ANG	Type:	Numeric
rieid 121:			204000
Danimuiu a Danisi am	Sum of covered and non-cov		
Beginning Position:	781	Data Source:	Claim
Length:	12	Type:	Numeric
Field 122:	TOTAL_NON_COV_CHA	_	ı.
D 1 1 D 1/1	Sum of non-covered ancillar		
Beginning Position:	793	Data Source:	Claim
Length:	12	Type:	Numeric
Field 123:	PHYSICIAN1_INDEX_N		
			ysician reported as the Operating Physician, if
			t, or Rendering Physician 1, if reported in the 837
			adividual licensed to practice medicine under the
			ractitioner other than a physician who provides a
			the outpatient's surgical or radiological
			ist, chiropractor, dentist, nurse practitioner, nurse
	midwife or podiatrist, author		
Suppression:			eported for a facility or the number of physicians
a 11 a 1	reported for CCS_PROC_C		acility is less than five.
Coding Scheme:	99999999999999999999999999999999999999		r could not be matched
Beginning Position:	805	Data Source:	Assigned
Length:	10	Type:	Alphanumeric
Field 124:	PHYSICIAN2_INDEX_N		Alphanumeric
riciu 124.			usician reported as the other provider if reported in
			ysician reported as the other provider, if reported in
			ndering Physician 2, if reported in the 837
			dividual licensed to practice medicine under the
			ractitioner other than a physician who provides a
			the outpatient's surgical or radiological
			ist, chiropractor, dentist, nurse practitioner, nurse
C	midwives or podiatrist, auth		
Suppression:			eported for a facility or the number of physicians
G 11 G 1	represented for CCS_PROC		facility is less than five.
Coding Scheme:	99999999999999999999999999999999999999		r could not be matched
Beginning Position:		Data Source:	
Length:	10	Type:	Alphanumeric
Field 125:	INPUT FORMAT	туре.	Alphanumene
1 161U 123.	Format in which the outpation	ent data file wee	submitted by the facility
Coding Scheme:	0 837 Professional	an uaia ine was	submitted by the facility
Coung Scheme:	1 837 Institutional		
Beginning Position:	825	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 126:	SOURCE_OF_ADMISSIO		
Description:	Code indicating source of the		
Coding Scheme:	1 Non-Healthcare Facility		inning July 1, 2010)
	2 Clinic or Physician's Of		
	4 Transfer from a hospital		
			nediate care facility or assisted living facility
	6 Transfer from another he 8 Court/Law Enforcement	ann care facility	
	9 Information not available	2	
			tal to another Distinct Unit of the Same Hospital Resulting in a
	Separate Claim to the Pa	yer	
	E Transfer from Ambulato	ry Surgery Center	
			DSHS Document # E25-14164
1) CHC/1 H1 11			
DSHS/THCIC www.dshs.texas.gov/	THCIC	- Page 25	Last Updated: July, 2025

F Transfer from a Hospice Facility Invalid If Type of Admission=4 (Newborn) Born inside this hospital 5 Born outside this hospital 6 **Beginning Position:** 826 **Data Source:** Claim Length: Type: Alphanumeric **Field 127:** PAT STATUS **Description:** Code indicating patient status as of the ending date of service for the period of care reported **Coding Scheme:** Discharged to home or self-care (routine discharge) 02 Discharged/transferred to a short-term general hospital for inpatient care 03 Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled 04 Discharged/transferred to a facility that provides custodial or supportive care Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007) 05 Discharged/transferred to home under care of an organized home health service organization in anticipation of 06 covered skilled care 07 Left against medical advice Admitted as inpatient to this hospital 09 20 Expired 21 Discharged/transferred to Court/Law Enforcement 30 Still patient 40 Expired at home 41 Expired in a medical facility 42 Expired, place unknown 43 Discharged/transferred to federal government operated health facility 50 Hospice-home 51 Hospice-medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed 61 62 Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital 63 64 Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare 65 Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital 66 Discharged/transferred to Critical Access Hospital (CAH) Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013) 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list 81 Discharged to Home or Self Care with a Planned Acute, Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Short-Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 83 Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 84 Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission 87 (effective 10-1-2013) 88 Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care 89 Hospital Inpatient Readmission (effective 10-1-2013) 90 Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 91 Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 92 Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital with a Planned 93 Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Critical Access Hospital (CAH) with a Planned Acute Care Hospital Inpatient 94 Readmission (effective 10-1-2013) 95 Discharged/Transferred to Another Type of Health Care Institution not Defined Elsewhere in this Code List with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Invalid **Beginning Position:** 827 **Data Source:** Claim DSHS/THCIC **DSHS Document** # E25-14164 Page 26

www.dshs.texas.gov/THCIC

Last Updated: July, 2025

Length:	2	Type:	Alphanumeric		
Field 128:	PROVIDER_NAME				
Description:	Name provided by the facility.				
Suppression:	Facilities reporting fewer than 50 events (Provider ID equals '999999') are assigned the name				
	'Low Volume Facility'. If	a facility reported	fewer than 5 events (Provider ID equals '999998')		
	for a particular gender, incl	luding 'unknown',	provider name, patient ZIP code are blank for		
	those patients				
Beginning Position:	829	Data Source:	Provider		
Length:	55	Type:	Alphanumeric		
Field 129:	EMERGENCY_DEPT_F	LAG			
Description:	Indicator of emergency dep	partment visit.			
Coding Scheme:	Y visit was emergency relat				
9	N Visit was not emergency	related			
Beginning Position:	884	Data Source:	Assigned		
Length:	1	Type:	Alphanumeric		

CLASSIFICATION DATA FILE

	CLASSIFI	CATION D	DATA FILE
Field 1:	RECORD_ID		
Description:		er. Unique numb	per assigned to identify the record. First available 1st
L			D ID in THCIC Research Data Files (RDF's).
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	CCSR_ PRIN_DIAG_COI		•
			CS) classification of PRIN_DIAG_CODE into
	clinically meaningful diagno		
Beginning Position:	13	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 3:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_1 into
	clinically meaningful diagno		
Beginning Position:	17	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 4:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_2 into
	clinically meaningful diagno		
Beginning Position:	21	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 5:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_3 into
D 1 1 D 11	clinically meaningful diagno	~ .	
Beginning Position:	25	Data Source:	Assigned
Length:	GGGD OTH DIAG GOD	Type:	Alphanumeric
Field 6:	CCSR_OTH_DIAG_COD		CSR) classification of OTH_DIAG_CODE_4 into
	clinically meaningful diagno		CSK) classification of OTH_DIAG_CODE_4 into
Beginning Position:	29	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 7:	CCSR_OTH_DIAG_COD		Alphanumeric
ricia /.			CSR) classification of OTH_DIAG_CODE_5 into
	clinically meaningful diagno		esty classification of offi_birto_cobb_3 into
Beginning Position:	33	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 8:	CCSR OTH DIAG COD		
	Clinical Classifications Soft	ware Refined (C	CSR) classification of OTH_DIAG_CODE_6 into
	clinically meaningful diagno	sis category.	
Beginning Position:	37	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 9:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_7 into
	clinically meaningful diagno		
Beginning Position:	41	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 10:	CCSR_OTH_DIAG_COD		
			CSR) classification of OTH_DIAG_CODE_8 into
	clinically meaningful diagno		
Beginning Position:	45	Data Source:	Assigned
Length:	GGGD OTH DIAG GOD	Type:	Alphanumeric
Field 11:	CCSR_OTH_DIAG_COD		GCD) 1 'C' (' COTTL DIAG GODE G'
			CSR) classification of OTH_DIAG_CODE_9 into
	clinically meaningful diagno	osis category.	
			DCHC D 4 F25 14164

DSHS/THCIC www.dshs.texas.gov/THCIC

- Page 28 -

DSHS Document # E25-14164

Last Updated: July, 2025

Field 12: CCSR OTH DIAG CODE 10	Beginning Position:	49	Data Source:	Assigned
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_10 into clinically meaningful diagnosis entegory.				Alphanumeric
Clinically meaningful diagnosis category.	Field 12:			CSR) classification of OTH_DIAG_CODE_10 into
Beginning Position: 53 Data Source: Alphanumeric				estry classification of offi_bird_cobb_10 into
Prief 13: CCSR OTH_DIAG_CODE_11	Reginning Position			Assigned
CCSR_OTH_DIAG_CODE_11	0 0			
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_11 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_12 Fleid 14: CCSR_OTH_DIAG_CODE_12 Fleid 15: CCSR_OTH_DIAG_CODE_13 Fleid 15: CCSR_OTH_DIAG_CODE_13 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_13 into clinically meaningful diagnosis category. Beginning Position: 65 Data Source: Clinically meaningful diagnosis category. Beginning Position: 65 Data Source: Assigned CCSR_OTH_DIAG_CODE_14 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_13 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_14 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_14 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_15				7 ii pii unui ii ei
clinically meaningful diagnosis category. Field 14: CCSR_OTH_DIAG_CODE_12 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_12 into clinically meaningful diagnosis category. Beginning Position: 1 Length: 4 Type: Alphanumeric CCSR_OTH_DIAG_CODE_13 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_13 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_13 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_13 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_14 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_14 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_15 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: To CCSR_OTH_DIAG_CODE_15 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: To Data Source: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Beginning Position: To Data Source: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: S1 Data Source: Alphanumeric CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: S1 Data Source: Alphanumeric CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: S1 Data Source: Alphanumeric CCSR_OTH_DIAG_CODE_19 Clinical Classifications	Ticia 15.			CSR) classification of OTH_DIAG_CODE_11 into
Beginning Position: 57				est, classification of offi_birto_cobb_ff into
Field 14: CCSR_OTH_DIAG_CODE_12 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_12 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_13	Reginning Position	• •		Assigned
CCSR_OTH_DIAG_CODE_12 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_12 into clinically meaningful diagnosis category. Code				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_12 into clinically meaningful diagnosis category. Beginning Position: Length: 4 Type: Abjanumeric				Tiphanameric
Clinical Unusaringful diagnosis category.	riciu 14.			CSR) classification of OTH DIAG CODE 12 into
Beginning Position: 61 Type: Alphanumeric				CSR/ classification of OTII_DIAG_CODE_12 into
Length: 4 Type: Alphanumeric	Reginning Position			Assigned
Field 15: CCSR_OTH_DIAG_CODE_13 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_13 into clinically meaningful diagnosis category. Beginning Position: 4 Type: Alphanumeric				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_13 into clinically meaningful diagnosis category. Proper				Aiphanumeric
Clinically meaningful diagnosis category.	riciu 13.			CSR) classification of OTH DIAG CODE 13 into
Beginning Position: 65 Data Source: Assigned Length: 4 Type: Alphanumeric Field 16: CCSR_OTH_DIAG_CODE_14 Clinical classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_14 into clinically meaningful diagnosis category. Beginning Position: 4 Type: Alphanumeric Field 17: CCSR_OTH_DIAG_CODE_15 Clinical Classification Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: 4 Type: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: A signed Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Alphanumeric Field 21: CCSR_O				CSR) classification of OTII_DIAG_CODE_13 into
Length: 4 Type: Alphanumeric Field 16: CCSR_OTH_DIAG_CODE_14 into clinical classifications of Software Refined (CCSR) classification of OTH_DIAG_CODE_14 into clinically meaningful diagnosis category. Beginning Position: 4 Type: Alphanumeric Field 17: CCSR_OTH_DIAG_CODE_15 Clinical classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Alphanumeric Beginning Position: 4 Type: Alphanumeric Length: 4 Type: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 Clinical classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Assigned Beginning Position: 7 Data Source: Assigned Length: 4 Type: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_18 Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: 8 Data Source: Assigned Beginning Position: 8 Data	Reginning Position			Assigned
Field 16: CCSR_OTH_DIAG_CODE_14 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_14 into clinically meaningful diagnosis category. Beginning Position: 4 Type: Alphanumeric Field 17: CCSR_OTH_DIAG_CODE_15 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: 73 Data Source: Assigned Length: 4 Type: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Beginning Position: 77 Data Source: Assigned Length: 4 Type: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: 81 Data Source: Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category.				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_14 into clinically meaningful diagnosis category. Peginning Position: 4 Type: Alphanumeric				Aiphanumeric
Content Con	ricia 10.			CSR) classification of OTH DIAG CODE 14 into
Beginning Position: 69 Data Source: Assigned Length: 4 Type: Alphanumeric Field 17: CCSR_OTH_DIAG_CODE_15 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: 4 Type: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Beginning Position: 77 Data Source: Assigned Length: 4 Type: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Assigned Beginning Position: 81 Data Source: Assigned Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Assigned Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classif				CSK) classification of OTII_DIAG_CODE_14 into
Length: 4 Type: Alphanumeric Field 17: CCSR_OTH_DIAG_CODE_15 CCSInical Classifications Software Refined (CSS) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: 73 Data Source: Assigned Field 18: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Assigned Beginning Position: 4 Type: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Assigned Beginning Position: 81 Data Source: Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Assigned Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 CCSR_OTH_DIAG_CODE_19 Assigned Length: 4 Type: Alphanumeric <th>Reginning Position</th> <th></th> <th></th> <th>Assigned</th>	Reginning Position			Assigned
CCSR_OTH_DIAG_CODE_15 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_15 into clinically meaningful diagnosis category. Beginning Position: Type: Alphanumeric				
Beginning Position CUSR_OTH_DIAG_CODE_16 Type: Alphanumeric				Aiphanumeric
Clinically meaningful diagnosis category. Table 1996	riciu 17.			CSP) classification of OTH DIAG CODE 15 into
Beginning Position: 73 Data Source: Assigned Length: 4 Type: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (□CSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Assigned Beginning Position: 77 Data Source: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (□CSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Assigned Beginning Position: 81 Data Source: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (□CSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Assigned Beginning Position: 85 Data Source: Assigned Length: CCSR_OTH_DIAG_CODE_19 Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Assigned Length: <th></th> <th></th> <th></th> <th>CSK) classification of OTII_DIAO_CODE_13 into</th>				CSK) classification of OTII_DIAO_CODE_13 into
Length: 4 Type: Alphanumeric Field 18: CCSR_OTH_DIAG_CODE_16 CUsnical Classifications Software Refined (CUSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Beginning Position: 77 Data Source: Assigned Length: 4 Type: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CUSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Assigned Beginning Position: 81 Data Source: Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CUSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Assigned Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CUSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Assigned Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric <t< th=""><th>Reginning Position</th><th></th><th></th><th>Assigned</th></t<>	Reginning Position			Assigned
CCSR_OTH_DIAG_CODE_16 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Peginning Position:				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_16 into clinically meaningful diagnosis category. Post				Aiphanumeric
Beginning Position: Length: 77 Data Source: Assigned Alphanumeric	riciu 10.			CSR) classification of OTH_DIAG_CODE_16 into
Beginning Position: 77 Data Source: Assigned Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: 8 Data Source: Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Alphanumeric Clinical Classifications Software Refined (CSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Assigned Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Alphanumeric Clinical Classifications Software Refined (CSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. Alphanumeric DSHS/THCIC DSHS Document # E25-14164				estry classification of offi_bird_cobb_10 into
Length: 4 Type: Alphanumeric Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: 81 Data Source: Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Assigned Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Assigned Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category.	Reginning Position			Assigned
Field 19: CCSR_OTH_DIAG_CODE_17 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: 81 Data Source: Assigned Field 20: CCSR_OTH_DIAG_CODE_18 Alphanumeric Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Assigned Beginning Position: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Alphanumeric Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Assigned Beginning Position: 89 Data Source: Assigned Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Alphanumeric Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_17 into clinically meaningful diagnosis category. Beginning Position: Length: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: Length: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS/THCIC DSHS Document # E25-14164				Tiphanameric
Beginning Position: S1 Data Source: Assigned Alphanumeric	11010 171			CSR) classification of OTH_DIAG_CODE_17 into
Beginning Position: 81 Data Source: Assigned Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CSSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CSSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Assigned Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Alphanumeric Clinical Classifications Software Refined (CSSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. Boshs Document # E25-14164				estly classification of offi_bird_cobb_17 into
Length: 4 Type: Alphanumeric Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Alphanumeric Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164	Beginning Position:		· ·	Assigned
Field 20: CCSR_OTH_DIAG_CODE_18 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: 85 Data Source: Assigned Length: 4 Type: Alphanumeric Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS/THCIC DSHS Document # E25-14164				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_18 into clinically meaningful diagnosis category. Beginning Position: Event Solution: Beginning Position: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: Beginning Position: Event Solution: Event Solution: Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Assigned Event Solution: Event Solution: Assigned Alphanumeric CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS/Document # E25-14164				111711111111111111111111111111111111111
Clinically meaningful diagnosis category. 85 Data Source: Assigned	11010 200			CSR) classification of OTH_DIAG_CODE_18 into
Beginning Position:85Data Source: Type:Assigned AlphanumericField 21:CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category.Beginning Position:89Data Source: AlphanumericLength:4Type:AlphanumericField 22:CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category.DSHS/THCICDSHS Document # E25-14164				6511)
Length:4Type:AlphanumericField 21:CCSR_OTH_DIAG_CODE_19Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category.Beginning Position:89Data Source:AssignedLength:4Type:AlphanumericField 22:CCSR_OTH_DIAG_CODE_20Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category.DSHS/THCICDSHS Document # E25-14164	Beginning Position:	• •		Assigned
Field 21: CCSR_OTH_DIAG_CODE_19 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: Beginning Position: 4				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_19 into clinically meaningful diagnosis category. Beginning Position: Beginning Position: Separate				r
Clinically meaningful diagnosis category. 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164				CSR) classification of OTH DIAG CODE 19 into
Beginning Position: 89 Data Source: Assigned Length: 4 Type: Alphanumeric Field 22: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164				, , , , , , , , , , , , , , , , , , , ,
Length: 4 Type: Alphanumeric CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164	Beginning Position:	• •		Assigned
Field 22: CCSR_OTH_DIAG_CODE_20 Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164				
Clinical Classifications Software Refined (CCSR) classification of OTH_DIAG_CODE_20 into clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164				•
clinically meaningful diagnosis category. DSHS/THCIC DSHS Document # E25-14164	- 			CSR) classification of OTH DIAG CODE 20 into
DSHS/THCIC DSHS Document # E25-14164				,
)Braz azuBu	· · · · · · · · · · · · · · · · · · ·	
www.dshs.texas.gov/THCIC Last Updated: July, 2025			— Paga 20 —	
	www.dshs.texas.gov	//THCIC	I age 27	Last Updated: July, 2025

Beginning Position:	93	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 23:	CCSR_OTH_DIAG_COD	E_21	•
	Clinical Classifications Soft	ware Refined (C	CSR) classification of OTH_DIAG_CODE_21 into
D ' ' D '	clinically meaningful diagno		A 1
Beginning Position:	97	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 24:	CCSR_OTH_DIAG_COD		
	Clinical Classifications Soft clinically meaningful diagno		CSR) classification of OTH_DIAG_CODE_22 into
Beginning Position:	101	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 25:	CCSR_OTH_DIAG_COD		Aiphanumene
rieid 25:			
			CSR) classification of OTH_DIAG_CODE_23 into
	clinically meaningful diagno		
Beginning Position:	105	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 26:	CCSR_OTH_DIAG_COD		
	Clinical Classifications Soft	ware Refined (C	CSR) classification of OTH_DIAG_CODE_24 into
	clinically meaningful diagno		
Beginning Position:	109	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 27:	CCS_PROC_CODE_1	-J F	
Tiela 27.		ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_1 into clinic		
D 1 1 D 11			
Beginning Position:	113	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 28:	CCS_PROC_CODE_2		
			Services and Procedures classification of
	PROC_CODE_2 into clinic	ally meaningful p	procedure category.
Beginning Position:	116	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 29:	CCS_PROC_CODE_3	V 1	.
		ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_3 into clinic		
Beginning Position:	119	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
		Type.	Aiphanumenc
Field 30:	CCS_PROC_CODE_4	(000) ((
			Services and Procedures classification of
	PROC_CODE_4 into clinic		
Beginning Position:	122	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 31:	CCS_PROC_CODE_5		
	Clinical Classifications Soft	ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_5 into clinic	ally meaningful p	procedure category.
Beginning Position:	125	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 32:	CCS PROC CODE 6	Type.	Alphanumeric
riela 32:		(000) (S 1 D 1
			Services and Procedures classification of
	PROC_CODE_6 into clinic		
Beginning Position:	128	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 33:	CCS_PROC_CODE_7		
	Clinical Classifications Soft	ware (CCS) for S	Services and Procedures classification of
	PROC_CODE_7 into clinic		
DSHS/THCIC			DSHS Document # E25-14164
www.dshs.texas.gov	/THCIC	— Page 30 —	Last Updated: July, 2025
www.usiis.icaas.gov	/ IIICIC		Last Opuateu. July, 2023

3 CCS_PROC_CODE_8 Clinical Classifications Soft PROC_CODE_8 into clinic	Type:	Alphanumeric
Clinical Classifications Soft PROC_CODE_8 into clinic	ware (CCS) for S	
PROC_CODE_8 into clinic		Services and Procedures classification of
134	Data Source:	Assigned
3	Type:	Alphanumeric
CCS_PROC_CODE_9		
		Assigned
	Type:	Alphanumeric
	(000) ((
		Assigned
		Alphanumeric
	Type:	Aiphanumeric
	ware (CCS) for S	Services and Procedures classification of
		Assigned
		Alphanumeric
	7 L	
	ware (CCS) for S	Services and Procedures classification of
146	Data Source:	Assigned
3	Type:	Alphanumeric
CCS_PROC_CODE_13		
Clinical Classifications Soft	tware (CCS) for S	Services and Procedures classification of
		procedure category.
149	Data Source:	Assigned
3	Type:	Alphanumeric
		Assigned
	1 ype:	Alphanumeric
	tween (CCS) for S	Sarriage and Procedures alossification of
	` '	
		Assigned
		Alphanumeric
	-74	p
	tware (CCS) for S	Services and Procedures classification of
158	Data Source:	Assigned
3	Type:	Alphanumeric
CCS_PROC_CODE_17		
161		Assigned
3	Type:	Alphanumeric
		DSHS Document # E25-14164
	Clinical Classifications Soft PROC_CODE_9 into clinic 137 CCS_PROC_CODE_10 Clinical Classifications Soft PROC_CODE_10 into clinic 140 CCS_PROC_CODE_11 into clinic 140 CCS_PROC_CODE_11 Clinical Classifications Soft PROC_CODE_11 into clinic 143 CCS_PROC_CODE_12 into clinic 146 CCS_PROC_CODE_13 Clinical Classifications Soft PROC_CODE_13 into clinic 149 CCS_PROC_CODE_13 into clinic 149 CCS_PROC_CODE_14 into clinic 149 CCS_PROC_CODE_15 Clinical Classifications Soft PROC_CODE_14 into clinic 152 CCS_PROC_CODE_15 Clinical Classifications Soft PROC_CODE_15 into clinic 155 CCS_PROC_CODE_16 into clinic 155 CCS_PROC_CODE_16 into clinic 158 CCS_PROC_CODE_16 into clinic 158 CCS_PROC_CODE_17 into clinic 158 CCS_PROC_CODE_18 Clinical Classifications Soft 161 CCS_PROC_CODE_18 Clinical Classifications Soft 161	Clinical Classifications Software (CCS) for PROC_CODE_9 into clinically meaningful 137

Beginning Position:	164	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 45:	CCS_PROC_CODE_19				
	Clinical Classifications Software (CCS) for Services and Procedures classification of				
	PROC_CODE_19 into clini	PROC_CODE_19 into clinically meaningful procedure category.			
Beginning Position:	167	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 46:	CCS_PROC_CODE_20				
			Services and Procedures classification of		
	PROC_CODE_20 into clini		procedure category.		
Beginning Position:	170	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 47:	CCS_PROC_CODE_21				
			Services and Procedures classification of		
	PROC_CODE_21 into clini		procedure category.		
Beginning Position:	173	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 48:	CCS_PROC_CODE_22				
		Clinical Classifications Software (CCS) for Services and Procedures classification of			
	PROC_CODE_22 into clini				
Beginning Position:	176	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 49:	CCS_PROC_CODE_23				
			Services and Procedures classification of		
	PROC_CODE_23 into clini				
Beginning Position:	179	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 50:	CCS_PROC_CODE_24				
			Services and Procedures classification of		
	PROC_CODE_24 into clini				
Beginning Position:	182	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 51:	CCS_PROC_CODE_25				
			Services and Procedures classification of		
	PROC_CODE_25 into clini				
Beginning Position:	185	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
					

CHARGES DATA FILE

Field 1:	RECO	RECORD_ID				
Description:	Record	d Identification Number. Unique number	assigned	l to identify the record. First available		
	1st qua	arter 2002. Does NOT match the RECOF	RD ID ir	THCIC Research Data Files (RDF's).		
Beginning Position:	1 Data Source: Assigned					
Length:	12 Type:			umeric		
Field 2:		ENUE_CODE	<u>F</u>			
Description:		corresponding to each specific accommod	dation a	naillary corrigo or billing aplaulation		
Description:			uation, a	nemary service or binning calculation		
G 11 G 1		to the services being billed.	0527	Francisco di la Clinia Vinitia Norma Cominacia		
Coding Scheme:	0100	All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area		
	0101	All-inclusive room charges	0528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)		
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other		
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general		
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy		
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other		
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general		
	0115	Room charges for private rooms - hospice	0541	Ambulance service - supplies		
	0116	Room charges for private rooms - detoxification	0542	Ambulance service - medical transport		
	0117	Room charges for private rooms - oncology	0543	Ambulance service - heart mobile		
	0118 0119	Room charges for private rooms - rehabilitation Room charges for private rooms - other	0544 0545	Ambulance service - oxygen Ambulance service - air ambulance		
	0119	Room charges for semi-private rooms - general	0546	Ambulance service - an ambulance Ambulance service - neonatal		
	0120	Room charges for semi-private rooms -	0547	Ambulance service - heonatar Ambulance service - pharmacy		
	0121	medical/surgical/GYN	0547	Amountainee service pharmacy		
	0122	Room charges for semi-private rooms - obstetrics	0548	Ambulance service - telephone transmission EKG		
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other		
	0124	Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general		
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge		
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge		
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other		
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general		
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge		
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge		
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other		
	0132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0570	Home health aide - general		
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric	0571	Home health aide - visit charge		
	0134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	0572	Home health aide - hourly charge		
	0135	Room charges for semi-private - 3/4 beds - rooms - hospice	0579	Home health aide - other		
	0136 0137	Room charges for semi-private - 3/4 beds - rooms - detoxification Room charges for semi-private - 3/4 beds -	0580	Other visits (home health) - general Other visits (home health) - visit charge		
	0137	rooms - oncology Room charges for semi-private - 3/4 beds -	0581 0582	Other visits (home health) - visit charge Other visits (home health) - hourly charge		
	0138	rooms - rehabilitation Room charges for semi-private - 3/4 beds -	0582	Other visits (nome health) - nourly charge Other visits (home health) - assessment		
	0140	rooms - other Room charges for private (deluxe) rooms -	0589	Other visits (home health) - assessment Other visits (home health) - other		
	0110	general	0307			

DSHS/THCIC www.dshs.texas.gov/THCIC

- Page 33 -

DSHS Document # E25-14164

Last Updated: July, 2025

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142		0600	Oxygen (home health) - general
0143	Room charges for private (deluxe) rooms -	0601	Oxygen (home health) - stat/equip/supply or contents
0144	1	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0145	1 7	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0146	•	0604	Oxygen (home health) - portable add-in
0147	Room charges for private (deluxe) rooms - oncology	0609	Oxygen (home health) - other
0148		0610	Magnetic Resonance Technology (MRT) - MRI - general
0149		0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150		0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	•	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160	Room charges for other rooms - general	0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0169	Room charges for other rooms - other	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	Room charges for nursery - general	0636	Drugs requiring specific identification - requiring detailed coding
0171	Room charges for nursery - newborn level I	0637	Drugs requiring specific identification - self- administrable
0172	Room charges for nursery - newborn level II	0640	Home IV therapy services - general
0173	Room charges for nursery - newborn level III	0641	Home IV therapy services – non-routine nursing, central line
0174	Room charges for nursery - newborn level IV	0642	Home IV therapy services - IV site care, central line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services – non-routine nursing, peripheral line
0182	Room charges for LOA - patient convenience- charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	C	0646	Home IV therapy services - training, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	· ,	0648	Home IV therapy services - training, disabled patient, peripheral
0190	Room charges for subacute care - general	0649	Home IV therapy services - other

DSHS/THCIC

0	191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
0	192	Room charges for subacute care - Level II (comprehensive care)	0651	Hospice services - routine home care
0	193	Room charges for subacute care - Level III (complex care)	0652	Hospice services - continuous home care
0	194	Room charges for subacute care - Level IV (intensive care)	0655	Hospice services - inpatient respite care
0	199	Room charges for subacute care - other	0656	Hospice services - general inpatient care (non-respite)
0:	200	Room charges for intensive care - general	0657	Hospice services - physician services
0.	201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
0	202	Room charges for intensive care - medical	0659	Hospice services - other
0:	203	Room charges for intensive care - pediatric	0660	Respite care - general
0:	204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
	206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
	207	Room charges for intensive care - burn care	0663	Respite care - daily charge
	208	Room charges for intensive care - trauma	0669	Respite care - other
	209	Room charges for intensive care - other	0670	Outpatient special residence - general
	210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
	211	Room charges for coronary care - myocardial infarction	0672	Outpatient special residence - contracted
	212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
	213	Room charges for coronary care - heart transplant	0681	Trauma response - level I
	214	Room charges for coronary care - intermediate coronary care unit (CCU)	0682	Trauma response - level II
	219	Room charges for coronary care - other	0683	Trauma response - level III
	220	Special charges - general	0684	Trauma response - level IV
	221	Special charges - admission charge	0689	Trauma response - other
	222	Special charges - technical support charge	0690	Pre-hospice/Palliative Care Services - general
	223	Special charges - UR service charge Special charges - late discharge, medically	0691 0692	Pre-hospice/Palliative Care Services – visit charge Pre-hospice/Palliative Care Services – hourly
O.	224	necessary	0072	charge
0:	229	Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
	230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
	231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient care
	232	Incremental nursing care - OB	0696	Pre-hospice/Palliative Care Services – physician services
	233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
	234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
	235	Incremental nursing care - hospice	0710	Recovery Room services - general
	239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
	240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
	241	All inclusive ancillary - basic	0722	Labor/Delivery Room services - delivery
	242	All inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
	243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
	249	All-inclusive ancillary - other	0729	Labor/Delivery Room services - other
	250	Pharmacy - general	0730	EKG/ECG services - general
	251	Pharmacy - generic drugs	0731	EKG/ECG services - Holter monitor
	252	Pharmacy take home drugs	0732	EKG/ECG services - telemetry
	253 254	Pharmacy - take-home drugs	0739	EKG/ECG services - other
U.	234	Pharmacy - drugs incident to other diagnostic services	0740	EEG services - general
0:	255	Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general
DCHC/THCIC				DCHC Document # E25 1/16/

DSHS/THCIC

DSHS Document # E25-14164 Last Updated: July, 2025

- Page 35 -

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine
02/2	TV/TII 1 '	0700	administration
0262	IV Therapy - pharmacy services	0780	Telemedicine services - general
0263	IV Therapy - drug/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0271	Medical surgical supplies and devices - nonsterile	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices -	0811	Acquisition of body components - living donor
0276	pacemaker Medical surgical supplies and devices -	0812	Acquisition of body components - cadaver
0277	intraocular lens (IOL) Medical surgical supplies and devices - oxygen	0813	donor Acquisition of body components - unknown
0278	- take-home Medical surgical supplies and devices - other	0814	donor Acquisition of body components - unsuccessful
0279	implants Medical surgical supplies and devices - other	0815	organ search-donor bank charges Acquisition of body components – stem cells-
0280	Omaglagy comprel	0910	allogeneic
	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home – home supplies
0304	Laboratory – non-routine dialysis	0833	Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hematology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other
0510		55 11	rate
0311	Laboratory pathological - cytology	0842	CAPD - outpatient or home – home supplies

DSHS/THCIC

0312	Laboratory pathological - histology	0843	CAPD - outpatient or home - home equipment
0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy administration - general	0855	CCPD - outpatient or home - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
0344	radiopharmaceuticals Nuclear medicine - therapeutic	0902	electroshock Behavior health treatments/services - milieu
0349	radiopharmaceuticals Nuclear medicine - other	0903	therapy Behavioral health treatments/services - play therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant other than kidney	0913	Behavior health treatment/services - partial hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual therapy
0369	Operating room services - other	0915	Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic services	0918	Behavior health treatment/services - testing
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular lab
0381	Blood - packed red cells	0922	Other diagnostic services - electromyogram
0382	Blood - whole blood	0923	Other diagnostic services - pap smear
0383	Blood - plasma	0924	Other diagnostic services - allergy test
	D1 1 1 1 1 . 1 .	0025	Other diagnostic services - pregnancy test
0384	Blood - platelets Blood - leukocytes	0925	Other diagnostic services - pregnancy test Other diagnostic services - other

DSHS/THCIC

	0386	Blood - other components	0931	Medical rehabilitation day program - half day
	0387	Blood - other derivatives (cryoprecipitate)	0932	Medical rehabilitation day program - full day
	0389	Blood - other	0940	Other therapeutic services - general
	0390	Blood and blood component administration,	0941	Other therapeutic services - recreational therapy
	0391	storage and processing - general Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
	0392	Blood and blood component administration,	0943	Other therapeutic services - cardiac
	0399	storage and processing – processing and storage Blood and blood component administration,	0944	rehabilitation Other therapeutic services - drug rehabilitation
	0400	storage and processing - other Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
	0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
	0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical
	0403	Other imaging services - screening mammography	0948	equipment - ancillary Other therapeutic services – pulmonary rehabilitation
	0404	Other imaging services - PET	0949	Other therapeutic services - other
	0409	Other imaging services - other	0951	Other therapeutic services – athletic training
	0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
	0412	Respiratory services - inhalation	0953	Other therapeutic services – chemical dependency (drug and alcohol)
	0413	Respiratory services - hyperbaric oxygen therapy	0960	Professional fees - general
	0419	Respiratory services - other	0961	Professional fees - psychiatric
	0420	Physical therapy - general	0962	Professional fees - ophthalmology
	0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
	0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
	0423	Physical therapy - group rate	0969	Professional fees - other
	0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
	0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
	0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
	0431	Occupational therapy - visit charge	0974	Professional fees - radiology - nuclear medicine
	0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
	0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
	0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
	0439	Occupational therapy - other	0978	Professional fees - occupational therapy
	0440	Speech-language pathology - general	0979	Professional fees - speech therapy
	0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
	0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
	0443	Speech-language pathology - group rate	0983	Professional fees - clinic
	0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
	0449	Speech-language pathology - other	0985	Professional fees - EKG
	0450	Emergency room - general	0986	Professional fees - EEG
	0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
	0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
	0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
	0459	Emergency room - other	0990	Patient convenience items - general
	0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
	0469	Pulmonary function - other	0992	Patient convenience items - private linen service
	0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
	0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
	0472	Audiology - treatment	0995	Patient convenience items - nonpatient room rentals
	0479	Audiology - other	0996	Patient convenience items - late discharge charge
	0480	Cardiology - general	0997	Patient convenience items - admission kits
DCHC/THCIC				DCHC Document # F25 1/16/

DSHS/THCIC

DSHS/THCIC	25	Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service	E1	Upper left eyelid DSHS Document # E25-14164
	24	Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional during a Postoperative Period	P6	A declared brain-dead patient whose organs are being removed for donor purposes
	23	Unusual Anesthesia	P5	A moribund patient who is not expected to survive without the operation
Coding Scheme:	22	Increased procedural services	P4	A patient with severe systemic disease that is a constant threat to life
Description:		fies special circumstances related to the p		
Field 5:		IFIER_1		·
Length:	5	Type:		umeric
Beginning Position:	НСРС 19	CS codes. Data Source:	Claim	
Coding Scheme:		ttps://www.cms.gov/medicare/coding/hcp	ocsreieas	ecouesets for complete list of Level II
Cading Sahama		nmodations.		anadasats for complete list of I I II
Description:		A Common Procedure Coding System (He	CPCS) c	code applicable to ancillary services or
Field 4		CS_PROCEDURE_CODE	CDCC)	1 1 11
Length:	2	Type:	Alphan	umeric
Beginning Position:	17	Data Source:	Claim	
Description:		identifying the type/source of the descrip CS_PROCEDURE_CODE.	uve nun	iver used in
Field 3:		CS_QUALIFIER	4	den en d'a
Length:	4	Type:	Alphan	umeric
Beginning Position:	13	Data Source:	Claim	
	0526	Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care		
	0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered		
		Practitioner to a Member in a Covered Part A Stay at SNF		
	0524	Freestanding Clinic - Visit by RHC/FQHC	3109	Adult foster care - other
	0523	RHC/FQHC Practitioner Freestanding Clinic - family practice	3105	Adult foster care - daily
	0522	RHC/FQHC Freestanding Clinic - Home Visit by	3104	Adult day care, social - daily
	0521	Freestanding Clinic - Clinic Visit by Member to	3103	Adult day care, medical and social - daily
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0514	Clinic - pediatric	2104	Alternative therapy services - biofeedback
	0513 0514	Clinic - psychiatric Clinic - OB/GYN	2103 2104	Alternative therapy services - massage Alternative therapy services - reflexology
	0512	Clinic - dental	2102	Alternative therapy services - acupressure
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture
	0510	Clinic - general	2100	Alternative therapy services - general
	0509	Outpatient services - other	1005	house Behavior health accommodations - group home
	0500	Outpatient services - general	1004	living Behavior health accommodations - halfway
	0499	Ambulatory surgical care - other	1003	treatment - chemical dependency Behavior health accommodations - supervised
	0490	Ambulatory surgical care - general	1002	treatment - psychiatric Behavior health accommodations - residential
	0489	Cardiology - other	1001	Behavior health accommodations - residential
	0483	Cardiology - echocardiology	1000	Patient convenience items - other Behavior health accommodations - general
	0482	Cardiology - stress test	0999	

	26	Professional Component	E2	Lower left eyelid
	27	Multiple Outpatient Hospital E/M Encounters on the Same Date	E3	Upper right eyelid
	32	Mandated Services	E4	Lower right eyelid
	33	Preventive Service	F1	Left hand, second digit
	47 50	Anesthesia by Surgeon Bilateral Procedure	F2 F3	Left hand, third digit
	51	Multiple Procedures	F3 F4	Left hand, fourth digit Left hand, fifth digit
	52	Reduced Services	F5	Right hand, thumb
	53	Discontinued Procedure	F6	Right hand, second digit
	54	Surgical Care Only	F7	Right hand, third digit
		•		
	55	Postoperative Management Only	F8	Right hand, fourth digit
	56	Preoperative Management Only	F9	Right hand, fifth digit
	57	Decision for Surgery	FA	Left hand, thumb
	58	Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	GG	Performance and payment of a screening mammography and diagnostic mammography on same patient, same day.
	59	Distinct Procedural Service	GH	Diagnostic mammogram converted from screening mammogram on same day
	62	Two Surgeons	LC	Left circumflex coronary artery
	63	Procedure Performed on Infants less than 4kg	LD	Left anterior descending coronary artery
	66	Surgical Team	LM	Left main coronary artery
	73	Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure prior to the Administration of Anesthesia	LT	Left side of the body procedure
	74	Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure after Administration of Anesthesia	QM	Ambulance service provided under arrangement by a provider of services
	76	Repeat Procedure by Same Physician or Other Qualified Health Care Professional	QN	Ambulance service furnished directly by a provider of services
	77	Repeat Procedure by Another Physician or Other Qualified Health Care Professional	RC	Right coronary artery
	78	Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period	RI	Ramus intermedius coronary artery
	79	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	RT	Right side of the body procedure
	80	Assistant Surgeon	T1	Left foot, second digit
	81	Minimum Assistant Surgeon	T2	Left foot, third digit
	82	Repeat procedure by same physician	Т3	Left foot, fourth digit
	90	Reference (Outside) Laboratory	T4	Left foot, fifth digit
		•		
	91	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
	92	Alternative Laboratory Platform Testing	T6	Right foot, second digit
	95	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System	Т7	Right foot, third digit
	99	Multiple Modifiers	T8	Right foot, fourth digit
	1P	Performance Measure Exclusion Modifier due to Medical Reasons	Т9	Right foot, fifth digit
	2P	Performance Measure Exclusion Modifier due to Patient Reasons	TA	Left foot, great toe
	3P	Performance Measure Exclusion Modifier due to System Reasons	XE	Separate Encounter
	8P	Performance Measure Reporting Modifier- Action not performed, reason not otherwise specified	XS	Separate Structure
	P1	A normal healthy patient	XP	Separate Practitioner
	P2	A patient with mild systemic disease	XU	Unusual Non-Overlapping Service
	P3	A patient with severe systemic disease		
D!! D!4!	24	Data Source:	Claim	
Beginning Position:			~	

DSHS/THCIC www.dshs.texas.gov/THCIC

- Page 40 -

DSHS Document # E25-14164 Last Updated: July, 2025

Field 6:	MODIFIER 2				
Description:	Identifies special circumstances related to the performance of the service.				
Coding Scheme:	Same as Field MODIFIER 1				
Beginning Position:	26	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 7:	MODIFIER 3				
Description:	Identifies special circumsta	nces related to the	performance of the service.		
Coding Scheme:	Same as Field MODIFIER_		•		
Beginning Position:	28	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 8:	MODIFIER_4				
Description:	Identifies special circumsta	nces related to the	performance of the service.		
Coding Scheme:	Same as Field MODIFIER_	_1			
Beginning Position:	30	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 9:	UNIT_MEASUREMENT	_			
Description:	Code specifying the units in	n which a value is	being expressed.		
Coding Scheme:	DA Days F2 International unit				
	UN Unit				
Beginning Position:	32	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 10:	UNITS_OF_SERVICE		•		
Description:	Numeric value of quantity				
Beginning Position:	34	Data Source:	Claim		
Length:	7	Type:	Numeric		
Field 11:	UNIT_RATE				
Description:	Rate per unit				
Beginning Position:	41	Data Source:	Claim		
Length:	12	Type:	Numeric		
Field 12:	CHRGS_LINE_ITEM				
Description:	Total amount of the charge				
Beginning Position:	53	Data Source:	Assigned		
Length:	14	Type:	Numeric		
Field 13:	CHRGS_NON_COV				
Description:	Total non-covered amount				
Beginning Position:	67	Data Source:	Assigned		
Length:	14	Type:	Numeric		

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the outpatient service.

T2:-1.1.1.	THERE ID		
Field 1:	THCIC_ID		anne i den her DOIIO
Description:	Provider ID. Unique identif	-	· ·
Beginning Position:	1	Data Source:	Assigned
Length:	6 EAC TEXTE	Type:	Alphanumeric
Field 2:	FAC_TYPE		
Description:	Types of healthcare facilities		D 11
Beginning Position:	7	Data Source:	Provider
Length:	4	Type:	Alphanumeric
Field 3:	FAC_TEACHING_IND		
Description:	Teaching facility indicator.		
Coding Scheme:	A Member, Council of Teaching F X Other teaching facility	lospitals	
Beginning Position:	11	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 4:	FAC_PSYCH_IND	турс.	Tiphanameric
Description:	Psychiatric facility indicator	r	
Beginning Position:	12	Data Source:	Provider
	12		Alphanumeric
Length: Field 5:	FAC_REHAB_IND	Type:	Aiphanumenc
		otom	
Description:	Rehabilitation facility indic		Provider
Beginning Position:	13	Data Source:	
Length:	EAC ACTIVE CARE IN	Type:	Alphanumeric
Field 6:	FAC_ACUTE_CARE_IN		
Description:	Acute care facility indicator		D :1
Beginning Position:	14	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 7:	FAC_SNF_IND		
Description:	Skilled nursing facility indi		D
Beginning Position:	15	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 8:	FAC_LONG_TERM_AC		
Description:	Long term acute care facilit		
Beginning Position:	16	Data Source:	Provider
Length:	1	Туре:	Alphanumeric
Field 9:	FAC_OTHER_LTC_IND		
Description:	Other long term care facility		
Beginning Position:	17	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 10:	FAC_PEDS_IND		
Description:	Pediatric facility Indicator.		
Coding Scheme:			and Related Institutions (NACHRI)
Paginning Pagition	X Facilities that also treat children		Provider
Beginning Position:	18	Data Source:	
Length:	EAC CARRIOVACCIII	Type:	Alphanumeric
Field 11:	FAC_CARDIOVASCULA	-	
Description:	Cardiovascular facility indi		Duovidan
Beginning Position:	19	Data Source:	Provider
Length:	EAC CHIDODDACTIC	Type:	Alphanumeric
Field 12:	FAC_CHIROPRACTIC_	IND	
DSHS/THCIC		– Page 42 ––	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	- Page 42	Last Updated: July, 2025

Description:	Chiropractic care facility in	dicator.	
Beginning Position:	20	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 13:	FAC_ENDOSCOPY_INI		7 II primiranione
Description:	Endoscopy facility indicato		
Beginning Position:	21	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 14:	FAC_FOOT_IND	Type.	Alphanumenc
	Foot care facility indicator.		
Description:	•	Data Source:	Provider
Beginning Position:	22 1		Alphanumeric
Length: Field 15:	FAC GASTROENTERO	Type:	Alphanumenc
	_	_	
Description:	Gastroenterology facility in		D '1
Beginning Position:	23	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 16:	FAC_GENERAL_IND		
Description:	General care facility indica		
Beginning Position:	24	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 17:	FAC_NEUROLOGICAL		
Description:	Neurological care facility in		
Beginning Position:	25	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 18:	FAC_OB_GYN_IND		
Description:	Obstetrics and gynecology		
Beginning Position:	26	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 19:	FAC_OPTHAMOLOGY		
Description:	Opthamology facility indicates		
Beginning Position:	27	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 20:	FAC_ORAL_IND		
Description:	Oral health care facility ind		
Beginning Position:	28	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 21:	FAC_ORTHOPEDIC_IN		
Description:	Orthopedic care facility ind		
Beginning Position:	29	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 22:	FAC_OTOLARYNGOLO		
Description:	Otolaryngology facility ind		
Beginning Position:	30	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 23:	FAC_PAIN_MNGMT_I		
Description:	Pain management facility in		
Beginning Position:	31	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 24:	FAC_PLASTIC_IND		
Description:	Plastic surgery facility indi		5
Beginning Position:	32	Data Source:	Provider
Length:	1 EAG THODAGIG IND	Type:	Alphanumeric
Field 25:	FAC_THORACIC_IND		
Description:	Thoracic care facility Indic		B :1
Beginning Position:	33	Data Source:	Provider
Length:	1	Type:	Alphanumeric
DSHS/THCIC		.	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	— Page 43 ——	Last Updated: July, 2025
			<u> </u>

TI 1146	
Field 26:	FAC_UROLOGY_IND
Description:	Urology care facility indicator.
Beginning Position:	Data Source: Provider
Length:	1 Type: Alphanumeric
Field 27:	FAC_OTHER_IND
Description:	Other facility indicator.
Beginning Position:	Data Source: Provider
Length:	1 Type: Alphanumeric
Field 28:	FAC_EMERGENCY_DEPARTMENT_IND
Description:	Facility indicator for Hospitals and FEMCFs, including Hospital-owned FEMCFs, starting with
	the 4 th Quarter 2020 Facility Type Data File.
	Note: The FEMCEs names are available at https://debs.tovas.gov/theia/ (downloadable Evael sheet
	The FEMCFs names are available at https://dshs.texas.gov/thcic/ (downloadable Excel sheet named Current Facility Contact), under "Facility Reporting Requirement". The provider names
	and THCIC IDs in the Excel sheet are more current than the ones in the provider file dataset.
	For the first quarterly implementation, 4 th Quarter 2020, the facility indicator has incomplete
	data due to implementation timing.
Beginning Position:	36 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 29:	FAC_ONCOLOGY_IND
Description:	Oncology facility indicator.
Beginning Position:	37 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 30:	PROVIDER_NAME
Description:	Hospital name provided by the hospital.
Beginning Position:	38 Data Source: Provider
Length:	55 Type: Alphanumeric
Field 31:	POA PROVIDER INDICATOR
	Indicator identifying whether facility is required to submit Diagnosis Present on Admission
	(POA) codes. 25 TAC §421.9(e) identifies the following facility types as exempt from
	reporting POA to the department: Critical Access Hospitals, Inpatient Rehabilitation Hospitals,
	Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals and Long
	Term Care Hospitals.
Coding Scheme:	M Mixed (Facility has sections that would be exempted from reporting POA for those patients)
	R Required X Exempt
	` Invalid
Beginning Position:	93 Data Source: Assigned
Length:	1 Type: Alphanumeric
Field 32:	CERT_STATUS
	Assignment of a code to indicate the certification of data and submission of comments by the
	facility. First available 3 rd quarter 1999.
Coding Scheme:	1 Certified, without comment
	 Certified, with comment Certified, with comment not received by deadline
	4 Facility elected not to certify
	5 Facility closed; data not certified
	6 Facility out of compliance, did not certify data
-	Data not certified. Facility affected by natural or man-made disaster (Starting 4Q2016)
Beginning Position:	94 Data Source: Assigned
Length:	1 Type: Alphanumeric

GROUPER FILE

Field 1:	RECORD_ID		
Description:	Record Identification Num		ber assigned to identify the record. First available
-	1 st quarter 2002. Does NO	OT match the REC	CORD_ID in THCIC Research Data Files (RDF's).
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	FROZEN_EAPG_GRP_V		
			n Number, as assigned by 3M EAPG Grouper.
Beginning Position:	16	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 3:	FROZEN_FINAL_EAP		G) II OVER EARC
			G) category code, as assigned by 3M™ EAPG
Daginning Dagitian.	Grouper. Not available 40	•	A
Beginning Position: Length:	28 2	Data Source: Type:	Assigned Alphanumeric
Field 4:	FROZEN_FINAL_EAP		
riciu 4.			G) type code, as assigned by 3M™ EAPG Grouper.
	Not available 4Q09.	uent Group (EAT	d) type code, as assigned by 51vi - EAI of Glouper.
Beginning Position:	30	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 5:	FROZEN_FINAL_EAP		
110100 00			(EAPG), as assigned by 3M [™] EAPG Grouper. Not
	available 4Q09.	J	
Beginning Position:	32	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 6:	FROZEN_APC_GRP_V	ER	
		sification (APC) V	Version Number as assigned by 3M APC Grouper.
	Not available 4Q09.		
Beginning Position:	47	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 7:	FROZEN_APC_PROCI		1 1 2 May A DC C
		ssification (APC)	procedure code as assigned by 3M [™] APC Grouper.
Beginning Position:	Not available 4Q09.	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 8:	FROZEN_APC_PX_ST		
riciu o.			procedure status indicator as assigned by 3M [™] APC
	Grouper. Not available 40		procedure status indicator as assigned by 5111. The
Beginning Position:	64	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 9:	FROZEN_APC_WEIGI	**	•
	Ambulatory Payment Clas	ssification (APC)	weighting as assigned by 3M [™] APC Grouper. Not
	available 4Q09.		-
Beginning Position:	66	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 10:	EAPG_GRP_VER		
			n Number, as assigned by 3M EAPG Grouper
Beginning Position:	80	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 11:	FINAL_EAPG_CAT_C		C)
			G) category code, as assigned by 3M™ EAPG
Doginaina Dogistica	Grouper. Not available 40		Assigned
Beginning Position:	92	Data Source:	Assigned
DSHS/THCIC		D 45	DSHS Document # E25-14164
www.dshs.texas.gov	/THCIC	— Page 45 —	Last Updated: July, 2025
			· · · · · · · · · · · · · · · · · · ·

Length:	2	Type:	Alphanumeric	
Field 12:	FINAL_EAPG_TYPE_CODE			
	Enhanced Ambulatory Pat	ient Group (EAP	G) type code, as assigned by 3M [™] EAPG Grouper.	
	Not available 4Q09.			
Beginning Position:	94	Data Source:	Assigned	
Length:	2	Type:	Alphanumeric	
Field 13:	FINAL_EAPG			
		ry Patient Group	(EAPG), as assigned by 3M [™] EAPG Grouper. Not	
	available 4Q09.			
Beginning Position:	96	Data Source:	Assigned	
Length:	5	Type:	Alphanumeric	
Field 14:	APC_GRP_VER			
	Ambulatory Payment Class	ification (APC) V	Version Number as assigned by 3M APC Grouper.	
	Not available 4Q09.			
Beginning Position:	111	Data Source:	Assigned	
Length:	12	Type:	Alphanumeric	
Field 15:	APC_PROCEDURE_CO			
		ssification (APC)	procedure code as assigned by 3M [™] APC Grouper.	
	Not available 4Q09.			
Beginning Position:	123	Data Source:	Assigned	
Length:	5	Type:	Alphanumeric	
Field 16:	APC_PX_STATUS_IND			
			procedure status indicator as assigned by 3M [™] APC	
	Grouper. Not available 4Q	•		
Beginning Position:	128	Data Source:	Assigned	
Length:	2	Type:	Alphanumeric	
Field 17:	APC_WEIGHT			
		ssification (APC)	weighting as assigned by 3M [™] APC Grouper. Not	
	available 4Q09.			
Beginning Position:	130	Data Source:	Assigned	
Length:	9	Type:	Alphanumeric	



Texas Department of State Health Services

TEXAS OUTPATIENT SURGICAL AND RADIOLOGICAL PROCEDURE

Public Use Data File DATA FIELDS

BASE DATA FILE

Number	Field Name	Position	Length	Field Type
1	SERVICE_QUARTER	1	6	Alphanumeric
2	RECORD_ID- Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	7	12	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	SPEC_UNIT_1	25	1	Alphanumeric
5	SPEC_UNIT_2	26	1	Alphanumeric
6	SPEC_UNIT_3	27	1	Alphanumeric
7	SPEC_UNIT_4	28	1	Alphanumeric
8	SPEC_UNIT_5	29	1	Alphanumeric
9	SEX_CODE	30	1	Alphanumeric
10	PAT_COUNTY	31	3	Alphanumeric
11	PAT_STATE	34	2	Alphanumeric
12	PAT_ZIP	36	5	Alphanumeric
13	PAT_COUNTRY	41	2	Alphanumeric
14	PUBLIC_HEALTH_REGION	43	2	Alphanumeric
15	LENGTH_OF_SERVICE	45	2	Alphanumeric
16	PAT_AGE	47	2	Alphanumeric
17	RACE	49	1	Alphanumeric
18	ETHNICITY	50	1	Alphanumeric
19	FIRST_PAYMENT_SRC	51	2	Alphanumeric
20	SECONDARY_PAYMENT_SRC	53	2	Alphanumeric
21	TYPE_OF_BILL	55	3	Alphanumeric
22	CONDITION_CODE_1	58	2	Alphanumeric
23	CONDITION_CODE_2	60	2	Alphanumeric
24	CONDITION_CODE_3	62	2	Alphanumeric
25	CONDITION_CODE_4	64	2	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC **DSHS Document** # E25-14164 Last Updated: July, 2025

Page 47 -

Number	Field Name	Position	Length	Field Type
26	CONDITION_CODE_5	66	2	Alphanumeric
27	CONDITION_CODE_6	68	2	Alphanumeric
28	CONDITION_CODE_7	70	2	Alphanumeric
29	CONDITION_CODE_8	72	2	Alphanumeric
30	PAT_REASON_FOR_VISIT	74	7	Alphanumeric
31	PRINC_DIAG_CODE	81	7	Alphanumeric
32	OTH_DIAG_CODE_1	88	7	Alphanumeric
33	OTH_DIAG_CODE_2	95	7	Alphanumeric
34	OTH_DIAG_CODE_3	102	7	Alphanumeric
35	OTH_DIAG_CODE_4	109	7	Alphanumeric
36	OTH_DIAG_CODE_5	116	7	Alphanumeric
37	OTH_DIAG_CODE_6	123	7	Alphanumeric
38	OTH_DIAG_CODE_7	130	7	Alphanumeric
39	OTH_DIAG_CODE_8	137	7	Alphanumeric
40	OTH_DIAG_CODE_9	144	7	Alphanumeric
41	OTH_DIAG_CODE_10	151	7	Alphanumeric
42	OTH_DIAG_CODE_11	158	7	Alphanumeric
43	OTH_DIAG_CODE_12	165	7	Alphanumeric
44	OTH_DIAG_CODE_13	172	7	Alphanumeric
45	OTH_DIAG_CODE_14	179	7	Alphanumeric
46	OTH_DIAG_CODE_15	186	7	Alphanumeric
47	OTH_DIAG_CODE_16	193	7	Alphanumeric
48	OTH_DIAG_CODE_17	200	7	Alphanumeric
49	OTH_DIAG_CODE_18	207	7	Alphanumeric
50	OTH_DIAG_CODE_19	214	7	Alphanumeric
51	OTH_DIAG_CODE_20	221	7	Alphanumeric
52	OTH_DIAG_CODE_21	228	7	Alphanumeric
53	OTH_DIAG_CODE_22	235	7	Alphanumeric
54	OTH_DIAG_CODE_23	242	7	Alphanumeric
55	OTH_DIAG_CODE_24	249	7	Alphanumeric
56	RELATED_CAUSE_CODE_1	256	2	Alphanumeric
57	RELATED_CAUSE_CODE_2	258	2	Alphanumeric
58	RELATED_CAUSE_CODE_3	260	2	Alphanumeric
59	E_CODE_1	262	7	Alphanumeric
60	E_CODE_2	269	7	Alphanumeric
61	E_CODE_3	276	7	Alphanumeric
62	E_CODE_4	283	7	Alphanumeric
63	E_CODE_5	290	7	Alphanumeric
64	E_CODE_6	297	7	Alphanumeric
65	E_CODE_7	304	7	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC Page 48 DSHS Document # E25-14164
Last Updated: July, 2025

Number	Field Name	Position	Length	Field Type
66	E_CODE_8	311	7	Alphanumeric
67	E_CODE_9	318	7	Alphanumeric
68	E_CODE_10	325	7	Alphanumeric
69	PROC_CODE_1	332	5	Alphanumeric
70	PROC_CODE_2	337	5	Alphanumeric
71	PROC_CODE_3	342	5	Alphanumeric
72	PROC_CODE_4	347	5	Alphanumeric
73	PROC_CODE_5	352	5	Alphanumeric
74	PROC_CODE_6	357	5	Alphanumeric
75	PROC_CODE_7	362	5	Alphanumeric
76	PROC_CODE_8	367	5	Alphanumeric
77	PROC_CODE_9	372	5	Alphanumeric
78	PROC_CODE_10	377	5	Alphanumeric
79	PROC_CODE_11	382	5	Alphanumeric
80	PROC_CODE_12	387	5	Alphanumeric
81	PROC_CODE_13	392	5	Alphanumeric
82	PROC_CODE_14	397	5	Alphanumeric
83	PROC_CODE_15	402	5	Alphanumeric
84	PROC_CODE_16	407	5	Alphanumeric
85	PROC_CODE_17	412	5	Alphanumeric
86	PROC_CODE_18	417	5	Alphanumeric
87	PROC_CODE_19	422	5	Alphanumeric
88	PROC_CODE_20	427	5	Alphanumeric
89	PROC_CODE_21	432	5	Alphanumeric
90	PROC_CODE_22	437	5	Alphanumeric
91	PROC_CODE_23	442	5	Alphanumeric
92	PROC_CODE_24	447	5	Alphanumeric
93	PROC_CODE_25	452	5	Alphanumeric
94	OTHER_AMOUNT	457	12	Numeric
95	PHARM_AMOUNT	469	12	Numeric
96	MEDSURG_AMOUNT	481	12	Numeric
97	DME_AMOUNT	493	12	Numeric
98	USED_DME_AMOUNT	505	12	Numeric
99	PT_AMOUNT	517	12	Numeric
100	OT_AMOUNT	529	12	Numeric
101	SPEECH_AMOUNT	541	12	Numeric
102	IT_AMOUNT	553	12	Numeric
103	BLOOD_AMOUNT	565	12	Numeric
104	BLOOD_ADM_AMOUNT	577	12	Numeric
105	OR_AMOUNT	589	12	Numeric

DSHS/THCIC www.dshs.texas.gov/THCIC Page 49 DSHS Document # E25-14164
Last Updated: July, 2025

Number	Field Name	Position	Length	Field Type
106	LITH_AMOUNT	601	12	Numeric
107	CARD_AMOUNT	613	12	Numeric
108	ANES_AMOUNT	625	12	Numeric
109	LAB_AMOUNT	637	12	Numeric
110	RAD_AMOUNT	649	12	Numeric
111	MRI_AMOUNT	661	12	Numeric
112	OP_AMOUNT	673	12	Numeric
113	ER_AMOUNT	685	12	Numeric
114	AMBULANCE_AMOUNT	697	12	Numeric
115	PRO_FEE_AMOUNT	709	12	Numeric
116	ORGAN_AMOUNT	721	12	Numeric
117	ESRD_AMOUNT	733	12	Numeric
118	CLINIC_AMOUNT	745	12	Numeric
119	TOTAL_CHARGES	757	12	Numeric
120	TOTAL_NON_COV_CHARGES	769	12	Numeric
121	TOTAL_CHARGES_ANCIL	781	12	Numeric
122	TOTAL_NON_COV_CHARGES_ANCIL	793	12	Numeric
123	PHYSICIAN1_INDEX_NUMBER	805	10	Alphanumeric
124	PHYSICIAN2_INDEX_NUMBER	815	10	Alphanumeric
125	INPUT_FORMAT	825	1	Alphanumeric
126	SOURCE_OF_ADMISSION	826	1	Alphanumeric
127	PAT_STATUS	827	2	Alphanumeric
128	PROVIDER_NAME	829	55	Alphanumeric
129	EMERGENCY_DEPT_FLAG	884	1	Alphanumeric
	Record_Length		884	

CLASSIFICATION DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	CCSR_PRINC_DIAG_CODE	13	6	Alphanumeric
3	CCSR_OTH_DIAG_CODE_1	17	6	Alphanumeric
4	CCSR_OTH_DIAG_CODE_2	21	6	Alphanumeric
5	CCSR_OTH_DIAG_CODE_3	25	6	Alphanumeric
6	CCSR_OTH_DIAG_CODE_4	29	6	Alphanumeric
7	CCSR_OTH_DIAG_CODE_5	33	6	Alphanumeric
8	CCSR_OTH_DIAG_CODE_6	37	6	Alphanumeric
9	CCSR_OTH_DIAG_CODE_7	41	6	Alphanumeric
10	CCSR_OTH_DIAG_CODE_8	45	6	Alphanumeric
11	CCSR_OTH_DIAG_CODE_9	49	6	Alphanumeric
12	CCSR_OTH_DIAG_CODE_10	53	6	Alphanumeric
13	CCSR_OTH_DIAG_CODE_11	57	6	Alphanumeric
14	CCSR_OTH_DIAG_CODE_12	61	6	Alphanumeric
15	CCSR_OTH_DIAG_CODE_13	65	6	Alphanumeric
16	CCSR_OTH_DIAG_CODE_14	69	6	Alphanumeric
17	CCSR_OTH_DIAG_CODE_15	73	6	Alphanumeric
18	CCSR_OTH_DIAG_CODE_16	77	6	Alphanumeric
19	CCSR_OTH_DIAG_CODE_17	81	6	Alphanumeric
20	CCSR_OTH_DIAG_CODE_18	85	6	Alphanumeric
21	CCSR_OTH_DIAG_CODE_19	89	6	Alphanumeric
22	CCSR_OTH_DIAG_CODE_20	93	6	Alphanumeric
23	CCSR_OTH_DIAG_CODE_21	97	6	Alphanumeric
24	CCSR_OTH_DIAG_CODE_22	101	6	Alphanumeric
25	CCSR_OTH_DIAG_CODE_23	105	6	Alphanumeric
26	CCSR_OTH_DIAG_CODE_24	109	6	Alphanumeric
27	CCS_PROC_CODE_1	113	3	Alphanumeric
28	CCS_PROC_CODE_2	116	3	Alphanumeric
29	CCS_PROC_CODE_3	119	3	Alphanumeric
30	CCS_PROC_CODE_4	122	3	Alphanumeric
31	CCS_PROC_CODE_5	125	3	Alphanumeric
32	CCS_PROC_CODE_6	128	3	Alphanumeric
33	CCS_PROC_CODE_7	131	3	Alphanumeric
34	CCS_PROC_CODE_8	134	3	Alphanumeric
35	CCS_PROC_CODE_9	137	3	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC DSHS Document # E25-14164 Last Updated: July, 2025

Number	Field Name	Position	Length	Field Type
36	CCS_PROC_CODE_10	140	3	Alphanumeric
37	CCS_PROC_CODE_11	143	3	Alphanumeric
38	CCS_PROC_CODE_12	146	3	Alphanumeric
39	CCS_PROC_CODE_13	149	3	Alphanumeric
40	CCS_PROC_CODE_14	152	3	Alphanumeric
41	CCS_PROC_CODE_15	155	3	Alphanumeric
42	CCS_PROC_CODE_16	158	3	Alphanumeric
43	CCS_PROC_CODE_17	161	3	Alphanumeric
44	CCS_PROC_CODE_18	164	3	Alphanumeric
45	CCS_PROC_CODE_19	167	3	Alphanumeric
46	CCS_PROC_CODE_20	170	3	Alphanumeric
47	CCS_PROC_CODE_21	173	3	Alphanumeric
48	CCS_PROC_CODE_22	176	3	Alphanumeric
49	CCS_PROC_CODE_23	179	3	Alphanumeric
50	CCS_PROC_CODE_24	182	3	Alphanumeric
51	CCS_PROC_CODE_25	185	3	Alphanumeric
_	Record_Length		187	

CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

FACILITY TYPE DATA FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	FAC_TYPE	7	4	Alphanumeric
3	FAC_TEACHING_IND	11	1	Alphanumeric
4	FAC_PSYCH_IND	12	1	Alphanumeric
5	FAC_REHAB_IND	13	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	14	1	Alphanumeric
7	FAC_SNF_IND	15	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	16	1	Alphanumeric
9	FAC_OTHER_LTC_IND	17	1	Alphanumeric
10	FAC_PEDS_IND	18	1	Alphanumeric
11	FAC_CARDIOVASCULAR_IND	19	1	Alphanumeric
12	FAC_CHIROPRACTIC_IND	20	1	Alphanumeric
13	FAC_ENDOSCOPY_IND	21	1	Alphanumeric
14	FAC_FOOT_IND	22	1	Alphanumeric
15	FAC_GASTROENTEROLOGY_IND	23	1	Alphanumeric
16	FAC_GENERAL_IND	24	1	Alphanumeric
17	FAC_NEUROLOGICAL_IND	25	1	Alphanumeric
18	FAC_OB_GYN_IND	26	1	Alphanumeric
19	FAC_OPTHAMOLOGY_IND	27	1	Alphanumeric
20	FAC_ORAL_IND	28	1	Alphanumeric
21	FAC_ORTHOPEDIC_IND	29	1	Alphanumeric
22	FAC_OTOLARYRGOLOGY_IND	30	1	Alphanumeric
23	FAC_PAIN_MNGMT_IND	31	1	Alphanumeric
24	FAC_PLASTIC_IND	32	1	Alphanumeric
25	FAC_THORACIC_IND	33	1	Alphanumeric
26	FAC_UROLOGY_IND	34	1	Alphanumeric
27	FAC_OTHER_IND	35	1	Alphanumeric
28	FAC_EMERGENCY_DEPARTMENT_IND ¹	36	1	Alphanumeric
29	FAC_ONCOLOGY_IND ¹	37	1	Alphanumeric
30	PROVIDER_NAME	38	55	Alphanumeric
31	POA_PROVIDER_INDICATOR	93	1	Alphanumeric
32	CERT_STATUS	94	1	Alphanumeric
	Record_Length		94	

¹ Facility Type Code added to the 4th Quarter 2020 Facility Type Data File **DSHS/THCIC**

GROUPER FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	FROZEN_EAPG_GRP_VER	13	12	Alphanumeric
3	FROZEN_APC_GRP_VER	25	12	Alphanumeric
4	FROZEN_FINAL_EAPG_CATEGORY_CODE	37	2	Alphanumeric
5	FROZEN_FINAL_EAPG_TYPE_CODE	39	2	Alphanumeric
6	FROZEN_FINAL_EAPG	41	5	Alphanumeric
7	FROZEN_APC_PROCEDURE_CODE	46	5	Alphanumeric
8	FROZEN_APC_PX_STATUS_IND_CODE	51	2	Alphanumeric
9	FROZEN_APC_WEIGHT	53	9	Alphanumeric
10	EAPG_GRP_VER	62	12	Alphanumeric
11	APC_GRP_VER	74	12	Alphanumeric
12	FINAL_EAPG_CATEGORY_CODE	86	2	Alphanumeric
13	FINAL_EAPG_TYPE_CODE	88	2	Alphanumeric
14	FINAL_EAPG	90	5	Alphanumeric
15	APC_PROCEDURE_CODE	95	5	Alphanumeric
16	APC_PX_STATUS_IND_CODE	100	2	Alphanumeric
17	APC_WEIGHT	102	9	Alphanumeric
	Record_Length		110	