



**TEXAS**  
Health and Human  
Services

Texas Department of State  
Health Services

# **5010 Inpatient THCIC 837 Technical Specifications**

Version **11.0**

**September 10, 2025**





## ***Healthcare Facility Procedures and Technical Specifications Manual***

# Table of Contents

1. Introduction .....	6
1.1 Governing Legislation.....	6
2. General Information .....	7
2.1 Overview .....	7
2.2 Reference Information .....	8
2.3 THCIC Business Associate - System13, Inc. ....	8
2.4 THCIC Web Site .....	9
2.4.1 Important Links.....	9
3. Definitions and Acronyms.....	10
4. Technical Requirements Summary .....	19
4.1 Patient Inclusion Requirements.....	19
4.2 Communications Requirements .....	19
4.2.1 Data Submissions.....	19
4.2.2 Data Corrections .....	20
4.2.3 System13, Inc. Help Desk.....	21
4.3 Billing Claims Validation and Acceptance .....	21
4.4 System Resources and Availability.....	21
4.5 Auditing of Data by System13, Inc. ....	21
4.6 Required Data File Format .....	23
4.7 State Required Data Elements .....	23
4.7.1 Diagnosis Present on Admission.....	26
4.8 Data Element Locations .....	26
5. THCIC 837 File Specifications .....	31
5.1 Reference Information .....	31
5.1.1 Nomenclature .....	31





***Healthcare Facility Procedures and Technical Specifications Manual***

5.1.2 Basic Structure .....	48
5.1.3 Control Segments .....	48
5.1.4 Delimiters.....	48
5.1.5 THCIC Implementation Usage.....	49
5.2 Transaction Set Listing .....	51
5.3 837 Segment Detail.....	55
ST - TRANSACTION SET HEADER .....	55
BHT - BEGINNING OF HIERARCHICAL TRANSACTION .....	56
NM1 - SUBMITTER NAME .....	58
NM1 - RECEIVER NAME .....	60
HL - BILLING PROVIDER HIERARCHICAL LEVEL .....	61
NM1 - BILLING PROVIDER NAME.....	62
N3 - BILLING PROVIDER ADDRESS .....	64
N4 - BILLING PROVIDER CITY, STATE, ZIP CODE.....	65
REF - BILLING PROVIDER TAX IDENTIFICATION .....	66
REF - BILLING PROVIDER THCIC IDENTIFICATION .....	67
NM1 - PAY-TO ADDRESS NAME .....	68
N3 - PAY-TO ADDRESS – ADDRESS.....	69
N4 - PAY-TO ADDRESS CITY, STATE, ZIP CODE.....	70
HL - SUBSCRIBER HIERARCHICAL LEVEL.....	71
SBR - SUBSCRIBER INFORMATION .....	72
NM1 - SUBSCRIBER NAME .....	74
N3 - SUBSCRIBER ADDRESS.....	76
N4 - SUBSCRIBER CITY, STATE, ZIP CODE .....	77
DMG - SUBSCRIBER DEMOGRAPHIC INFORMATION.....	78
REF - SUBSCRIBER SECONDARY IDENTIFICATION .....	79
NM1 - PAYER NAME .....	80





***Healthcare Facility Procedures and Technical Specifications Manual***

REF - BILLING PROVIDER SECONDARY IDENTIFICATION .....	82
HL - PATIENT HIERARCHICAL LEVEL .....	83
PAT - PATIENT INFORMATION .....	85
NM1 - PATIENT NAME .....	86
N3 - PATIENT ADDRESS .....	87
N4 - PATIENT CITY, STATE, ZIP CODE .....	88
DMG - PATIENT DEMOGRAPHIC INFORMATION .....	89
CLM - CLAIM INFORMATION .....	90
DTP - DISCHARGE HOUR .....	94
DTP - STATEMENT DATES .....	95
DTP - ADMISSION DATE/HOUR .....	96
CL1 - INSTITUTIONAL CLAIM CODE .....	96
REF - MEDICAL RECORD NUMBER .....	97
K3 - FILE INFORMATION .....	98
HI - PRINCIPAL DIAGNOSIS .....	100
HI - ADMITTING DIAGNOSIS .....	101
HI - EXTERNAL CAUSE OF INJURY .....	103
HI - OTHER DIAGNOSIS INFORMATION .....	114
HI - PRINCIPAL PROCEDURE INFORMATION .....	126
HI - OTHER PROCEDURE INFORMATION .....	128
HI - OCCURRENCE SPAN INFORMATION .....	140
HI - OCCURRENCE INFORMATION .....	144
HI - VALUE INFORMATION .....	155
HI - CONDITION INFORMATION .....	164
NM1 - ATTENDING PROVIDER NAME .....	170
REF - ATTENDING PROVIDER SECONDARY IDENTIFICATION .....	172
NM1 - OPERATING PHYSICIAN NAME .....	173





***Healthcare Facility Procedures and Technical Specifications Manual***

REF - OPERATING PHYSICIAN SECONDARY IDENTIFICATION .....	175
NM1 - SERVICE FACILITY LOCATION NAME.....	176
N3 - SERVICE FACILITY LOCATION ADDRESS .....	178
N4 - SERVICE FACILITY LOCATION CITY, STATE, ZIP CODE .....	178
REF - SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION .....	179
SBR - OTHER SUBSCRIBER INFORMATION .....	180
NM1 - OTHER PAYER NAME .....	182
LX - SERVICE LINE NUMBER .....	184
SV2 - INSTITUTIONAL SERVICE LINE.....	185
SE - TRANSACTION SET TRAILER .....	188
5.4 Control Segments .....	190
ISA - INTERCHANGE CONTROL HEADER .....	190
GS - FUNCTIONAL GROUP HEADER .....	193
GE - FUNCTIONAL GROUP TRAILER .....	195
IEA - INTERCHANGE CONTROL TRAILER .....	196
5.5 Examples .....	198
1. Subscriber is the Patient .....	198
2. Subscriber is not the Patient.....	199
6. Revision Changes .....	202





## ***Healthcare Facility Procedures and Technical Specifications Manual***

# 1. Introduction

Texas Health Care Information Collection's (THCIC) primary charge is to collect data and report on the quality performance and differences in charges of hospitals and health maintenance organizations operating in Texas. The goal is to provide information that will enable consumers to have an impact on the cost and quality of health care in Texas.

## 1.1 Governing Legislation

The Department of State Health Service's governing legislation, which includes collecting hospital inpatient discharge data for approximately 660 Texas hospitals, is contained within Chapter 108, Texas Health & Safety Code.

The Hospital Procedures and Technical Specifications guides are available for download from the THCIC website at [DSHS THCIC Hospital Reporting Requirements](#)

This guide is written to be complementary to the Hospital Discharge Data Collection and Release Rules:

**TITLE - 25** Health Services

**PART - 1** Department of State Health Services

**CHAPTER - 421** Health Care Information

**SUBCHAPTER – A -** Collection and Release of Hospital Discharge Data

Related links to the Texas Health & Safety Code and Texas Administrative Code can also be found on the [THCIC Web Site](#).





## ***Healthcare Facility Procedures and Technical Specifications Manual***

## **2. General Information**

THCIC's primary purpose is to provide data that will enable Texas consumers and health plan purchasers to make informed health care decisions.

### **2.1 Overview**

Submitters are required to use the THCIC 837 claim format (modified ANSI ASC X12N 837 Institutional claim format) to submit data on patients discharged from the hospital per Health and Safety Code Section 108.009(h) and Title 25 Texas Administrative Code, Chapter 421, Rule 421.2(b)(1-4).

System13, Inc. maintains the THCIC Health Care Data Collection System (HCDCS), hereafter referenced as "the system", "the System13/THCIC system", or similar variations. The system is accessed by providers via a website that allows providers to submit data files and manually enter, modify, delete, and report on data formatted using the requirements described in this document.

Submissions are acknowledged upon receipt into the system. When a file is received by the HCDCS (receiver process), an email receipt notification will be sent to the submitter indicating if the file was accepted or rejected for further processing. For a file to be accepted for further processing, its THCIC ID, NPI or EIN, and the first 15 characters of the facility's submission address must match the provider information THCIC has on file for each facility reported in the file.

The system pre-process checks for formatting compliance. Files failing the format audits will not be accepted into the system. If a file is not accepted for processing, the email notification includes information regarding the failed formatting audits.

The system pre-process determines if a file is a Test (T) file or a Production (P) file. Claims submitted and accepted into the system in either a Production or Test file will be subjected to THCIC data requirement audits. For claims submitted in a Production file, the results of the auditing process will be made available to the provider (facility) and the facility will be given an opportunity to correct the claims. Claims can be corrected using the system's web portal claim correction function, using the batch deletion component of the online system, or submitting corrected claims via the file submission process using the claim bill frequency type for deletion or replacement as appropriate.





## ***Healthcare Facility Procedures and Technical Specifications Manual***

For claims submitted in a test file, the result of the auditing process will be made available to the submitter.

For more detail on the file submission process as well as the use of the System13/THCIC system please see: [DSHS THCIC Hospital Reporting Requirements](#).

## **2.2 Reference Information**

The THCIC 837 claim format draws from the specifications for the ANSI 837 health care claim format from the American National Standards Institutes, Accredited Standards Committee X12, National Electronic Data Interchange Transaction Set Implementation Guide, Health Care Claim: Institutional, 837, ASC X12N 837 (005010X223), May 2006 version, and the addenda published by the Washington Publishing Company in June 2010 (ANSI 837 Institutional Guide, 005010X223A2) which can be purchased and downloaded from the following website: [X12 Product Licensing Program](#).

The Department of State Health Services requested permission to reproduce portions of the ANSI 837 Institutional and ANSI 837 Professional Guides and has been granted conditional approval to reproduce or cite ASC X12 materials as presented. This document is published under the following copyright statement:

**© 2000 WPC Copyright for the members of ASC X12N by Washington Publishing Company**

Permission is hereby granted to any organization to copy and distribute this material internally if this copyright statement is included, the contents are not changed, and the copies are not sold.

Only the sections required by THCIC, or situational ANSI 837 Institutional and Professional Guide sections are reproduced in this manual.

## **2.3 THCIC Business Associate - System13, Inc.**

System13, Inc. provides a testing process to ensure that a hospital or vendor submits a HIPAA compatible ANSI 837 Institutional and Professional Guide formatted file with the additional required fields listed in this manual then that data file should pass the audits at System13, Inc. System13, Inc. (System13) located in Charlottesville, Virginia, is





## ***Healthcare Facility Procedures and Technical Specifications Manual***

contracted to provide data collection, auditing, and warehousing of the data submitted by hospitals. System13, Inc. Contact Information:

**E-mail:** [thcichelp@system13.com](mailto:thcichelp@system13.com)

**Helpdesk:** (888) 308-4953 Monday through Friday 8:00 a.m. to 5:00 p.m. (CT)

**Fax:** (434) 979-1047

**Data Portal Web Site:** <https://thcic.system13.com/>

## **2.4 THCIC Web Site**

The [THCIC web site](#) contains the latest information about THCIC, the hospital discharge data reporting process, and other THCIC activities and publications. The site contains information about legislative mandates, instructions concerning the data reporting process, and THCIC staff contact information.

### **2.4.1 Important Links**

- [Data Reporting Schedule](#)
- [Inpatient Data Reporting Requirements](#)
- [Latest Version of these Specifications](#)
- [5010 Inpatient and Outpatient Appendices](#)





## Healthcare Facility Procedures and Technical Specifications Manual

### 3. Definitions and Acronyms

Term	Definition
<b>Accurate and Consistent Data</b>	Data that has been edited by DSHS and subjected to provider validation and certification. Title 25 Texas Administrative Code, Chapter 421, Rule 421.61(1)
<b>ANSI</b>	American National Standards Institute
<b>ANSI 837 Institutional Guide</b>	American National Standards Institute, Accrediting Standards Committee electronic claims format for billing health care services [specifications can be obtained via the Internet at Washington Publishing Company and Title 25 Texas Administrative Code, Chapter 421, Rule 421.61(5)]
<b>Attending Physician</b>	The individual licensed under the Medical Practice Act (Occupations Code, Chapter 151) or the licensed health professional primarily responsible for the care of the patient during the hospital episode as reported on the claim. For Skilled Nursing Facility (SNF) services, the attending physician is the individual who certifies the SNF plan of care. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(3)
<b>Audit</b>	For the purposes of this manual, a methodological examination and review of data. Audits are performed during data collection to identify errors or potential errors (warnings).
<b>Certification Process</b>	The process by which a provider confirms the accuracy and completeness of the encounter data set required to produce the public use data file as specified in §421.7 of this title (relating to Certification of Discharge Reports). Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(4)
<b>Charge</b>	The amount billed by a provider for specific procedures or services provided to a patient before any adjustment for contractual allowances, government mandated fee schedules write-offs for charity care, bad debt or administrative courtesy. The term does not include co-payments charged to health maintenance organization enrollees by providers paid by capitation or salary in a health maintenance organization. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(5)
<b>CHS</b>	Texas Department of State Health Services, Center for Health Statistics.
<b>CPT</b>	Current Procedural Terminology – HCPCS Level 1 procedure codes





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Comments</b>	The notes or explanations submitted by the hospitals, physicians or other health professionals concerning the provider quality reports or the encounter data for public use as described in the Texas Health and Safety Code, §108.010(c) and (e) and §108.011(g) respectively. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(6)
<b>Discharge</b>	The formal release of a patient by a hospital; that is, the termination of a period of hospitalization by death or by disposition to a residence or another health care provider. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(9)
<b>Discharge Claim</b>	A computer record as specified in §421.9 of this title (relating to Discharge Reports--Records, Data Fields and Codes) relating to a specific patient. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(10)
<b>Discharge Report</b>	A computer file as defined in §421.9 of this title periodically submitted on or on behalf of a Hospital in compliance with the provisions of this chapter. "Discharge report" corresponds to the ANSI 837 Institutional Guide terms, "Communication Envelope" or "Interchange Envelope." Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(11)
<b>DRG</b>	Diagnosis Related Group. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(12)
<b>EDI</b>	Electronic Data Interchange. A method of sending data electronically from one computer to another. EDI helps providers and payers maintain a flow of vital information by enabling the transmission of claims and managed care transactions. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(13)
<b>Edit</b>	<p>An electronic standardized process developed and implemented by the THCIC to identify potential errors and mistakes in data elements by reviewing data fields for the presence or absence of data, and the accuracy and appropriateness of data. (§108.002(8) Health and Safety Code)</p> <p>For the purposes of this manual:</p> <ol style="list-style-type: none"> <li>1. To make changes to a data file.</li> <li>2. The process of adding, deleting, or changing data.</li> </ol> <p>The THCIC edits the public use data file to protect the</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
	confidentiality of patients and physicians. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(14)
<b>Electronic Filing</b>	The submission of computer records in machine readable form by modem transfer from one computer to another (EDI) or by recording the records on a nine-track magnetic tape, computer diskette or other magnetic media acceptable to the executive director. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(15)
<b>EMC</b>	Electronic Media Claims (National Standard Format).
<b>Encounter</b>	An electronic record that contains information on all services rendered for a patient episode of care (admission through discharge) by a provider in a patient care setting (e.g., hospital, out-patient clinic, doctor's office).
<b>Error</b>	Data submitted in a discharge data file, which are not consistent with the format, data standards, or auditing criteria established by the director of CHS, or the failure to submit required data. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(16)
<b>Ethnicity</b>	The status of patients relative to Hispanic background. Facilities shall report this data element according to the following ethnic types: Hispanic or Non- Hispanic. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(17)
<b>Facility Type Indicators</b>	An indicator that provides information to the data user as to the type of facility or the primary health services delivered at that facility (e.g., Teaching, Acute Care, Rehabilitation, Psychiatric, Pediatric, Cancer, Skilled Nursing, or other Long Term Care Facility). A facility may have more than one indicator. Hospitals may request updates to this field. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(18)
<b>Geographic Identifiers</b>	A set of codes indicating the public health region and county in which the patient resides. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(19)





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>HCDCS</b>	Health Care Data Collection System
<b>HCPCS</b>	Healthcare Common Procedure Coding System
<b>Healthcare Facility</b>	A hospital, an ambulatory surgery center licensed under Chapter 243 of the Health and Safety Code, a chemical dependency treatment facility licensed under Chapter 464 of the Health and Safety Code, a renal dialysis center, a birthing center, a rural health clinic or a federally qualified health center as defined by 42 United States Code, §1396(1)(2)(B). Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(21)
<b>HIPPS</b>	Health Insurance Prospective Payment System. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(22)
<b>Hospital</b>	A public, for-profit, or nonprofit institution licensed or owned by this state that is a general or special hospital, private mental hospital, chronic disease hospital, or other type of hospital. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(23)
<b>ICD</b>	International Classification of Disease. The International Classification of Diseases, Clinical Modification (ICD-CM) is a system used to code and classify mortality data from death certificates. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(24)
<b>Inpatient</b>	A patient, including a newborn infant, who is formally admitted to the inpatient service of a hospital, and who is subsequently discharged, regardless of status or disposition. Inpatients include patients admitted to medical/surgical, intensive care, nursery, sub-acute, skilled nursing, long-term, psychiatric, substance abuse, physical rehabilitation, and all other types of hospital units. <a href="#">Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(25)</a>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Institutional Review Board</b>	The department's appointees or agent who have experience and expertise in ethics, patient confidentiality, and health care data who review and approve or disapprove requests for data or information other than the public use data as described in §421.10 of this title (relating to Institutional Review Board). The Institutional Review Board acts as the Scientific Review Panel described in the Health and Safety Code, §108.0135. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(26)
<b>Insured</b>	Services for which the provider expects payment from a third-party insuring Payer (e.g., Medicare, Medicaid, Blue Cross).
<b>Non-insured</b>	Services for which the Provider cannot bill a third-party insuring payer (e.g., self-pay, charity).
<b>Operating or Other Physician</b>	The "physician" licensed by the Texas Medical Board or "other health professional" licensed by the State of Texas who performed the principal procedure or performed the surgical procedure most closely related to the principal diagnosis. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(27)
<b>Other Exempted Provider</b>	A hospital exempt by rule Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(28) or by waiver (2014 Sunset Review Commission Waiver Recommendation) to be established in rule.
<b>Other Health Professional</b>	A person licensed to provide health care services other than a physician. An individual other than a physician who admits patients to hospitals, or who provides diagnostic or therapeutic procedures to inpatients. The term encompasses persons licensed under various Texas practice statutes, such as psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists who are authorized by the hospital to admit or treat patients. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(29)
<b>Patient Account Number</b>	A number assigned to each patient by the hospital, which appears on each computer record in a patient discharge claim. This number is not consistent for a given patient from one hospital to the next, or from one admission to the next in the same hospital. The department deletes or encrypts this number to protect patient confidentiality prior to release of data. Title 25 Texas Administrative Code, Chapter 421, Rule





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
	421.1(30)
<b>Payer</b>	The organization that pays for medical services. Payers usually are contractually responsible for adjudication and payment of provider claims for health care services rendered.
<b>Physician</b>	An individual licensed under the laws of this state to practice medicine under the Medical Practice Act, Occupations Code, Chapter 151. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(31)
<b>Present on Admission (POA)</b>	Diagnosis present on admission. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(32)
<b>Provider</b>	A hospital, physician, or other health professional that provides health care services to patients. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(33)
<b>Provider Quality Data</b>	A report or reports authored by the department on provider quality or outcomes of care, as defined in Health and Safety Code, Chapter 108, created from data collected by the department or obtained from other sources. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(34)
<b>Public Use Data File</b>	A data file composed of discharge claims with risk and severity adjustment scores which have been altered by the deletion, encryption or other modification of data fields to protect patient and physician confidentiality and to satisfy other restrictions on the release of hospital discharge data imposed by statute. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(35)
<b>Race</b>	A division of patients according to traits that are transmissible by descent and sufficient to characterize them as distinctly human types. Hospitals shall report this data element according to the following racial types: American Indian, Eskimo, or Aleut; Asian or Pacific Islander; Black; White; or Other. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(36)





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Required Minimum Data Set</b>	The list of data elements which hospitals are required to submit in a discharge claim for each inpatient stay in the hospital. The required minimum data set is specified in §421.9(d) of this title. This list does not include the data elements that are required by the ANSI 837 Institutional Guide to submit an acceptable discharge report. For example: Interchange Control Headers and Trailers, Functional Group Headers and Trailers, Transaction Set Headers and Trailers and Qualifying Codes (which identify which qualify as subsequent data elements). Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(37)
<b>Research Data File</b>	A customized data file, which includes the data elements in the public use file and may include data elements other than the required minimum data set submitted to the department, except those data elements that could reasonably identify a patient or physician. The data elements may be released to a requestor when the requirements specified in §421.8 of this title (relating to Hospital Discharge Data Release) are completed. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(38)
<b>Risk Adjustment</b>	A statistical method to account for a patient's severity of illness at the time of admission and the likelihood of development of a disease or outcome, prior to any medical intervention. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(39)
<b>Service Unit Indicator</b>	An indicator derived from submitted data (based on bill type or revenue codes), which represent the type of service unit or units (e.g., Coronary Care Unit, Detoxification Unit, Intensive Care Unit, Hospice Unit, Nursery, Obstetric Unit, Oncology Unit, Pediatric Unit, Psychiatric Unit, Rehabilitation Unit, Sub acute Care Unit, or Skilled Nursing Unit) where the patient received treatment. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(40)
<b>Severity Adjustment</b>	A method to stratify patient groups by degrees of illness and mortality. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(41)
<b>Submission</b>	The transfer of a set of computer records as specified in §421.9 of this title that constitutes the discharge report for one or more hospitals. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(42)





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Submitter</b>	The person or organization, which physically prepares discharge reports for one or more hospitals and submits them to THCIC. A submitter may be a hospital or an agent designated by a hospital or its owner. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(43)
<b>Submitting Agent</b>	An organization authorized by a health care provider to submit billing claims on behalf of the provider.
<b>System13, Inc.</b>	System13, Inc. The contractor that collects, audits, and warehouses the inpatient and outpatient health care claim data on behalf of THCIC.
<b>THCIC</b>	Texas Health Care Information Collection sub-unit in the Department of State Health Services, Center for Health Statistics Unit.
<b>THCIC Identification Number</b>	A string of six characters assigned by THCIC to identify health care facilities for reporting and tracking purposes. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(44)
<b>Uniform Facility Identifier</b>	A unique number assigned by the department to each health care facility licensed in the state. For hospitals, this will include the hospital's state license number. For hospitals operating multiple facilities under one license number and duplicating services, the department will assign a distinguishable uniform facility identifier for each separate facility. The relationship between facility identifier and the name and license number of the facility is public information. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(45)
<b>Uniform Patient Identifier</b>	A unique identifier assigned by the THCIC to an individual patient and composed of numeric, alpha, or alphanumeric characters, which remains constant across hospitals and inpatient admissions. The relationship of the identifier to the patient-specific data elements used to assign it is confidential. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(46)





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Uniform Physician Identifier</b>	A unique identifier assigned by the THCIC to a physician or other health professional who is reported as attending or treating a hospital inpatient and which remains constant across hospitals. The relationship of the identifier to the physician-specific data elements used to assign it is confidential. The uniform physician identifier shall consist of alphanumeric characters. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(47)
<b>User</b>	For the purposes of this manual, Hospital or Submitter.
<b>Validation</b>	The process by which a provider verifies the accuracy and completeness of data and corrects any errors identified before certification. Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(48)





## ***Healthcare Facility Procedures and Technical Specifications Manual***

# 4. Technical Requirements Summary

## 4.1 Patient Inclusion Requirements

Hospitals must submit the required data elements for **all inpatients discharged** from the hospital. This includes patients for which the hospital may not generate an electronic claim, such as self-pay and charity (see Title 25 Texas Administrative Code, Chapter 421, Rule 421.2).

## 4.2 Communications Requirements

### 4.2.1 Data Submissions

Texas Administrative Code (TAC) rules require that all hospitals, in operation for any or all of the reporting periods described in Title 25 Texas Administrative Code, Chapter 421, Rule 421.1(a) and (b) relating to the Collection and release of Hospital Discharge Data, shall submit data on all discharged inpatients to the Texas Health Care Information Collection program and are advised to reference Chapter 108, Health & Safety Code and the Texas Health Care Information Collection rules Title 25 Texas Administrative Code, Chapter 421, Rule 421.1 – 421.9 relating to data reporting.

To facilitate the implementation and operation of the Department of State Health Services data reporting programs under Chapter 108, Texas Health & Safety Code, it is necessary for each reporting health facility to provide the name and contact information for its designated THCIC contact person or liaison.

System13 accepts data from providers or from their submitting agents using transmission methods and protocols specified in this manual as authorized by THCIC Title 25 Texas Administrative Code, Chapter 421, Rule 421.4.

**Prior to submitting electronic claims to System13, Inc. the submitter (Facility or facility's designee, corporate office or contact vendor) must register with System13, Inc. and complete the enrollment process. For enrollment information, please visit: [System13 Enrollments](#)**

**For more information, see [THCIC Submitter and Provider Enrollment Guide](#).**





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **4.2.2 Data Corrections**

Hospitals that receive error or warning codes and messages can submit corrections either by making the corrections using Claim Correction (See Claim Correction at DSHS THCIC Inpatient Data Reporting Requirements) or by resubmitting claims to System13, Inc. Claims can be corrected in one of the following ways:

#### **1. Replacement of Errant Claim Data**

Submit "Replacement claims" (XX7) to System13, Inc. "Replacement claims" are required to have the following data elements match exactly to replace the claim data from System13, Inc.:

- a. Patient Control Number (PCN) (can be changed in the THCIC System WebCorrect/Claims Correction [online])
- b. Medical Record Number (MRN)
- c. Admission Date
- d. Admission Hour
- e. Statement Period From Date
- f. Statement Period Thru Date

#### **2. Void or Cancel Errant Claim Data and Resubmit**

Submit "Void/Cancel claims" (XX8) to System13, Inc., then resubmit original bill type codes (XX0, XX1, XX2, XX3, XX4 or XX5) with the corrected data included. "Void/Cancel claims" are required to have the following data elements match exactly to delete the claim data from System13, Inc.:

- a. Patient Control Number (PCN) (can be changed in the THCIC System WebCorrect/Claims Correction [online])
- b. Medical Record Number (MRN)
- c. Admission Date
- d. Admission Hour
- e. Statement Period From Date
- f. Statement Period Thru Date

#### **3. Delete Errant Claim Data and Resubmit**





## ***Healthcare Facility Procedures and Technical Specifications Manual***

- a. The designated Facility “Data Administrator” may log into the secure website and delete errant or duplicate batches or claims using the “Batches” tab or “Data Mgmt” tab.
- b. Contact System13, Inc. and request that they delete the claims/batches with errors (a charge is associated with this process), and then resubmit original bill type codes (XX0, XX1, XX2, XX3, XX4 or XX5) with the corrected data.

### **4.2.3 System13, Inc. Help Desk**

System13, Inc. Help Desk Contact Information:

**E-mail:** [thcichelp@system13.com](mailto:thcichelp@system13.com)

**Helpdesk:** (888) 308-4953 Monday through Friday 8:00 a.m. to 5:00 p.m. (CT)

**Fax:** (434) 979-1047

**Data Portal Web Site:** <https://thcic.system13.com/>

## **4.3 Billing Claims Validation and Acceptance**

All submitted claims are audited and validated for adherence to the THCIC 837 Specifications prior to being accepted for processing by System13, Inc. Audits required for validation include, at a minimum, those audits specified in the 5010 Inpatient and Outpatient Appendices found at [Inpatient Data Reporting Requirements](#). Audits will be applied at the data element level or record level and without regard to other billing claim records previously received for a provider or a patient.

## **4.4 System Resources and Availability**

The system is available to collect and accept data from submitters seven (7) days a week, twenty-four (24) hours a day.

Secured electronic mailboxes for notification are available seven (7) days a week, twenty-four (24) hours a day to the Submitter for retrieval of information.

## **4.5 Auditing of Data by System13, Inc.**

Format, syntax, and validation audits are performed on all claims data submitted to THCIC for processing. These audits and validations are summarized below. A list of the





## ***Healthcare Facility Procedures and Technical Specifications Manual***

audit codes and descriptions of the codes can be found in the [Appendices](#) document. In general, the audits support the following rules:

- Each billing claims submission must contain at least one valid file, including valid file header /trailer records.
- A file/Transaction Set must contain one valid claim for the file/Transaction Set to be accepted.
- Claim file numbers may not be reused within six months of acceptance of the first use of the batch number.
- Claim detail charges and claim counts must balance with batch and file totals.
- Claims submission may contain only valid record types/Data segments as defined in the ANSI 837 specifications.
- All fields defined as number must contain numerical data.
- All fields designated as required date fields must contain valid dates. Dates must be submitted in CCYYMMDD format including the patient's birth date. All other date fields may contain a valid date or may be blank or zero filled.

**Table 1. Sample Pre-Processing Audits (Format Check)**

<b>Audit ID</b>	<b>Message</b>	<b>Description</b>
<b>RJ001</b>	Missing/Invalid ISA Interchange Control Header Segment.	The first three characters in all 837 files are 'ISA'. This file does not start with 'ISA'. Our system has stopped processing this file.
<b>RJ002</b>	ISA06 (Interchange Sender ID) contains invalid Submitter_ID='SUB999'	Submitter Id's are six characters long, begin with 'SUB', and are followed by three numbers (e.g. SUB999). Do not put 'TH' in front of your Submitter Id. THSUB999 is a login, SUB999 is a Submitter Id.

**Table 2. Sample Claim-Level Audits**

<b>Audit ID</b>	<b>Status</b>	<b>Message</b>	<b>Description</b>	<b>Severity</b>
<b>600</b>	I	Missing Principal Procedure Date	If the Principal Procedure exists, the Principal Procedure Date	Error





## ***Healthcare Facility Procedures and Technical Specifications Manual***

			must exist and contain a valid date of the format	
<b>601</b>	I	Principal Procedure not reported when Other Procedure(s) reported	The Principal Procedure is not reported, is blank or contains zeroes and Other Procedure(s) are reported.	Error

### **4.6 Required Data File Format**

Claims data must be submitted in the THCIC 837 (modified ANSI X12N 837, version 5010 Institutional Claim, X223A2) Specification format. See Section 5 - THCIC 837 File Specifications of this document.

### **4.7 State Required Data Elements**

The following data elements must be submitted for each inpatient stay.

1. Patient Name
  - a. Patient Last Name
  - b. Patient First Name
  - c. Patient Middle Initial
2. Patient Address
  - a. Patient Address Line 1
  - b. Patient Address Line 2 (if applicable)
  - c. Patient City
  - d. Patient State
  - e. Patient Zip
  - f. Patient Country
3. Patient Birth Date
4. Patient Sex (at birth)
5. Patient Race
6. Patient Ethnicity
7. Patient Social Security Number





## ***Healthcare Facility Procedures and Technical Specifications Manual***

8. Patient Account Number
9. Patient Medical Record Number
10. Claim Filing Indicator Code (Payer Source – primary and secondary (if applicable for secondary payer source))
11. Payer Name - Primary and secondary (if applicable, for both)
12. National Plan Identifier - for primary and secondary (if applicable) payers  
(National Health Plan Identification number, if applicable and when assigned by the Federal Government)
13. Type of Bill (Facility Type Code plus Claim Frequency Code)
14. Statement Dates (i.e. Statement Period From and Statement Period Thru dates)
15. Admission Start of Care
  - a. Admission Start of Care Date
  - b. Admission Start of Care Hour
16. Admission Type
17. Admission Source
18. Patient (Discharge) Status
19. Patient Discharge Hour
20. Principal Diagnosis
21. Admitting Diagnosis
22. Principal External Cause of Injury (E-Code)
23. Other Diagnosis Codes - up to 24 occurrences (if applicable)
24. External Cause of Injury (E-Code) - up to 9 occurrences (if applicable)
25. Principal Procedure Code
26. Principal Procedure Date
27. Other Procedure Codes - up to 24 occurrences (if applicable)
28. Other Procedure Dates - up to 24 occurrences (if applicable)
29. Occurrence Span Code - up to 4 occurrences (if applicable)
30. Occurrence Span Code Associated Dates (From/Thru) – up to 4 occurrences (If applicable)
31. Occurrence Code - up to 12 occurrences (if applicable)
32. Occurrence Code Associated Date - up to 12 occurrences (if applicable)
33. Value Code - up to 12 occurrences (if applicable)
34. Value Code Associated Amount - up to 12 occurrences (if applicable)
35. Condition Code - up to 8 occurrences (if applicable)
36. Attending Physician or Practitioner Name





***Healthcare Facility Procedures and Technical Specifications Manual***

- a. Attending Physician or Practitioner Last Name
- b. Attending Physician or Practitioner First Name
- c. Attending Physician or Practitioner Middle Initial
- 37. Attending Physician or Practitioner Primary Identifier (National Provider Identifier, when HIPAA rule is implemented)
- 38. Attending Physician or Practitioner Secondary Identifier (Texas state license number)
- 39. Operating Physician Name (if applicable)
  - a. Operating Physician Last Name
  - b. Operating Physician First Name
  - c. Operating Physician Middle Initial
- 40. Operating Physician Primary Identifier (National Provider Identifier, when HIPAA rule is implemented)
- 41. Operating Physician Secondary Identifier (Texas state license number)
- 42. Total Claim Charges
- 43. Revenue Service Line Details (up to 999 service lines)
  - a. Revenue Code
  - b. Procedure Code
  - c. HCPCS/HIPSS Procedure Modifier 1 (if applicable)
  - d. HCPCS/HIPSS Procedure Modifier 2 (if applicable)
  - e. HCPCS/HIPSS Procedure Modifier 3 (if applicable)
  - f. HCPCS/HIPSS Procedure Modifier 4 (if applicable)
  - g. Charge Amount
  - h. Unit Code
  - i. Unit Quantity
  - j. Unit Rate
  - k. Non-covered Charge Amount
- 44. Service Provider Name
- 45. Service Provider Primary Identifier - Provider Federal Tax ID (EIN) or National Provider Identifier (when HIPAA rule is implemented)
- 46. Service Provider Address
  - a. Service Provider Address Line 1
  - b. Service Provider Address Line 2 (if applicable)
  - c. Service Provider City
  - d. Service Provider State





## ***Healthcare Facility Procedures and Technical Specifications Manual***

e. Service Provider Zip

47. Service Provider Secondary Identifier - THCIC 6-digit Hospital ID assigned to each facility

### **4.7.1 Diagnosis Present on Admission**

48. Diagnosis Present on Admission (POA) – is required to be submitted for all hospitals which are not exempt from reporting Title 25 Texas Administrative Code, Chapter 421, Rule 421.9(e).

The following hospital types are exempt from the POA submission requirement:

- Cancer Hospitals,
- Children's or Pediatric Hospitals,
- Critical Access Hospitals,
- Inpatient Psychiatric Hospitals,
- Inpatient Rehabilitation Hospitals, or
- Long Term Care Hospitals

## **4.8 Data Element Locations**

Data elements and their respective locations in the approved formats.

**Table 3. Data Element Locations**

<b>DATA ELEMENT</b>	<b>Loop ID</b>	<b>Ref. Des.</b>
Patient Last Name	2010BA or 2010CA	NM103
Patient First Name	2010BA or 2010CA	NM104
Patient Middle Initial	2010BA or 2010CA	NM105
Patient Street Address	2010BA or 2010CA	N301
Patient City	2010BA or 2010CA	N401
Patient State	2010BA or	N402





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>DATA ELEMENT</b>	<b>Loop ID</b>	<b>Ref. Des.</b>
	2010CA	
Patient Zip	2010BA or 2010CA	N403
Patient Country Code	2010BA or 2010CA	N404
Patient Birth Date	2010BA or 2010CA	DMG02
Patient Sex (at birth)	2010BA or 2010CA	DMG03
Patient Race	2300	K301
Patient Ethnicity	2300	K301
Subscriber/Patient Social Security Number	2010BA	REF02
Patient Social Security Number	2300	K301
Patient Control Number/Patient Account Number	2300	CLM01
Medical Record Number	2300	REF02
Source of Payment Code (Standard)/ Claim Filing Indicator Code	2000B or 2320	SBR09
Payer Name	2010BB (and 2330B, if secondary payer)	NM103
National Plan Identifier (when implemented by Federal Government)	2010BB (and 2330B, if secondary payer)	NM109
Type of Bill	2300	CLM05
Statement Covers Period From	2300	DTP03
Statement Covers Period Through	2300	DTP03
Admission/Start of Care Date	2300	DTP03
Admission Hour (Required when multiple bill types are sent)	2300	DTP03
Type of Admission (Priority (Type) of Admission)	2300	CL101





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>DATA ELEMENT</b>	<b>Loop ID</b>	<b>Ref. Des.</b>
Source of Admission (Point of Origin for Admission or Visit)	2300	CL102
Patient Status	2300	CL103
Patient Discharge Hour	2300	DTP03
Principal Diagnosis Code	2300	HI01
Admitting Diagnosis	2300	HI02
External Cause of Injury	2300	HI03-HI12
Other Diagnosis Codes (Up to 24 codes)	2300	HI01-HI12, plus a second segment HI01-HI12
Diagnosis Present on Admission	2300	HI01-9 (nn = 01- 12)
Principal Surgical Procedure Code (If applicable)	2300	HI01
Principal Surgical Procedure Date (If applicable)	2300	HI01
Other Surgical Procedure Codes (Up to 24 codes)	2300	HI01-HI12, plus a second segment HI01-HI12
Other Surgical Procedure Dates (If applicable)	2300	HI01-HI12, plus a second segment HI01-HI12
Procedure Coding Method Used/ Code List Qualifier Code	2300	HI01-1
Occurrence Span Code (Up to 4 codes will be used)	2300	HI01-2
Occurrence Span Code Associated Dates (up to 4 will be collected)	2300	HI01-4
Occurrence Code (Up to 12 codes will be used)	2300	HI01-2
Occurrence Code Associated Dates (Up to 12 codes will be used)	2300	HI01-4
Value Code (Up to 12 codes will be used)	2300	HI01-2
Value Code Associated Amount (Up to 12 codes will be used)	2300	HI01-5





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>DATA ELEMENT</b>	<b>Loop ID</b>	<b>Ref. Des.</b>
Condition Code (Up to 8 codes will be used)	2300	HIInn-2
Attending Physician Name	2310A	NM103, NM104, and NM105
Attending Physician Number	2310A	NM109 (NPI) or REF02 (State License)
Operating or Other Physician Name	2310B	NM103, NM104, and NM105
Operating or Other Physician Number	2310B	NM109 (NPI) or REF02 (State License)
Total Claim Charges	2300	CLM02
Accommodations Revenue Codes or Revenue Codes	2400	SV201
HCPCS/HIPPS Procedure Codes	2400	SV202-2
HCPCS/HIPPS Procedure Code Modifiers	2400	SV202-3 to SV202- 6
Accommodation Total Charges or Charge Amount	2400	SV203
Ancillary Charges Total or Charge Amount	2400	SV203
Unit Code	2400	SV204
Accommodations Days or Unit Quantity	2400	SV205
Units of Service or Unit Quantity	2400	SV205
Accommodations Rate or Unit Rate	2400	SV206
Provider Name	2010AA or 2310E	NM103
Provider Address	2010AA or 2310E	N301
Provider City	2010AA or 2310E	N401
Provider ZIP Code	2010AA or 2310E	N403
Provider National Provider Identification Number (NPI)	2010AA or 2310E	NM109





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>DATA ELEMENT</b>	<b>Loop ID</b>	<b>Ref. Des.</b>
Provider Tax Identification (EIN)	2010AA or 2310E	REF02
Provider THCIC ID Identification (6 Digit) number assigned by THCIC	2010AA or 2010BB or 2310E	REF02





## ***Healthcare Facility Procedures and Technical Specifications Manual***

# 5. THCIC 837 File Specifications

## 5.1 Reference Information

The THCIC 837 Inpatient Claim Specification draws from the specifications for the ANSI 837 health care claim format published in the American National Standards Institutes, Accredited Standards Committee X12, National Electronic Data Interchange Transaction Set Implementation Guide, Health Care Claim: Institutional, 837, ASC X12N 837 (005010X223), May 2006 version, and the addenda published by the Washington Publishing Company in June 2010 (ANSI 837 Institutional Guide, 005010X223A2) which can be purchased from the following website:

[X12 Product Licensing Program](#)

### 5.1.1 Nomenclature

Key terms and phrases to better understand this portion of the specifications document, after which you will have a basic understanding of X12 syntax, usage, and related information.

Term	Definition
<b>Control Segment</b>	A control segment has the same structure as a data segment but is used for transferring control information rather than application information.
<b>Control Segment, Interchange Control Segments</b>	The Interchange Control Header (ISA) is used to denote the start and end of Functional Groups (GS). Each element on the line is in a fixed position. It defines what characters are used for segment, element, and other control characters. The ISA has an associate Interchange Control Trailer (IEA) to





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition
<b>Control Segment, Functional Group Segments</b>	<p>The functional group is delineated by the functional group header (GS segment) and the functional group trailer (GE segment). The functional group header starts and identifies one or more related transaction sets. It also provides control number and application identification information.</p> <p>The functional group trailer defines the end of the functional group of related transaction sets and provides a count of contained transaction sets.</p>
<b>Control Segment, Transaction Set Segments</b>	<p>The transaction set is delineated by the transaction set header (ST segment) and the transaction set trailer (SE segment). The transaction set header identifies the start and identifier of the transaction set. The transaction set trailer defines the end of the transaction set and provides a count of the data segments, which includes the ST and SE segments.</p>
<b>Control Segment, Hierarchical Level Segments</b>	<p>Hierarchical Level segments denote the start of a group of information. The information may be about a provider of date, about the insured person, or about a patient claim. It ends when another Hierarchical Loop occurs, or when a transaction trailer (SE) is received.</p>
<b>Control Segment, Relations among Control Segments</b>	<p>The control segments of this standard must have a nested relationship, as shown and annotated in this subsection. The letters preceding the control segment name are the segment identifier for that control segment. The indentation of segment identifiers shown below indicates the subordination among control segments.</p> <p>ISA Interchange Control Header</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition
	<p>GS Functional Group Header starts a group of related Transaction sets.</p> <p>ST Transaction Set Header starts a transaction set.</p> <p>HL Hierarchical Level starts a bounded loop of data segments.</p> <p>SE Transaction Set Trailer ends a transaction set.</p> <p>GE Functional Group Trailer ends a group of related transaction sets.</p> <p>IEA Interchange Control Trailer</p>
<b>Data Element</b>	<p>The data element is the smallest unit of information in the X12 standard. Data elements are identified as either simple or component. A data element that occurs as an ordinal positioned member of a composite data structure is identified as a component data element. A data element that occurs in a segment outside the defined boundaries of a composite data structure is identified as a simple data element. The distinction between simple and component data elements is strictly a matter of context since a data element can be used in either capacity.</p>
<b>Data Element, Numeric</b>	<p>A numeric data element is represented by one or more digits with an optional leading sign representing a value in the normal base of 10. The value of a numeric data element includes an implied decimal point. It is used when the position of the decimal point within the data is permanently fixed and is not to be transmitted with the data.</p> <p>The data element dictionary defines the number of implied decimal positions. The representation for this data element</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition
	<p>type is Nn where N indicates that it is numeric, and n indicates the number of decimal positions to the right of the implied decimal point.</p> <p>If n is 0, it need not appear in the specification; N is equivalent to N0. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) should not be transmitted. Leading zeros should be suppressed unless necessary to satisfy a minimum length requirement. The length of numeric type data elements does not include the optional sign.</p> <p>FOR EXAMPLE: Value is "-123.4". Numeric type is "N2" where the "2" indicates an implied decimal placement two positions from the right. The data stream value is "-12340". The length is 5 (note padded zero).</p>
<b>Data Element, Decimal Number</b>	<p>A decimal data element contains an explicit decimal point and is used for numeric values that have a varying number of decimal positions. The representation for this data element type is "R."</p> <p>The decimal point always appears in the character stream if the decimal point is at any place other than the right end. If the value is an integer (decimal point at the right end) the decimal point should be omitted. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) should not be transmitted.</p> <p>Leading zeros should be suppressed unless necessary to satisfy a minimum length requirement. Trailing zeros following the decimal point should be suppressed unless</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
	necessary to indicate precision. The use of triad separators (for example, the commas in 1,000,000) is expressly
<b>Data Element, Identifier</b>	An identifier data element always contains a value from a predefined list of values. Trailing spaces should be suppressed unless necessary to satisfy minimum length. The representation for this data element type is "ID."
<b>Data Element, String</b>	A string data element is a sequence of any characters from the basic or extended character sets. The significant characters shall be left justified and shall be space filled. Leading spaces, when they occur, are presumed to be significant characters. Trailing spaces should be suppressed unless they are necessary to satisfy minimum length. The representation for this data element type is "AN."
<b>Data Element, Date</b>	A date data element is used to express the standard date in either YYMMDD or CCYYMMDD format in which CC is the century or first two digits of the calendar year, YY is the last two digits of the calendar year, MM is the month (01 to 12), and DD is the day in the month (01 to 31). The representation for this data element type is "DT." Users of this guide should note that all dates within transactions are 8-character dates (millennium compliant) in the format CCYYMMDD. The only date data element that is in format YYMMDD is the Interchange Date data element in the ISA segment, and used in the TA1 Interchange Acknowledgment, where the century can be readily interpolated because of the nature of an interchange header.





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Data Element, Time</b>	A time data element is used to express the ISO standard time HHMMSSdd format in which HH is the hour for a 24-hour clock (00 to 23), MM is the minute (00 to 59), SS is the second (00 to 59) and dd is decimal seconds. The representation for this data element type is "TM."
<b>Data Element, Length</b>	Length: Each data element is assigned a minimum and maximum length. The length of the data element value is the number of character positions used except as noted for numeric, decimal, and binary elements
<b>Data Element, Reference Number</b>	Data elements are assigned a unique reference number to locate them in the data dictionary. For each data element, the dictionary specifies the name, description, type, minimum length, and maximum length. For ID data elements, the dictionary lists all code values and their descriptions or references where the valid code list can be obtained.
<b>Data Element Type</b>	Numeric - Nn Decimal - R Identifier - ID String - AN Date - DT Time - TM
<b>Data Segment</b>	The data segment is used primarily to convey user information while the control segment is used primarily to convey control information and for grouping data segments. A data segment corresponds to a record in data





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
	<p>processing terminology. The data segment begins with a segment ID and contains related data elements.</p> <p>The data segment is an intermediate unit of information in a transaction set. In the data stream, a data segment consists of a segment identifier, one or more composite data structures or simple data elements each preceded by a data element separator, and a segment terminator.</p>
<b>Data Segment, Identifier</b>	<p>Each data segment has a unique two- or three-position identifier. This identifier serves as a label for the data segment.</p>
<b>Data Segment, Data Elements in a Segment</b>	<p>In defining a segment, each simple data element or composite data structure within the data segment is further characterized by a reference designator and a data element reference number or composite data structure reference identifier. Simple data elements and composite data elements may have additional attributes, including a condition designator and a semantic note designator.</p>
<b>Data Segment Data Element</b>	<p>Each simple data element or composite data structure in a segment is provided a structured code that indicates the segment in which it is used and the sequential position within the segment. The code is composed of the segment identifier followed by a two- digit number that defines the position of the simple data element or composite data structure in that segment. For purposes of creating reference designators, the composite data structure is viewed as the hierarchical equal of the simple data element. Each component data element in a composite data structure is identified by a suffix appended to the reference designator for the composite data structure of which it is a member. This suffix is a two- digit number,</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
	<p>prefixed with a hyphen that defines the position of the component data element in the composite data structure.</p> <p>For example: The first simple element of the SVC segment would be identified as SVC01 because the position count does not include the segment identifier, which is a label. If the second position in the SVC segment were occupied by a composite data structure that contained three component data elements, the reference designator for the second component data element would be SVC02-02.</p>
<b>Data Segment, Condition Designator</b>	<p>Data element conditions are of three types: mandatory, optional, and relational; they define the circumstances under which a data element may be required to be present or not present in a particular segment.</p>
<b>Data Segment, Mandatory Condition</b>	<p>M- Mandatory; The designation of mandatory is absolute in the sense that there is no dependency on other data elements. This designation may apply to either simple data elements or composite data structures. If the designation applies to a composite data structure, then at least one value of a component data element in that composite data structure shall be included in the data segment.</p>
<b>Data Segment, Optional Condition</b>	<p>O- Optional; The designation of optional means that there is no requirement for a simple data element or composite data structure to be present in the segment. The presence of a value for a simple data element or the presence of value for any of the component data elements of a composite data structure is at the option of the sender.</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition										
<b>Data Segment, Relational Condition</b>	<p>X- Relational; Relational conditions may exist among two or more simple data elements within the same data segment based on the presence or absence of one of those data elements (presence means a data element must not be empty). Relational conditions are specified by a condition code (see table below) and the reference designators of the affected data elements. A data element may be subject to more than one relational condition.</p> <table><tr><th>Condition Code</th><th>Definition</th></tr><tr><td>P- Paired or Multiple</td><td>If any element specified in the relational condition is present, then all the elements specified must be present.</td></tr><tr><td>R- Required</td><td>At least one of the elements specified in the condition must be present.</td></tr><tr><td>E- Exclusion</td><td>Not more than one of the elements specified in the condition may be present.</td></tr><tr><td>C- Conditional</td><td>If the first element specified in the condition is present, then all other elements must be present. However, any or all the elements not specified as the first element in the condition may appear without requiring that the first element be present. The order of the</td></tr></table>	Condition Code	Definition	P- Paired or Multiple	If any element specified in the relational condition is present, then all the elements specified must be present.	R- Required	At least one of the elements specified in the condition must be present.	E- Exclusion	Not more than one of the elements specified in the condition may be present.	C- Conditional	If the first element specified in the condition is present, then all other elements must be present. However, any or all the elements not specified as the first element in the condition may appear without requiring that the first element be present. The order of the
Condition Code	Definition										
P- Paired or Multiple	If any element specified in the relational condition is present, then all the elements specified must be present.										
R- Required	At least one of the elements specified in the condition must be present.										
E- Exclusion	Not more than one of the elements specified in the condition may be present.										
C- Conditional	If the first element specified in the condition is present, then all other elements must be present. However, any or all the elements not specified as the first element in the condition may appear without requiring that the first element be present. The order of the										





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition	
		elements in the condition does not have to be the same as the order of the data elements in the data segment.
	L- List Conditional	If the first element specified in the condition is present, then at least one of the remaining elements must be present. However, any or all the elements not specified as the first element in the condition may appear without requiring that the first element be present. The order of the elements in the condition does not have to be the same as the order of the data elements in the data segment.
<b>Data Segment, Semantic Note Designator</b>	<p>Simple data elements or composite data structures may have a designation that indicates the existence of a semantic note. A semantic note provides important additional information regarding the intended meaning of a designated data element, particularly a generic type, in the context of its use within a specific data segment. Semantic notes may also define a relational condition among data elements in a segment based on the presence of a specific value (or one of a set of values) in one of the data elements.</p> <p>Semantic notes are considered part of the relevant transaction set standard. Semantic Note (Z)</p>	





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
	<p>A semantic note is referenced in the segment directory for this data element with respect to its use in this data segment.</p>
<b>Data Segment, Absence of Data</b>	<p>Any simple data element that is indicated as mandatory must not be empty if the segment is used. At least one component data element of a composite data structure that is indicated as mandatory must not be empty if the segment is used. Optional simple data elements and/or composite data structures and their preceding data element separators that are not needed should be omitted if they occur at the end of a segment. If they do not occur at the end of the segment, the simple data element values and/or composite data structure values may be omitted. Their absence is indicated by the occurrence of their preceding data element separators, in order, to maintain the element's or structure's position as defined in the data segment.</p>
<b>Delimiter</b>	<p>A delimiter is a character used to separate two data elements (or sub elements) or to terminate a segment. The delimiters are an integral part of the data.</p> <p>Delimiters are specified in the interchange header segment, ISA and are not to be used in a data element value elsewhere in the interchange.</p> <p>These delimiters can be visualized on the printed page. They also display each segment on a separate line, adding human readability to the transaction set.</p> <p>Due to potential conflicts with either the data elements or with the special needs of transmission and device control, the historically used delimiters have caused problems.</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Dependent</b>	In the hierarchical loop coding, the dependent code 23 indicates the use of the patient hierarchical loop (Loop ID-2000C).
<b>Destination Payer</b>	The destination payer is the payer who is specified in the Subscriber/Payer loop (Loop ID-2010BB)
<b>Functional Group</b>	A functional group is a group of similar transaction sets that is bounded by a functional group header segment and a functional group trailer segment. The functional identifier defines the group of transactions that may be included within the functional group. The value for the functional group control number in the header and trailer control segments must be identical for any given group. The value for the number of included transaction sets is the total number of transaction sets in the group.
<b>Patient</b>	The term "patient" is intended to convey the case where the Patient loop (Loop ID- 2000C) is used. In that case, the patient is not the same person as the subscriber, and the patient is a person (e.g., spouse, children, others) who is covered by the subscriber's insurance plan. However, it also happens that the patient is sometimes the same person as the subscriber. In that case, all information about the patient/subscriber is carried in the Subscriber loop (Loop ID-2000B). See Section 2.3.2.1, HL Segment, (ANSI 837 Institutional and Professional Guides) for further details. Every effort has been made to ensure that the meaning of the word "patient" is clear in its specific context.





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>Term</b>	<b>Definition</b>
<b>Provider</b>	In a generic sense, the provider is the entity that originally submitted the claim/encounter. A provider may also have provided or participated in some aspect of the health care service described in the transaction. Specific types of providers are identified in this implementation section (e.g., billing provider, other provider, operating physician, rendering provider).
<b>Secondary Payer</b>	The term "secondary payer" indicates any payer, who is not the primary payer. The secondary payer may be the secondary, tertiary, or even quaternary payer.
<b>Subscriber</b>	The subscriber is the person whose name is listed in the health insurance policy. Other synonymous terms include "member" and/or "insured." In some cases, the subscriber is the same person as the patient. See the definition of patient, In Section 1.4.3.2.2.1 Hierarchical Level, HL Segment, (ANSI 837 Institutional) and for (ANSI 837 Professional) see Section B.1.1.4.3 in Appendix B contains a general description of HL structures Guides) for further details.
<b>Transaction Set</b>	The transaction set is the smallest meaningful set of information exchanged between trading partners. The transaction set consists of a transaction set header segment, one or more data segments in a specified order, and a transaction set trailer segment.
<b>Transaction Set, Header, and Trailer</b>	The transaction set header and trailer segments are constructed as follows: <ul style="list-style-type: none"><li>• Transaction Set Header (ST)</li></ul>





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition
	<ul style="list-style-type: none"><li>• Data Segment Group</li><li>• Transaction Set Trailer (SE)</li></ul> <p>The transaction set identifier uniquely identifies the transaction set. This identifier is the first data element of the transaction set header segment. The value for the transaction set control number, in the header and trailer control segments must be identical for any given transaction. The value for the number of included segments is the total number of segments in the transaction set including the ST and SE segments.</p>
<b>Transaction Set, Data Segment Groups</b>	<p>The data segments in a transaction set may be repeated as individual data segments or as unbounded or bounded loops.</p>
<b>Transaction Set, Repeated Occurrences of Single Data Segments</b>	<p>When a single data segment is allowed, to be repeated, it may have a specified maximum number of occurrences defined at each specified position within a given transaction set standard. Alternatively, a segment may be allowed to repeat an unlimited number of times. The notation for an unlimited number of repetitions is "&gt;1".</p>
<b>Transaction Set, Loops of Data Segments</b>	<p>Loops are groups of semantically related segments. Data segment loops may be unbounded or bounded</p>
<b>Transaction Set, Unbounded Loops.</b>	<p>In order, to establish the iteration of a loop, the first data segment in the loop shall appear Unbounded once and only once in each iteration. Loops may have a specified maximum number of Loops repetitions.</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition
	<p>Alternatively, the loop may be specified as having an unlimited number of iterations. The notation for an unlimited number of repetitions "&gt;1".</p> <p>There is a specified sequence of segments in the loop. Loops themselves are optional or mandatory. The requirement designator of the beginning segment of a loop indicates whether at least one occurrence of the loop is required. Each appearance of the beginning segment defines an occurrence of the loop.</p> <p>The requirement designator of any segment within the loop after the beginning segment applies to that segment for each occurrence of the loop. If there is a mandatory requirement designator for any data segment within the loop after the beginning segment, that data segment is mandatory for each occurrence of the loop.</p> <p>If unbounded loops are nested within loops, the inner loop shall not start at the same ordinal position as any outer loop. The inner loop shall not start with the same segment as its immediate outer loop. For any segment that occurs in a loop and in the parent structure of that loop, that segment must occur prior to that loop in the parent structure or subsequent, to an intervening mandatory segment in the parent structure (parent structure is composed of all segments at the same level of nesting as the beginning segment of the loop).</p>
<b>Transaction Set, Bounded Loops</b>	<p>The characteristics of unbounded loops described previously also apply to bounded loops. In addition, bounded loops require a loop start segment to appear before the first occurrence and a loop end segment to appear after the last occurrence of the loop. If the loop does not occur, the segments shall be suppressed.</p>





***Healthcare Facility Procedures and Technical Specifications Manual***

Term	Definition				
	<p>The requirement designator on the segments must match the requirement designator of the beginning segment of the loop.</p> <p>A bounded loop may contain only one loop structure at the level bracketed by the segments. Subordinate loops are permissible. If bounded loops are nested within loops, the inner loop shall not start at</p> <p>the same ordinal position as any outer loop. The inner loop must end before or on the same segment as its immediate outer loop.</p>				
<b>Transaction Set, Data Segment in a Transaction Set</b>	<p>When data segments are combined to form a transaction set, three characteristics are applied to each data segment: A requirement designator, a position in the transaction set, and a maximum occurrence.</p>				
<b>Transaction Set, Data Segment Requirement Designators</b>	<p>A data segment, or loop, has one of the following requirement designators for health care Data Segment and insurance transaction sets, indicating its appearance in the data stream of a Requirement transmission. These requirement designators are represented by a single character code.</p> <table><tr><th>Designator</th><th>Requirement</th></tr><tr><td>(M) Mandatory</td><td>This data segment must be included in the transaction set. (Note that a data segment may be mandatory in a loop of data segments, but the loop itself is</td></tr></table>	Designator	Requirement	(M) Mandatory	This data segment must be included in the transaction set. (Note that a data segment may be mandatory in a loop of data segments, but the loop itself is
Designator	Requirement				
(M) Mandatory	This data segment must be included in the transaction set. (Note that a data segment may be mandatory in a loop of data segments, but the loop itself is				





***Healthcare Facility Procedures and Technical Specifications Manual***


Term	Definition	
		optional if the beginning segment of the loop is designated as optional.)
	(O) Optional	The presence of this data segment is the option of the sending party.
<b>Transaction Set, Data Segment Position</b>	The ordinal positions of the segments in a transaction set are explicitly specified for that transaction. Subject to the flexibility provided by the optional requirement designators of the segments, this positioning must be maintained.	
<b>Transaction Set, Data Segment Occurrence</b>	A data segment may have a maximum occurrence of one, a finite number greater than one, or an unlimited number.	
<b>Transmission Intermediary</b>	A transmission intermediary is any entity that handles the transaction between the provider (originator of the claim/encounter transmission) and the destination payer. The term "intermediary" is not used to convey a specific Medicare contractor type.	





## Healthcare Facility Procedures and Technical Specifications Manual

### 5.1.2 Basic Structure



**Figure 1. Basic 837 Structure**

The X12 standards define commonly used business transactions in a formal, structured manner called transaction sets. A transaction set is composed of a transaction set header control segment, one or more data segments, and a transaction set trailer control segment. Each segment is composed of a unique segment ID; one or more logically related simple data elements or composite data structures, or both, each preceded by a data element separator; and a segment terminator.

Composite data structures are composed of one or more logically related component data elements. Each composite data structure is followed by a component element separator except for the last one element. The data segment directory entry referenced by the data segment ID defines the sequence of simple data elements and composite data structures in the segment, and any

interdependencies that may exist. The composite data structure directory entry referenced by the composite data structure number defines the sequence of component data elements in the composite data structure.

A data element in the transaction set header identifies the type of transaction set. A functional group contains one or more related transaction sets preceded by a functional group header control segment and terminated by a functional group trailer control segment.

### 5.1.3 Control Segments

A control segment has the same structure as a data segment, but it is used for transferring control information rather than application information.

### 5.1.4 Delimiters

A delimiter (from Section B.1.1.2.5 of ANSI 837 Institutional Guides) is a character used to separate two data elements or component elements or to terminate a segment. The delimiters are an integral part of the data.



## ***Healthcare Facility Procedures and Technical Specifications Manual***

Delimiters are specified in the interchange header segment, ISA. The ISA segment can be considered in implementations compliant with this guide (see Appendix C, ISA Segment Note 1) to be a 105-byte fixed length record, followed by a segment terminator. The data element separator is byte number 4; the repetition separator is byte number 83; the component element separator is byte number 105; and the segment terminator is the byte that immediately follows the component element separator.

Once specified in the interchange header, the delimiters are not to be used in a data element value elsewhere in the interchange. For consistency, this implementation guide uses, and recommends, the delimiters shown in Table 4 - Delimiters, in all examples.

**Table 4. Delimiters**

<b>Character</b>	<b>Name</b>	<b>Delimiter</b>
*	Asterisk	Data Element Separator
^	Caret	Repetition Separator
:	Colon	Component Element Separator
~	Tilde	Segment Terminator

### **5.1.5 THCIC Implementation Usage**

Only the sections and segments that are required or situational required by THCIC that are different from the ANSI 837 Institutional Guide sections are written in this manual. Following is a table of the data elements that have been modified from the ANSI 837 Institutional Guide to meet the THCIC requirements for data submission.

A rule of thumb: If a hospital or vendor submits a HIPAA compliant ANSI 837 Institutional Guide formatted file with the additional required fields listed below, that data file should pass the audits at System13, Inc.

Some data elements are listed as “Situational” or “Not Used” in the ANSI 837 Institutional Guide but are REQUIRED by THCIC, as detailed in the following table.





## Healthcare Facility Procedures and Technical Specifications Manual

Table 5. Data Element Comparisons

Data Element	Loop ID	Ref. Des.	Difference
<b>National Provider Identification (NPI) number (facility)</b>	2010AA or 2310E <sup>1</sup>	NM109	The Name segments in Loop 2310E are dependent upon who renders the service.
<b>Employer Identification Number</b>	2010AA or 2310E <sup>1</sup>	REF02 (or NM109)	The REF segment in Loop 2010AA and 2310E are SITUATIONAL and would be required if the NPI is submitted in NM109 of the same Loop.
<b>Facility ID Number (THCIC ID #)</b>	2010AA or 2010BB <sup>2</sup> or 2310E	REF02	REF Segment is situational for all loops. Loop is dependent upon who renders the service to patient. Loop 2010BB usage is changed to "SITUATIONAL" from "REQUIRED" since this THCIC ID could be submitted in Loop 2010AA REF02
<b>Claim Filing Indicator Code</b>	2000B or 2320	SBR09	SBR09
<b>Subscriber/Patient Social Security Number</b>	2010BA	REF02	REF segment
<b>Patient Social Security Number</b>	2300	K301	K3 segment (Required, if patient is not listed as the subscriber and SSN reported in 2010BA   REF02. SSN moves to 3rd -11th characters with change to new contract in response to HB 2641 84th Texas Legislature)
<b>Patient Race</b>	2300	K301	K3 segment second character
<b>Principal and Admitting Diagnosis</b>	2300	HI01–HI12	Bill Type xx4 and xx5 in the addenda were provided exemptions in the ANSI 837 Institutional guide.
<b>Patient Ethnicity</b>	2300	K301	K3 segment first character
<b>Type of Admission (Priority (Type) of Admission)</b>	2300	CL101	CL segment
<b>Source of Admission (Point of Origin for Admission or Visit)</b>	2300	CL101	CL segment
<b>Patient Status</b>	2300	CL101	CL segment





## Healthcare Facility Procedures and Technical Specifications Manual

Data Element	Loop ID	Ref. Des.	Difference
<b>Medical Record Number</b>	2300	REF02	REF segment
<b>Attending Physician Number</b>	2310A	NM109 REF02	NM1 segment REF segment
<b>Attending Physician Name</b>	2310A	NM103	NM segment
<b>Subscriber Name</b>	2010BA	NM103- Last NM104- First NM105- MI	Segment is situational for THCIC submissions, only required if Subscriber is Patient
<b>External Cause of Injury<sup>3</sup></b>	2300	HI01- HI10	HI11 and HI12 excluded

1. Dependent on which facility is indicated as rendering the services to the patient.
2. Loop 2010BB (REF Segment) would not be used if THCIC ID reported in Loop 2010AA.
3. Allows for up to 10 External Cause of Injury codes.

## 5.2 Transaction Set Listing

This section lists the levels, loops, and segments contained in the THCIC 837 Institutional Specifications, and describes the expected Transaction Set for each Inpatient claim submission.

**Table 6. Header**

POS	ID	NAME	USG	RPT	LOOP RPT
0050	ST	Transaction Set Header	R	1	
0100	BHT	Beginning of Hierarchical Transaction	R	1	
<b>LOOP ID - 1000A SUBMITTER NAME</b>					1
0200	NM1	Submitter Name	R	1	
<b>LOOP ID - 1000B RECEIVER NAME</b>					1
0200	NM1	Receiver Name	R	1	





## Healthcare Facility Procedures and Technical Specifications Manual

**Table 7. Billing Provider Detail**

POS	ID	NAME	USG	RPT	LOOP RPT
LOOP ID - 2000A BILLING PROVIDER HIERARCHICAL LEVEL					>1
0010	HL	Billing Provider Hierarchical Level	R	1	
LOOP ID - 2010AA BILLING PROVIDER NAME					1
0150	NM1	Billing Provider Name	R	1	
0250	N3	Billing Provider Address	R	1	
0300	N4	Billing Provider City, State, ZIP Code	R	1	
0350	REF	Billing Provider Tax Identification	R	1	
0350	REF	Billing Provider THCIC Identification	S	1	
LOOP ID - 2010AB PAY-TO ADDRESS NAME					1
0150	NM1	Pay-to Address Name	S	1	
0250	N3	Pay-to Address - ADDRESS	R	1	
0300	N4	Pay-To Address City, State, ZIP Code	R	1	

**Table 8. Subscriber Detail**

POS	ID	NAME	USG	RPT	LOOP RPT
LOOP ID - 2000B SUBSCRIBER HIERARCHICAL LEVEL					>1
0010	HL	Subscriber Hierarchical Level	R	1	1
0050	SBR	Subscriber Information	R	1	
LOOP ID - 2010BA SUBSCRIBER NAME					
0150	NM1	Subscriber Name	S	1	
0250	N3	Subscriber Address	R	1	
0300	N4	Subscriber City, State, ZIP Code	R	1	
0320	DMG	Subscriber Demographic Information	R	1	1
0350	REF	Subscriber Secondary Identification	R	1	
LOOP ID - 2010BB PAYER NAME					
0150	NM1	Payer Name	R	1	1
0350	REF	Billing Provider Secondary Identification	S	1	

**Table 9. Patient Detail**

POS	ID	NAME	USG	RPT	LOOP RPT
<b>LOOP ID - 2000C PATIENT HIERARCHICAL LEVEL</b>					<b>&gt;1</b>
0010	HL	Patient Hierarchical Level	S	1	<b>1</b>
0070	PAT	Patient Information	R	1	
<b>LOOP ID - 2010CA PATIENT NAME</b>					<b>1</b>
0150	NM1	Patient Name	S	1	





**Healthcare Facility Procedures and Technical Specifications Manual**

POS	ID	NAME	USG	RPT	LOOP RPT
0250	N3	Patient Address	R	1	
0300	N4	Patient City, State, ZIP Code	R	1	
0320	DMG	Patient Demographic Information	R	1	
LOOP ID – 2300 CLAIM INFORMATION					100
1300	CLM	Claim Information	R	1	
1350	DTP	Discharge Hour	S	1	
1350	DTP	Statement Dates	R	1	
1350	DTP	Admission Date/Hour	R	1	
1400	CL1	Institutional Claim Code	R	1	
1800	REF	Medical Record Number	R	1	
1850	K3	File Information	R	10	
2310	HI	Principal Diagnosis	R	1	
2310	HI	Admitting Diagnosis	R	1	
2310	HI	External Cause of Injury	S	1	
2310	HI	Other Diagnosis Information	S	2	
2310	HI	Principal Procedure Information	S	1	
2310	HI	Other Procedure Information	S	2	
2310	HI	Occurrence Span Information	S	1	
2310	HI	Occurrence Information	S	1	
2310	HI	Value Information	S	1	
2310	HI	Condition Information	S	1	
LOOP ID - 2310A ATTENDING PROVIDER NAME					1
2500	NM1	Attending Provider Name	R	1	
2710	REF	Attending Provider Secondary Identification	S	1	
LOOP ID - 2310B OPERATING PHYSICIAN NAME					1
2500	NM1	Operating Physician Name	S	1	
2710	REF	Operating Physician Secondary Identification	S	1	
LOOP ID - 2310E SERVICE FACILITY LOCATION NAME					1
2500	NM1	Service Facility Location Name	S	1	
2650	N3	Service Facility Location Address	R	1	
2700	N4	Service Facility Location City, State, ZIP Code	R	1	
2710	REF	Service Facility Location Secondary Identification	S	1	
LOOP ID - 2320 OTHER SUBSCRIBER INFORMATION					1
2900	SBR	Other Subscriber Information	S	1	
LOOP ID - 2330B OTHER PAYER NAME					1
3250	NM1	Other Payer Name	S	1	
LOOP ID - 2400 SERVICE LINE NUMBER					999
3650	LX	Service Line Number	R	1	
3750	SV2	Institutional Service Line	R	1	





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>POS</b>	<b>ID</b>	<b>NAME</b>	<b>USG</b>	<b>RPT</b>	<b>LOOP RPT</b>
5550	SE	Transaction Set Trailer	R	1	





## Healthcare Facility Procedures and Technical Specifications Manual

### 5.3 837 Segment Detail

This section specifies the segments, data elements, and codes for this implementation. Additional segment details can be found in Section 2.4 837 Segment Detail of the ASC X12N/005010X223 Health Care Claim: Institutional (837) Specifications.

#### ST - TRANSACTION SET HEADER

To indicate the start of a transaction set and to assign a control number.

Repeat: 1

Usage: REQUIRED

Example: **ST\*837\*987654\*005010X223A2~**

#### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	ST01	143	<b>Transaction Set Identifier Code</b> Code uniquely identifying a Transaction Set <b>SEMANTIC:</b> The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).	<b>M 1 ID 3/3</b>
			<b>CODE DEFINITION</b> <b>837 Health Care Claim</b>	
REQUIRED	ST02	329	<b>Transaction Set Control Number</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <b>The Transaction Set Control Number in ST02 and SE02 must be identical. The number must be unique within a specific interchange (ISA-IEA) but can repeat in other interchanges.</b>	<b>M 1 AN 4/9</b>
REQUIRED	ST03	1705	<b>Implementation Convention Reference</b> Reference assigned to identify Implementation Convention <b>SEMANTIC:</b> The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate	<b>O 1 AN 1/35</b>





## Healthcare Facility Procedures and Technical Specifications Manual

implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

### INDUSTRY NAME: Version, Release, or Industry Identifier

This element must be populated with the following value:

CODE	DEFINITION
005010X223A2	Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003

This field contains the same value as GS08. Some translator products strip off the ISA and GS segments prior to application (ST-SE) processing. Providing the information from the GS08 at this level will ensure that the appropriate application mapping is used at translation time.

## BHT - BEGINNING OF HIERARCHICAL TRANSACTION

To define the business hierarchical structure of the transaction set and identify the business application purpose and reference data, i.e., number, date, and time.

Repeat: 1

Usage: REQUIRED

- Notes:
1. THCIC treats each submission as Original, irrespective of the value in BHT02.
  2. The value for BHT03 MUST NOT be duplicated or reused within a 12-month timeframe.

**At the time of this writing, "Subrogation Demand" is not a HIPAA mandated use of the 837 transaction.**

Example: **BHT\*0019\*00\*0123\*20040618\*0932\*CH~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
-------	-----------	-----------------	------	------------





## Healthcare Facility Procedures and Technical Specifications Manual

REQUIRED	BHT01	1005	Hierarchical Structure Code					M	1	ID	4/4						
Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set																	
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>0019</td><td>Information Source, Subscriber, Dependent</td></tr></table>												CODE	DEFINITION	0019	Information Source, Subscriber, Dependent		
CODE	DEFINITION																
0019	Information Source, Subscriber, Dependent																
REQUIRED	BHT02	353	Transaction Set Purpose Code					M	1	ID	2/2						
Code identifying purpose of transaction set																	
BHT02 is intended to convey the electronic transmission status of the 837-batch contained in this ST-SE envelope. The terms "original" and "reissue" refer to the electronic transmission status of the 837 batch, not the billing status.																	
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>00</td><td>Original</td></tr><tr><td>18</td><td>Reissue</td></tr></table>												CODE	DEFINITION	00	Original	18	Reissue
CODE	DEFINITION																
00	Original																
18	Reissue																
REQUIRED	BHT03	127	Reference Identification					O	1	AN	1/50						
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier																	
SEMANTIC: BHT03 is the number assigned by the originator to identify the transaction within the originator's business application system.																	
INDUSTRY NAME: Originator Application Transaction Identifier																	
The inventory file number of the transmission assigned by the submitter's system. This number operates as a batch control number.																	
REQUIRED	BHT04	373	Date					O	1	DT	8/8						
Date expressed as CCYYMMDD																	
SEMANTIC: BHT04 is the date the transaction was created within the business application system.																	
INDUSTRY NAME: Transaction Set Creation Date																	
This is the date that the original submitter created the claim file from their business application system.																	
REQUIRED	BHT05	337	Time					O	1	TM	4/8						
Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer																	





## Healthcare Facility Procedures and Technical Specifications Manual

seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

**SEMANTIC:** BHT05 is the time the transaction was created within the business application system.

### INDUSTRY NAME: Transaction Set Creation Time

**This is the time that the original submitter created the claim file from their business application system.**

**REQUIRED BHT06 640 Transaction Type Code O 1 ID 2/2**

Code specifying the type of transaction

IMPLEMENTATION NAME: Claim Identifier

#### CODE DEFINITION

**31 Subrogation Demand**

**CH Chargeable**

**RP Reporting**

## NM1 - SUBMITTER NAME

To supply the full name of an individual or organizational entity.

Loop: 1000A — SUBMITTER NAME Loop Repeat: 1

Repeat: 1

Usage: REQUIRED

Notes: 1. The submitter is the entity responsible for the creation and formatting of this transaction.

2. The value of NM109 MUST match ISA06 and GS02.

Example: **NM1\*41\*2\*ABC SUBMITTER\*\*\*\*\*46\*999999999~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>

Code identifying an organizational entity, a physical location, property or an individual

#### CODE DEFINITION

**41 Submitter**





**Healthcare Facility Procedures and Technical Specifications Manual**

REQUIRED	NM102	1065	Entity Type Qualifier	M	1	ID	1/1
Code qualifying the type of entity							
SEMANTIC: NM102 qualifies NM103.							
				CODE	DEFINITION		
				1	Person		
				2	Non-Person Entity		
REQUIRED	NM103	1035	Name Last or Organization Name	X	1	AN	1/60
Individual last name or organizational name							
INDUSTRY NAME: Submitter Last or Organization Name							
SITUATIONAL	NM104	1036	Name First	O	1	AN	1/35
Individual first name							
Required when NM102 = 1 (person) and the person has a first name. If not required by this implementation guide, do not send.							
INDUSTRY NAME: Submitter First Name							
SITUATIONAL	NM105	1037	Name Middle	O	1	AN	1/25
Individual middle name or initial							
Required when NM102 = 1 (person) and the person has a first name. If not required by this implementation guide, do not send.							
INDUSTRY NAME: Submitter Middle Name or Initial							
NOT USED	NM106	1038	Name Prefix	O	1	AN	1/10
NOT USED	NM107	1039	Name Suffix	O	1	AN	1/10
REQUIRED	NM108	66	Identification Code Qualifier	X	1	ID	1/2
Code designating the system/method of code structure used for Identification Code (67)							
				CODE	DEFINITION		
				46	Electronic Transmitter Identification Number (ETIN)		
					Established by trading partner agreement		
REQUIRED	NM109	67	Identification Code	X	1	AN	2/80
Code identifying a party or other code							
INDUSTRY NAME: Submitter Identifier							
				CODE	DEFINITION		





## Healthcare Facility Procedures and Technical Specifications Manual

			SUBnnn	System13, Inc. Submitter ID Number				
NOT USED	NM110	706	Entity Relationship Code	X	1	ID	2/2	
NOT USED	NM111	98	Entity Identifier Code	O	1	ID	2/3	
NOT USED	NM112	1035	Name Last or Organization Name	O	1	AN	1/60	

### NM1 - RECEIVER NAME

To supply the full name of an individual or organizational entity.

Loop: 1000B — RECEIVER NAME Loop Repeat: 1

Repeat: 1

Usage: REQUIRED

Example: **NM1\*40\*2\*XYZRECEIVER\*\*\*\*\*46\*111222333~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			<b>CODE DEFINITION</b>	
			<b>40 Receiver</b>	
<b>REQUIRED</b>	<b>NM102</b>	<b>1065</b>	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
			Code qualifying the type of entity	
			<b>SEMANTIC:</b> NM102 qualifies NM103.	
			<b>CODE DEFINITION</b>	
			<b>2 Non-Person Entity</b>	
<b>REQUIRED</b>	<b>NM103</b>	<b>1035</b>	<b>Name Last or Organization Name</b>	<b>X 1 AN 1/60</b>
			Individual last name or organizational name	
			<b>INDUSTRY NAME: Receiver Name</b>	
			<b>CODE DEFINITION</b>	
			<b>THCIC Identifies THCIC as the Receiver</b>	
<b>NOT USED</b>	<b>NM104</b>	<b>1036</b>	<b>Name First</b>	<b>O 1 AN 1/35</b>
<b>NOT USED</b>	<b>NM105</b>	<b>1037</b>	<b>Name Middle</b>	<b>O 1 AN 1/25</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	NM106	1038	Name Prefix	O	1	AN	1/10				
NOT USED	NM107	1039	Name Suffix	O	1	AN	1/10				
REQUIRED	NM108	66	Identification Code Qualifier	X	1	ID	1/2				
Code designating the system/method of code structure used for Identification Code (67)											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>46</td><td>Electronic Transmitter Identification Number (ETIN)</td></tr></table>								CODE	DEFINITION	46	Electronic Transmitter Identification Number (ETIN)
CODE	DEFINITION										
46	Electronic Transmitter Identification Number (ETIN)										
REQUIRED	NM109	67	Identification Code	X	1	AN	2/80				
Code identifying a party or other code											
INDUSTRY NAME: Receiver Primary Identifier											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>YTH837</td><td>THCIC Receiver Code</td></tr></table>								CODE	DEFINITION	YTH837	THCIC Receiver Code
CODE	DEFINITION										
YTH837	THCIC Receiver Code										
NOT USED	NM110	706	Entity Relationship Code	X	1	ID	2/2				
NOT USED	NM111	98	Entity Identifier Code	O	1	ID	2/3				
NOT USED	NM112	1035	Name Last or Organization Name	O	1	AN	1/60				

**HL - BILLING PROVIDER HIERARCHICAL LEVEL**

To identify dependencies among and the content of hierarchically related groups of data segments.

Loop: 2000A — BILLING PROVIDER HIERARCHICAL LEVEL Loop Repeat: >1  
Repeat: 1  
Usage: REQUIRED  
Notes: 1. Use the Billing Provider HL to identify the original entity that submitted the electronic claim/encounter to the destination payer identified in Loop ID-2010BB. The billing provider entity may be a health care provider, a billing service, or some other representative of the provider.  
2. The Billing Provider Hierarchical Level may contain information about the Pay-to Provider entity. If the Pay-to Provider entity is the same as the Billing Provider entity, then only use Loop ID- 2010AA.  
3. If the Service Facility Provider is the same entity as the Billing or the Pay-to-Provider then do not use Loop 2310E.





## Healthcare Facility Procedures and Technical Specifications Manual

4. THCIC uses the provider HLs as base for batching claim submissions. Each set of claims for a provider HL results in one set of reports. Multiple provider HLs will result in multiple sets of reports. Thus, the number of provider HLs should be minimized where possible, to reduce the numbers of reports that must be reviewed.

Example: **HL\*1\*\*20\*1~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HL01</b>	<b>628</b>	<b>Hierarchical ID Number</b>	<b>M 1 AN 1/12</b>
			A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
			<b>The first HL01 within each ST-SE envelope must begin with "1" and be incremented by one each time an HL is used in the transaction. Only numeric values are allowed in HL01.</b>	
<b>NOT USED</b>	<b>HL02</b>	<b>734</b>	<b>Hierarchical Parent ID Number</b>	<b>O 1 AN 1/12</b>
<b>REQUIRED</b>	<b>HL03</b>	<b>735</b>	<b>Hierarchical Level Code</b>	<b>M 1 ID 1/2</b>
			Code defining the characteristic of a level in a hierarchical structure	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>20</b>	<b>Information Source</b>
<b>REQUIRED</b>	<b>HL04</b>	<b>736</b>	<b>Hierarchical Child Code</b>	<b>O 1 ID 1/1</b>
			Code indicating if there are hierarchical child data segments subordinate to the level being described	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>1</b>	<b>Additional Subordinate HL Data Segment in This Hierarchical Structure.</b>

### NM1 - BILLING PROVIDER NAME

To supply the full name of an individual or organizational entity.

Loop: 2010AA — BILLING PROVIDER NAME Loop Repeat: 1

Repeat: 1





## Healthcare Facility Procedures and Technical Specifications Manual

Usage: REQUIRED

- Notes:
1. Although the name of this loop/segment is "Billing Provider" the loop/segment really identifies the billing entity. The billing entity does not have to be a health care provider to use this loop. However, some payers do not accept claims from non-provider billing entities
  2. Use Loop ID 2310E if the Billing Provider did not render services for the patient.
  3. THCIC allows the specification of a Billing Provider's Employer Identification Number (EIN) if it does not have a National Provider Identifier (NPI).

Example: **NM1\*85\*2\*ABC HOSPITAL\*\*\*\*\*XX\*1234567890~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
Code identifying an organizational entity, a physical location, property or an individual				
<b>CODE DEFINITION</b>				
<b>85 Billing Provider</b>				
REQUIRED	NM102	1065	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
Code qualifying the type of entity				
<b>SEMANTIC:</b> NM102 qualifies NM103.				
<b>CODE DEFINITION</b>				
<b>2 Non-Person Entity</b>				
REQUIRED	NM103	1035	<b>Name Last or Organization Name</b>	<b>X 1 AN 1/60</b>
Individual last name or organizational name				
<b>INDUSTRY NAME: Billing Provider Organizational Name</b>				
<b>This is the name of the facility as reported to Bureau of Facility Licensing, Texas Department of Health.</b>				
NOT USED	NM104	1036	<b>Name First</b>	<b>O 1 AN 1/35</b>
NOT USED	NM105	1037	<b>Name Middle</b>	<b>O 1 AN 1/25</b>
NOT USED	NM106	1038	<b>Name Prefix</b>	<b>O 1 AN 1/10</b>
NOT USED	NM107	1039	<b>Name Suffix</b>	<b>O 1 AN 1/10</b>
REQUIRED	NM108	66	<b>Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

Code designating the system/method of code structure used for Identification Code (67)

**CODE DEFINITION**

**XX Centers for Medicare and Medicaid Services National Provider Identifier**  
**24 Employer's Identification Number**

**REQUIRED NM109 67 Identification Code X 1 AN 2/80**

Code identifying a party or other code

**INDUSTRY NAME: Billing Provider Identifier****CODE DEFINITION**

**XXXXXXXXXX National Provider Identifier (NPI) Number**  
**nnnnnnnnnn Employer Identification Number (EIN)**

**NOT USED NM110 706 Entity Relationship Code X 1 ID 2/2**

**NOT USED NM111 98 Entity Identifier Code O 1 ID 2/3**

**NOT USED NM112 1035 Name Last or Organization Name O 1 AN 1/60**

**N3 - BILLING PROVIDER ADDRESS**

To specify the location of the named party.

Loop: 2010AA — BILLING PROVIDER NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. The first 15 characters of N301 are used to validate the billing provider.

2. Post Office Box addresses are not allowed.

Example: **N3\*123 MAIN STREET~**

**Element Detail**

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N301</b>	<b>166</b>	<b>Address Information</b>	<b>M 1 AN 1/55</b>
			Address information	
			<b>INDUSTRY NAME: Billing Provider Address Line</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

**SITUATIONAL N302 166 Address Information O 1 AN 1/55**

Address information

**Required when there is a second address line. If not required by this implementation guide, do not send.**

**INDUSTRY NAME: Billing Provider Address Line**

### N4 - BILLING PROVIDER CITY, STATE, ZIP CODE

To specify the geographic place of the named party.

Loop: 2010AA — BILLING PROVIDER NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. THCIC does not require a nine-digit zip code for Billing Provider.

Example: **N4\*KANSAS CITY\*MO\*64108~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N401</b>	<b>19</b>	<b>City Name</b>	<b>O 1 AN 2/30</b>
			Free-form text for city name	
			<b>INDUSTRY NAME: Billing Provider City Name</b>	
<b>REQUIRED</b>	<b>N402</b>	<b>156</b>	<b>State or Province Code</b>	<b>X 1 ID 2/2</b>
			Code (Standard State/Province) as defined by appropriate government agency	
			<b>INDUSTRY NAME: Billing Provider State or Province Code</b>	
<b>REQUIRED</b>	<b>N403</b>	<b>116</b>	<b>Postal Code</b>	<b>O 1 ID 3/15</b>
			Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
			<b>INDUSTRY NAME: Billing Provider Postal Zone or ZIP Code</b>	
			<b>When reporting the ZIP code for U.S. addresses, the full nine-digit ZIP code must be provided.</b>	
<b>NOT USED</b>	<b>N404</b>	<b>26</b>	<b>Country Code</b>	<b>X 1 ID 2/3</b>





### ***Healthcare Facility Procedures and Technical Specifications Manual***

<b>NOT USED</b>	<b>N405</b>	<b>309</b>	<b>Location Qualifier</b>	<b>X</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
<b>NOT USED</b>	<b>N406</b>	<b>310</b>	<b>Location Identifier</b>	<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>N407</b>	<b>1715</b>	<b>Country Subdivision Code</b>	<b>X</b>	<b>1</b>	<b>ID</b>	<b>1/3</b>

## **REF - BILLING PROVIDER TAX IDENTIFICATION**

To specify identifying information.

Loop: 2010AA — BILLING PROVIDER NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. This is the tax identification number (TIN) of the entity to be paid for the submitted services.  
2. This is used as part of facility identification, if NPI is not provided in NM109 of this segment (2010AA – Billing Provider Name).

Example: **REF\*EI\*123456789~**

### ***Element Detail***

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M 1 ID 2/3</b>
			Code qualifying the Reference Identification	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>EI</b>	<b>Employer's Identification Number</b>
			<b>The Employer's Identification Number must be a string of exactly nine numbers with no separators.</b>	
<b>REQUIRED</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X 1 AN 1/50</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			INDUSTRY NAME: Billing Provider Tax Identification Number	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>nnnnnnnnnn</b>	<b>Employer Identification Number (EIN)</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

<b>NOT USED</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/80</b>
<b>NOT USED</b>	<b>REF04</b>	<b>C040</b>	<b>REFERENCE IDENTIFIER</b>	<b>O</b>	<b>1</b>		

**REF - BILLING PROVIDER THCIC IDENTIFICATION**

To specify THCIC identifying information.

Loop: 2010AA — BILLING PROVIDER NAME

Repeat: 1

Usage: SITUATIONAL

Notes:

1. THCIC allows a second REF segment in Loop 2010AA. THCIC requires the 6-digit number (THCIC ID) assigned to the Provider identified in Loop 2010AA. The THCIC ID, along with either the NPI (NM109), EIN (REF02), and the Address (N301) is used to verify a Provider's identity.
2. If the Billing Provider is different than the facility rendering the services, this data is required to be submitted in Loop 2310E.
3. The Billing Provider Secondary Identification moved to Loop 2010BB (Payer Name) in the Subscriber Hierarchical Level. THCIC allows for either location to be used.

Example: **REF\*1J\*000116~**

*Element Detail*

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			
<b>REQUIRED</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M</b>	<b>1</b>	<b>ID</b>	<b>2/3</b>
Code qualifying the Reference Identification							
		<b>CODE</b>	<b>DEFINITION</b>				
		<b>1J</b>	<b>Facility ID Number</b>				
<b>REQUIRED</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/50</b>
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
		<b>CODE</b>	<b>DEFINITION</b>				
		<b>nnnnnn</b>	<b>ID Number assigned by THCIC</b>				
<b>NOT USED</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/80</b>





## Healthcare Facility Procedures and Technical Specifications Manual

NOT USED      REF04      C040      REFERENCE IDENTIFIER      O      1

### NM1 - PAY-TO ADDRESS NAME

To supply the full name of an individual or organizational entity.

- Loop: 2010AB — PAY-TO ADDRESS NAME Loop Repeat: 1
- Repeat: 1
- Usage: SITUATIONAL
- Notes: 1. Required by THCIC when the Pay-To Provider renders services for the patient.
2. Required if the Pay-To Provider is a different entity than the Billing Provider.
3. If this entity is the Service Facility Provider, it is not necessary to use the Service Facility Provider NM1 loop, loop 2310E.

Example: **NM1\*87\*2\*ABC HOSPITAL\*\*\*\*\*24\*123456789~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>87</b>	<b>Pay-To Provider</b>
REQUIRED	NM102	1065	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
			Code qualifying the type of entity	
			<b>SEMANTIC:</b> NM102 qualifies NM103.	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>2</b>	<b>Non-Person Entity</b>
REQUIRED	NM103	1035	<b>Name Last or Organization Name</b>	<b>X 1 AN 1/60</b>
			Individual last name or organizational name	
			<b>INDUSTRY NAME: Pay-To Provider Organizational Name</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

**This is the name of the facility as reported to Bureau of Facility Licensing, Texas Department of Health.**

NOT USED	NM104	1036	Name First	O	1	AN	1/35
NOT USED	NM105	1037	Name Middle	O	1	AN	1/25
NOT USED	NM106	1038	Name Prefix	O	1	AN	1/10
NOT USED	NM107	1039	Name Suffix	O	1	AN	1/10
REQUIRED	NM108	66	Identification Code Qualifier	X	1	ID	1/2

Code designating the system/method of code structure used for Identification Code (67)

### CODE DEFINITION

XX	Centers for Medicare and Medicaid Services National Provider Identifier
24	Employer's Identification Number

REQUIRED	NM109	67	Identification Code	X	1	AN	2/80
----------	-------	----	---------------------	---	---	----	------

Code identifying a party or other code

### INDUSTRY NAME: Pay-To Provider Identifier

### CODE DEFINITION

XXXXXXXXXX	National Provider Identifier (NPI) Number
nnnnnnnnnn	Employer Identification Number (EIN)

NOT USED	NM110	706	Entity Relationship Code	X	1	ID	2/2
NOT USED	NM111	98	Entity Identifier Code	O	1	ID	2/3
NOT USED	NM112	1035	Name Last or Organization Name	O	1	AN	1/60

## N3 - PAY-TO ADDRESS – ADDRESS

To specify the location of the named party.

Loop: 2010AB — PAY-TO ADDRESS NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. The first 15 characters of N301 are used to validate the Pay-To Provider.

2. Post Office Box addresses are not allowed.

Example: **N3\*123 MAIN STREET~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N301</b>	<b>166</b>	<b>Address Information</b> Address information	<b>M 1 AN 1/55</b>
			<b>INDUSTRY NAME: Pay-To Address Line</b>	
<b>SITUATIONAL</b>	<b>N302</b>	<b>166</b>	<b>Address Information</b> Address information	<b>O 1 AN 1/55</b>
			<b>Required when there is a second address line. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Pay-To Address Line</b>	

### N4 - PAY-TO ADDRESS CITY, STATE, ZIP CODE

To specify the geographic place of the named party.

Loop: 2010AB — PAY-TO ADDRESS NAME

Repeat: 1

Usage: REQUIRED

Example: **N4\*KANSAS CITY\*MO\*64108~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N401</b>	<b>19</b>	<b>City Name</b> Free-form text for city name	<b>O 1 AN 2/30</b>
			<b>INDUSTRY NAME: Pay-to Address City Name</b>	
<b>REQUIRED</b>	<b>N402</b>	<b>156</b>	<b>State or Province Code</b> Code (Standard State/Province) as defined by appropriate government agency	<b>X 1 ID 2/2</b>
			<b>INDUSTRY NAME: Pay-to Address State Code</b>	
<b>REQUIRED</b>	<b>N403</b>	<b>116</b>	<b>Postal Code</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	<b>O 1 ID 3/15</b>





## Healthcare Facility Procedures and Technical Specifications Manual

### INDUSTRY NAME: Pay-to Address Postal Zone or ZIP Code

When reporting the ZIP code for U.S. addresses, the full nine-digit ZIP code must be provided.

NOT USED	N404	26	Country Code	X	1	ID	2/3
NOT USED	N405	309	Location Qualifier	X	1	ID	1/2
NOT USED	N406	310	Location Identifier	O	1	AN	1/30
NOT USED	N407	1715	Country Subdivision Code	X	1	ID	1/3

## HL - SUBSCRIBER HIERARCHICAL LEVEL

To identify dependencies among and the content of hierarchically related groups of data segments.

Loop: 2000B — SUBSCRIBER HIERARCHICAL LEVEL Loop Repeat: >1

Repeat: 1

Usage: REQUIRED

Notes: 1. The Subscriber HL contains information about the person who is listed as the subscriber/insured for the destination payer entity (Loop ID-2010BA).  
2. If the insured and the patient are the same person, use this HL to identify the insured/patient, skip the subsequent (PATIENT) HL, and proceed directly to Loop ID-2300.

Example: **HL\*2\*1\*22\*1~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HL01</b>	<b>628</b>	<b>Hierarchical ID Number</b>	<b>M 1 AN 1/12</b>
			A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
			<b>The first HL01 within each ST-SE envelope must begin with "1" and be incremented by one each time an HL is used in the transaction. Only numeric values are allowed in HL01.</b>	
<b>REQUIRED</b>	<b>HL02</b>	<b>734</b>	<b>Hierarchical Parent ID Number</b>	<b>O 1 AN 1/12</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

<b>REQUIRED</b>	<b>HL03</b>	<b>735</b>	<b>Hierarchical Level Code</b>	<b>M</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
-----------------	-------------	------------	--------------------------------	----------	----------	-----------	------------

Code defining the characteristic of a level in a hierarchical structure

<b>CODE</b>	<b>DEFINITION</b>
-------------	-------------------

<b>22</b>	<b>Subscriber</b>
-----------	-------------------

<b>REQUIRED</b>	<b>HL04</b>	<b>736</b>	<b>Hierarchical Child Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
-----------------	-------------	------------	--------------------------------	----------	----------	-----------	------------

Code indicating if there are hierarchical child data segments subordinate to the level being described

**The claim (Loop ID-2300) can be used when HL04 has no subordinate levels (HL04 = 0) or when HL04 has subordinate levels indicated (HL04 = 1).**

**In the first case (HL04 = 0), the subscriber is the patient and there are no dependent claims.**

**The second case (HL04 = 1) happens when claims for one or more dependents of the subscriber are being sent under the same billing provider HL (for example, a spouse and son are both treated by the same provider).**

<b>CODE</b>	<b>DEFINITION</b>
-------------	-------------------

<b>0</b>	<b>No Subordinate HL Segment in This Hierarchical Structure.</b>
----------	--

<b>1</b>	<b>Additional Subordinate HL Data Segment in This Hierarchical Structure.</b>
----------	---

## SBR - SUBSCRIBER INFORMATION

To record information specific to the primary insured and the insurance carrier for that insured.

Loop: 2000B — SUBSCRIBER HIERARCHICAL LEVEL

Repeat: 1

Usage: REQUIRED

Example: **SBR\*P\*\*GRP01020102\*\*\*\*\*CI~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			
<b>REQUIRED</b>	<b>SBR01</b>	<b>1138</b>	<b>Payer Responsibility Sequence Number Code</b>	<b>M</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
			Code identifying the insurance carrier's level of responsibility for a payment of a claim				
			<b>CODE</b>	<b>DEFINITION</b>			
			<b>P</b>	<b>Primary</b>			
<b>SITUATIONAL</b>	<b>SBR02</b>	<b>1069</b>	<b>Individual Relationship Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
			Code indicating the relationship between two individuals or entities				
			<b>SEMANTIC:</b> SBR02 specifies the relationship to the person insured.				
			<b>Required when the patient is the subscriber or considered to be the subscriber. If not required by this implementation guide, do not send.</b>				
			<b>CODE</b>	<b>DEFINITION</b>			
			<b>18</b>	<b>Self</b>			
<b>NOT USED</b>	<b>SBR03</b>	<b>127</b>	<b>Reference Identification</b>	<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/50</b>
<b>NOT USED</b>	<b>SBR04</b>	<b>93</b>	<b>Name</b>	<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/60</b>
<b>NOT USED</b>	<b>SBR05</b>	<b>1336</b>	<b>Insurance Type Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/3</b>
<b>NOT USED</b>	<b>SBR06</b>	<b>1143</b>	<b>Coordination of Benefits Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>SBR07</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>SBR08</b>	<b>584</b>	<b>Employment Status Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
<b>REQUIRED</b>	<b>SBR09</b>	<b>1032</b>	<b>Claim Filing Indicator Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
			Code identifying type of claim				
			<b>CODE</b>	<b>DEFINITION</b>			
			<b>11</b>	<b>Other Non-Federal Programs</b>			
			<b>12</b>	<b>Preferred Provider Organization (PPO)</b>			
			<b>13</b>	<b>Point of Service (POS)</b>			
			<b>14</b>	<b>Exclusive Provider Organization (EPO)</b>			
			<b>15</b>	<b>Indemnity Insurance</b>			
			<b>16</b>	<b>Health Maintenance Organization (HMO) Medicare Risk</b>			
			<b>17</b>	<b>Dental Maintenance Organization</b>			
			<b>AM</b>	<b>Automobile Medical</b>			
			<b>BL</b>	<b>Blue Cross/Blue Shield</b>			





## ***Healthcare Facility Procedures and Technical Specifications Manual***

CH	Champus
CI	Commercial Insurance Co.
DS	Disability
FI	Federal Employees Program
HM	Health Maintenance Organization
LM	Liability Medical
MA	Medicare Part A
MB	Medicare Part B
MC	Medicaid
OF	Other Federal Program
	Use code OF when submitting Medicare Part D claims.
TV	Title V
VA	Veterans Affairs Plan
WC	Workers' Compensation Health Claim
ZZ	Mutually Defined
	Use Code ZZ when Type of Insurance is not known.

### NM1 - SUBSCRIBER NAME

To supply the full name of an individual or organizational entity.

Loop: 2010BA — SUBSCRIBER NAME Loop Repeat: 1

Repeat: 1

Usage: SITUATIONAL

- Notes:
1. Loop ID 2010BA is Required when Subscriber is the Patient.
  2. Loop ID 2010BA is Not Used when Subscriber is not the Patient.
  3. Loop ID 2010CA is Required when Subscriber is not the Patient.
  4. In worker's compensation or other property and casualty claims, the "subscriber" may be a non-person entity (for example, the employer).
  5. NM109, when it contains SSN, MUST match the value for REF – Subscriber Secondary Information.

**For patients that are covered by 42 USC 290DD-2 or 42 CFR Part 2 and facilities that are participating with SAMSHA, use the following naming conventions: JOHN or JANE DOE. Sequential Numbering is allowed, for example: JOHN1, JANE2, etc.**





## Healthcare Facility Procedures and Technical Specifications Manual

Example: **NM1\*IL\*1\*DOE\*JOHN\*T\*\*JR\*MI\*123456~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>IL</b>	<b>Insured or Subscriber</b>
<b>REQUIRED</b>	<b>NM102</b>	<b>1065</b>	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
			Code qualifying the type of entity	
			<b>SEMANTIC:</b> NM102 qualifies NM103.	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>1</b>	<b>Person</b>
			<b>2</b>	<b>Non-Person Entity</b>
<b>REQUIRED</b>	<b>NM103</b>	<b>1035</b>	<b>Name Last or Organization Name</b>	<b>X 1 AN 1/60</b>
			Individual last name or organizational name	
			<b>INDUSTRY NAME: Subscriber Last Name</b>	
<b>SITUATIONAL</b>	<b>NM104</b>	<b>1036</b>	<b>Name First</b>	<b>O 1 AN 1/35</b>
			Individual first name	
			<b>Required when NM102 = 1 (person) and the person has a first name. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Subscriber First Name</b>	
<b>SITUATIONAL</b>	<b>NM105</b>	<b>1037</b>	<b>Name Middle</b>	<b>O 1 AN 1/25</b>
			Individual middle name or initial	
			<b>Required when NM102 = 1 (person) and the middle name or initial of the person is needed to identify the individual. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Subscriber Middle Name or Initial</b>	
<b>NOT USED</b>	<b>NM106</b>	<b>1038</b>	<b>Name Prefix</b>	<b>O 1 AN 1/10</b>
<b>NOT USED</b>	<b>NM107</b>	<b>1039</b>	<b>Name Suffix</b>	<b>O 1 AN 1/10</b>
<b>SITUATIONAL</b>	<b>NM108</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Code designating the system/method of code structure used for Identification Code (67)

**Required when NM102 = 1 (person). If not required by this implementation guide, do not send.**

### CODE DEFINITION

**II** Standard Unique Health Identifier for each Individual in the United States Required if the HIPAA Individual Patient Identifier is mandated use. If not required, use value `MI' instead.

**MI** Member Identification Number  
The code MI is intended to be the subscriber's identification number as assigned by the payer. (For example, Insured's ID, Subscriber's ID, Health Insurance Claim Number (HIC), etc.)

MI is also intended to be used in claims submitted to the Indian Health Service/Contract Health Services (IHS/CHS) Fiscal Intermediary for the purpose of reporting the Tribe Residency Code (Tribe County State). In the event that a Social Security Number (SSN) is also available on an IHS/CHS claim, put the SSN in REF02.

**SITUATIONAL NM109 67 Identification Code X 1 AN 2/80**

Code identifying a party or other code

**Required when NM102 = 1 (person). If not required by this implementation guide, do not send.**

### INDUSTRY NAME: Subscriber Primary Identifier

<b>NOT USED</b>	<b>NM110</b>	<b>706</b>	<b>Entity Relationship Code</b>	<b>X</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
<b>NOT USED</b>	<b>NM111</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>NM112</b>	<b>1035</b>	<b>Name Last or Organization Name</b>	<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/60</b>

## N3 - SUBSCRIBER ADDRESS

To specify the location of the named party.





## Healthcare Facility Procedures and Technical Specifications Manual

Loop: 2010BA — SUBSCRIBER NAME

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when the patient is the subscriber or considered to be the subscriber. If not required by this implementation guide, do not send.

Example: **N3\*123 MAIN STREET~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N301</b>	<b>166</b>	<b>Address Information</b> Address information	<b>M 1 AN 1/55</b>
			<b>INDUSTRY NAME: Subscriber Address Line</b>	
<b>SITUATIONAL</b>	<b>N302</b>	<b>166</b>	<b>Address Information</b> Address information	<b>O 1 AN 1/55</b>
			<b>Required when there is a second address line. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Subscriber Address Line</b>	

### N4 - SUBSCRIBER CITY, STATE, ZIP CODE

To specify the geographic place of the named party.

Loop: 2010BA — SUBSCRIBER NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. Refer to Appendix A1 – Valid Country Codes and State Codes for a list of valid State and Province Codes allowed in N402.

Example: **N4\*KANSAS CITY\*MO\*64108~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N401</b>	<b>19</b>	<b>City Name</b>	<b>O 1 AN 2/30</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Free-form text for city name

<b>REQUIRED</b>	<b>N402</b>	<b>156</b>	<b>INDUSTRY NAME: Subscriber City Name</b>			
			<b>State or Province Code</b>	<b>X</b>	<b>1</b>	<b>ID 2/2</b>
			Code (Standard State/Province) as defined by appropriate government agency			
			<b>INDUSTRY NAME: Subscriber State Code</b>			
			<b>CODE</b>	<b>DEFINITION</b>		
			<b>aa</b>	<b>Valid State or Province Code</b>		
			<b>FC</b>	<b>Foreign Country</b>		
			<b>XX</b>	<b>Foreign Country</b>		
<b>REQUIRED</b>	<b>N403</b>	<b>116</b>	<b>Postal Code</b>	<b>O</b>	<b>1</b>	<b>ID 3/15</b>
			Code defining international postal zone code excluding punctuation and blanks (zip code for United States)			
			<b>INDUSTRY NAME: Subscriber Postal Zone or ZIP Code</b>			
			<b>When reporting the ZIP code for U.S. addresses, the full nine-digit ZIP code must be provided.</b>			
			<b>CODE</b>	<b>DEFINITION</b>		
			<b>00000</b>	<b>Foreign Country; Recommended value for foreign addresses</b>		
			<b>XXXXX</b>	<b>Foreign Country</b>		
<b>NOT USED</b>	<b>N404</b>	<b>26</b>	<b>Country Code</b>	<b>X</b>	<b>1</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>N405</b>	<b>309</b>	<b>Location Qualifier</b>	<b>X</b>	<b>1</b>	<b>ID 1/2</b>
<b>NOT USED</b>	<b>N406</b>	<b>310</b>	<b>Location Identifier</b>	<b>O</b>	<b>1</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>N407</b>	<b>1715</b>	<b>Country Subdivision Code</b>	<b>X</b>	<b>1</b>	<b>ID 1/3</b>

## DMG - SUBSCRIBER DEMOGRAPHIC INFORMATION

To supply demographic information.

Loop: 2010BA — SUBSCRIBER NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. DMG03 is gender, or sex at birth.

Example: **DMG\*D8\*19690815\*M~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES											
REQUIRED	DMG01	1250	Date Time Period Format Qualifier	X	1	ID	2/3								
Code indicating the date format, time format, or date and time format															
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>D8</td><td>Date Expressed in Format CCYYMMDD</td></tr></table>								CODE	DEFINITION	D8	Date Expressed in Format CCYYMMDD				
CODE	DEFINITION														
D8	Date Expressed in Format CCYYMMDD														
REQUIRED	DMG02	1251	Date Time Period	X	1	AN	1/35								
Expression of a date, a time, or range of dates, times or dates and times															
SEMANTIC: DMG02 is the date of birth.															
INDUSTRY NAME: Subscriber Birth Date															
REQUIRED	DMG03	1068	Gender Code	O	1	ID	1/1								
Code indicating the sex of the individual															
INDUSTRY NAME: Subscriber Gender Code															
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>F</td><td>Female</td></tr><tr><td>M</td><td>Male</td></tr><tr><td>U</td><td>Unknown</td></tr></table>								CODE	DEFINITION	F	Female	M	Male	U	Unknown
CODE	DEFINITION														
F	Female														
M	Male														
U	Unknown														
NOT USED	DMG04	1067	Marital Status	O	1	ID	I/1								
NOT USED	DMG05	C056	COMPOSITE RACE OR ETHNICITY INFORMATION	X	10										
NOT USED	DMG06	1066	Citizenship Status Code	O	1	ID	1/2								
NOT USED	DMG07	26	Country Code	O	1	ID	2/3								
NOT USED	DMG08	659	Basis of Verification Code	O	1	ID	1/2								
NOT USED	DMG09	380	Quantity	O	1	R	1/15								
NOT USED	DMG10	1270	Code List Qualifier Code	X	1	ID	1/3								
NOT USED	DMG11	1271	Industry Code	X	1	AN	1/30								

### REF - SUBSCRIBER SECONDARY IDENTIFICATION

To specify identifying information.

Loop: 2010BA — SUBSCRIBER NAME

Repeat: 1





## Healthcare Facility Procedures and Technical Specifications Manual

Usage: REQUIRED

Notes: 1. The value in REF02 MUST match NM109 when the Subscriber is the patient and NM109 contains the SSN.

Example: **REF\*SY\*123456789~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES							
REQUIRED	REF01	128	Reference Identification Qualifier	M	1	ID	2/3				
Code qualifying the Reference Identification											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>SY</td><td>Social Security Number The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.</td></tr></table>								CODE	DEFINITION	SY	Social Security Number The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.
CODE	DEFINITION										
SY	Social Security Number The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.										
REQUIRED	REF02	127	Reference Identification	X	1	AN	1/50				
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier											
INDUSTRY NAME: Subscriber Supplemental Identifier											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>nnnnnnnnnn 999999999</td><td>Social Security Number Unknown SSN This value is required for: 1. Newborns without an SSN 2. Foreigners without an SSN 3. Patients refusing or cannot provide an SSN</td></tr></table>								CODE	DEFINITION	nnnnnnnnnn 999999999	Social Security Number Unknown SSN This value is required for: 1. Newborns without an SSN 2. Foreigners without an SSN 3. Patients refusing or cannot provide an SSN
CODE	DEFINITION										
nnnnnnnnnn 999999999	Social Security Number Unknown SSN This value is required for: 1. Newborns without an SSN 2. Foreigners without an SSN 3. Patients refusing or cannot provide an SSN										
NOT USED	REF03	352	Description	X	1	AN	1/80				
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O	1						

### NM1 - PAYER NAME

To supply the full name of an individual or organizational entity.





## Healthcare Facility Procedures and Technical Specifications Manual

Loop: 2010BB — PAYER NAME Loop Repeat: 1  
Repeat: 1  
Usage: REQUIRED  
Notes: 1. No Patient Personally Identifiable Information (PII) data should be present.  
2. This is the destination payer; primary or only payer.  
3. For the purposes of this implementation the term payer is synonymous with several other terms, such as, repricer and third-party administrator.

Example: **NM1\*PR\*2\*ABC INSURANCE CO\*\*\*\*\*PI\*11122333~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			
REQUIRED	NM101	98	Entity Identifier Code	M	1	ID	2/3
Code identifying an organizational entity, a physical location, property or an individual							
			CODE	DEFINITION			
			PR	Payer			
REQUIRED	NM102	1065	Entity Type Qualifier	M	1	ID	1/1
Code qualifying the type of entity							
SEMANTIC: NM102 qualifies NM103.							
			CODE	DEFINITION			
			2	Non-Person Entity			
REQUIRED	NM103	1035	Name Last or Organization Name	X	1	AN	1/60
Individual last name or organizational name							
INDUSTRY NAME: Payer Name							
			CODE	DEFINITION			
			SELF-PAY	For Self-Pay Claims (Claim Filing Indicator Code is "ZZ")			
			CHARITY	For Charity Claims (Claim Filing Indicator Code is "ZZ")			
			UNKNOWN	With Unknown Pay Source (Claim Filing Indicator Code is "ZZ")			
NOT USED	NM104	1036	Name First	O	1	AN	1/35
NOT USED	NM105	1037	Name Middle	O	1	AN	1/25
NOT USED	NM106	1038	Name Prefix	O	1	AN	1/10





**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	NM107	1039	Name Suffix	O	1	AN	1/10												
REQUIRED	NM108	66	Identification Code Qualifier	X	1	ID	1/2												
Code designating the system/method of code structure used for Identification Code (67)																			
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>PI</td><td>Payor Identification unless Self-Pay, Charity, or Unknown Payer claim</td></tr><tr><td>XV</td><td>Centers for Medicare and Medicaid Services PlanID</td></tr><tr><td>ZY</td><td>Temporary Identification Number for use with Self-Pay, Charity, or Unknown Payer claim</td></tr></table>								CODE	DEFINITION	PI	Payor Identification unless Self-Pay, Charity, or Unknown Payer claim	XV	Centers for Medicare and Medicaid Services PlanID	ZY	Temporary Identification Number for use with Self-Pay, Charity, or Unknown Payer claim				
CODE	DEFINITION																		
PI	Payor Identification unless Self-Pay, Charity, or Unknown Payer claim																		
XV	Centers for Medicare and Medicaid Services PlanID																		
ZY	Temporary Identification Number for use with Self-Pay, Charity, or Unknown Payer claim																		
REQUIRED	NM109	67	Identification Code	X	1	AN	2/80												
Code identifying a party or other code																			
INDUSTRY NAME: Payer Identifier																			
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>XXXXXXXXXX</td><td>National Plan Identifier (NPI) Number</td></tr><tr><td></td><td>CMS currently has delayed the implementation date for all plans and providers until further notice.</td></tr><tr><td>SELF-PAY</td><td>For Self-Pay Claims (Claim Filing Indicator Code is "ZZ")</td></tr><tr><td>CHARITY</td><td>For Charity Claims (Claim Filing Indicator Code is "ZZ")</td></tr><tr><td>UNKNOWN</td><td>With Unknown Pay Source (Claim Filing Indicator Code is "ZZ")</td></tr></table>								CODE	DEFINITION	XXXXXXXXXX	National Plan Identifier (NPI) Number		CMS currently has delayed the implementation date for all plans and providers until further notice.	SELF-PAY	For Self-Pay Claims (Claim Filing Indicator Code is "ZZ")	CHARITY	For Charity Claims (Claim Filing Indicator Code is "ZZ")	UNKNOWN	With Unknown Pay Source (Claim Filing Indicator Code is "ZZ")
CODE	DEFINITION																		
XXXXXXXXXX	National Plan Identifier (NPI) Number																		
	CMS currently has delayed the implementation date for all plans and providers until further notice.																		
SELF-PAY	For Self-Pay Claims (Claim Filing Indicator Code is "ZZ")																		
CHARITY	For Charity Claims (Claim Filing Indicator Code is "ZZ")																		
UNKNOWN	With Unknown Pay Source (Claim Filing Indicator Code is "ZZ")																		
NOT USED	NM110	706	Entity Relationship Code	X	1	ID	2/2												
NOT USED	NM111	98	Entity Identifier Code	O	1	ID	2/3												
NOT USED	NM112	1035	Name Last or Organization Name	O	1	AN	1/60												

**REF - BILLING PROVIDER SECONDARY IDENTIFICATION**

To specify THCIC identifying information.

Loop: 2010BB — PAYER NAME

Repeat: 1





## Healthcare Facility Procedures and Technical Specifications Manual

Usage: SITUATIONAL

- Notes:
1. If the THCIC ID is not submitted in Loop ID 2010AA REF segment REF01 (with qualifier "1J" in the REF02), then it is REQUIRED to be submitted here.
  2. THCIC requires the 6-digit number (THCIC ID) assigned to the Provider identified in Loop 2010AA. The THCIC ID, along with either the NPI (NM109), EIN (REF02), and the Address (N301) is used to verify a Provider's identity.
  3. If the Billing Provider is different than the facility rendering the services, this data is required to be submitted in Loop 2310E.

Example: **REF\*1J\*000116~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			
REQUIRED	REF01	128	Reference Identification Qualifier	M	1	ID	2/3
Code qualifying the Reference Identification							
				CODE	DEFINITION		
				1J	Facility ID Number		
REQUIRED	REF02	127	Reference Identification	X	1	AN	1/50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier							
				CODE	DEFINITION		
				nnnnnn	ID Number assigned by THCIC		
NOT USED	REF03	352	Description	X	1	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O	1		

### HL - PATIENT HIERARCHICAL LEVEL

To identify dependencies among and the content of hierarchically related groups of data segments.

Loop: 2000C — PATIENT HIERARCHICAL LEVEL Loop Repeat: >1

Repeat: 1

Usage: SITUATIONAL





## Healthcare Facility Procedures and Technical Specifications Manual

- Notes:
1. Required when the patient is a dependent of the subscriber identified in Loop ID-2000B and cannot be uniquely identified to the payer using the subscriber's identifier in the Subscriber Level. If not required by this implementation guide, do not send.
  2. There are no HLs subordinate to the Patient HL.
  3. If a patient is a dependent of a subscriber and can be uniquely identified to the payer by a unique Identification Number, then the patient is considered the subscriber and is to be identified in the Subscriber Level.

Example: **HL\*3\*2\*23\*0~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HL01</b>	<b>628</b>	<b>Hierarchical ID Number</b>	<b>M 1 AN 1/12</b>
			A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
			<b>The first HL01 within each ST-SE envelope must begin with "1" and be incremented by one each time an HL is used in the transaction. Only numeric values are allowed in HL01.</b>	
<b>REQUIRED</b>	<b>HL02</b>	<b>734</b>	<b>Hierarchical Parent ID Number</b>	<b>O 1 AN 1/12</b>
			Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	
<b>REQUIRED</b>	<b>HL03</b>	<b>735</b>	<b>Hierarchical Level Code</b>	<b>M 1 ID 1/2</b>
			Code defining the characteristic of a level in a hierarchical structure	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>23</b>	<b>Dependent</b>
			<b>The code DEPENDENT conveys that the information in this HL applies to the patient when the subscriber and the patient are not the same person.</b>	
<b>REQUIRED</b>	<b>HL04</b>	<b>736</b>	<b>Hierarchical Child Code</b>	<b>O 1 ID 1/1</b>
			Code indicating if there are hierarchical child data segments subordinate to the level being described	
			<b>CODE</b>	<b>DEFINITION</b>





## Healthcare Facility Procedures and Technical Specifications Manual

**0 No Subordinate HL Segment in This Hierarchical Structure.**

### PAT - PATIENT INFORMATION

To supply patient information.

Loop: 2000C — PATIENT HIERARCHICAL LEVEL

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when the patient is a dependent of the subscriber identified in Loop ID-2000B and cannot be uniquely identified to the payer using the subscriber's identifier in the Subscriber Level. If not required by this implementation guide, do not send.

Example: **PAT\*01~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			
<b>REQUIRED</b>	<b>PAT01</b>	<b>1069</b>	<b>Individual Relationship Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
Code indicating the relationship between two individuals or entities							
<b>Specifies the patient's relationship to the person insured.</b>							
		<b>CODE</b>	<b>DEFINITION</b>				
		<b>01</b>	<b>Spouse</b>				
		<b>18</b>	<b>Self</b>				
		<b>19</b>	<b>Child</b>				
		<b>20</b>	<b>Employee</b>				
		<b>21</b>	<b>Unknown</b>				
		<b>39</b>	<b>Organ Donor</b>				
		<b>40</b>	<b>Cadaver Donor</b>				
		<b>53</b>	<b>Life Partner</b>				
		<b>G8</b>	<b>Other Relationship</b>				
<b>NOT USED</b>	<b>PAT02</b>	<b>1384</b>	<b>Patient Location Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>PAT03</b>	<b>584</b>	<b>Employment Status Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
<b>NOT USED</b>	<b>PAT04</b>	<b>1220</b>	<b>Student Status Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	PAT05	1250	Date Time Period Format Qualifier	X	1	ID	2/3
NOT USED	PAT06	1251	Date Time Period	X	1	AN	1/35
NOT USED	PAT07	355	Unit or Basis for Measurement Code	X	1	ID	2/2
NOT USED	PAT08	81	Weight	X	1	R	1/10
NOT USED	PAT09	1073	Yes/No Condition or Response Code	O	1	ID	1/1

**NM1 - PATIENT NAME**

To supply the full name of an individual or organizational entity.

Loop: 2010CA — PATIENT NAME Loop Repeat: 1

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Loop ID 2010CA is Required when Subscriber is not the Patient.  
2. Patient SSN MUST be captured in the K3 segment.

**For patients that are covered by 42 USC 290DD-2 or 42 CFR Part 2 and facilities that are participating with SAMSHA, use the following naming conventions: JOHN or JANE DOE. Sequential Numbering is allowed, for example: JOHN1, JANE2, etc.**

Example: **NM1\*QC\*1\*DOE\*SALLY\*J~**

**Element Detail**

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>QC</b>	<b>Patient</b>
<b>REQUIRED</b>	<b>NM102</b>	<b>1065</b>	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
			Code qualifying the type of entity	
			<b>SEMANTIC:</b> NM102 qualifies NM103.	





***Healthcare Facility Procedures and Technical Specifications Manual***

			<b>CODE</b>	<b>DEFINITION</b>				
			<b>1</b>	<b>Person</b>				
<b>REQUIRED</b>	<b>NM103</b>	<b>1035</b>	<b>Name Last or Organization Name</b>		<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/60</b>
			Individual last name or organizational name					
			<b>INDUSTRY NAME: Patient Last Name</b>					
<b>SITUATIONAL</b>	<b>NM104</b>	<b>1036</b>	<b>Name First</b>		<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/35</b>
			Individual first name					
			<b>Required when the person has a first name. If not required by this implementation guide, do not send.</b>					
			<b>INDUSTRY NAME: Patient First Name</b>					
<b>SITUATIONAL</b>	<b>NM105</b>	<b>1037</b>	<b>Name Middle</b>		<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/25</b>
			Individual middle name or initial					
			<b>Required when the middle name or initial of the person is needed to identify the individual. If not required by this implementation guide, do not send.</b>					
			<b>INDUSTRY NAME: Patient Middle Name or Initial</b>					
<b>NOT USED</b>	<b>NM106</b>	<b>1038</b>	<b>Name Prefix</b>		<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/10</b>
<b>NOT USED</b>	<b>NM107</b>	<b>1039</b>	<b>Name Suffix</b>		<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/10</b>
<b>NOT USED</b>	<b>NM108</b>	<b>66</b>	<b>Identification Code Qualifier</b>		<b>X</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
<b>NOT USED</b>	<b>NM109</b>	<b>67</b>	<b>Identification Code</b>		<b>X</b>	<b>1</b>	<b>AN</b>	<b>2/80</b>
<b>NOT USED</b>	<b>NM110</b>	<b>706</b>	<b>Entity Relationship Code</b>		<b>X</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
<b>NOT USED</b>	<b>NM111</b>	<b>98</b>	<b>Entity Identifier Code</b>		<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>NM112</b>	<b>1035</b>	<b>Name Last or Organization Name</b>		<b>O</b>	<b>1</b>	<b>AN</b>	<b>1/60</b>

### N3 - PATIENT ADDRESS

To specify the location of the named party.

Loop: 2010CA — PATIENT NAME

Repeat: 1

Usage: REQUIRED

Example: **N3\*123 MAIN STREET~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N301</b>	<b>166</b>	<b>Address Information</b> Address information	<b>M 1 AN 1/55</b>
			<b>INDUSTRY NAME: Patient Address Line</b>	
<b>SITUATIONAL</b>	<b>N302</b>	<b>166</b>	<b>Address Information</b> Address information	<b>O 1 AN 1/55</b>
			<b>Required when there is a second address line. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Patient Address Line</b>	

### N4 - PATIENT CITY, STATE, ZIP CODE

To specify the geographic place of the named party.

Loop: 2010CA — PATIENT NAME  
Repeat: 1  
Usage: REQUIRED  
Example: **N4\*KANSAS CITY\*MO\*64108~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N401</b>	<b>19</b>	<b>City Name</b> Free-form text for city name	<b>O 1 AN 2/30</b>
			<b>INDUSTRY NAME: Patient City Name</b>	
<b>REQUIRED</b>	<b>N402</b>	<b>156</b>	<b>State or Province Code</b> Code (Standard State/Province) as defined by appropriate government agency	<b>X 1 ID 2/2</b>
			<b>INDUSTRY NAME: Patient State Code</b>	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>aa</b>	<b>Valid State or Province Code</b>
			<b>FC</b>	<b>Foreign Country</b>
			<b>XX</b>	<b>Foreign Country</b>
<b>REQUIRED</b>	<b>N403</b>	<b>116</b>	<b>Postal Code</b>	<b>O 1 ID 3/15</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

### INDUSTRY NAME: Patient Postal Zone or ZIP Code

When reporting the ZIP code for U.S. addresses, the full nine-digit ZIP code must be provided.

CODE	DEFINITION
00000	Foreign Country; Recommended value for foreign addresses
XXXXX	Foreign Country

NOT USED	N404	26	Country Code	X	1	ID	2/3
NOT USED	N405	309	Location Qualifier	X	1	ID	1/2
NOT USED	N406	310	Location Identifier	O	1	AN	1/30
NOT USED	N407	1715	Country Subdivision Code	X	1	ID	1/3

## DMG - PATIENT DEMOGRAPHIC INFORMATION

To supply demographic information.

Loop: 2010CA — PATIENT NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. DMG03 is gender, or sex at birth.

Example: **DMG\*D8\*19690815\*M~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES							
REQUIRED	DMG01	1250	Date Time Period Format Qualifier	X	1	ID	2/3				
Code indicating the date format, time format, or date and time format											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>D8</td><td>Date Expressed in Format CCYYMMDD</td></tr></table>								CODE	DEFINITION	D8	Date Expressed in Format CCYYMMDD
CODE	DEFINITION										
D8	Date Expressed in Format CCYYMMDD										
REQUIRED	DMG02	1251	Date Time Period	X	1	AN	1/35				
Expression of a date, a time, or range of dates, times or dates and times											





## Healthcare Facility Procedures and Technical Specifications Manual

**SEMANTIC:** DMG02 is the date of birth.

### INDUSTRY NAME: Patient Birth Date

<b>REQUIRED</b>	<b>DMG03</b>	<b>1068</b>	<b>Gender Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
Code indicating the sex of the individual							

### INDUSTRY NAME: Patient Gender Code

CODE	DEFINITION
<b>F</b>	<b>Female</b>
<b>M</b>	<b>Male</b>
<b>U</b>	<b>Unknown</b>

<b>NOT USED</b>	<b>DMG04</b>	<b>1067</b>	<b>Marital Status</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>DMG05</b>	<b>C056</b>	<b>COMPOSITE RACE OR ETHNICITY INFORMATION</b>	<b>X</b>	<b>10</b>		
<b>NOT USED</b>	<b>DMG06</b>	<b>1066</b>	<b>Citizenship Status Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
<b>NOT USED</b>	<b>DMG07</b>	<b>26</b>	<b>Country Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>DMG08</b>	<b>659</b>	<b>Basis of Verification Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
<b>NOT USED</b>	<b>DMG09</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>1</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>DMG10</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>X</b>	<b>1</b>	<b>ID</b>	<b>1/3</b>
<b>NOT USED</b>	<b>DMG11</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/30</b>

## CLM - CLAIM INFORMATION

To specify basic data about the claim.

Loop: 2300 — CLAIM INFORMATION Loop Repeat: 100

Repeat: 1

Usage: REQUIRED

Notes:

1. The developers of this implementation guide recommend that trading partners limit the size of the transaction (ST-SE envelope) to a maximum of 5000 CLM segments. There is no recommended limit to the number of ST-SE transactions within a GS-GE or ISA-IEA. Willing trading partners can agree to set limits higher.
2. For purposes of this documentation, the claim detail information is presented only in the dependent level. Specific claim detail information can be given in either the subscriber or the dependent hierarchical level. Because of this, the claim information is said to "float." Claim information is positioned in the same hierarchical level that describes its owner-participant, either the subscriber or the



**Healthcare Facility Procedures and Technical Specifications Manual**

dependent. In other words, the claim information, Loop ID-2300, is placed following Loop ID-2010BB in the Subscriber Hierarchical Level (HL) when patient information is sent in Loop ID-2010BA of the Subscriber HL. Claim information is placed in the Patient HL when the patient information is sent in Loop ID-2010CA of the Patient HL. When the patient is the subscriber, Loop ID-2000C and Loop ID-2010CA are not sent.

Example: **CLM\*12345656\*500\*\*\*11:A:1\*Y\*A\*Y\*I~**

*Element Detail*

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>CLM01</b>	<b>1028</b>	<b>Claim Submitter's Identifier</b>	<b>M 1 AN 1/38</b>
			Identifier used to track a claim from creation by the health care provider through payment	
			<b>INDUSTRY NAME: Patient Control Number</b>	
			The number that the submitter transmits in this position is echoed back to the submitter in the 835 and other transactions. This permits the submitter to use the value in this field as a key in the submitter's system to match the claim to the payment information returned in the 835 transaction. The two recommended identifiers are either the Patient Account Number or the Claim Number in the billing submitter's patient management system. The developers of this implementation guide strongly recommend that submitters use unique numbers for this field for each individual claim.	
			The maximum number of characters to be supported for this field is `20'. Characters beyond the maximum are not required to be stored nor returned by any 837-receiving system.	
<b>REQUIRED</b>	<b>CLM02</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O 1 R 1/18</b>
			Monetary amount	
			<b>SEMANTIC:</b> CLM02 is the total amount of all submitted charges of service segments for this claim.	





**Healthcare Facility Procedures and Technical Specifications Manual**

**INDUSTRY NAME: Total Claim Charge Amount**

The Total Claim Charge Amount must be greater than or equal to zero.

The total claim charge amount must balance to the sum of all service line charge amounts reported in the Institutional Service Line (SV2) segments for this claim.

**NOT USED      CLM03      1032      Claim Filing Indicator      0      1      ID      1/2**  
**Code**

**NOT USED      CLM04      134      Non-Institutional Claim      0      1      ID      1/2**  
**Type Code**

**REQUIRED      CLM05      C023      HEALTH CARE SERVICE      0      1**  
**LOCATION**  
**INFORMATION**

To provide information that identifies the place of service, or the type of bill related to the location at which a health care service was rendered

**REQUIRED      CLM05      - 1      1331      Facility Code Value      M      AN      1/2**

Code identifying where services were, or may be, performed; the first and second positions of the Uniform Bill Type Code for Institutional Services or the Place of Service Codes for Professional or Dental Services.

**INDUSTRY NAME: Facility Type Code**

**CODE      DEFINITION**

<b>11</b>	<b>Hospital Inpatient (including Medicare Part A)</b>
<b>12</b>	<b>Hospital Inpatient (Medicare Part B only)</b>
<b>18</b>	<b>Hospital – Swing Beds</b>
<b>21</b>	<b>Skilled Nursing – Inpatient (including Medicare Part A)</b>
<b>22</b>	<b>Skilled Nursing – Inpatient (Medicare Part B only)</b>
<b>28</b>	<b>Skilled Nursing – Swing Beds</b>
<b>41</b>	<b>Religious Non-Medical Health Care Institutions – Inpatient</b>
<b>65</b>	<b>Intermediate Care – Level I</b>
<b>66</b>	<b>Intermediate Care – Level II</b>
<b>86</b>	<b>Residential Facility</b>

**REQUIRED      CLM05      - 2      1332      Facility Code Qualifier      0      ID      1/2**

Code identifying the type of facility referenced





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>CODE</b>	<b>DEFINITION</b>			
				<b>A</b>	<b>Uniform Billing Claim Form Bill Type</b>			
<b>REQUIRED</b>	<b>CLM05</b>	<b>- 3</b>	<b>1325</b>	<b>Claim Frequency Type Code</b>	<b>O</b>	<b>ID</b>	<b>1/1</b>	
				Code specifying the frequency of the claim; this is the third position of the Uniform Billing Claim Form Bill Type				
				<b>INDUSTRY NAME: Claim Frequency Code</b>				
				<b>CODE</b>	<b>DEFINITION</b>			
				<b>0</b>	<b>Non-Payment/Zero</b>			
				<b>1</b>	<b>Admit through Discharge Claim</b>			
				<b>2</b>	<b>Interim – First Claim</b>			
				<b>3</b>	<b>Interim – Continuing Claim</b>			
				<b>4</b>	<b>Interim – Last Claim</b>			
				<b>5</b>	<b>Late Charge(s) Only</b>			
				<b>7</b>	<b>Replacement of Prior Claim</b>			
				<b>8</b>	<b>Void/Cancel of Prior Claim</b>			
<b>NOT USED</b>	<b>CLM06</b>		<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM07</b>		<b>1359</b>	<b>Provider Accept Assignment Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM08</b>		<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM09</b>		<b>1363</b>	<b>Release of Information Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM10</b>		<b>1351</b>	<b>Patient Signature Source Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM11</b>		<b>C024</b>	<b>RELATED CAUSES INFORMATION</b>	<b>O</b>	<b>1</b>		
<b>NOT USED</b>	<b>CLM12</b>		<b>1366</b>	<b>Special Program Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>CLM13</b>		<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM14</b>		<b>1338</b>	<b>Level of Service Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/3</b>
<b>NOT USED</b>	<b>CLM15</b>		<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM16</b>		<b>1360</b>	<b>Provider Agreement Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>CLM17</b>		<b>1029</b>	<b>Claim Status Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>
<b>NOT USED</b>	<b>CLM18</b>		<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/1</b>





## Healthcare Facility Procedures and Technical Specifications Manual

NOT USED	CLM19	1383	Claim Submission Reason Code	O	1	ID	2/2
NOT USED	CLM20	1514	Delay Reason Code	O	1	ID	1/2

### DTP - DISCHARGE HOUR

To specify any or all a date, a time, or time period.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required on all final inpatient claims. If not required by this implementation guide, do not send.

Example: **DTP\*096\*TM\*1130~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	<b>Date/Time Qualifier</b>	<b>M 1 ID 3/3</b>
			Code specifying type of date or time, or both date and time	
			<b>INDUSTRY NAME: Date Time Qualifier</b>	
			<b>CODE DEFINITION</b>	
			<b>096 Discharge</b>	
REQUIRED	DTP02	1250	<b>Date Time Period Format Qualifier</b>	<b>M 1 ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			<b>SEMANTIC:</b> DTP02 is the date or time or period format that will appear in DTP03.	
			<b>CODE DEFINITION</b>	
			<b>TM Time Expressed in Format HHMM</b>	
REQUIRED	DTP03	1251	<b>Date Time Period</b>	<b>M 1 AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	
			<b>INDUSTRY NAME: Discharge Time</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

### DTP - STATEMENT DATES

To specify any or all a date, a time, or time period.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: REQUIRED

Example: **DTP\*434\*RD8\*20041209-20041214~**

#### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>DTP01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M 1 ID 3/3</b>
			Code specifying type of date or time, or both date and time	
			<b>INDUSTRY NAME: Date Time Qualifier</b>	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>434</b>	<b>Statement</b>
<b>REQUIRED</b>	<b>DTP02</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>M 1 ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			<b>SEMANTIC:</b> DTP02 is the date or time or period format that will appear in DTP03.	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>RD8</b>	<b>Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD Use RD8 to indicate the from and through date of the statement. When the statement is for a single date of service, the from and through date are the same.</b>
<b>REQUIRED</b>	<b>DTP03</b>	<b>1251</b>	<b>Date Time Period</b>	<b>M 1 AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	
			<b>INDUSTRY NAME: Statement From and To Date</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

### DTP - ADMISSION DATE/HOUR

To specify any or all a date, a time, or time period.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: REQUIRED

Example: **DTP\*435\*DT\*200410131242~**

#### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>DTP01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M 1 ID 3/3</b>
			Code specifying type of date or time, or both date and time	
			<b>INDUSTRY NAME: Date Time Qualifier</b>	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>435</b>	<b>Admission</b>
<b>REQUIRED</b>	<b>DTP02</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>M 1 ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			<b>SEMANTIC:</b> DTP02 is the date or time or period format that will appear in DTP03.	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>DT</b>	<b>Date and Time Expressed in Format CCYYMMDDHHMM</b>
<b>REQUIRED</b>	<b>DTP03</b>	<b>1251</b>	<b>Date Time Period</b>	<b>M 1 AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	
			<b>INDUSTRY NAME: Admission Date and Hour</b>	

### CL1 - INSTITUTIONAL CLAIM CODE

To supply information specific to hospital claims.

Loop: 2300 — CLAIM INFORMATION





## Healthcare Facility Procedures and Technical Specifications Manual

Repeat: 1  
Usage: REQUIRED  
Notes: 1. When specifying admission type code '4', Newborn, you are required to specify the newborn's weight as value code '54'. See segment HI Value Information in Loop ID-2300.  
Example: **CL1\*1\*7\*30~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>CL101</b>	<b>1315</b>	<b>Admission Type Code</b>	<b>O 1 ID 1/1</b>
			Code indicating the priority of this admission	
<b>REQUIRED</b>	<b>CL102</b>	<b>1314</b>	<b>Admission Source Code</b>	<b>O 1 ID 1/1</b>
			Code indicating the source of this admission	
<b>REQUIRED</b>	<b>CL103</b>	<b>1352</b>	<b>Patient Status Code</b>	<b>O 1 ID 2/2</b>
			Code indicating patient status as of the "statement covers through date"	
<b>NOT USED</b>	<b>CL104</b>	<b>1345</b>	<b>Nursing Home Residential Status Code</b>	<b>O 1 ID 1/1</b>

### REF - MEDICAL RECORD NUMBER

To specify identifying information.

Loop: 2300 — CLAIM INFORMATION  
Repeat: 1  
Usage: SITUATIONAL  
Notes: 1. Required when the provider needs to identify for future inquiries, the actual medical record of the patient identified in either Loop ID-2010BA or Loop ID-2010CA for this episode of care. If not required by this implementation guide, do not send.  
Example: **REF\*EA\*44444TH56~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
-------	-----------	-----------------	------	------------





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>REQUIRED</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M</b>	<b>1</b>	<b>ID</b>	<b>2/3</b>
			Code qualifying the Reference Identification				
			<b>CODE</b>	<b>DEFINITION</b>			
			<b>EA</b>	<b>Medical Record Identification Number</b>			
<b>REQUIRED</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/50</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
			<b>INDUSTRY NAME: Medical Record Number</b>				
<b>NOT USED</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X</b>	<b>1</b>	<b>AN</b>	<b>1/80</b>
<b>NOT USED</b>	<b>REF04</b>	<b>C040</b>	<b>REFERENCE IDENTIFIER</b>	<b>O</b>	<b>1</b>		

### K3 - FILE INFORMATION

To transmit a fixed-format record or matrix contents.

Loop: 2300 — CLAIM INFORMATION

Repeat: 10

Usage: REQUIRED

Notes:

1. Per Texas Government Code, Title 4, Section 531.0162, to meet national standard reporting requirements, the "Patient Ethnicity" and "Patient Race" is collected in the K3 segment. The adopted location for "Patient Ethnicity" is the 1st character of the K301 data element, and the "Patient Race" is the 2nd character. To obtain "Patient Race" and "Patient Ethnicity" data, the facility staff retrieves the patient's response from a written form or asks the patient, or the person speaking for the patient, to classify the patient. If the patient, or person speaking for the patient, declines to answer, the facility staff is to use its best judgment to make the correct classification based on available data.
2. When the patient is not the subscriber their Social Security Number is required to be reported in the 3rd through 11th characters of the K301 data element. THIC requires that the Patient's Social Security Number be submitted to be used in conjunction with other submitted data elements to generate the uniform patient identification for longitudinal studies and epidemiological studies.





## Healthcare Facility Procedures and Technical Specifications Manual

Example: **K3\*25~**  
**K3\*1199999999~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES														
REQUIRED	K301	449	Fixed Format Information	M 1 AN 1/80														
Data in fixed format agreed upon by sender and receiver																		
SEMANTIC: Position 1 denotes Ethnicity																		
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>1</td><td>Hispanic or Latino</td></tr><tr><td>2</td><td>Not Hispanic or Latino</td></tr></table>					CODE	DEFINITION	1	Hispanic or Latino	2	Not Hispanic or Latino								
CODE	DEFINITION																	
1	Hispanic or Latino																	
2	Not Hispanic or Latino																	
SEMANTIC: Position 2 denotes Race																		
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>1</td><td>American Indian/Eskimo/Aleut</td></tr><tr><td>2</td><td>Asian, Native Hawaiian or Pacific Islander</td></tr><tr><td>3</td><td>Black or African American</td></tr><tr><td>4</td><td>White</td></tr><tr><td>5</td><td>Other Race</td></tr></table>					CODE	DEFINITION	1	American Indian/Eskimo/Aleut	2	Asian, Native Hawaiian or Pacific Islander	3	Black or African American	4	White	5	Other Race		
CODE	DEFINITION																	
1	American Indian/Eskimo/Aleut																	
2	Asian, Native Hawaiian or Pacific Islander																	
3	Black or African American																	
4	White																	
5	Other Race																	
SEMANTIC: Positions 3 to 11 denotes Social Security Number																		
Required when the patient is not the subscriber. If not required by this implementation guide, do not send.																		
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>nnnnnnnnnn</td><td>Social Security Number</td></tr><tr><td>999999999</td><td>Unknown SSN</td></tr><tr><td colspan="2">This value is required for:</td></tr><tr><td colspan="2">1. Newborns without an SSN</td></tr><tr><td colspan="2">2. Foreigners without an SSN</td></tr><tr><td colspan="2">3. Patients refusing or cannot provide an SSN</td></tr></table>					CODE	DEFINITION	nnnnnnnnnn	Social Security Number	999999999	Unknown SSN	This value is required for:		1. Newborns without an SSN		2. Foreigners without an SSN		3. Patients refusing or cannot provide an SSN	
CODE	DEFINITION																	
nnnnnnnnnn	Social Security Number																	
999999999	Unknown SSN																	
This value is required for:																		
1. Newborns without an SSN																		
2. Foreigners without an SSN																		
3. Patients refusing or cannot provide an SSN																		
NOT USED	K302	1333	Record Format Code	O 1 ID 1/2														
NOT USED	K303	C001	COMPOSITE UNIT OF MEASURE	O 1														





## Healthcare Facility Procedures and Technical Specifications Manual

### HI - PRINCIPAL DIAGNOSIS

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: REQUIRED

Notes: 1. Do not transmit the decimal point for ICD codes. The decimal point is implied.

Example: **HI\*ABK:S98141A~**

#### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				
REQUIRED	HI01	C022	HEALTH CARE CODE INFORMATION	M 1				
To send health care codes and their associated dates, amounts and quantities								
REQUIRED	HI01 - 1	1270	Code List Qualifier Code	M ID 1/3				
Code identifying a specific industry code list								
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>ABK</td><td>International Classification of Diseases Clinical Modification (ICD-10-CM) Principal Diagnosis</td></tr></table>					CODE	DEFINITION	ABK	International Classification of Diseases Clinical Modification (ICD-10-CM) Principal Diagnosis
CODE	DEFINITION							
ABK	International Classification of Diseases Clinical Modification (ICD-10-CM) Principal Diagnosis							
REQUIRED	HI01 - 2	1271	Industry Code	M AN 1/30				
Code indicating a code from a specific industry code list								
INDUSTRY NAME: Principal Diagnosis Code								
NOT USED	HI01 - 3	1250	Date Time Period Format Qualifier	X ID 2/3				
NOT USED	HI01 - 4	1251	Date Time Period	X AN 1/35				
NOT USED	HI01 - 5	782	Monetary Amount	O R 1/18				
NOT USED	HI01 - 6	380	Quantity	O R 1/15				
NOT USED	HI01 - 7	799	Version Identifier	O AN 1/30				
NOT USED	HI01 - 8	1271	Industry Code	X AN 1/30				
SITUATIONAL	HI01 - 9	1073	Yes/No Condition or Response Code	X ID 1/1				
Code indicating a Yes or No condition or response								





***Healthcare Facility Procedures and Technical Specifications Manual***

**INDUSTRY NAME: Present on Admission Indicator**

**Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.**

CODE	DEFINITION
N	No
U	Unknown
W	Not Applicable
Y	Yes

NOT USED	HI02	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI03	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI04	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI05	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI06	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI07	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI08	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI09	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI10	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI11	C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI12	C022	HEALTH CARE CODE INFORMATION	M	1

## HI - ADMITTING DIAGNOSIS

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1





## Healthcare Facility Procedures and Technical Specifications Manual

Usage: REQUIRED

Notes: 1. Do not transmit the decimal point for ICD codes. The decimal point is implied.

Example: **HI\*ABJ:S98141A~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
			Code identifying a specific industry code list	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>ABJ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Admitting Diagnosis</b>
<b>REQUIRED</b>	<b>HI01 - 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
			Code indicating a code from a specific industry code list	
			<b>INDUSTRY NAME: Admitting Diagnosis Code</b>	
<b>NOT USED</b>	<b>HI01 - 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
<b>NOT USED</b>	<b>HI01 - 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
<b>NOT USED</b>	<b>HI01 - 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
<b>NOT USED</b>	<b>HI01 - 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>
<b>NOT USED</b>	<b>HI01 - 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X ID 1/1</b>
<b>NOT USED</b>	<b>HI02</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
<b>NOT USED</b>	<b>HI03</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
<b>NOT USED</b>	<b>HI04</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>NOT USED</b>	<b>HI05</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI06</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI07</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI08</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI09</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI10</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI11</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
<b>NOT USED</b>	<b>HI12</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>

## HI - EXTERNAL CAUSE OF INJURY

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: SITUATIONAL

- Notes:
1. Required when an External Cause of Injury is needed to describe an injury, poisoning, or adverse effect. If not required by this implementation guide, do not send.
  2. Do not transmit the decimal point for ICD codes. The decimal point is implied.
  3. To fully describe an injury using ICD-10-CM, it will be necessary to report a series of 3 external cause of injury codes.
  4. The ICD-10-CM External Cause of Morbidity codes are in the V00-Y99 code group.
  5. Up to 10 External Causes of Injury can be defined.

Example: **HI\*ABN:V0409XA~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.		DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
				To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
				Code identifying a specific industry code list	
				<b>CODE</b>	<b>DEFINITION</b>
				<b>ABN</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code</b>
<b>REQUIRED</b>	<b>HI01</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
				Code indicating a code from a specific industry code list	
				<b>INDUSTRY NAME: External Cause of Injury Code</b>	
<b>NOT USED</b>	<b>HI01</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O AN 1/30</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI01</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X ID 1/1</b>
				Code indicating a Yes or No condition or response	
				<b>INDUSTRY NAME: Present on Admission Indicator</b>	
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>	
				<b>CODE</b>	<b>DEFINITION</b>
				<b>N</b>	<b>No</b>
				<b>U</b>	<b>Unknown</b>
				<b>W</b>	<b>Not Applicable</b>
				<b>Y</b>	<b>Yes</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

SITUATIONAL	HI02		C022	HEALTH CARE CODE INFORMATION				M	1
				To send health care codes and their associated dates, amounts and quantities					
				Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.					
REQUIRED	HI02	- 1	1270	Code List Qualifier Code		M	ID	1/3	
				Code identifying a specific industry code list					
				CODE	DEFINITION				
				ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code				
REQUIRED	HI02	- 2	1271	Industry Code		M	AN	1/30	
				Code indicating a code from a specific industry code list					
				INDUSTRY NAME: External Cause of Injury Code					
NOT USED	HI02	- 3	1250	Date Time Period Format Qualifier		X	ID	2/3	
NOT USED	HI02	- 4	1251	Date Time Period		X	AN	1/35	
NOT USED	HI02	- 5	782	Monetary Amount		O	R	1/18	
NOT USED	HI02	- 6	380	Quantity		O	R	1/15	
NOT USED	HI02	- 7	799	Version Identifier		O	AN	1/30	
NOT USED	HI02	- 8	1271	Industry Code		X	AN	1/30	
SITUATIONAL	HI02	- 9	1073	Yes/No Condition or Response Code		X	ID	1/1	
				Code indicating a Yes or No condition or response					
				INDUSTRY NAME: Present on Admission Indicator					
				Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.					
				CODE	DEFINITION				
				N	No				
				U	Unknown				
				W	Not Applicable				



**Healthcare Facility Procedures and Technical Specifications Manual**

				Y	Yes			
SITUATIONAL	HI03		C022	HEALTH CARE CODE INFORMATION		M	1	
				To send health care codes and their associated dates, amounts and quantities				
				Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.				
REQUIRED	HI03	- 1	1270	Code List Qualifier Code		M	ID	1/3
				Code identifying a specific industry code list				
				CODE	DEFINITION			
				ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code			
REQUIRED	HI03	- 2	1271	Industry Code		M	AN	1/30
				Code indicating a code from a specific industry code list				
				INDUSTRY NAME: External Cause of Injury Code				
NOT USED	HI03	- 3	1250	Date Time Period Format Qualifier		X	ID	2/3
NOT USED	HI03	- 4	1251	Date Time Period		X	AN	1/35
NOT USED	HI03	- 5	782	Monetary Amount		O	R	1/18
NOT USED	HI03	- 6	380	Quantity		O	R	1/15
NOT USED	HI03	- 7	799	Version Identifier		O	AN	1/30
NOT USED	HI03	- 8	1271	Industry Code		X	AN	1/30
SITUATIONAL	HI03	- 9	1073	Yes/No Condition or Response Code		X	ID	1/1
				Code indicating a Yes or No condition or response				
				INDUSTRY NAME: Present on Admission Indicator				
				Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.				
				CODE	DEFINITION			
				N	No			
				U	Unknown			





**Healthcare Facility Procedures and Technical Specifications Manual**

					W Y	Not Applicable Yes		
SITUATIONAL	HI04		C022	HEALTH CARE CODE INFORMATION	M	1		
				To send health care codes and their associated dates, amounts and quantities				
				Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.				
REQUIRED	HI04	- 1	1270	Code List Qualifier Code	M	ID	1/3	
				Code identifying a specific industry code list				
				CODE	DEFINITION			
				ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code			
REQUIRED	HI04	- 2	1271	Industry Code	M	AN	1/30	
				Code indicating a code from a specific industry code list				
				INDUSTRY NAME: External Cause of Injury Code				
NOT USED	HI04	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3	
NOT USED	HI04	- 4	1251	Date Time Period	X	AN	1/35	
NOT USED	HI04	- 5	782	Monetary Amount	O	R	1/18	
NOT USED	HI04	- 6	380	Quantity	O	R	1/15	
NOT USED	HI04	- 7	799	Version Identifier	O	AN	1/30	
NOT USED	HI04	- 8	1271	Industry Code	X	AN	1/30	
SITUATIONAL	HI04	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1	
				Code indicating a Yes or No condition or response				
				INDUSTRY NAME: Present on Admission Indicator				
				Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.				
				CODE	DEFINITION			
				N	No			





**Healthcare Facility Procedures and Technical Specifications Manual**

					U W Y	Unknown Not Applicable Yes			
SITUATIONAL	HI05		C022	HEALTH CARE CODE INFORMATION	M	1			
				To send health care codes and their associated dates, amounts and quantities					
				Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.					
REQUIRED	HI05	- 1	1270	Code List Qualifier Code	M	ID	1/3		
				Code identifying a specific industry code list					
				CODE	DEFINITION				
				ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code				
REQUIRED	HI05	- 2	1271	Industry Code	M	AN	1/30		
				Code indicating a code from a specific industry code list					
				INDUSTRY NAME: External Cause of Injury Code					
NOT USED	HI05	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3		
NOT USED	HI05	- 4	1251	Date Time Period	X	AN	1/35		
NOT USED	HI05	- 5	782	Monetary Amount	O	R	1/18		
NOT USED	HI05	- 6	380	Quantity	O	R	1/15		
NOT USED	HI05	- 7	799	Version Identifier	O	AN	1/30		
NOT USED	HI05	- 8	1271	Industry Code	X	AN	1/30		
SITUATIONAL	HI05	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1		
				Code indicating a Yes or No condition or response					
				INDUSTRY NAME: Present on Admission Indicator					
				Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.					
				CODE	DEFINITION				





**Healthcare Facility Procedures and Technical Specifications Manual**

**N** No  
**U** Unknown  
**W** Not Applicable  
**Y** Yes

**SITUATIONAL HI06**

**C022 HEALTH CARE CODE M 1  
INFORMATION**

To send health care codes and their associated dates, amounts and quantities

**Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.**

**REQUIRED HI06 - 1 1270 Code List Qualifier Code M ID 1/3**  
Code identifying a specific industry code list

**CODE DEFINITION**  
**ABN International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code**

**REQUIRED HI06 - 2 1271 Industry Code M AN 1/30**  
Code indicating a code from a specific industry code list

**INDUSTRY NAME: External Cause of Injury Code**

**NOT USED HI06 - 3 1250 Date Time Period Format Qualifier X ID 2/3**

**NOT USED HI06 - 4 1251 Date Time Period X AN 1/35**

**NOT USED HI06 - 5 782 Monetary Amount O R 1/18**

**NOT USED HI06 - 6 380 Quantity O R 1/15**

**NOT USED HI06 - 7 799 Version Identifier O AN 1/30**

**NOT USED HI06 - 8 1271 Industry Code X AN 1/30**

**SITUATIONAL HI06 - 9 1073 Yes/No Condition or Response Code X ID 1/1**

Code indicating a Yes or No condition or response

**INDUSTRY NAME: Present on Admission Indicator**

**Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.**





**Healthcare Facility Procedures and Technical Specifications Manual**

				CODE	DEFINITION			
				N	No			
				U	Unknown			
				W	Not Applicable			
				Y	Yes			
SITUATIONAL	HI07		C022	<b>HEALTH CARE CODE INFORMATION</b>		M	1	
				To send health care codes and their associated dates, amounts and quantities				
				<b>Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.</b>				
REQUIRED	HI07	- 1	1270	<b>Code List Qualifier Code</b>		M	ID	1/3
				Code identifying a specific industry code list				
				CODE	DEFINITION			
				ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code			
REQUIRED	HI07	- 2	1271	<b>Industry Code</b>		M	AN	1/30
				Code indicating a code from a specific industry code list				
				<b>INDUSTRY NAME: External Cause of Injury Code</b>				
NOT USED	HI07	- 3	1250	<b>Date Time Period Format Qualifier</b>		X	ID	2/3
NOT USED	HI07	- 4	1251	<b>Date Time Period</b>		X	AN	1/35
NOT USED	HI07	- 5	782	<b>Monetary Amount</b>		O	R	1/18
NOT USED	HI07	- 6	380	<b>Quantity</b>		O	R	1/15
NOT USED	HI07	- 7	799	<b>Version Identifier</b>		O	AN	1/30
NOT USED	HI07	- 8	1271	<b>Industry Code</b>		X	AN	1/30
SITUATIONAL	HI07	- 9	1073	<b>Yes/No Condition or Response Code</b>		X	ID	1/1
				Code indicating a Yes or No condition or response				
				<b>INDUSTRY NAME: Present on Admission Indicator</b>				





**Healthcare Facility Procedures and Technical Specifications Manual**

**Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.**

CODE	DEFINITION
N	No
U	Unknown
W	Not Applicable
Y	Yes

**SITUATIONAL HI08**

**C022**

**HEALTH CARE CODE M 1  
INFORMATION**

To send health care codes and their associated dates, amounts and quantities

**Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.**

**REQUIRED**

**HI08**

**- 1**

**1270**

**Code List Qualifier Code M ID 1/3**

Code identifying a specific industry code list

CODE	DEFINITION
ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code

**REQUIRED**

**HI08**

**- 2**

**1271**

**Industry Code M AN 1/30**

Code indicating a code from a specific industry code list

**INDUSTRY NAME: External Cause of Injury Code**

**NOT USED**

**HI08**

**- 3**

**1250**

**Date Time Period X ID 2/3  
Format Qualifier**

**NOT USED**

**HI08**

**- 4**

**1251**

**Date Time Period X AN 1/35**

**NOT USED**

**HI08**

**- 5**

**782**

**Monetary Amount O R 1/18**

**NOT USED**

**HI08**

**- 6**

**380**

**Quantity O R 1/15**

**NOT USED**

**HI08**

**- 7**

**799**

**Version Identifier O AN 1/30**

**NOT USED**

**HI08**

**- 8**

**1271**

**Industry Code X AN 1/30**

**SITUATIONAL**

**HI08**

**- 9**

**1073**

**Yes/No Condition or X ID 1/1  
Response Code**

Code indicating a Yes or No condition or response





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>INDUSTRY NAME: Present on Admission Indicator</b>			
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>			
				<b>CODE</b>	<b>DEFINITION</b>		
				N	No		
				U	Unknown		
				W	Not Applicable		
				Y	Yes		
<b>SITUATIONAL</b>	<b>HI09</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
To send health care codes and their associated dates, amounts and quantities							
<b>Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.</b>							
<b>REQUIRED</b>	<b>HI09</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
Code identifying a specific industry code list							
				<b>CODE</b>	<b>DEFINITION</b>		
				ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code		
<b>REQUIRED</b>	<b>HI09</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
Code indicating a code from a specific industry code list							
<b>INDUSTRY NAME: External Cause of Injury Code</b>							
<b>NOT USED</b>	<b>HI09</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>SITUATIONAL</b>	<b>HI09</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>





**Healthcare Facility Procedures and Technical Specifications Manual**

Code indicating a Yes or No condition or response

**INDUSTRY NAME: Present on Admission Indicator**

**Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.**

CODE	DEFINITION
N	No
U	Unknown
W	Not Applicable
Y	Yes

**SITUATIONAL HI10**

**C022 HEALTH CARE CODE M 1 INFORMATION**

To send health care codes and their associated dates, amounts and quantities

**Required when an additional External Cause of Injury must be sent, and the preceding HI data elements have been used to report other causes of injury. If not required by this implementation guide, do not send.**

**REQUIRED HI10 - 1 1270 Code List Qualifier Code M ID 1/3**  
Code identifying a specific industry code list

CODE	DEFINITION
ABN	International Classification of Diseases Clinical Modification (ICD-10-CM) External Cause of Injury Code

**REQUIRED HI10 - 2 1271 Industry Code M AN 1/30**  
Code indicating a code from a specific industry code list

**INDUSTRY NAME: External Cause of Injury Code**

<b>NOT USED</b>	<b>HI10</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>





## Healthcare Facility Procedures and Technical Specifications Manual

SITUATIONAL	HI10	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1										
Code indicating a Yes or No condition or response																	
INDUSTRY NAME: Present on Admission Indicator																	
Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.																	
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>N</td><td>No</td></tr><tr><td>U</td><td>Unknown</td></tr><tr><td>W</td><td>Not Applicable</td></tr><tr><td>Y</td><td>Yes</td></tr></table>								CODE	DEFINITION	N	No	U	Unknown	W	Not Applicable	Y	Yes
CODE	DEFINITION																
N	No																
U	Unknown																
W	Not Applicable																
Y	Yes																
NOT USED	HI11		C022	HEALTH CARE CODE INFORMATION	M	1											
NOT USED	HI12		C022	HEALTH CARE CODE INFORMATION	M	1											

## HI - OTHER DIAGNOSIS INFORMATION

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 2

Usage: SITUATIONAL

Notes: 1. Required when other condition(s) coexist or develop(s) subsequently during the patient's treatment. If not required by this implementation guide, do not send.  
2. Do not transmit the decimal point for ICD codes. The decimal point is implied.  
3. Up to 24 Other Diagnoses can be defined.

Example: **HI\*ABF:K5900~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

				To send health care codes and their associated dates, amounts and quantities			
<b>REQUIRED</b>	<b>HI01</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>		
<b>REQUIRED</b>	<b>HI01</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Other Diagnosis</b>			
<b>NOT USED</b>	<b>HI01</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI01</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>SITUATIONAL</b>	<b>HI01</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
				Code indicating a Yes or No condition or response			
				<b>INDUSTRY NAME: Present on Admission Indicator</b>			
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>N</b>	<b>No</b>		
				<b>U</b>	<b>Unknown</b>		
				<b>W</b>	<b>Not Applicable</b>		
				<b>Y</b>	<b>Yes</b>		
<b>SITUATIONAL</b>	<b>HI02</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>			





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI02</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI02</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI02</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI02</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI03</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI03</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI03</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI03</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI03</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI04</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI04</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI04</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI04</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI04</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI05</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI05</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI05</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI05</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI05</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI06</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI06</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI06</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI06</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI06</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI06</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI06</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI06</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI06</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI06</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI07</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI07</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI07</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI07</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI07</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI08</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI08</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI08</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI08</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI08</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI09</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI09</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI09</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI09</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI09</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI10</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		



**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI10</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI10</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI10</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI10</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI11</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI11</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>	
<b>REQUIRED</b>	<b>HI11</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Other Diagnosis</b>		
<b>NOT USED</b>	<b>HI11</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
<b>NOT USED</b>	<b>HI11</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
<b>NOT USED</b>	<b>HI11</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI11</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI11</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI11</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>SITUATIONAL</b>	<b>HI11</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
				Code indicating a Yes or No condition or response		
				<b>INDUSTRY NAME: Present on Admission Indicator</b>		
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>N</b>	<b>No</b>	
				<b>U</b>	<b>Unknown</b>	
				<b>W</b>	<b>Not Applicable</b>	
				<b>Y</b>	<b>Yes</b>	
<b>SITUATIONAL</b>	<b>HI12</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other diagnoses. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI12</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>ABF</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis</b>		
<b>REQUIRED</b>	<b>HI12</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Other Diagnosis</b>			
<b>NOT USED</b>	<b>HI12</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>SITUATIONAL</b>	<b>HI12</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
				Code indicating a Yes or No condition or response			
				<b>INDUSTRY NAME: Present on Admission Indicator</b>			
				<b>Required as directed by 4.7.1 Diagnosis Present on Admission of this implementation guide.</b>			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>N</b>	<b>No</b>		
				<b>U</b>	<b>Unknown</b>		
				<b>W</b>	<b>Not Applicable</b>		
				<b>Y</b>	<b>Yes</b>		

## HI - PRINCIPAL PROCEDURE INFORMATION

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION





## Healthcare Facility Procedures and Technical Specifications Manual

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required on inpatient claims when a procedure was performed. If not required by this implementation guide, do not send.  
2. Do not transmit the decimal point for ICD codes. The decimal point is implied.

Example: **HI\*BBR:0B110F5:D8:20050321~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
			Code identifying a specific industry code list	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>BBR</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Principal Procedure Codes</b>
<b>REQUIRED</b>	<b>HI01 - 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
			Code indicating a code from a specific industry code list	
			<b>INDUSTRY NAME: Principal Procedure Code</b>	
<b>REQUIRED</b>	<b>HI01 - 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>
<b>REQUIRED</b>	<b>HI01 - 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	
			<b>INDUSTRY NAME: Principal Procedure Date</b>	
<b>NOT USED</b>	<b>HI01 - 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
<b>NOT USED</b>	<b>HI01 - 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI01	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI01	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI01	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
NOT USED	HI02		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI03		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI04		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI05		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI06		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI07		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI08		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI09		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI10		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI11		C022	HEALTH CARE CODE INFORMATION	M	1	
NOT USED	HI12		C022	HEALTH CARE CODE INFORMATION	M	1	

**HI - OTHER PROCEDURE INFORMATION**

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 2

Usage: SITUATIONAL

Notes: 1. Required on inpatient claims when a procedure was performed. If not required by this implementation guide, do not send.  
2. Do not transmit the decimal point for ICD codes. The decimal point is implied.



**Healthcare Facility Procedures and Technical Specifications Manual**

3. Up to 24 Other Procedures can be defined.

Example: **HI\*BBQ:02139Y3:D8:20050321~**

*Element Detail*

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
			Code identifying a specific industry code list	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>
<b>REQUIRED</b>	<b>HI01 - 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
			Code indicating a code from a specific industry code list	
			<b>INDUSTRY NAME: Procedure Code</b>	
<b>REQUIRED</b>	<b>HI01 - 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>
<b>REQUIRED</b>	<b>HI01 - 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	
			<b>INDUSTRY NAME: Procedure Date</b>	
<b>NOT USED</b>	<b>HI01 - 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
<b>NOT USED</b>	<b>HI01 - 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>
<b>NOT USED</b>	<b>HI01 - 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X ID 1/1</b>





**Healthcare Facility Procedures and Technical Specifications Manual**

<b>SITUATIONAL</b>	<b>HI02</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI02</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE DEFINITION</b>			
				<b>BBQ International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>			
<b>REQUIRED</b>	<b>HI02</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Procedure Code</b>			
<b>REQUIRED</b>	<b>HI02</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
				Code indicating the date format, time format, or date and time format			
				<b>CODE DEFINITION</b>			
				<b>D8 Date Expressed in Format CCYYMMDD</b>			
<b>REQUIRED</b>	<b>HI02</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
				Expression of a date, a time, or range of dates, times or dates and times			
				<b>INDUSTRY NAME: Procedure Date</b>			
<b>NOT USED</b>	<b>HI02</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI03</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.**

<b>REQUIRED</b>	<b>HI03</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
Code identifying a specific industry code list							
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>		
<b>REQUIRED</b>	<b>HI03</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
Code indicating a code from a specific industry code list							
<b>INDUSTRY NAME: Procedure Code</b>							
<b>REQUIRED</b>	<b>HI03</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
Code indicating the date format, time format, or date and time format							
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>		
<b>REQUIRED</b>	<b>HI03</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
Expression of a date, a time, or range of dates, times or dates and times							
<b>INDUSTRY NAME: Procedure Date</b>							
<b>NOT USED</b>	<b>HI03</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI04</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	

To send health care codes and their associated dates, amounts and quantities





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI04</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>	
<b>REQUIRED</b>	<b>HI04</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Procedure Code</b>		
<b>REQUIRED</b>	<b>HI04</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
				Code indicating the date format, time format, or date and time format		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>	
<b>REQUIRED</b>	<b>HI04</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
				Expression of a date, a time, or range of dates, times or dates and times		
				<b>INDUSTRY NAME: Procedure Date</b>		
<b>NOT USED</b>	<b>HI04</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI04</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
<b>SITUATIONAL</b>	<b>HI05</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other procedures. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI05</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>
				Code identifying a specific industry code list		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>	
<b>REQUIRED</b>	<b>HI05</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN 1/30</b>
				Code indicating a code from a specific industry code list		
				<b>INDUSTRY NAME: Procedure Code</b>		
<b>REQUIRED</b>	<b>HI05</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
				Code indicating the date format, time format, or date and time format		
				<b>CODE</b>	<b>DEFINITION</b>	
				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>	
<b>REQUIRED</b>	<b>HI05</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
				Expression of a date, a time, or range of dates, times or dates and times		
				<b>INDUSTRY NAME: Procedure Date</b>		
<b>NOT USED</b>	<b>HI05</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R 1/18</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R 1/15</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN 1/30</b>
<b>NOT USED</b>	<b>HI05</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID 1/1</b>
<b>SITUATIONAL</b>	<b>HI06</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>
				To send health care codes and their associated dates, amounts and quantities		
				<b>Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.</b>		
<b>REQUIRED</b>	<b>HI06</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID 1/3</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Code identifying a specific industry code list

CODE	DEFINITION
BBQ	International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes

REQUIRED	HI06	- 2	1271	Industry Code	M	AN	1/30
----------	------	-----	------	---------------	---	----	------

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Procedure Code

REQUIRED	HI06	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
----------	------	-----	------	-----------------------------------	---	----	-----

Code indicating the date format, time format, or date and time format

CODE	DEFINITION
D8	Date Expressed in Format CCYYMMDD

REQUIRED	HI06	- 4	1251	Date Time Period	X	AN	1/35
----------	------	-----	------	------------------	---	----	------

Expression of a date, a time, or range of dates, times or dates and times

### INDUSTRY NAME: Procedure Date

NOT USED	HI06	- 5	782	Monetary Amount	O	R	1/18
----------	------	-----	-----	-----------------	---	---	------

NOT USED	HI06	- 6	380	Quantity	O	R	1/15
----------	------	-----	-----	----------	---	---	------

NOT USED	HI06	- 7	799	Version Identifier	O	AN	1/30
----------	------	-----	-----	--------------------	---	----	------

NOT USED	HI06	- 8	1271	Industry Code	X	AN	1/30
----------	------	-----	------	---------------	---	----	------

NOT USED	HI06	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
----------	------	-----	------	-----------------------------------	---	----	-----

SITUATIONAL	HI07		C022	HEALTH CARE CODE INFORMATION	M	1
-------------	------	--	------	------------------------------	---	---

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.**

REQUIRED	HI07	- 1	1270	Code List Qualifier Code	M	ID	1/3
----------	------	-----	------	--------------------------	---	----	-----

Code identifying a specific industry code list

CODE	DEFINITION
------	------------





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>		
<b>REQUIRED</b>	<b>HI07</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Procedure Code</b>			
<b>REQUIRED</b>	<b>HI07</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
				Code indicating the date format, time format, or date and time format			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>		
<b>REQUIRED</b>	<b>HI07</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
				Expression of a date, a time, or range of dates, times or dates and times			
				<b>INDUSTRY NAME: Procedure Date</b>			
<b>NOT USED</b>	<b>HI07</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI07</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI08</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI08</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification</b>		





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>(ICD-10-PCS) Other Procedure Codes</b>			
<b>REQUIRED</b>	<b>HI08</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Procedure Code</b>			
<b>REQUIRED</b>	<b>HI08</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
				Code indicating the date format, time format, or date and time format			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>		
<b>REQUIRED</b>	<b>HI08</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
				Expression of a date, a time, or range of dates, times or dates and times			
				<b>INDUSTRY NAME: Procedure Date</b>			
<b>NOT USED</b>	<b>HI08</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI09</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI09</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BBQ</b>	<b>International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes</b>		
<b>REQUIRED</b>	<b>HI09</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Procedure Code

**REQUIRED**      **HI09**    **- 3**    **1250**    **Date Time Period Format**    **X**      **ID**    **2/3**  
**Qualifier**

Code indicating the date format, time format, or date and time format

#### CODE      DEFINITION

**D8**      **Date Expressed in Format**  
**CCYYMMDD**

**REQUIRED**      **HI09**    **- 4**    **1251**    **Date Time Period**                      **X**      **AN**    **1/35**

Expression of a date, a time, or range of dates, times or dates and times

### INDUSTRY NAME: Procedure Date

**NOT USED**      **HI09**    **- 5**    **782**    **Monetary Amount**                      **O**      **R**      **1/18**

**NOT USED**      **HI09**    **- 6**    **380**    **Quantity**                                      **O**      **R**      **1/15**

**NOT USED**      **HI09**    **- 7**    **799**    **Version Identifier**                      **O**      **AN**    **1/30**

**NOT USED**      **HI09**    **- 8**    **1271**    **Industry Code**                              **X**      **AN**    **1/30**

**NOT USED**      **HI09**    **- 9**    **1073**    **Yes/No Condition or**                      **X**      **ID**    **1/1**  
**Response Code**

**SITUATIONAL**    **HI10**                      **C022**    **HEALTH CARE CODE**                      **M**    **1**  
**INFORMATION**

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.**

**REQUIRED**      **HI10**    **- 1**    **1270**    **Code List Qualifier Code**              **M**      **ID**    **1/3**

Code identifying a specific industry code list

#### CODE      DEFINITION

**BBQ**      **International Classification of**  
**Diseases Clinical Modification**  
**(ICD-10-PCS) Other Procedure**  
**Codes**

**REQUIRED**      **HI10**    **- 2**    **1271**    **Industry Code**                              **M**      **AN**    **1/30**

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Procedure Code



**Healthcare Facility Procedures and Technical Specifications Manual**

REQUIRED	HI10	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
Code indicating the date format, time format, or date and time format							
				CODE	DEFINITION		
				D8	Date Expressed in Format CCYYMMDD		
REQUIRED	HI10	- 4	1251	Date Time Period	X	AN	1/35
Expression of a date, a time, or range of dates, times or dates and times							
INDUSTRY NAME: Procedure Date							
NOT USED	HI10	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI10	- 6	380	Quantity	O	R	1/15
NOT USED	HI10	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI10	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI10	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI11		C022	HEALTH CARE CODE INFORMATION	M	1	
To send health care codes and their associated dates, amounts and quantities							
Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.							
REQUIRED	HI11	- 1	1270	Code List Qualifier Code	M	ID	1/3
Code identifying a specific industry code list							
				CODE	DEFINITION		
				BBQ	International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes		
REQUIRED	HI11	- 2	1271	Industry Code	M	AN	1/30
Code indicating a code from a specific industry code list							
INDUSTRY NAME: Procedure Code							
REQUIRED	HI11	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3





## Healthcare Facility Procedures and Technical Specifications Manual

Code indicating the date format, time format, or date and time format

### CODE DEFINITION

#### D8 Date Expressed in Format CCYYMMDD

**REQUIRED HI11 - 4 1251 Date Time Period X AN 1/35**

Expression of a date, a time, or range of dates, times or dates and times

### INDUSTRY NAME: Procedure Date

**NOT USED HI11 - 5 782 Monetary Amount O R 1/18**

**NOT USED HI11 - 6 380 Quantity O R 1/15**

**NOT USED HI11 - 7 799 Version Identifier O AN 1/30**

**NOT USED HI11 - 8 1271 Industry Code X AN 1/30**

**NOT USED HI11 - 9 1073 Yes/No Condition or Response Code X ID 1/1**

**SITUATIONAL HI12 C022 HEALTH CARE CODE INFORMATION M 1**

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional procedure and the preceding HI data elements have been used to report other procedures. If not required by this implementation guide, do not send.**

**REQUIRED HI12 - 1 1270 Code List Qualifier Code M ID 1/3**

Code identifying a specific industry code list

### CODE DEFINITION

#### BBQ International Classification of Diseases Clinical Modification (ICD-10-PCS) Other Procedure Codes

**REQUIRED HI12 - 2 1271 Industry Code M AN 1/30**

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Procedure Code

**REQUIRED HI12 - 3 1250 Date Time Period Format Qualifier X ID 2/3**

Code indicating the date format, time format, or date and time format

### CODE DEFINITION





## Healthcare Facility Procedures and Technical Specifications Manual

				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>		
<b>REQUIRED</b>	<b>HI12</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
				Expression of a date, a time, or range of dates, times or dates and times			
				<b>INDUSTRY NAME: Procedure Date</b>			
<b>NOT USED</b>	<b>HI12</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI12</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>

## HI - OCCURRENCE SPAN INFORMATION

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when there is an Occurrence Span Code that applies to this claim. If not required by this implementation guide, do not send.  
2. Up to 4 Occurrence Span Codes can be defined.

Example: **HI\*BI:70:RD8:20051202-20051212~**

### Element Detail

USAGE	REF. DES.		DATA ELEMENT	NAME	ATTRIBUTES		
REQUIRED	HI01		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
REQUIRED	HI01	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BI	Occurrence Span		
REQUIRED	HI01	- 2	1271	Industry Code	M	AN	1/30



**Healthcare Facility Procedures and Technical Specifications Manual**

Code indicating a code from a specific industry code list

**INDUSTRY NAME: Occurrence Span Code**

**REQUIRED**      **HI01**    **- 3**    **1250**    **Date Time Period Format**    **X**      **ID**    **2/3**  
**Qualifier**

Code indicating the date format, time format, or date and time format

**CODE      DEFINITION**

**RD8**      **Range of Dates Expressed in  
Format CCYYMMDD-CCYYMMDD**

**REQUIRED**      **HI01**    **- 4**    **1251**    **Date Time Period**                      **X**      **AN**    **1/35**

Expression of a date, a time, or range of dates, times or dates and times

**INDUSTRY NAME: Occurrence Span Code  
Date**

**NOT USED**      **HI01**    **- 5**    **782**    **Monetary Amount**                      **O**      **R**      **1/18**

**NOT USED**      **HI01**    **- 6**    **380**    **Quantity**                                      **O**      **R**      **1/15**

**NOT USED**      **HI01**    **- 7**    **799**    **Version Identifier**                      **O**      **AN**    **1/30**

**NOT USED**      **HI01**    **- 8**    **1271**    **Industry Code**                              **X**      **AN**    **1/30**

**NOT USED**      **HI01**    **- 9**    **1073**    **Yes/No Condition or  
Response Code**                      **X**      **ID**    **1/1**

**SITUATIONAL**    **HI02**                      **C022**    **HEALTH CARE CODE**                      **M**    **1**  
**INFORMATION**

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional occurrence span code and the preceding HI data elements have been used to report other occurrence span codes. If not required by this implementation guide, do not send.**

**REQUIRED**      **HI02**    **- 1**    **1270**    **Code List Qualifier Code**              **M**      **ID**    **1/3**

Code identifying a specific industry code list

**CODE      DEFINITION**

**BI**      **Occurrence Span**

**REQUIRED**      **HI02**    **- 2**    **1271**    **Industry Code**                              **M**      **AN**    **1/30**

Code indicating a code from a specific industry code list

**INDUSTRY NAME: Occurrence Span Code**



**Healthcare Facility Procedures and Technical Specifications Manual**

REQUIRED	HI02	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
Code indicating the date format, time format, or date and time format							
				CODE	DEFINITION		
				RD8	Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD		
REQUIRED	HI02	- 4	1251	Date Time Period	X	AN	1/35
Expression of a date, a time, or range of dates, times or dates and times							
INDUSTRY NAME: Occurrence Span Code Date							
NOT USED	HI02	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI02	- 6	380	Quantity	O	R	1/15
NOT USED	HI02	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI02	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI02	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI03		C022	HEALTH CARE CODE INFORMATION	M	1	
To send health care codes and their associated dates, amounts and quantities							
Required when it is necessary to report an additional occurrence span code and the preceding HI data elements have been used to report other occurrence span codes. If not required by this implementation guide, do not send.							
REQUIRED	HI03	- 1	1270	Code List Qualifier Code	M	ID	1/3
Code identifying a specific industry code list							
				CODE	DEFINITION		
				BI	Occurrence Span		
REQUIRED	HI03	- 2	1271	Industry Code	M	AN	1/30
Code indicating a code from a specific industry code list							
INDUSTRY NAME: Occurrence Span Code							
REQUIRED	HI03	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
Code indicating the date format, time format, or date and time format							





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>CODE RD8</b>	<b>DEFINITION Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD</b>			
<b>REQUIRED</b>	<b>HI03</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>	
				Expression of a date, a time, or range of dates, times or dates and times				
				<b>INDUSTRY NAME: Occurrence Span Code Date</b>				
<b>NOT USED</b>	<b>HI03</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>	
<b>NOT USED</b>	<b>HI03</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>	
<b>NOT USED</b>	<b>HI03</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>	
<b>NOT USED</b>	<b>HI03</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>	
<b>NOT USED</b>	<b>HI03</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>	
<b>SITUATIONAL</b>	<b>HI04</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>		
				To send health care codes and their associated dates, amounts and quantities				
				<b>Required when it is necessary to report an additional occurrence span code and the preceding HI data elements have been used to report other occurrence span codes. If not required by this implementation guide, do not send.</b>				
<b>REQUIRED</b>	<b>HI04</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>	
				Code identifying a specific industry code list				
				<b>CODE BI</b>	<b>DEFINITION Occurrence Span</b>			
<b>REQUIRED</b>	<b>HI04</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>	
				Code indicating a code from a specific industry code list				
				<b>INDUSTRY NAME: Occurrence Span Code</b>				
<b>REQUIRED</b>	<b>HI04</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>	
				Code indicating the date format, time format, or date and time format				
				<b>CODE RD8</b>	<b>DEFINITION Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD</b>			
<b>REQUIRED</b>	<b>HI04</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

Expression of a date, a time, or range of dates, times or dates and times

				INDUSTRY NAME: Occurrence Span Code Date		
NOT USED	HI04	- 5	782	Monetary Amount	O	R 1/18
NOT USED	HI04	- 6	380	Quantity	O	R 1/15
NOT USED	HI04	- 7	799	Version Identifier	O	AN 1/30
NOT USED	HI04	- 8	1271	Industry Code	X	AN 1/30
NOT USED	HI04	- 9	1073	Yes/No Condition or Response Code	X	ID 1/1
NOT USED	HI05		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI06		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI07		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI08		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI09		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI10		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI11		C022	HEALTH CARE CODE INFORMATION	M	1
NOT USED	HI12		C022	HEALTH CARE CODE INFORMATION	M	1

### HI - OCCURRENCE INFORMATION

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when there is an Occurrence Code that applies to this claim. If not required by this implementation guide, do not send.  
2. Up to 12 Occurrence Codes can be defined.

Example: **HI\*BH:42:D8:20051208\*BH:A3:D8:20051203~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
			Code identifying a specific industry code list	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>BH</b>	<b>Occurrence</b>
<b>REQUIRED</b>	<b>HI01 - 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
			Code indicating a code from a specific industry code list	
			<b>INDUSTRY NAME: Occurrence Code</b>	
<b>REQUIRED</b>	<b>HI01 - 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			Code indicating the date format, time format, or date and time format	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>
<b>REQUIRED</b>	<b>HI01 - 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times	
			<b>INDUSTRY NAME: Occurrence Date</b>	
<b>NOT USED</b>	<b>HI01 - 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
<b>NOT USED</b>	<b>HI01 - 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>
<b>NOT USED</b>	<b>HI01 - 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X ID 1/1</b>
<b>SITUATIONAL</b>	<b>HI02</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
			<b>Required when it is necessary to report an additional occurrence code and the</b>	





**Healthcare Facility Procedures and Technical Specifications Manual**

				preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.			
REQUIRED	HI02	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BH	Occurrence		
REQUIRED	HI02	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				INDUSTRY NAME: Occurrence Code			
REQUIRED	HI02	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
				Code indicating the date format, time format, or date and time format			
				CODE	DEFINITION		
				D8	Date Expressed in Format CCYYMMDD		
REQUIRED	HI02	- 4	1251	Date Time Period	X	AN	1/35
				Expression of a date, a time, or range of dates, times or dates and times			
				INDUSTRY NAME: Occurrence Date			
NOT USED	HI02	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI02	- 6	380	Quantity	O	R	1/15
NOT USED	HI02	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI02	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI02	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI03		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.			
REQUIRED	HI03	- 1	1270	Code List Qualifier Code	M	ID	1/3





**Healthcare Facility Procedures and Technical Specifications Manual**

Code identifying a specific industry code list

CODE BH	DEFINITION Occurrence
------------	--------------------------

<b>REQUIRED</b>	<b>HI03</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
-----------------	-------------	------------	-------------	----------------------	----------	-----------	-------------

Code indicating a code from a specific industry code list

**INDUSTRY NAME: Occurrence Code**

<b>REQUIRED</b>	<b>HI03</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
-----------------	-------------	------------	-------------	--	----------	-----------	------------

Code indicating the date format, time format, or date and time format

CODE D8	DEFINITION Date Expressed in Format CCYYMMDD
------------	--

<b>REQUIRED</b>	<b>HI03</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
-----------------	-------------	------------	-------------	-------------------------	----------	-----------	-------------

Expression of a date, a time, or range of dates, times or dates and times

**INDUSTRY NAME: Occurrence Date**

<b>NOT USED</b>	<b>HI03</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
-----------------	-------------	------------	------------	------------------------	----------	----------	-------------

<b>NOT USED</b>	<b>HI03</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
-----------------	-------------	------------	------------	-----------------	----------	----------	-------------

<b>NOT USED</b>	<b>HI03</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
-----------------	-------------	------------	------------	---------------------------	----------	-----------	-------------

<b>NOT USED</b>	<b>HI03</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
-----------------	-------------	------------	-------------	----------------------	----------	-----------	-------------

<b>NOT USED</b>	<b>HI03</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
-----------------	-------------	------------	-------------	--	----------	-----------	------------

<b>SITUATIONAL</b>	<b>HI04</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
--------------------	-------------	--	-------------	-------------------------------------	----------	----------	--

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.**

<b>REQUIRED</b>	<b>HI04</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
-----------------	-------------	------------	-------------	---------------------------------	----------	-----------	------------

Code identifying a specific industry code list

CODE BH	DEFINITION Occurrence
------------	--------------------------

<b>REQUIRED</b>	<b>HI04</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
-----------------	-------------	------------	-------------	----------------------	----------	-----------	-------------





## Healthcare Facility Procedures and Technical Specifications Manual

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Occurrence Code

**REQUIRED**      **HI04**    **- 3**    **1250**    **Date Time Period Format**    **X**      **ID**    **2/3**  
**Qualifier**

Code indicating the date format, time format, or date and time format

**CODE**    **DEFINITION**

**D8**      **Date Expressed in Format**  
**CCYYMMDD**

**REQUIRED**      **HI04**    **- 4**    **1251**    **Date Time Period**                      **X**      **AN**    **1/35**

Expression of a date, a time, or range of dates, times or dates and times

### INDUSTRY NAME: Occurrence Date

**NOT USED**      **HI04**    **- 5**    **782**    **Monetary Amount**                      **O**      **R**      **1/18**

**NOT USED**      **HI04**    **- 6**    **380**    **Quantity**                                      **O**      **R**      **1/15**

**NOT USED**      **HI04**    **- 7**    **799**    **Version Identifier**                      **O**      **AN**    **1/30**

**NOT USED**      **HI04**    **- 8**    **1271**    **Industry Code**                              **X**      **AN**    **1/30**

**NOT USED**      **HI04**    **- 9**    **1073**    **Yes/No Condition or**                      **X**      **ID**    **1/1**  
**Response Code**

**SITUATIONAL**    **HI05**                      **C022**    **HEALTH CARE CODE**                      **M**    **1**  
**INFORMATION**

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.**

**REQUIRED**      **HI05**    **- 1**    **1270**    **Code List Qualifier Code**              **M**      **ID**    **1/3**

Code identifying a specific industry code list

**CODE**    **DEFINITION**

**BH**      **Occurrence**

**REQUIRED**      **HI05**    **- 2**    **1271**    **Industry Code**                              **M**      **AN**    **1/30**

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Occurrence Code

**REQUIRED**      **HI05**    **- 3**    **1250**    **Date Time Period Format**    **X**      **ID**    **2/3**  
**Qualifier**





## Healthcare Facility Procedures and Technical Specifications Manual

Code indicating the date format, time format, or date and time format

### CODE DEFINITION

**D8** Date Expressed in Format  
CCYYMMDD

**REQUIRED** **HI05 - 4 1251** **Date Time Period** **X** **AN** **1/35**

Expression of a date, a time, or range of dates, times or dates and times

### INDUSTRY NAME: Occurrence Date

**NOT USED** **HI05 - 5 782** **Monetary Amount** **O** **R** **1/18**

**NOT USED** **HI05 - 6 380** **Quantity** **O** **R** **1/15**

**NOT USED** **HI05 - 7 799** **Version Identifier** **O** **AN** **1/30**

**NOT USED** **HI05 - 8 1271** **Industry Code** **X** **AN** **1/30**

**NOT USED** **HI05 - 9 1073** **Yes/No Condition or Response Code** **X** **ID** **1/1**

**SITUATIONAL** **HI06** **C022** **HEALTH CARE CODE INFORMATION** **M** **1**

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.**

**REQUIRED** **HI06 - 1 1270** **Code List Qualifier Code** **M** **ID** **1/3**

Code identifying a specific industry code list

### CODE DEFINITION

**BH** Occurrence

**REQUIRED** **HI06 - 2 1271** **Industry Code** **M** **AN** **1/30**

Code indicating a code from a specific industry code list

### INDUSTRY NAME: Occurrence Code

**REQUIRED** **HI06 - 3 1250** **Date Time Period Format Qualifier** **X** **ID** **2/3**

Code indicating the date format, time format, or date and time format

### CODE DEFINITION

**D8** Date Expressed in Format  
CCYYMMDD





**Healthcare Facility Procedures and Technical Specifications Manual**

REQUIRED	HI06	- 4	1251	Date Time Period	X	AN	1/35	Expression of a date, a time, or range of dates, times or dates and times				
INDUSTRY NAME: Occurrence Date												
NOT USED	HI06	- 5	782	Monetary Amount	O	R	1/18					
NOT USED	HI06	- 6	380	Quantity	O	R	1/15					
NOT USED	HI06	- 7	799	Version Identifier	O	AN	1/30					
NOT USED	HI06	- 8	1271	Industry Code	X	AN	1/30					
NOT USED	HI06	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1					
SITUATIONAL	HI07		C022	HEALTH CARE CODE INFORMATION	M	1		To send health care codes and their associated dates, amounts and quantities				
Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.												
REQUIRED	HI07	- 1	1270	Code List Qualifier Code	M	ID	1/3	Code identifying a specific industry code list				
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>BH</td><td>Occurrence</td></tr></table>									CODE	DEFINITION	BH	Occurrence
CODE	DEFINITION											
BH	Occurrence											
REQUIRED	HI07	- 2	1271	Industry Code	M	AN	1/30	Code indicating a code from a specific industry code list				
INDUSTRY NAME: Occurrence Code												
REQUIRED	HI07	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3	Code indicating the date format, time format, or date and time format				
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>D8</td><td>Date Expressed in Format CCYYMMDD</td></tr></table>									CODE	DEFINITION	D8	Date Expressed in Format CCYYMMDD
CODE	DEFINITION											
D8	Date Expressed in Format CCYYMMDD											
REQUIRED	HI07	- 4	1251	Date Time Period	X	AN	1/35	Expression of a date, a time, or range of dates, times or dates and times				
INDUSTRY NAME: Occurrence Date												



**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI07	- 5	782	Monetary Amount	O	R	1/18				
NOT USED	HI07	- 6	380	Quantity	O	R	1/15				
NOT USED	HI07	- 7	799	Version Identifier	O	AN	1/30				
NOT USED	HI07	- 8	1271	Industry Code	X	AN	1/30				
NOT USED	HI07	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1				
SITUATIONAL	HI08		C022	HEALTH CARE CODE INFORMATION	M	1					
To send health care codes and their associated dates, amounts and quantities											
Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.											
REQUIRED	HI08	- 1	1270	Code List Qualifier Code	M	ID	1/3				
Code identifying a specific industry code list											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>BH</td><td>Occurrence</td></tr></table>								CODE	DEFINITION	BH	Occurrence
CODE	DEFINITION										
BH	Occurrence										
REQUIRED	HI08	- 2	1271	Industry Code	M	AN	1/30				
Code indicating a code from a specific industry code list											
INDUSTRY NAME: Occurrence Code											
REQUIRED	HI08	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3				
Code indicating the date format, time format, or date and time format											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>D8</td><td>Date Expressed in Format CCYYMMDD</td></tr></table>								CODE	DEFINITION	D8	Date Expressed in Format CCYYMMDD
CODE	DEFINITION										
D8	Date Expressed in Format CCYYMMDD										
REQUIRED	HI08	- 4	1251	Date Time Period	X	AN	1/35				
Expression of a date, a time, or range of dates, times or dates and times											
INDUSTRY NAME: Occurrence Date											
NOT USED	HI08	- 5	782	Monetary Amount	O	R	1/18				
NOT USED	HI08	- 6	380	Quantity	O	R	1/15				
NOT USED	HI08	- 7	799	Version Identifier	O	AN	1/30				
NOT USED	HI08	- 8	1271	Industry Code	X	AN	1/30				





**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI08	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI09		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.			
REQUIRED	HI09	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BH	Occurrence		
REQUIRED	HI09	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				INDUSTRY NAME: Occurrence Code			
REQUIRED	HI09	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
				Code indicating the date format, time format, or date and time format			
				CODE	DEFINITION		
				D8	Date Expressed in Format CCYYMMDD		
REQUIRED	HI09	- 4	1251	Date Time Period	X	AN	1/35
				Expression of a date, a time, or range of dates, times or dates and times			
				INDUSTRY NAME: Occurrence Date			
NOT USED	HI09	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI09	- 6	380	Quantity	O	R	1/15
NOT USED	HI09	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI09	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI09	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI10		C022	HEALTH CARE CODE INFORMATION	M	1	



**Healthcare Facility Procedures and Technical Specifications Manual**

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.**

<b>REQUIRED</b>	<b>HI10</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
Code identifying a specific industry code list							
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BH</b>	<b>Occurrence</b>		
<b>REQUIRED</b>	<b>HI10</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
Code indicating a code from a specific industry code list							
<b>INDUSTRY NAME: Occurrence Code</b>							
<b>REQUIRED</b>	<b>HI10</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
Code indicating the date format, time format, or date and time format							
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>D8</b>	<b>Date Expressed in Format CCYYMMDD</b>		
<b>REQUIRED</b>	<b>HI10</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
Expression of a date, a time, or range of dates, times or dates and times							
<b>INDUSTRY NAME: Occurrence Date</b>							
<b>NOT USED</b>	<b>HI10</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI10</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI11</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used**





**Healthcare Facility Procedures and Technical Specifications Manual**

				to report other occurrence codes. If not required by this implementation guide, do not send.			
REQUIRED	HI11	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BH	Occurrence		
REQUIRED	HI11	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Occurrence Code</b>			
REQUIRED	HI11	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
				Code indicating the date format, time format, or date and time format			
				CODE	DEFINITION		
				D8	Date Expressed in Format CCYYMMDD		
REQUIRED	HI11	- 4	1251	Date Time Period	X	AN	1/35
				Expression of a date, a time, or range of dates, times or dates and times			
				<b>INDUSTRY NAME: Occurrence Date</b>			
NOT USED	HI11	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI11	- 6	380	Quantity	O	R	1/15
NOT USED	HI11	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI11	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI11	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI12		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				Required when it is necessary to report an additional occurrence code and the preceding HI data elements have been used to report other occurrence codes. If not required by this implementation guide, do not send.			
REQUIRED	HI12	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			





## Healthcare Facility Procedures and Technical Specifications Manual

				CODE BH	DEFINITION Occurrence			
REQUIRED	HI12	- 2	1271	Industry Code	M	AN	1/30	Code indicating a code from a specific industry code list
<b>INDUSTRY NAME: Occurrence Code</b>								
REQUIRED	HI12	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3	Code indicating the date format, time format, or date and time format
<b>INDUSTRY NAME: Occurrence Date</b>								
REQUIRED	HI12	- 4	1251	Date Time Period	X	AN	1/35	Expression of a date, a time, or range of dates, times or dates and times
<b>INDUSTRY NAME: Occurrence Date</b>								
NOT USED	HI12	- 5	782	Monetary Amount	O	R	1/18	
NOT USED	HI12	- 6	380	Quantity	O	R	1/15	
NOT USED	HI12	- 7	799	Version Identifier	O	AN	1/30	
NOT USED	HI12	- 8	1271	Industry Code	X	AN	1/30	
NOT USED	HI12	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1	

### HI - VALUE INFORMATION

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: SITUATIONAL

- Notes:
1. Required when there is a Value Code that applies to this claim. If not required by this implementation guide, do not send.
  2. When the accompanying claim has a Newborn type of admission (i.e. 4), Value Code '54' is required. The amount is expected to be a positive numeric value.
  3. Up to 12 Value Codes can be defined.





## Healthcare Facility Procedures and Technical Specifications Manual

Example: **HI\*BE:08::1740\*BE:A7::940~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
			Code identifying a specific industry code list	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>BE</b>	<b>Value</b>
<b>REQUIRED</b>	<b>HI01 - 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
			Code indicating a code from a specific industry code list	
			<b>INDUSTRY NAME: Value Code</b>	
<b>NOT USED</b>	<b>HI01 - 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
<b>NOT USED</b>	<b>HI01 - 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
<b>REQUIRED</b>	<b>HI01 - 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
			Monetary Amount	
			<b>INDUSTRY NAME: Value Code Amount</b>	
<b>NOT USED</b>	<b>HI01 - 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>
<b>NOT USED</b>	<b>HI01 - 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X ID 1/1</b>
<b>SITUATIONAL</b>	<b>HI02</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
			<b>Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.</b>	
<b>REQUIRED</b>	<b>HI02 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>





## Healthcare Facility Procedures and Technical Specifications Manual

				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BE</b>	<b>Value</b>		
<b>REQUIRED</b>	<b>HI02</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Value Code</b>			
<b>NOT USED</b>	<b>HI02</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>REQUIRED</b>	<b>HI02</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
				Monetary Amount			
				<b>INDUSTRY NAME: Value Code Amount</b>			
<b>NOT USED</b>	<b>HI02</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI03</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI03</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BE</b>	<b>Value</b>		
<b>REQUIRED</b>	<b>HI03</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Value Code</b>			
<b>NOT USED</b>	<b>HI03</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>REQUIRED</b>	<b>HI03</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

Monetary Amount

				<b>INDUSTRY NAME: Value Code Amount</b>			
NOT USED	HI03	- 6	380	Quantity	O	R	1/15
NOT USED	HI03	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI03	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI03	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI04		C022	HEALTH CARE CODE INFORMATION	M	1	

To send health care codes and their associated dates, amounts and quantities

**Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.**

REQUIRED	HI04	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BE	Value		
REQUIRED	HI04	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			

**INDUSTRY NAME: Value Code**

NOT USED	HI04	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI04	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI04	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			

**INDUSTRY NAME: Value Code Amount**

NOT USED	HI04	- 6	380	Quantity	O	R	1/15
NOT USED	HI04	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI04	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI04	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI05		C022	HEALTH CARE CODE INFORMATION	M	1	

To send health care codes and their associated dates, amounts and quantities



**Healthcare Facility Procedures and Technical Specifications Manual**

				Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.			
REQUIRED	HI05	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BE	Value		
REQUIRED	HI05	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				INDUSTRY NAME: Value Code			
NOT USED	HI05	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI05	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI05	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			
				INDUSTRY NAME: Value Code Amount			
NOT USED	HI05	- 6	380	Quantity	O	R	1/15
NOT USED	HI05	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI05	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI05	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI06		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.			
REQUIRED	HI06	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BE	Value		
REQUIRED	HI06	- 2	1271	Industry Code	M	AN	1/30





**Healthcare Facility Procedures and Technical Specifications Manual**

Code indicating a code from a specific industry code list

				<b>INDUSTRY NAME: Value Code</b>			
NOT USED	HI06	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI06	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI06	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			
				<b>INDUSTRY NAME: Value Code Amount</b>			
NOT USED	HI06	- 6	380	Quantity	O	R	1/15
NOT USED	HI06	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI06	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI06	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI07		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.</b>			
REQUIRED	HI07	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BE</b>	<b>Value</b>		
REQUIRED	HI07	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Value Code</b>			
NOT USED	HI07	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI07	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI07	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			
				<b>INDUSTRY NAME: Value Code Amount</b>			
NOT USED	HI07	- 6	380	Quantity	O	R	1/15





**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI07	- 7	799	Version Identifier	O	AN	1/30				
NOT USED	HI07	- 8	1271	Industry Code	X	AN	1/30				
NOT USED	HI07	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1				
SITUATIONAL	HI08		C022	HEALTH CARE CODE INFORMATION	M	1					
To send health care codes and their associated dates, amounts and quantities											
Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.											
REQUIRED	HI08	- 1	1270	Code List Qualifier Code	M	ID	1/3				
Code identifying a specific industry code list											
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><th>BE</th><th>Value</th></tr></table>								CODE	DEFINITION	BE	Value
CODE	DEFINITION										
BE	Value										
REQUIRED	HI08	- 2	1271	Industry Code	M	AN	1/30				
Code indicating a code from a specific industry code list											
INDUSTRY NAME: Value Code											
NOT USED	HI08	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3				
NOT USED	HI08	- 4	1251	Date Time Period	X	AN	1/35				
REQUIRED	HI08	- 5	782	Monetary Amount	O	R	1/18				
Monetary Amount											
INDUSTRY NAME: Value Code Amount											
NOT USED	HI08	- 6	380	Quantity	O	R	1/15				
NOT USED	HI08	- 7	799	Version Identifier	O	AN	1/30				
NOT USED	HI08	- 8	1271	Industry Code	X	AN	1/30				
NOT USED	HI08	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1				
SITUATIONAL	HI09		C022	HEALTH CARE CODE INFORMATION	M	1					
To send health care codes and their associated dates, amounts and quantities											
Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report											





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>other value codes. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI09</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BE</b>	<b>Value</b>		
<b>REQUIRED</b>	<b>HI09</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Value Code</b>			
<b>NOT USED</b>	<b>HI09</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>REQUIRED</b>	<b>HI09</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
				Monetary Amount			
				<b>INDUSTRY NAME: Value Code Amount</b>			
<b>NOT USED</b>	<b>HI09</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI09</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI10</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
				To send health care codes and their associated dates, amounts and quantities			
				<b>Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.</b>			
<b>REQUIRED</b>	<b>HI10</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
				Code identifying a specific industry code list			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BE</b>	<b>Value</b>		
<b>REQUIRED</b>	<b>HI10</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list			
				<b>INDUSTRY NAME: Value Code</b>			





**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI10	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI10	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI10	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			
				INDUSTRY NAME: Value Code Amount			
NOT USED	HI10	- 6	380	Quantity	O	R	1/15
NOT USED	HI10	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI10	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI10	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI11		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.			
REQUIRED	HI11	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE	DEFINITION		
				BE	Value		
REQUIRED	HI11	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				INDUSTRY NAME: Value Code			
NOT USED	HI11	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI11	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI11	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			
				INDUSTRY NAME: Value Code Amount			
NOT USED	HI11	- 6	380	Quantity	O	R	1/15
NOT USED	HI11	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI11	- 8	1271	Industry Code	X	AN	1/30





**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI11	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI12		C022	HEALTH CARE CODE INFORMATION	M	1	
				To send health care codes and their associated dates, amounts and quantities			
				Required when it is necessary to report an additional value code and the preceding HI data elements have been used to report other value codes. If not required by this implementation guide, do not send.			
REQUIRED	HI12	- 1	1270	Code List Qualifier Code	M	ID	1/3
				Code identifying a specific industry code list			
				CODE BE	DEFINITION Value		
REQUIRED	HI12	- 2	1271	Industry Code	M	AN	1/30
				Code indicating a code from a specific industry code list			
				INDUSTRY NAME: Value Code			
NOT USED	HI12	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI12	- 4	1251	Date Time Period	X	AN	1/35
REQUIRED	HI12	- 5	782	Monetary Amount	O	R	1/18
				Monetary Amount			
				INDUSTRY NAME: Value Code Amount			
NOT USED	HI12	- 6	380	Quantity	O	R	1/15
NOT USED	HI12	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI12	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI12	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1

## HI - CONDITION INFORMATION

To supply information related to the delivery of health care.

Loop: 2300 — CLAIM INFORMATION

Repeat: 1

Usage: SITUATIONAL





## Healthcare Facility Procedures and Technical Specifications Manual

Notes: 1. Required when there is a Condition Code that applies to this claim.  
If not required by this implementation guide, do not send.

2. Up to 8 Condition Codes can be defined.

Example: **HI\*BG:17\*BG:67~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>HI01</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
<b>REQUIRED</b>	<b>HI01 - 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M ID 1/3</b>
			Code identifying a specific industry code list	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>BG</b>	<b>Condition</b>
<b>REQUIRED</b>	<b>HI01 - 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M AN 1/30</b>
			Code indicating a code from a specific industry code list	
			<b>INDUSTRY NAME: Condition Code</b>	
<b>NOT USED</b>	<b>HI01 - 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
<b>NOT USED</b>	<b>HI01 - 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
<b>NOT USED</b>	<b>HI01 - 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O R 1/18</b>
<b>NOT USED</b>	<b>HI01 - 6</b>	<b>380</b>	<b>Quantity</b>	<b>O R 1/15</b>
<b>NOT USED</b>	<b>HI01 - 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X AN 1/30</b>
<b>NOT USED</b>	<b>HI01 - 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X ID 1/1</b>
<b>SITUATIONAL</b>	<b>HI02</b>	<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M 1</b>
			To send health care codes and their associated dates, amounts and quantities	
			<b>Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.</b>	





**Healthcare Facility Procedures and Technical Specifications Manual**

<b>REQUIRED</b>	<b>HI02</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
Code identifying a specific industry code list							
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BG</b>	<b>Condition</b>		
<b>REQUIRED</b>	<b>HI02</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
Code indicating a code from a specific industry code list							
<b>INDUSTRY NAME: Condition Code</b>							
<b>NOT USED</b>	<b>HI02</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>	<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>	<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI02</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>SITUATIONAL</b>	<b>HI03</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>	<b>M</b>	<b>1</b>	
To send health care codes and their associated dates, amounts and quantities							
<b>Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.</b>							
<b>REQUIRED</b>	<b>HI03</b>	<b>- 1</b>	<b>1270</b>	<b>Code List Qualifier Code</b>	<b>M</b>	<b>ID</b>	<b>1/3</b>
Code identifying a specific industry code list							
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>BG</b>	<b>Condition</b>		
<b>REQUIRED</b>	<b>HI02</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>	<b>M</b>	<b>AN</b>	<b>1/30</b>
Code indicating a code from a specific industry code list							
<b>INDUSTRY NAME: Condition Code</b>							
<b>NOT USED</b>	<b>HI03</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI03</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>	<b>O</b>	<b>R</b>	<b>1/15</b>



**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI03	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI03	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI03	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI04		C022	HEALTH CARE CODE INFORMATION	M	1	
To send health care codes and their associated dates, amounts and quantities							
Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.							
REQUIRED	HI04	- 1	1270	Code List Qualifier Code	M	ID	1/3
Code identifying a specific industry code list							
				CODE	DEFINITION		
				BG	Condition		
REQUIRED	HI04	- 2	1271	Industry Code	M	AN	1/30
Code indicating a code from a specific industry code list							
INDUSTRY NAME: Condition Code							
NOT USED	HI04	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI04	- 4	1251	Date Time Period	X	AN	1/35
NOT USED	HI04	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI04	- 6	380	Quantity	O	R	1/15
NOT USED	HI04	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI04	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI04	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI05		C022	HEALTH CARE CODE INFORMATION	M	1	
To send health care codes and their associated dates, amounts and quantities							
Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.							
REQUIRED	HI05	- 1	1270	Code List Qualifier Code	M	ID	1/3





## Healthcare Facility Procedures and Technical Specifications Manual

Code identifying a specific industry code list

				CODE BG	DEFINITION Condition			
REQUIRED	HI05	- 2	1271	Industry Code	M	AN	1/30	
				Code indicating a code from a specific industry code list				
				INDUSTRY NAME: Condition Code				
NOT USED	HI05	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3	
NOT USED	HI05	- 4	1251	Date Time Period	X	AN	1/35	
NOT USED	HI05	- 5	782	Monetary Amount	O	R	1/18	
NOT USED	HI05	- 6	380	Quantity	O	R	1/15	
NOT USED	HI05	- 7	799	Version Identifier	O	AN	1/30	
NOT USED	HI05	- 8	1271	Industry Code	X	AN	1/30	
NOT USED	HI05	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1	
SITUATIONAL	HI06		C022	HEALTH CARE CODE INFORMATION	M	1		
				To send health care codes and their associated dates, amounts and quantities				
				Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.				
REQUIRED	HI06	- 1	1270	Code List Qualifier Code	M	ID	1/3	
				Code identifying a specific industry code list				
				CODE BG	DEFINITION Condition			
REQUIRED	HI06	- 2	1271	Industry Code	M	AN	1/30	
				Code indicating a code from a specific industry code list				
				INDUSTRY NAME: Condition Code				
NOT USED	HI06	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3	
NOT USED	HI06	- 4	1251	Date Time Period	X	AN	1/35	
NOT USED	HI06	- 5	782	Monetary Amount	O	R	1/18	
NOT USED	HI06	- 6	380	Quantity	O	R	1/15	
NOT USED	HI06	- 7	799	Version Identifier	O	AN	1/30	



**Healthcare Facility Procedures and Technical Specifications Manual**

NOT USED	HI06	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI06	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI07		C022	HEALTH CARE CODE INFORMATION	M	1	
To send health care codes and their associated dates, amounts and quantities							
Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.							
REQUIRED	HI07	- 1	1270	Code List Qualifier Code	M	ID	1/3
Code identifying a specific industry code list							
				CODE	DEFINITION		
				BG	Condition		
REQUIRED	HI07	- 2	1271	Industry Code	M	AN	1/30
Code indicating a code from a specific industry code list							
INDUSTRY NAME: Condition Code							
NOT USED	HI07	- 3	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	HI07	- 4	1251	Date Time Period	X	AN	1/35
NOT USED	HI07	- 5	782	Monetary Amount	O	R	1/18
NOT USED	HI07	- 6	380	Quantity	O	R	1/15
NOT USED	HI07	- 7	799	Version Identifier	O	AN	1/30
NOT USED	HI07	- 8	1271	Industry Code	X	AN	1/30
NOT USED	HI07	- 9	1073	Yes/No Condition or Response Code	X	ID	1/1
SITUATIONAL	HI08		C022	HEALTH CARE CODE INFORMATION	M	1	
To send health care codes and their associated dates, amounts and quantities							
Required when it is necessary to report an additional condition code and the preceding HI data elements have been used to report other condition codes. If not required by this implementation guide, do not send.							
REQUIRED	HI08	- 1	1270	Code List Qualifier Code	M	ID	1/3
Code identifying a specific industry code list							





**Healthcare Facility Procedures and Technical Specifications Manual**

				<b>CODE BG</b>	<b>DEFINITION Condition</b>			
<b>REQUIRED</b>	<b>HI08</b>	<b>- 2</b>	<b>1271</b>	<b>Industry Code</b>		<b>M</b>	<b>AN</b>	<b>1/30</b>
				Code indicating a code from a specific industry code list				
				<b>INDUSTRY NAME: Condition Code</b>				
<b>NOT USED</b>	<b>HI08</b>	<b>- 3</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>		<b>X</b>	<b>ID</b>	<b>2/3</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 4</b>	<b>1251</b>	<b>Date Time Period</b>		<b>X</b>	<b>AN</b>	<b>1/35</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 5</b>	<b>782</b>	<b>Monetary Amount</b>		<b>O</b>	<b>R</b>	<b>1/18</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 6</b>	<b>380</b>	<b>Quantity</b>		<b>O</b>	<b>R</b>	<b>1/15</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 7</b>	<b>799</b>	<b>Version Identifier</b>		<b>O</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 8</b>	<b>1271</b>	<b>Industry Code</b>		<b>X</b>	<b>AN</b>	<b>1/30</b>
<b>NOT USED</b>	<b>HI08</b>	<b>- 9</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>		<b>X</b>	<b>ID</b>	<b>1/1</b>
<b>NOT USED</b>	<b>HI09</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>		<b>M</b>	<b>1</b>	
<b>NOT USED</b>	<b>HI10</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>		<b>M</b>	<b>1</b>	
<b>NOT USED</b>	<b>HI11</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>		<b>M</b>	<b>1</b>	
<b>NOT USED</b>	<b>HI12</b>		<b>C022</b>	<b>HEALTH CARE CODE INFORMATION</b>		<b>M</b>	<b>1</b>	

## NM1 - ATTENDING PROVIDER NAME

To supply the full name of an individual or organizational entity.

Loop: 2310A — ATTENDING PROVIDER NAME Loop Repeat: 1

Repeat: 1

Usage: REQUIRED

Notes: 1. The Attending Provider is the individual who has overall responsibility for the patient's medical care and treatment reported in this claim.  
2. Must use physician or practitioner individual NPI, not group practice or organizational NPI.





## Healthcare Facility Procedures and Technical Specifications Manual

3. THCIC requires either the Attending Provider's NPI, NM109, or Texas State License Number, REF02.

Example: **NM1\*71\*1\*JONES\*JOHN\*\*\*\*\*XX\*1234567891~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>71</b>	<b>Attending Physician</b>
<b>REQUIRED</b>	<b>NM102</b>	<b>1065</b>	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
			Code qualifying the type of entity	
			<b>SEMANTIC:</b> NM102 qualifies NM103.	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>1</b>	<b>Person</b>
<b>REQUIRED</b>	<b>NM103</b>	<b>1035</b>	<b>Name Last or Organization Name</b>	<b>X 1 AN 1/60</b>
			Individual last name or organizational name	
			<b>INDUSTRY NAME: Attending Provider Last Name</b>	
<b>REQUIRED</b>	<b>NM104</b>	<b>1036</b>	<b>Name First</b>	<b>O 1 AN 1/35</b>
			Individual first name	
			<b>INDUSTRY NAME: Attending Provider First Name</b>	
<b>SITUATIONAL</b>	<b>NM105</b>	<b>1037</b>	<b>Name Middle</b>	<b>O 1 AN 1/25</b>
			Individual middle name or initial	
			<b>Required when the middle name or initial of the person is needed to identify the individual. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Attending Provider Middle Name or Initial</b>	
<b>NOT USED</b>	<b>NM106</b>	<b>1038</b>	<b>Name Prefix</b>	<b>O 1 AN 1/10</b>
<b>NOT USED</b>	<b>NM107</b>	<b>1039</b>	<b>Name Suffix</b>	<b>O 1 AN 1/10</b>
<b>SITUATIONAL</b>	<b>NM108</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>
			Code designating the system/method of code structure used for Identification Code (67)	





## Healthcare Facility Procedures and Technical Specifications Manual

**Required for providers in the United States or its territories on or after the mandated HIPAA National Provider Identifier (NPI) implementation date when the provider is eligible to receive an NPI. If not required by this implementation guide, do not send.**

### CODE DEFINITION

**XX Centers for Medicare and Medicaid Services National Provider Identifier**

**SITUATIONAL NM109 67**

**Identification Code X 1 AN 2/80**

Code identifying a party or other code

**Required for providers in the United States or its territories on or after the mandated HIPAA National Provider Identifier (NPI) implementation date when the provider is eligible to receive an NPI. If not required by this implementation guide, do not send.**

**INDUSTRY NAME: Attending Provider Primary Identifier**

### CODE DEFINITION

**XXXXXXXXXX National Provider Identifier (NPI) Number**

**NOT USED NM110 706**

**Entity Relationship Code X 1 ID 2/2**

**NOT USED NM111 98**

**Entity Identifier Code O 1 ID 2/3**

**NOT USED NM112 1035**

**Name Last or Organization Name O 1 AN 1/60**

## REF - ATTENDING PROVIDER SECONDARY IDENTIFICATION

To specify identifying information.

Loop: 2310A — ATTENDING PROVIDER NAME

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider. If not required by this implementation guide, do not send.

Example: **REF\*0B\*A12345~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification	<b>M 1 ID 2/3</b>
			<b>CODE DEFINITION</b>	
			<b>0B State License Number</b>	
<b>REQUIRED</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X 1 AN 1/50</b>
			<b>INDUSTRY NAME: Attending Provider Secondary Identifier</b>	
<b>NOT USED</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X 1 AN 1/80</b>
<b>NOT USED</b>	<b>REF04</b>	<b>C040</b>	<b>REFERENCE IDENTIFIER</b>	<b>O 1</b>

### NM1 - OPERATING PHYSICIAN NAME

To supply the full name of an individual or organizational entity.

Loop: 2310B — OPERATING PHYSICIAN NAME Loop Repeat: 1

Repeat: 1

Usage: SITUATIONAL

Notes:

1. Required when a surgical procedure code is listed on this claim. If not required by this implementation guide, do not send.
2. The Operating Physician is the individual with primary responsibility for performing the surgical procedure(s).
3. Must use physician or practitioner individual NPI, not group practice or organizational NPI.
4. THCIC requires either the Operating Physician's NPI, NM109, or Texas State License Number, REF02.

Example: **NM1\*72\*1\*MEYERS\*JANE\*\*\*\*XX\*1234567891~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>72</b>	<b>Operating Physician</b>
<b>REQUIRED</b>	<b>NM102</b>	<b>1065</b>	<b>Entity Type Qualifier</b>	<b>M 1 ID 1/1</b>
			Code qualifying the type of entity	
			<b>SEMANTIC:</b> NM102 qualifies NM103.	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>1</b>	<b>Person</b>
<b>REQUIRED</b>	<b>NM103</b>	<b>1035</b>	<b>Name Last or Organization Name</b>	<b>X 1 AN 1/60</b>
			Individual last name or organizational name	
			<b>INDUSTRY NAME: Operating Physician Last Name</b>	
<b>REQUIRED</b>	<b>NM104</b>	<b>1036</b>	<b>Name First</b>	<b>O 1 AN 1/35</b>
			Individual first name	
			<b>INDUSTRY NAME: Operating Physician First Name</b>	
<b>SITUATIONAL</b>	<b>NM105</b>	<b>1037</b>	<b>Name Middle</b>	<b>O 1 AN 1/25</b>
			Individual middle name or initial	
			<b>Required when the middle name or initial of the person is needed to identify the individual. If not required by this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Operating Physician Middle Name or Initial</b>	
<b>NOT USED</b>	<b>NM106</b>	<b>1038</b>	<b>Name Prefix</b>	<b>O 1 AN 1/10</b>
<b>NOT USED</b>	<b>NM107</b>	<b>1039</b>	<b>Name Suffix</b>	<b>O 1 AN 1/10</b>
<b>SITUATIONAL</b>	<b>NM108</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>
			Code designating the system/method of code structure used for Identification Code (67)	
			<b>Required for providers in the United States or its territories on or after the mandated HIPAA National Provider Identifier (NPI) implementation date when the provider is</b>	





## Healthcare Facility Procedures and Technical Specifications Manual

eligible to receive an NPI. If not required by this implementation guide, do not send.

CODE	DEFINITION
------	------------

XX	Centers for Medicare and Medicaid Services National Provider Identifier
----	---

**SITUATIONAL NM109 67**

**Identification Code X 1 AN 2/80**

Code identifying a party or other code

**Required for providers in the United States or its territories on or after the mandated HIPAA National Provider Identifier (NPI) implementation date when the provider is eligible to receive an NPI. If not required by this implementation guide, do not send.**

**INDUSTRY NAME: Operating Physician Primary Identifier**

CODE	DEFINITION
------	------------

XXXXXXXXXX	National Provider Identifier (NPI) Number
------------	---

**NOT USED NM110 706 Entity Relationship Code X 1 ID 2/2**

**NOT USED NM111 98 Entity Identifier Code O 1 ID 2/3**

**NOT USED NM112 1035 Name Last or Organization Name O 1 AN 1/60**

## REF - OPERATING PHYSICIAN SECONDARY IDENTIFICATION

To specify identifying information.

Loop: 2310B — OPERATING PHYSICIAN NAME

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider. If not required by this implementation guide, do not send.

Example: **REF\*0B\*A12345~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M 1 ID 2/3</b>
			Code qualifying the Reference Identification	
			<b>CODE</b>	<b>DEFINITION</b>
			<b>0B</b>	<b>State License Number</b>
<b>REQUIRED</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X 1 AN 1/50</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			<b>INDUSTRY NAME: Operating Physician Secondary Identifier</b>	
<b>NOT USED</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X 1 AN 1/80</b>
<b>NOT USED</b>	<b>REF04</b>	<b>C040</b>	<b>REFERENCE IDENTIFIER</b>	<b>O 1</b>

### NM1 - SERVICE FACILITY LOCATION NAME

To supply the full name of an individual or organizational entity.

Loop: 2310E — SERVICE FACILITY LOCATION NAME Loop Repeat: 1  
Repeat: 1  
Usage: SITUATIONAL  
Notes: 1. Required when the location of health care service is different than that carried in Loop ID-2010AA (Billing Provider). If not required by this implementation guide, do not send.  
2. Required by THCIC when the Service Facility Provider is different than the Billing Provider or the Pay-To Provider.  
3. This loop is required when the location of health care service is different than that carried in the 2010AA (Billing Provider) or 2010AB (Pay-to Provider) loops.

Example: **NM1\*FA\*2\*REHAB FACILITY\*\*\*\*\*XX\*1234567890~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
-------	-----------	-----------------	------	------------



**Healthcare Facility Procedures and Technical Specifications Manual**

REQUIRED	NM101	98	Entity Identifier Code	M	1	ID	2/3						
Code identifying an organizational entity, a physical location, property or an individual													
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>FA</td><td>Facility</td></tr></table>								CODE	DEFINITION	FA	Facility		
CODE	DEFINITION												
FA	Facility												
REQUIRED	NM102	1065	Entity Type Qualifier	M	1	ID	1/1						
Code qualifying the type of entity													
SEMANTIC: NM102 qualifies NM103.													
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>2</td><td>Non-Person Entity</td></tr></table>								CODE	DEFINITION	2	Non-Person Entity		
CODE	DEFINITION												
2	Non-Person Entity												
REQUIRED	NM103	1035	Name Last or Organization Name	X	1	AN	1/60						
Individual last name or organizational name													
INDUSTRY NAME: Laboratory or Facility Name													
NOT USED	NM104	1036	Name First	O	1	AN	1/35						
NOT USED	NM105	1037	Name Middle	O	1	AN	1/25						
NOT USED	NM106	1038	Name Prefix	O	1	AN	1/10						
NOT USED	NM107	1039	Name Suffix	O	1	AN	1/10						
REQUIRED	NM108	66	Identification Code Qualifier	X	1	ID	1/2						
Code designating the system/method of code structure used for Identification Code (67)													
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>XX</td><td>Centers for Medicare and Medicaid Services National Provider Identifier</td></tr><tr><td>24</td><td>Employer's Identification Number</td></tr></table>								CODE	DEFINITION	XX	Centers for Medicare and Medicaid Services National Provider Identifier	24	Employer's Identification Number
CODE	DEFINITION												
XX	Centers for Medicare and Medicaid Services National Provider Identifier												
24	Employer's Identification Number												
REQUIRED	NM109	67	Identification Code	X	1	AN	2/80						
Code identifying a party or other code													
INDUSTRY NAME: Laboratory or Facility Primary Identifier													
<table><tr><td>CODE</td><td>DEFINITION</td></tr><tr><td>XXXXXXXXXXX</td><td>National Provider Identifier (NPI) Number</td></tr><tr><td>nnnnnnnnnnn</td><td>Employer Identification Number (EIN)</td></tr></table>								CODE	DEFINITION	XXXXXXXXXXX	National Provider Identifier (NPI) Number	nnnnnnnnnnn	Employer Identification Number (EIN)
CODE	DEFINITION												
XXXXXXXXXXX	National Provider Identifier (NPI) Number												
nnnnnnnnnnn	Employer Identification Number (EIN)												
NOT USED	NM110	706	Entity Relationship Code	X	1	ID	2/2						
NOT USED	NM111	98	Entity Identifier Code	O	1	ID	2/3						
NOT USED	NM112	1035	Name Last or Organization Name	O	1	AN	1/60						





## Healthcare Facility Procedures and Technical Specifications Manual

### N3 - SERVICE FACILITY LOCATION ADDRESS

To specify the location of the named party.

Loop: 2310E — SERVICE FACILITY LOCATION NAME

Repeat: 1

Usage: REQUIRED

Notes: 1. Post Office Box addresses are not allowed.

Example: **N3\*123 MAIN STREET~**

#### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>N301</b>	<b>166</b>	<b>Address Information</b> Address information <b>INDUSTRY NAME: Laboratory or Facility Address Line</b>	<b>M 1 AN 1/55</b>
<b>SITUATIONAL</b>	<b>N302</b>	<b>166</b>	<b>Address Information</b> Address information <b>Required when there is a second address line. If not required by this implementation guide, do not send.</b> <b>INDUSTRY NAME: Laboratory or Facility Address Line</b>	<b>O 1 AN 1/55</b>

### N4 - SERVICE FACILITY LOCATION CITY, STATE, ZIP CODE

To specify the geographic place of the named party.

Loop: 2310E — SERVICE FACILITY LOCATION NAME

Repeat: 1

Usage: REQUIRED

Example: **N4\*KANSAS CITY\*MO\*64108~**





## Healthcare Facility Procedures and Technical Specifications Manual

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES											
REQUIRED	N401	19	City Name	O	1	AN	2/30								
Free-form text for city name															
INDUSTRY NAME: Laboratory or Facility City Name															
REQUIRED	N402	156	State or Province Code	X	1	ID	2/2								
Code (Standard State/Province) as defined by appropriate government agency															
INDUSTRY NAME: Laboratory or Facility State or Province Code															
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>aa</td><td>Valid State or Province Code</td></tr><tr><td>FC</td><td>Foreign Country</td></tr><tr><td>XX</td><td>Foreign Country</td></tr></table>								CODE	DEFINITION	aa	Valid State or Province Code	FC	Foreign Country	XX	Foreign Country
CODE	DEFINITION														
aa	Valid State or Province Code														
FC	Foreign Country														
XX	Foreign Country														
REQUIRED	N403	116	Postal Code	O	1	ID	3/15								
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)															
INDUSTRY NAME: Laboratory or Facility Postal Zone or ZIP Code															
When reporting the ZIP code for U.S. addresses, the full nine-digit ZIP code must be provided.															
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>00000</td><td>Foreign Country; Recommended value for foreign addresses</td></tr><tr><td>XXXXX</td><td>Foreign Country</td></tr></table>								CODE	DEFINITION	00000	Foreign Country; Recommended value for foreign addresses	XXXXX	Foreign Country		
CODE	DEFINITION														
00000	Foreign Country; Recommended value for foreign addresses														
XXXXX	Foreign Country														
NOT USED	N404	26	Country Code	X	1	ID	2/3								
NOT USED	N405	309	Location Qualifier	X	1	ID	1/2								
NOT USED	N406	310	Location Identifier	O	1	AN	1/30								
NOT USED	N407	1715	Country Subdivision Code	X	1	ID	1/3								

### REF - SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION

To specify THIC identifying information.

Loop: 2310E — SERVICE FACILITY LOCATION NAME

Repeat: 1





## Healthcare Facility Procedures and Technical Specifications Manual

Usage: SITUATIONAL

Notes: 1. THCIC requires the 6-digit number (THCIC ID) assigned to the Service Facility identified in Loop 2310E. The THCIC ID, along with either the NPI (NM109), EIN (REF02), and the Address (N301) is used to verify a Provider's identity.

2. Required by THCIC when the Service Facility Provider is different than the Billing Provider or the Pay-To Provider.

Example: **REF\*1J\*000116~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M 1 ID 2/3</b>
Code qualifying the Reference Identification				
			<b>CODE</b>	<b>DEFINITION</b>
			<b>1J</b>	<b>Facility ID Number</b>
<b>REQUIRED</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X 1 AN 1/50</b>
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
			<b>CODE</b>	<b>DEFINITION</b>
			<b>nnnnnn</b>	<b>ID Number assigned by THCIC</b>
<b>NOT USED</b>	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X 1 AN 1/80</b>
<b>NOT USED</b>	<b>REF04</b>	<b>C040</b>	<b>REFERENCE IDENTIFIER</b>	<b>O 1</b>

### SBR - OTHER SUBSCRIBER INFORMATION

To record information specific to the primary insured and the insurance carrier for that insured.

Loop: 2320 — OTHER SUBSCRIBER INFORMATION Loop Repeat: 1

Repeat: 1

Usage: SITUATIONAL

Notes: 1. Required when other payers are known to potentially be involved in paying on this claim. If not required by this implementation guide, do not send.





## Healthcare Facility Procedures and Technical Specifications Manual

2. All information contained in Loop ID-2320 applies only to the payer identified in Loop ID-2330B of this iteration of Loop ID-2320. It is specific only to that payer.

3. THCIC only collects Secondary Payer data.

Example: **SBR\*S\*01\*GR00786\*\*\*\*\*13~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>SBR01</b>	<b>1138</b>	<b>Payer Responsibility Sequence Number Code</b>	<b>M 1 ID 1/1</b>
			Code identifying the insurance carrier's level of responsibility for a payment of a claim	
			<b>CODE DEFINITION</b>	
			<b>S Secondary</b>	
<b>SITUATIONAL</b>	<b>SBR02</b>	<b>1069</b>	<b>Individual Relationship Code</b>	<b>O 1 ID 2/2</b>
			Code indicating the relationship between two individuals or entities	
			<b>SEMANTIC:</b> SBR02 specifies the relationship to the person insured.	
			<b>Required when the patient is the subscriber or considered to be the subscriber. If not required by this implementation guide, do not send.</b>	
			<b>CODE DEFINITION</b>	
			<b>01 Spouse</b>	
			<b>18 Self</b>	
			<b>19 Child</b>	
			<b>20 Employee</b>	
			<b>21 Unknown</b>	
			<b>39 Organ Donor</b>	
			<b>40 Cadaver Donor</b>	
			<b>53 Life Partner</b>	
			<b>G8 Other Relationship</b>	
<b>NOT USED</b>	<b>SBR03</b>	<b>127</b>	<b>Reference Identification</b>	<b>O 1 AN 1/50</b>
<b>NOT USED</b>	<b>SBR04</b>	<b>93</b>	<b>Name</b>	<b>O 1 AN 1/60</b>
<b>NOT USED</b>	<b>SBR05</b>	<b>1336</b>	<b>Insurance Type Code</b>	<b>O 1 ID 1/3</b>
<b>NOT USED</b>	<b>SBR06</b>	<b>1143</b>	<b>Coordination of Benefits Code</b>	<b>O 1 ID 1/1</b>
<b>NOT USED</b>	<b>SBR07</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O 1 ID 1/1</b>





***Healthcare Facility Procedures and Technical Specifications Manual***

<b>NOT USED</b>	<b>SBR08</b>	<b>584</b>	<b>Employment Status Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>2/2</b>
<b>REQUIRED</b>	<b>SBR09</b>	<b>1032</b>	<b>Claim Filing Indicator Code</b>	<b>O</b>	<b>1</b>	<b>ID</b>	<b>1/2</b>

Code identifying type of claim

CODE	DEFINITION
<b>11</b>	<b>Other Non-Federal Programs</b>
<b>12</b>	<b>Preferred Provider Organization (PPO)</b>
<b>13</b>	<b>Point of Service (POS)</b>
<b>14</b>	<b>Exclusive Provider Organization (EPO)</b>
<b>15</b>	<b>Indemnity Insurance</b>
<b>16</b>	<b>Health Maintenance Organization (HMO) Medicare Risk</b>
<b>17</b>	<b>Dental Maintenance Organization</b>
<b>AM</b>	<b>Automobile Medical</b>
<b>BL</b>	<b>Blue Cross/Blue Shield</b>
<b>CH</b>	<b>Champus</b>
<b>CI</b>	<b>Commercial Insurance Co.</b>
<b>DS</b>	<b>Disability</b>
<b>FI</b>	<b>Federal Employees Program</b>
<b>HM</b>	<b>Health Maintenance Organization</b>
<b>LM</b>	<b>Liability Medical</b>
<b>MA</b>	<b>Medicare Part A</b>
<b>MB</b>	<b>Medicare Part B</b>
<b>MC</b>	<b>Medicaid</b>
<b>OF</b>	<b>Other Federal Program</b>
	<b>Use code OF when submitting Medicare Part D claims.</b>
<b>TV</b>	<b>Title V</b>
<b>VA</b>	<b>Veterans Affairs Plan</b>
<b>WC</b>	<b>Workers' Compensation Health Claim</b>
<b>ZZ</b>	<b>Mutually Defined</b>
	<b>Use Code ZZ when Type of Insurance is not known.</b>

## NM1 - OTHER PAYER NAME

To supply the full name of an individual or organizational entity.

Loop: 2330B — OTHER PAYER NAME Loop Repeat: 1  
Repeat: 1  
Usage: SITUATIONAL





## Healthcare Facility Procedures and Technical Specifications Manual

- Notes:
1. No Patient Personally Identifiable Information (PII) data should be present.
  2. This is the secondary payer.
  3. For the purposes of this implementation the term payer is synonymous with several other terms, such as, reprinter and third-party administrator.

Example: **NM1\*PR\*2\*ABC INSURANCE CO\*\*\*\*\*PI\*11122333~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>NM101</b>	<b>98</b>	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual	<b>M 1 ID 2/3</b>
			<b>CODE</b> <b>DEFINITION</b>	
			<b>PR</b> <b>Payer</b>	
<b>REQUIRED</b>	<b>NM102</b>	<b>1065</b>	<b>Entity Type Qualifier</b> Code qualifying the type of entity <b>SEMANTIC:</b> NM102 qualifies NM103.	<b>M 1 ID 1/1</b>
			<b>CODE</b> <b>DEFINITION</b>	
			<b>2</b> <b>Non-Person Entity</b>	
<b>REQUIRED</b>	<b>NM103</b>	<b>1035</b>	<b>Name Last or Organization Name</b> Individual last name or organizational name <b>INDUSTRY NAME: Other Payer Organization Name</b>	<b>X 1 AN 1/60</b>
			<b>CODE</b> <b>DEFINITION</b>	
			<b>SELF-PAY</b> <b>For Self-Pay Claims (Claim Filing Indicator Code is "ZZ")</b>	
			<b>CHARITY</b> <b>For Charity Claims (Claim Filing Indicator Code is "ZZ")</b>	
			<b>UNKNOWN</b> <b>With Unknown Pay Source (Claim Filing Indicator Code is "ZZ")</b>	
<b>NOT USED</b>	<b>NM104</b>	<b>1036</b>	<b>Name First</b>	<b>O 1 AN 1/35</b>
<b>NOT USED</b>	<b>NM105</b>	<b>1037</b>	<b>Name Middle</b>	<b>O 1 AN 1/25</b>
<b>NOT USED</b>	<b>NM106</b>	<b>1038</b>	<b>Name Prefix</b>	<b>O 1 AN 1/10</b>
<b>NOT USED</b>	<b>NM107</b>	<b>1039</b>	<b>Name Suffix</b>	<b>O 1 AN 1/10</b>
<b>REQUIRED</b>	<b>NM108</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>





## Healthcare Facility Procedures and Technical Specifications Manual

Code designating the system/method of code structure used for Identification Code (67)

CODE	DEFINITION
<b>PI</b>	<b>Payor Identification unless Self-Pay, Charity, or Unknown Payer claim</b>
<b>XV</b>	<b>Centers for Medicare and Medicaid Services PlanID</b>
<b>ZY</b>	<b>Temporary Identification Number for use with Self-Pay, Charity, or Unknown Payer claim</b>

**REQUIRED NM109 67 Identification Code X 1 AN 2/80**

Code identifying a party or other code

### INDUSTRY NAME: Other Payer Identifier

CODE	DEFINITION
<b>XXXXXXXXXX</b>	<b>National Plan Identifier (NPI) Number</b> <b>CMS currently has delayed the implementation date for all plans and providers until further notice.</b>
<b>SELF-PAY</b>	<b>For Self-Pay Claims (Claim Filing Indicator Code is "ZZ")</b>
<b>CHARITY</b>	<b>For Charity Claims (Claim Filing Indicator Code is "ZZ")</b>
<b>UNKNOWN</b>	<b>With Unknown Pay Source (Claim Filing Indicator Code is "ZZ")</b>

**NOT USED NM110 706 Entity Relationship Code X 1 ID 2/2**

**NOT USED NM111 98 Entity Identifier Code O 1 ID 2/3**

**NOT USED NM112 1035 Name Last or Organization Name O 1 AN 1/60**

## LX - SERVICE LINE NUMBER

To reference a line number in a transaction set.

Loop: 2400 — SERVICE LINE NUMBER Loop Repeat: 999

Repeat: 1

Usage: REQUIRED

Notes: 1. The LX functions as a line counter.





## Healthcare Facility Procedures and Technical Specifications Manual

2. The Service Line LX segment must begin with one and is incremented by one for each additional service line of a claim.

Example: **LX\*1~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>LX01</b>	<b>554</b>	<b>Assigned Number</b>	<b>M 1 NO 1/6</b>
			Number assigned for differentiation within a transaction set	

### SV2 - INSTITUTIONAL SERVICE LINE

To specify the service line-item detail for a health care institution.

Loop: 2400 — SERVICE LINE NUMBER

Repeat: 1

Usage: REQUIRED

Example: **SV2\*0300\*HC:81099\*73.42\*UN\*1~**  
**SV2\*0120\*\*1500\*DA\*5~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>SV201</b>	<b>2334</b>	<b>Product/Service ID</b>	<b>X 1 AN 1/48</b>
			Identifying number for a product or service	
			<b>SEMANTIC:</b> SV201 is the revenue code.	
			<b>INDUSTRY NAME: Service Line Revenue Code</b>	
<b>REQUIRED</b>	<b>SV202</b>	<b>C003</b>	<b>COMPOSITE MEDICAL PROCEDURE IDENTIFIER</b>	<b>X 1</b>
			To identify a medical procedure by its standardized codes and applicable modifiers	
			<b>Required for inpatient claims when an appropriate HCPCS (drugs and/or biologics</b>	





**Healthcare Facility Procedures and Technical Specifications Manual**

				only) or HIPPS code exists for this service line item.			
<b>REQUIRED</b>	<b>SV202</b>	<b>- 1</b>	<b>235</b>	<b>Product/Service ID</b>	<b>M</b>	<b>ID</b>	<b>2/2</b>
				<b>Qualifier</b>			
				Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
				<b>INDUSTRY NAME: Product or Service ID Qualifier</b>			
				<b>CODE</b>	<b>DEFINITION</b>		
				<b>HC</b>	<b>Health Care Financing Administration Common Procedural Coding System (HCPCS) Codes</b>		
					Because the AMA's CPT codes are also level 1 HCPCS codes, they are reported under HC.		
				<b>HP</b>	<b>Health Insurance Prospective Payment System (HIPPS) Skilled Nursing Facility Rate Code</b>		
<b>REQUIRED</b>	<b>SV202</b>	<b>- 2</b>	<b>234</b>	<b>Product/Service ID</b>	<b>M</b>	<b>AN</b>	<b>1/48</b>
				Identifying number for a product or service			
				<b>INDUSTRY NAME: Procedure Code</b>			
<b>SITUATIONAL</b>	<b>SV202</b>	<b>- 3</b>	<b>1339</b>	<b>Procedure Modifier</b>	<b>O</b>	<b>AN</b>	<b>2/2</b>
				This identifies special circumstances related to the performance of the service, as defined by trading partners			
				<b>Required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This is the first procedure code modifier. If not required by this implementation guide, do not send.</b>			
<b>SITUATIONAL</b>	<b>SV202</b>	<b>- 4</b>	<b>1339</b>	<b>Procedure Modifier</b>	<b>O</b>	<b>AN</b>	<b>2/2</b>
				This identifies special circumstances related to the performance of the service, as defined by trading partners			
				<b>Required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This is the first procedure code modifier. If not required by this implementation guide, do not send.</b>			
<b>SITUATIONAL</b>	<b>SV202</b>	<b>- 5</b>	<b>1339</b>	<b>Procedure Modifier</b>	<b>O</b>	<b>AN</b>	<b>2/2</b>





## Healthcare Facility Procedures and Technical Specifications Manual

This identifies special circumstances related to the performance of the service, as defined by trading partners

**Required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This is the first procedure code modifier. If not required by this implementation guide, do not send.**

**SITUATIONAL SV202 - 6 1339**

**Procedure Modifier O AN 2/2**

This identifies special circumstances related to the performance of the service, as defined by trading partners

**Required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This is the first procedure code modifier. If not required by this implementation guide, do not send.**

**NOT USED SV202 - 7 352**

**Description O AN 1/80**

**NOT USED SV202 - 8 234**

**Product/Service ID M AN 1/48**

**REQUIRED SV203 782**

**Monetary Amount O 1 R 1/18**

Monetary Amount

**SEMANTIC:** SV203 is the submitted service line-item amount.

**INDUSTRY NAME: Line-Item Charge Amount**

**This is the total charge amount for this service line. The amount is inclusive of the provider's base charge and any applicable tax amounts reported within this line's AMT segments.**

**Zero "0" is an acceptable value for this element.**

**REQUIRED SV204 355**

**Unit or Basis for Measurement Code X 1 ID 2/2**

Code specifying the units in which a value is being expressed, or way a measurement has been taken

**CODE DEFINITION**

**DA Days**

**F2 International Unit**

**UN Unit**





**Healthcare Facility Procedures and Technical Specifications Manual**

<b>REQUIRED</b>	<b>SV205</b>	<b>380</b>	<b>Quantity</b>	<b>X 1 R 1/15</b>
			Numeric value of quantity	
			<b>INDUSTRY NAME: Service Unit Count</b>	
<b>NOT USED</b>	<b>SV206</b>	<b>1371</b>	<b>Unit Rate</b>	<b>O 1 R 1/10</b>
<b>SITUATIONAL</b>	<b>SV207</b>	<b>782</b>	<b>Monetary Amount</b>	<b>O 1 R 1/18</b>
			Monetary Amount	
			<b>SEMANTIC:</b> SV207 is a non-covered service amount.	
			<b>Required if needed to report line specific non-covered charge amount. If not required this implementation guide, do not send.</b>	
			<b>INDUSTRY NAME: Line Item Denied Charge or Non-Covered Charge Amount</b>	
<b>NOT USED</b>	<b>SV208</b>	<b>1073</b>	<b>Yes/No Condition or Response Code</b>	<b>O 1 ID 1/1</b>
<b>NOT USED</b>	<b>SV209</b>	<b>1345</b>	<b>Nursing Home Residential Status Code</b>	<b>O 1 ID 1/1</b>
<b>NOT USED</b>	<b>SV210</b>	<b>1337</b>	<b>Level of Care Code</b>	<b>O 1 ID 1/1</b>

**SE - TRANSACTION SET TRAILER**

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Repeat: 1  
Usage: REQUIRED  
Example: **SE\*1230\*987654~**

**Element Detail**

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>SE01</b>	<b>96</b>	<b>Number of Included Segments</b>	<b>M 1 N0 1/10</b>
			Total number of segments included in a transaction set including ST and SE segments	
			<b>INDUSTRY NAME: Transaction Segment Count</b>	
<b>REQUIRED</b>	<b>SE02</b>	<b>329</b>	<b>Transaction Set Control Number</b>	<b>M 1 AN 4/9</b>





## ***Healthcare Facility Procedures and Technical Specifications Manual***

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

**The Transaction Set Control Number in ST02 and SE02 must be identical. The number must be unique within a specific interchange (ISA-IEA) but can repeat in other interchanges.**





## **Healthcare Facility Procedures and Technical Specifications Manual**

### 5.4 Control Segments

#### ISA - INTERCHANGE CONTROL HEADER

To start and identify an interchange of zero or more functional groups and interchange-related control segments.

Repeat: 1

Usage: REQUIRED

- Notes:
1. All positions within each of the data elements must be filled.
  2. For compliant implementations under this implementation guide, ISA13, the interchange Control Number, must be a positive unsigned number. Therefore, the ISA segment can be considered a fixed record length segment.
  3. The first element separator defines the element separator to be used through the entire interchange.
  4. The ISA segment terminator defines the segment terminator used throughout the entire interchange.
  5. Spaces in the example interchanges are represented by "." for clarity.
  6. Submitters will receive an Acknowledgement and a Claim Acceptance Response Report, regardless of ISA14 value.
  7. Submitters must submit test data to System13, Inc. and receive approval prior to submitting production data. Submitters must be on the approved Submitter List at System13, Inc. prior to submitting Production Data.

Example: **ISA\*00\*.....\*01\*SECRET....\*ZZ\*SUB999.....\*ZZ\*YTH837..  
.....\*030101\*1253\*^\*00501\*000000905\*1\*T\*:~**

#### *Element Detail*

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>ISA01</b>	<b>I01</b>	<b>Authorization Information Qualifier</b>	<b>M 1 ID 2/2</b>
Code identifying the type of information in the Authorization Information				
		<b>CODE</b>	<b>DEFINITION</b>	
		<b>00</b>	<b>No Authorization Information Present</b>	
		<b>03</b>	<b>Additional Data Identification</b>	





***Healthcare Facility Procedures and Technical Specifications Manual***

REQUIRED	ISA02	I02	Authorization Information	M	1	AN	10/10	Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)						
This element is fixed in length with identical minimum and maximum lengths. Spaces are inserted to meet the minimum length in an AN data element. With the associated code 00 in ISA01 or ISA03, an all space value indicates no information.														
REQUIRED	ISA03	I03	Security Information Qualifier	M	1	ID	2/2	Code identifying the type of information in the Security Information						
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>00</td><td>No Security Information Present</td></tr><tr><td>01</td><td>Password</td></tr></table>									CODE	DEFINITION	00	No Security Information Present	01	Password
CODE	DEFINITION													
00	No Security Information Present													
01	Password													
REQUIRED	ISA04	I04	Security Information	M	1	AN	10/10	This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)						
This element is fixed in length with identical minimum and maximum lengths. Spaces are inserted to meet the minimum length in an AN data element. With the associated code 00 in ISA01 or ISA03, an all-space value indicates no information.														
REQUIRED	ISA05	I05	Interchange ID Qualifier	M	1	ID	2/2	Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified						
This ID qualifies the Sender in ISA06.														
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>ZZ</td><td>Mutually Defined</td></tr></table>									CODE	DEFINITION	ZZ	Mutually Defined		
CODE	DEFINITION													
ZZ	Mutually Defined													
REQUIRED	ISA06	I06	Interchange Sender ID	M	1	AN	15/15	Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element						
<table><tr><th>CODE</th><th>DEFINITION</th></tr><tr><td>SUBnnn</td><td>System13, Inc. Submitter ID Number</td></tr></table>									CODE	DEFINITION	SUBnnn	System13, Inc. Submitter ID Number		
CODE	DEFINITION													
SUBnnn	System13, Inc. Submitter ID Number													

Page 191 of 217





## Healthcare Facility Procedures and Technical Specifications Manual

			The Submitter ID Number must be obtained from System13, Inc.				
REQUIRED	ISA07	I05	Interchange ID Qualifier	M	1	ID	2/2
			Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified				
			This ID qualifies the Receiver in ISA08.				
			CODE	DEFINITION			
			ZZ	Mutually Defined			
REQUIRED	ISA08	I07	Interchange Receiver ID	M	1	AN	15/15
			Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them				
			CODE	DEFINITION			
			YTH837	Required by THCIC			
REQUIRED	ISA09	I08	Interchange Date	M	1	DT	6/6
			Date of the interchange				
			The date format is YYMMDD.				
REQUIRED	ISA10	I09	Interchange Time	M	1	TM	4/4
			Time of the interchange				
			The time format is HHMM.				
REQUIRED	ISA11	I65	Repetition Separator	M	1		1/1
			Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator				
			CODE	DEFINITION			
			^	THCIC-Recommended Repetition Separator			
REQUIRED	ISA12	I11	Interchange Control Version Number	M	1	ID	5/5
			Code specifying the version number of the interchange control segments				
			CODE	DEFINITION			
			00501	Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003			





***Healthcare Facility Procedures and Technical Specifications Manual***

REQUIRED	ISA13	I12	Interchange Control Number M 1 NO 9/9					
			A control number assigned by the interchange sender					
			The Interchange Control Number, ISA13, must be identical to the associated Interchange Trailer IEA02.					
			Must be a positive unsigned number and must be identical to the value in IEA02.					
REQUIRED	ISA14	I13	Acknowledgment Requested		M	1	ID	1/1
			Code indicating sender's request for an interchange acknowledgment					
			CODE	DEFINITION				
			0	No Interchange Acknowledgment Requested				
			1	Interchange Acknowledgment Requested (TA1)				
REQUIRED	ISA15	I14	Interchange Usage Indicator		M	1	ID	1/1
			Code indicating whether data enclosed by this interchange envelope is test, production or information					
			CODE	DEFINITION				
			P	Production Data				
			T	Test Data				
REQUIRED	ISA16	I15	Component Element Separator		M	1		1/1
			Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator					
			CODE	DEFINITION				
			:	THCIC-Recommended Component Element Separator				

## GS - FUNCTIONAL GROUP HEADER

To indicate the beginning of a functional group and to provide control information.

Repeat: 1  
Usage: REQUIRED





## Healthcare Facility Procedures and Technical Specifications Manual

Notes: 1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

Example: **GS\*XX\*SUB999\*YTH837\*20150101\*0700\*1\*X\*005010X223A2~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>GS01</b>	<b>479</b>	<b>Functional Identifier Code</b>	<b>M 1 ID 2/2</b>
			Code identifying a group of application related transaction sets.	
			<b>CODE DEFINITION</b>	
			<b>HC Health Care Claim (837)</b>	
<b>REQUIRED</b>	<b>GS02</b>	<b>142</b>	<b>Application Sender's Code</b>	<b>M 1 AN 2/15</b>
			Code identifying party sending transmission; codes agreed to by trading partners.	
			<b>CODE DEFINITION</b>	
			<b>SUBnnn System13, Inc. Submitter ID Number</b>	
			The Submitter ID Number must be obtained from System13, Inc.	
			<b>Must be identical to the value in ISA06.</b>	
<b>REQUIRED</b>	<b>GS03</b>	<b>124</b>	<b>Application Receiver's Code</b>	<b>M 1 AN 2/15</b>
			Code identifying party receiving transmission; codes agreed to by trading partners.	
			<b>CODE DEFINITION</b>	
			<b>YTH837 Required by THCIC</b>	
<b>REQUIRED</b>	<b>GS04</b>	<b>373</b>	<b>Date</b>	<b>M 1 DT 8/8</b>
			Date expressed as CCYYMMDD	
			<b>SEMANTIC:</b> GS04 is the group date.	
			Use this date for the functional group creation date.	
<b>REQUIRED</b>	<b>GS05</b>	<b>337</b>	<b>Time</b>	<b>M 1 TM 4/8</b>
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
			<b>SEMANTIC:</b> GS05 is the group time.	





## **Healthcare Facility Procedures and Technical Specifications Manual**

Use this time for the creation time. The recommended format is HHMM.

**REQUIRED GS06 28 Group Control Number M 1 NO 1/9**

Assigned number originated and maintained by the sender.

**SEMANTIC:** The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

For implementations compliant with this guide, GS06 must be unique within a single transmission (that is, within a single ISA to IEA enveloping structure). The authors recommend that GS06 be unique within all transmissions over a period to be determined by the sender.

**REQUIRED GS07 455 Responsible Agency Code M 1 ID 1/2**

Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480

CODE	DEFINITION
------	------------

<b>X</b>	<b>Accredited Standards Committee X12</b>
----------	---

**REQUIRED GS08 480 Version / Release / Industry Identifier Code M 1 AN 1/12**

Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

CODE	DEFINITION
------	------------

<b>005010X223A2</b>	<b>Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003</b>
---------------------	---

## **GE - FUNCTIONAL GROUP TRAILER**

To indicate the end of a functional group and to provide control information.

Repeat: 1

Usage: REQUIRED





## Healthcare Facility Procedures and Technical Specifications Manual

Notes: 1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

Example: **GE\*1\*1~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>GE01</b>	<b>97</b>	<b>Number of Transaction Sets Included</b>	<b>M 1 NO 1/6</b>
			Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element.	
<b>REQUIRED</b>	<b>GE02</b>	<b>28</b>	<b>Group Control Number</b>	<b>M 1 NO 1/9</b>
			Assigned number originated and maintained by the sender	
			<b>SEMANTIC:</b> The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.	
			<b>Must be a positive unsigned number and must be identical to the value in GS06.</b>	

### IEA - INTERCHANGE CONTROL TRAILER

To define the end of an interchange of zero or more functional groups and interchange-related control segments.

Repeat: 1

Usage: REQUIRED

Example: **IEA\*1\*000000905~**

### Element Detail

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
<b>REQUIRED</b>	<b>IEA01</b>	<b>I16</b>	<b>Number of Included Functional Groups</b>	<b>M 1 NO 1/5</b>
			A count of the number of functional groups included in an interchange.	
<b>REQUIRED</b>	<b>IEA02</b>	<b>I12</b>	<b>Interchange Control Number</b>	<b>M 1 NO 9/9</b>





## ***Healthcare Facility Procedures and Technical Specifications Manual***

A control number assigned by the interchange sender.

**Must be a positive unsigned number and must be identical to the value in ISA13.**





## Healthcare Facility Procedures and Technical Specifications Manual

### 5.5 Examples

#### 1. Subscriber is the Patient

```
ISA*00*                *00*                *ZZ*SUB999                *ZZ*YTH837
*250304*1156*^*00501*000000001*0*P*:~
GS*HC*SUB999*YTH837*20250304*1156*000000002*X*005010X223A2~
ST*837*0003*005010X223A2~
BHT*0019*00*202503041156*20250304*1156*RP~
NM1*41*2*ABC SUBMITTER*****46*SUB999~
PER*IC*ABC SUBMITTER*TE*8883084953~
NM1*40*2*THCIC*****46*YTH837~
HL*1**20*1~
NM1*85*2*SYSTEM13 QA 1*****XX*0100000008~
N3*1648 STATE FARM~
N4*CHARLOTTESVILLE*TX*22911~
REF*EI*987654321~
REF*1J*000001~
HL*2*1*22*0~
SBR*P*18*****HM~
NM1*IL*1*DOE*JANE*~
N3*100 MAIN ST~
N4*AUSTIN*TX*78756*US~
DMG*D8*20240318*F**~
REF*SY*999999999~
NM1*PR*2*BCBS*****PI*99999~
CLM*10000*1650.00***11:A:1~
DTP*096*TM*1500~
DTP*434*RD8*20240326-20240402~
DTP*435*DT*2024032610~
CL1*4*5*01~
REF*EA*50000~
K3*24~
HI*ABK:Z3801::::::::~
HI*ABJ:Z3801~
HI*ABF:P2989::::::::N*ABF:P081::::::::~
HI*BBR:B24DZZ:D8:20240328~
HI*BBQ:F13ZLZZ:D8:20240327~
HI*BE:54:::3670.00*BE:80:::2.00~
NM1*71*1*STEPHENS*MICHAEL***XX*1234567890~
NM1*72*1*JOHNSTON*REBECCA***XX*0987654321~
SBR*S*****MC~
NM1*PR*2*MEDICAID*****PI*88888~
LX*1~
SV2*0171*:::~*1000.50*DA*2*400.18*~
LX*2~
SV2*0271*:::~*299.50*UN*1**~
LX*3~
SV2*0300*:::~*350.00*UN*3**~
```





## Healthcare Facility Procedures and Technical Specifications Manual

HL\*3\*1\*22\*1~  
SBR\*P\*\*\*\*\*HM~  
NM1\*IL\*1\*DOE\*JOHN\*~  
NM1\*PR\*2\*BCBS~  
HL\*4\*3\*23\*0~  
PAT\*19~  
NM1\*QC\*1\*DOE\*JANE\*~  
N3\*200 MAIN ST\*~  
N4\*AUSTIN\*TX\*78756\*US~  
DMG\*D8\*20220103\*F~  
CLM\*20000\*23245.00\*\*\*11:A:1~  
DTP\*096\*TM\*1650~  
DTP\*434\*RD8\*20240204-20240204~  
DTP\*435\*DT\*202402040813~  
CL1\*1\*1\*01~  
REF\*EA\*60000~  
K3\*24999999999~  
HI\*ABK:T63331A:::::Y~  
HI\*ABJ:T63331A~  
HI\*ABN:Y92009~  
HI\*ABF:E860:::::Y\*ABF:L03012:::::Y~  
HI\*BI:M0:RD8:20240214-20240214~  
HI\*BH:A1:D8:20220116\*BH:11:D8:20240212~  
NM1\*71\*1\*JOHNSTON\*REBECCA\*\*\*\*XX\*0987654321~  
LX\*1~  
SV2\*111\*\*2800.00\*DA\*1\*2800~  
LX\*2~  
SV2\*250\*\*3078.00\*UN\*27~  
LX\*3~  
SV2\*260\*\*2130.00\*UN\*8~  
LX\*4~  
SV2\*270\*\*720.00\*UN\*2~  
LX\*5~  
SV2\*300\*\*111.00\*UN\*2~  
LX\*6~  
SV2\*301\*\*2544.00\*UN\*2~  
LX\*11~  
SV2\*450\*\*7443.00\*UN\*2~  
LX\*12~  
SV2\*762\*\*4419.00\*UN\*22~  
SE\*80\*0003~  
GE\*1\*000000002~  
IEA\*1\*000000001~

## 2. Subscriber is not the Patient

ISA\*00\*                      \*00\*                      \*ZZ\*SUB999                      \*ZZ\*YTH837  
\*250304\*1156^^\*00501\*000000001\*0\*P\*:~  
GS\*HC\*SUB999\*YTH837\*20250304\*1156\*000000002\*X\*005010X223A2~





## Healthcare Facility Procedures and Technical Specifications Manual

ST\*837\*0003\*005010X223A2~  
BHT\*0019\*00\*202503041156\*20250304\*1156\*RP~  
NM1\*41\*2\*ABC SUBMITTER\*\*\*\*\*46\*SUB999~  
PER\*IC\*ABC SUBMITTER\*TE\*8883084953~  
NM1\*40\*2\*THCIC\*\*\*\*\*46\*YTH837~  
HL\*1\*\*20\*1~  
NM1\*85\*2\*SYSTEM13 QA 1\*\*\*\*\*XX\*0100000008~  
N3\*1648 STATE FARM~  
N4\*CHARLOTTESVILLE\*TX\*22911~  
REF\*EI\*987654321~  
REF\*1J\*000001~  
HL\*2\*1\*22\*0~  
SBR\*P\*18\*\*\*\*\*HM~  
NM1\*IL\*1\*DOE\*JANE\*~  
N3\*100 MAIN ST\*~  
N4\*AUSTIN\*TX\*78756\*US~  
DMG\*D8\*20240318\*F\*\*~  
REF\*SY\*999999999~  
NM1\*PR\*2\*BCBS\*\*\*\*\*PI\*99999~  
CLM\*10000\*1650.00\*\*\*11:A:1~  
DTP\*096\*TM\*1500~  
DTP\*434\*RD8\*20240326-20240402~  
DTP\*435\*DT\*2024032610~  
CL1\*4\*5\*01~  
REF\*EA\*50000~  
K3\*24~  
HI\*ABK:Z3801::::::::~  
HI\*ABJ:Z3801~  
HI\*ABF:P2989::::::::N\*ABF:P081::::::::~  
HI\*BBR:B24DZZZ:D8:20240328~  
HI\*BBQ:F13ZLZZ:D8:20240327~  
HI\*BE:54:::3670.00\*BE:80:::2.00~  
NM1\*71\*1\*STEPHENS\*MICHAEL\*\*\*\*XX\*1234567890~  
NM1\*72\*1\*JOHNSTON\*REBECCA\*\*\*\*XX\*0987654321~  
SBR\*S\*\*\*\*\*MC~  
NM1\*PR\*2\*MEDICAID\*\*\*\*\*PI\*88888~  
LX\*1~  
SV2\*0171\*:::::\*1000.50\*DA\*2\*400.18\*~  
LX\*2~  
SV2\*0271\*:::::\*299.50\*UN\*1\*\*~  
LX\*3~  
SV2\*0300\*:::::\*350.00\*UN\*3\*\*~  
HL\*3\*1\*22\*1~  
SBR\*P\*\*\*\*\*HM~  
NM1\*IL\*1\*DOE\*JANE\*N~  
NM1\*PR\*2\*BLUE CROSS PPO~  
HL\*4\*3\*23\*0~  
PAT\*19~  
NM1\*QC\*1\*DOE\*JULIE\*A~  
N3\*200 MAIN ST\*~





## ***Healthcare Facility Procedures and Technical Specifications Manual***

N4\*AUSTIN\*TX\*78756\*US~  
DMG\*D8\*20240111\*F~  
CLM\*20000\*156825.00\*\*\*11:A:1~  
DTP\*096\*TM\*1245~  
DTP\*434\*RD8\*20240111-20240203~  
DTP\*435\*DT\*202401110704~  
CL1\*4\*5\*01~  
REF\*EA\*60000~  
K3\*24999999999~  
HI\*ABK:Z3800~  
HI\*ABJ:Z3800~  
HI\*ABF:P612:::::Y\*ABF:P0737:::::Y\*ABF:P718:::::Y\*ABF:P7422:::::Y\*ABF:  
P0516:::::Y\*ABF:P590:::::N\*ABF:P704:::::Y\*ABF:Z23\*ABF:Z051\*ABF:P9209:::  
::::N\*ABF:P092:::::Y~  
HI\*BBR:06H033T:D8:20240111~  
HI\*BBQ:3E0436Z:D8:20240111\*BBQ:6A601ZZ:D8:20240112\*BBQ:3E0234Z:D8:20240203~  
HI\*BI:M0:RD8:20240111-20240203~  
HI\*BH:A1:D8:19950302~  
NM1\*71\*1\*STEPHENS\*MICHAEL\*\*\*XX\*1234567890~  
NM1\*72\*1\*STEPHENS\*MICHAEL\*\*\*XX\*1234567890~  
REF\*0B~  
LX\*1~  
SV2\*172\*\*14000.00\*DA\*5\*2800~  
LX\*2~  
SV2\*250\*\*2700.00\*UN\*100~  
LX\*4~  
SV2\*258\*\*11000.00\*UN\*500~  
LX\*5~  
SV2\*300\*\*17050.00\*UN\*30~  
LX\*6~  
SV2\*301\*\*112075.00\*UN\*75~  
SE\*80\*0003~  
GE\*1\*0000000002~  
IEA\*1\*0000000001~





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### 6. Revision Changes

#### **Revision Changes**

##### **Version 11.0**

1. Add 837 Examples
2. Removed '78' and '82' as valid facility type codes
3. Updated CL1 Segment for newborn claims
4. Update HI Value Information Segment for newborn claims

##### **Version 10.4**

1. Remove references to Last Name for 2010BB Payer Name
2. Add note about No PII being present for 2010BB Payer Name
3. Remove references to Last Name for 2330B Other Payer Name
4. Add note about No PII being present for 2330B Other Payer Name

##### **Version 10.3**

1. Section 2 Reference Information – updated X12 Product link.
2. Section 4 – updated 5010 IP and OP Appendices link in multiple locations.
3. Section 5 Basic Structure – added the entire Basic Structure section.
4. Section 5 – removed unnecessary details from NOT USED data elements including but not limited to references, codes, definitions, INDUSTRY name, SEMANTIC information, etc.
5. K3 – Grammar fix in Note 1, grammar update in Note 3, and deleted Note 4 “Per requirements of House Bill (HB) 2641 (84th Texas Legislature) to meet national standard reporting requirements the “Patient Ethnicity” and





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

"Patient Race" will be collected on the K3 segment. The adopted location for "Patient Ethnicity" is the first character and "Patient Race" will be the second character of the K301 data field with the "Patient's Social Security Number" being located in the 3rd through 11th character slots."

### **Version 10.2**

1. Changed formatting throughout document for readability including removing italics, matching font, and setting consistent tabs for element detail lines (did not affect implementation).
2. Fixed incorrect and inconsistent spelling, grammar, capitalization, and punctuation throughout document (did not affect implementation).
3. Removed "THCIC Hospital Discharge Data Collection" from document title.
4. Changed WebCorrect to Claim Correction in all locations.
5. Reworded website links to match destination page titles.
6. Updated all "Appendices" web links to [https://www.dshs.texas.gov/thcic/hospitals/5010\\_InpatientandOutpatientAppendices.pdf](https://www.dshs.texas.gov/thcic/hospitals/5010_InpatientandOutpatientAppendices.pdf).

### **Version 10.1**

1. DMG05 is changed to NOT USED from REQUIRED in loop 2010BA and 2010CA.
2. Removed Claim note and NTE segment completely.

### **Version 10.0**

1. Changed the examples for Principal Diagnosis code for ICD-10-CM/PCS and removed ICD-9-CM examples.





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

2. Changed the examples for Admitting Diagnosis code for ICD-10-CM/PCS and removed ICD-9-CM examples.
3. Changed the examples in Loop 2300, External Causes of Injury/Morbidity, for ICD- 10-CM/PCS and removed ICD-9-CM examples. Modified the definition to describe ICD-10 code ranges of V00-Y99.
4. Changed the examples for Other Diagnosis code for ICD-10-CM/PCS and removed ICD-9-CM examples.
5. Changed the examples for Principal Procedure code for ICD-10-CM/PCS and removed ICD-9-CM examples.
6. Created page break between Principal Procedure code and Other Procedure codes.
7. Changed the examples for Other Procedure code for ICD-10-CM/PCS and removed ICD-9-CM examples.
8. Changed the Condition Code example to use the asterisk.
9. Changed the Attending Physician example to have a 10-digit NPI number.
- 10.Changed the Operating Physician example to have a 10-digit NPI number.
- 11.Changed the Service Facility example to have a 10-digit NPI number.
- 12.Changed the example in segment SV2 to have 0300, not 300 as the revenue code. Modified the HCPCS example.
- 13.Removed "IV" as a HCPCS qualifier for segment SV2. The only valid value for the
- 14.HCPCS qualifier is "HC".
- 15.Added language to Section 5.1 Table on "THCIC Data Element where usage differs from ANSI 837 Institutional Guide" regarding K3 segment and the collection of Patient Ethnicity and Race, in response to HB 2641 (84<sup>th</sup> Texas Legislature) requirement to meet national standards for electronic data collection efforts.





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

16. Added language to Section 5.2 Table 2 regarding K3 segment and the collection of Patient Ethnicity and Race, in response to HB 2641 (84<sup>th</sup> Texas Legislature) requirement to meet national standards for electronic data collection efforts.
17. Added language to Loop 2010BA Subscriber Name (Subscriber Demographic Information) notes and in DMG05 data field notes regarding K3 segment and the collection of Patient Ethnicity and Race, in response to HB 2641 (84<sup>th</sup> Texas Legislature) requirement to meet national standards for electronic data collection efforts.
18. Deleted outdated language from Loop 2010BB Payer Name NM109 regarding National Plan Identifier and updated.
19. Added language to Loop 2010CA Patient Name (Subscriber Demographic Information) notes and in DMG05 data field notes regarding K3 segment and the collection of Patient Ethnicity and Race, in response to HB 2641 (84<sup>th</sup> Texas Legislature) requirement to meet national standards for electronic data collection efforts.
20. Added language to Loop 2300 K3 segment regarding and the collection of Patient Ethnicity, Race, and Social Security Number in response to HB 2641 (84<sup>th</sup> Texas Legislature) requirement to meet national standards for electronic data collection efforts. The new locations are listed in the notes for the K3 as adopted in rules 25 TAC §§421.9 (c)(1) & (2).
21. Added language to Loop 2300 Claim Note segment regarding and the collection of Patient Ethnicity in response to HB 2641 (84<sup>th</sup> Texas Legislature) requirement to meet national standards for electronic data collection efforts. The new locations are listed in the notes for the K3 as adopted in rules 25 TAC §§421.9 (c)(2).
22. Language is modified to clarify which facilities are exempt from reporting "Diagnosis Present on Admission (POA) for each of the diagnosis data fields including "Principal Diagnosis", "External Cause of Injury" and "Other Diagnosis Information" data fields.





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

23. Added CODE and DEFINITION to Loop 2300 K3 segment regarding Ethnicity, Race, and Social Security Number in response to HB 2641 (84th Texas Legislature) requirement to meet national standards for electronic data collection efforts.

24. Inspected accessibility results and removed the errors.

### **Version 9.2**

Modifications in version 9.1 are made to clarify certain specifications: Specifically, page 159 to 163, (where the changes between version 8 and 9 and between 9 and 9.1) comparison of the old specs (Version 8.1) to the new specs (Version 9.1).

### **Version 9.1**

1. The format of Tables, headings, section numbers, when uploaded to Adobe Acrobat format from a Word Document written in MS Word 2007 or 2010 and 2013 of Version 10.1, created compatibility issues. All have been verified and fixed.

2. Modifications made to all the Texas administration rules 25 TAC §421.xx from the old link:

[http://info.sos.state.tx.us/pls/pub/readtac\\$ext.TacPage?sl=R&app=9&p\\_dir=&p\\_rloc=&p\\_tloc=&p\\_ploc=&pg=1&p\\_tac=&ti=25&pt=1&ch=421&rl=1](http://info.sos.state.tx.us/pls/pub/readtac$ext.TacPage?sl=R&app=9&p_dir=&p_rloc=&p_tloc=&p_ploc=&pg=1&p_tac=&ti=25&pt=1&ch=421&rl=1)

To the new link:

[http://texreg.sos.state.tx.us/public/readtac\\$ext.TacPage?sl=R&app=9&p\\_dir=&p\\_rloc=&p\\_tloc=&p\\_ploc=&pg=1&p\\_tac=&ti=25&pt=1&ch=421&rl=1](http://texreg.sos.state.tx.us/public/readtac$ext.TacPage?sl=R&app=9&p_dir=&p_rloc=&p_tloc=&p_ploc=&pg=1&p_tac=&ti=25&pt=1&ch=421&rl=1)

3. In 5.2 Control Segments section we were referring: (The ISA segment can be considered in implementations compliant with this guide (see Appendix C, ISA Segment Note 1) to be a 105 byte fixed length record, followed by a segment terminator. We removed because in the x223 documentation they were referring without having Section C either.





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

4. We removed "From Commonwealth to reflect the present company SYSTEM13, Inc.

### **Version 9.0**

1. Section 5.2.1 Control Segment Elements Breakout
  - a. Interchange Control Trailer segment information was added.
  - b. Functional Group Trailer segment information was added.

### **Version 8.0**

1. Section 5.2.1 Control Segment Elements Breakout
  - a. Interchange Control Trailer segment information was added.
  - b. Functional Group Trailer segment information was added.
2. Section 5.4 Segment ID Breakout – Loop 2300 – Claim Information - CLM05-1 – Facility Code Value – "89" the descriptions is amended by adding the phrase "(NOT APPLICABLE FOR INPATIENT CLAIMS BEGINNING 7/1/13)"
3. Section 5.4 Segment ID Breakout – Loop 2300 – Claim Information
  - a. HI - Principal Diagnosis – HI01-2 The description under the "CODE SOURCE 131: International Classification of Diseases Clinical Modification (ICD-9- CM)" is amended by adding the phrase "Procedure Beginning October 1, 2015, ICD-10-CM Diagnosis Codes will be required on data submitted to THCIC."
  - b. HI - Admitting Diagnosis – HI01-2 The description under the "CODE SOURCE 131: International Classification of Diseases Clinical Modification (ICD-9- CM)" is amended by adding the phrase "Procedure Beginning October 1, 2015, ICD-10-CM Diagnosis Codes will be required on data submitted to THCIC."





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

4. HI - External Cause of Injury
  - a. HInn-1 (nn = 01 through 12) the description under Code "BN" is amended by adding the phrase "Procedure Beginning October 1, 2015, ICD-10-CM E-Codes will be required on data submitted to THCIC."
  - b. HInn-1 (nn = 02 through 12) The description under the "CODE SOURCE 131: International Classification of Diseases Clinical Modification (ICD-9-CM)" is amended by adding the phrase "Procedure Beginning October 1, 2015, ICD-10- CM E-Codes will be required on data submitted to THCIC."
5. HI – Other Diagnosis Information – HInn-2 (nn = 02 through 12) The description under the "CODE SOURCE 131: International Classification of Diseases Clinical Modification (ICD-9-CM)" is amended by adding the phrase "Procedure Beginning October 1, 2015, ICD-10-CM Diagnosis Codes will be required on data submitted to THCIC."
6. HI – Principal Procedure Information
  - a. HI01-1 the description under Code "BR" is amended by adding the phrase "Procedure"
  - b. HI01-2 The description under the "CODE SOURCE 131: International Classification of Diseases Clinical Modification (ICD-9-CM)" is amended by adding the phrase "Procedure"
7. HI – Other Procedure Information
  - a. HInn-1 (nn = 01 through 12). The description under Code "BQ" is amended by adding the phrase "Procedure"
  - b. HInn-2 (nn = 01 through 12) The description under the "CODE SOURCE 131: International Classification of Diseases Clinical Modification (ICD-9-CM)" is amended by adding the phrase "Procedure Beginning October 1, 2015, ICD-10- PCS Procedure Codes will be required on data submitted to THCIC."





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

- c. HInn-2 (nn = 01 through 12). The grey note is amended by adding the phrase "Procedure"
- 8. HI – Value Information - HI08-8 and HI08-9 were added from previous missed data fields in Version 7
- 9. HI – Principal Procedure Information duplicate page of 100 was removed from page 131.
- 10. HI – Other Procedure Information duplicate pages of 101- 108 were removed from pages 132- 109.
- 11. HI - Occurrence Span Information duplicate pages of 109-111 were removed from pages 140- 142.
- 12. HI - Occurrence Information duplicate pages of 112-118 were removed from pages 143 - 149.
- 13. HI - Value Information duplicate pages of 119-124 were removed from pages 150 - 155.
- 14. HI - Other Procedure Information duplicate pages of 125-127 were removed from pages 156 - 158.
- 15. Section 5.4 Segment ID Breakout – Loop 2310B – Operating Physician Name – All data elements added back due to inadvertent deletion.

### **Version 7.0**

- 1. Section 2.2 Reference Information version updated to 005010X223A2 from 005010X223A1.
- 2. Section 4.3.2 State Required Data Elements – The list of the data elements and their respective locations in the approved formats
  - a. Type of Admission text added to identify new UB-04 name "Priority (Type) of Admission."





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

- b. Source of Admission text added to identify new UB-04 name "Point of Origin for Admission or Visit."
- 3. Section 5.1 Reference Information
  - a. First paragraph last sentence the version updated to 005010X223A2 from 005010X223A1.
  - b. List of THCIC Data Elements Where Usage Differs From ANSI 837 Institutional Guide
    - i. Type of Admission text added to identify new UB-04 name "Priority (Type) of Admission".
    - ii. Source of Admission text added to identify new UB-04 name "Point of Origin for Admission or Visit."
- 4. Section 5.2.1 Control Segment Elements Breakout – Interchange Control Header
  - a. Note 1 – the phrase "fixed record length segment" is underlined.
  - b. Boxes noting the fixed length record beginning and ending positions are added for each data element.
  - c. ISA14 – note referencing Section A.1.5.1 is removed.
- 5. Section 5.2.1 Control Segment Elements Breakout – Functional Group Header
  - a. Example is updated to 005010X223A2 from 005010X223A1.
  - b. GS08 Version/Release/Industry Identifier Code is updated to 005010X223A2 from 005010X223A1 and description updated to A2 from A1.
- 6. Section 5.3 THCIC Transaction Set – Table 2 Detail – Subscriber Hierarchical Level – Loop ID 2010BA Subscriber Name – The "Usage" is changed to "R/N" for Subscriber Name, Subscriber Address, Subscriber City/State/ZIP Code, Subscriber Demographic Information and Subscriber





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

Secondary Identification and boxed note added stating "Required" if "Subscriber" is the "Patient" otherwise "Not Used".

7. Section 5.3 THCIC Transaction Set – Table 2 Detail – Patient Hierarchical Level
  - a. Loop ID 2010CA Patient Name – The "Usage" is changed to "N/R" for Patient Name, Patient Address, Patient City/State/ZIP Code and Patient Demographic Information and boxed note added stating "Not Used" if "Subscriber" is the "Patient" otherwise "Required."
  - b. Loop ID 2300 K3 State Required Data Elements (Patient SSN) File Information and boxed note added stating "Not Used" if "Subscriber" is the "Patient" otherwise "Required."
8. Section 5.4 Segment ID Breakout – ST Transaction Set Header – Example changed to ST\*837\*987654\*005010X223A2~ from ST\*837\*987654\*005010X223~
9. Section 5.4 Segment ID Breakout – Loop 2010BA Subscriber Name – Note changed to "The Subscriber Name is REQUIRED when the subscriber is the patient. Subscriber Name data segment is "NOT USED" if Subscriber is NOT the Patient."
10. Section 5.4 Segment ID Breakout – Loop 2010BB Payer Name – NM103-SELF PAY code example is changed to (Loop 2000B | SBR09 = ZZ) from (Loop 2000B | SBR09 = 09).
11. Section 5.4 Segment ID Breakout – Loop 2010BB Billing Provider Secondary Identification – REF02 Reference Identification – Length changed to 50 from 30.
12. Section 5.4 Segment ID Breakout – Loop 2300 Institutional Claim Code
  - a. Note is shortened to "This segment is REQUIRED when reporting hospital-based admissions."
  - b. CL102 - Code Source name changed to "Point of Origin for Admission or Visit, , National Uniform Billing Committee UB -04 Manual." from





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

"Source of Referral for Admission or Visit, National Uniform Billing Committee UB – 04 Manual."

13. Section 5.4 Segment ID Breakout – Loop 2310A Attending Physician Secondary Identification – REF02 – Reference Identification - Length change to 50 from 30.
14. Section 5.4 Segment ID Breakout – Loop 2310B Operating Physician Secondary Identification – REF02 – Reference Identification - Length change to 50 from 30.
15. Section 5.4 Segment ID Breakout – Loop 2310E Service Facility Secondary Identification – REF02 – Reference Identification - Length change to 50 from 30.
16. Section 5.4 Segment ID Breakout – Loop 2330B Other Payer Name
  - a. NM103- SELF PAY code example is changed to (Loop 2000B | SBR09 = ZZ) from (Loop 2000B | SBR09 = 09).
  - b. NM109- SELF code example is changed to (Loop 2000B | SBR09 = ZZ) from (Loop 2000B | SBR09 = 09).

### **Version 6.0**

1. Section 4.3.2 State Required Data Elements – Table listing Data Elements and Locations – THCIC ID – Loop 2010BB replaces 2010AA and 2010AB is deleted.
2. Section 5.1. Reference Information – THCIC DATA ELEMENTS WHERE USAGE DIFFERS FROM ANSI 837 INSTITUTIONAL GUIDE – Facility ID Number (THCIC ID#) - Loop 2010BB replaces 2010AA and 2010AB is deleted.
3. Section 5.2 – Control Segments – Information added about Delimiters.
4. Section 5.2.1 - CONTROL SEGMENT ELEMENTS BREAKOUT- Interchange Control Header





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

- a. Example is updated in ISA11.
- b. ISA11 Repetition Separator replaces Interchange Control Standards Identifier

### **Version 5.0**

- 1. Section 1 Introduction – Updated URL for link to Hospital Procedures and Technical Specifications guides.
- 2. Section 2.2 Reference Information
  - a. Second Paragraph – Removed Copyright information statement.
  - b. Third Paragraph now second paragraph modified language to state only segments that are different from the ANSI 837 Institutional are included in this manual.
- 3. Section 4.3.2 Data Element Table with THCIC 837 Institutional Location: Patient Social Security Number Loop 2300 and data field K301 replace Loop 2010CA REF02.
- 4. Section 5.1 Reference Information
  - a. Second Paragraph – Removed Copyright information statement.
  - b. Third Paragraph now second paragraph modified language to state only segments that are different from the ANSI 837 Institutional are included in this manual.
  - c. Added table title "THCIC DATA ELEMENTS WHERE USAGE DIFFERS FROM ANSI 837 INSTITUTIONAL GUIDE"
  - d. Patient Social Security Number Loop 2300 and data element K301 replaces Loop 2010CA REF02.
  - e. PRV data segment row is deleted from the Table "THCIC DATA ELEMENTS WHERE USAGE DIFFERS FROM ANSI 837 INSTITUTIONAL GUIDE".





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

5. Section 5.2 Basic Structure is deleted.
6. Old Section 5.3 ANSI Terminology section is deleted.
7. Old Section 5.4 Interchange Overview is deleted.
8. Section 5.5 Control Segments becomes Section 5.2.
  - a. Interchange Control Trailer is deleted.
  - b. Functional Group Trailer is deleted.
9. New Section 5.2.1 Control Segment Elements Breakout – Function Group Header
  - a. Example updated with Addendum reference – 005010X223A1.
  - b. GS08 Code is updated with Addendum reference - 005010X223A1
10. Section 5.6 Overall Data Architecture for ANSI Form 837 is deleted.
11. Section 5.7 Loop Labeling and Use is deleted.
12. Section 5.8 required and Situational Loops is deleted.
13. Section 5.9 Use of Data Segments and Elements Marked Situational is deleted.
14. Section 5.10 Limitations to the Size of a Claim/Encounter (837) Transaction is deleted.
15. Section 5.11 THCIC Transaction Set is renumbered to Section 5.3.
  - a. Table 1 and Table 2 Position #s are updated
  - b. Table 2 Patient Hierarchical Level State Required Data Elements – “K3” State Required Data Elements (Patient SSN) is added.
16. Section 5.12 Segment ID Breakout is renumbered to Section 5.4.
  - a. NM1 Payer Name – NM108 Identification Code Qualifier usage changed to “Situational” from “Required.”





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

- b. K3 State Required Data Elements (Patient Social Security Number) is added
- c. NM1 Other Payer Name – NM108 Identification Code Qualifier usage changed to "Situational" from "Required."

### **Version 4.0**

1. Section 2.2 – Reference Information
  - a. Versions and dates are updated
  - b. A conditional approval to reproduce or cite ANSI 837 Institution Guide information is inserted.
2. Section 4.3.1 Data File Specifications – Version is updated
3. Section 4.3.2 State Required Data Elements (Table)
  - a. Payer Name Loop is updated from 2010BC to 2010BB.
  - b. National Plan Identifier is updated from 2010BC to 2010BB.
4. Section 5.1 Reference Information –
  - a. Versions and dates are updated.
  - b. A conditional approval to reproduce or cite ANSI 837 Institution Guide information is inserted.
5. Section 5.7 Loop Labeling and Use – Loop 2010BC is deleted.
6. Section 5.11 THCIC Transaction Set – Table 2 Detail – Subscriber Hierarchical Level – Loop 2010BC changed to 2010BB.
7. Section 5.12 Segment ID Breakout
  - a. 2000A Billing Provider Hierarchical Level – Note the Loop ID 2010BC is updated to 2010BB.





## ***Healthcare Facility Procedures and Technical Specifications Manual***

### **Revision Changes**

- b. 2300 External Cause of Injury – HInn-9 (nn = 01-12) Yes/No Condition or Response Code - Situational Rule is added.
- c. 2300 Other Diagnosis Information –
  - i. Hinn-8 (nn – 01-12) – Industry Code is added
  - ii. HInn-9 (nn – 01-12) - Yes/No Condition or Response Code is added
- d. 2320 Other Subscriber Information – SBR09 codes update to match codes in Loop 2000B.

### **Version 3.0**

1. Section 2.2 – Reference Information – Versions and dates are updated.
2. Section 4.3.1 Data File Specifications – Version is updated.
3. Section 4.3.2 State Required Data Elements (Table)
  - a. Payer Name Loop is updated from 2010BC to 2010BB.
  - b. National Plan Identifier is updated from 2010BC to 2010BB.
4. Section 5.1 Reference Information – Versions and dates are updated.
5. Section 5.7 Loop Labeling and Use – Loop 2010BC is deleted.
6. Section 5.11 THCIC Transaction Set – Table 2 Detail – Subscriber Hierarchical Level – Loop 2010BC changed to 2010BB.
7. Section 5.12 Segment ID Breakout
  - a. 2000A Billing Provider Hierarchical Level – Note the Loop ID 2010BC is updated to 2010BB.
  - b. 2300 External Cause of Injury – HInn-9 (nn = 01-12) Yes/No Condition or Response Code - Situational Rule is added.
  - c. 2300 Other Diagnosis Information –





***Healthcare Facility Procedures and Technical Specifications Manual***

**Revision Changes**

- i. Hinn-8 (nn – 01-12) – Industry Code is added
- ii. HInn-9 (nn – 01-12) - Yes/No Condition or Response Code is added
- d. 2320 Other Subscriber Information – SBR09 codes update to match codes in Loop 2000B.

**Version 2.0**

- 1. Table of Contents added, inadvertently deleted.
- 2. Section 5.5.1 Interchange Control Header, ISA12 code is updated from 00401 to 00501.
- 3. Section 5.12 Loop 2300, Other Diagnosis Information added, inadvertently deleted.