

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2023

BACKGROUND	2
PUBLIC USE DATA FILE (PUDF)	2
DATA PROCESSING AND QUALITY	5
PATIENT/PHYSICIAN CONFIDENTIALITY	6
RESTRICTIONS ON DATA USE	8
DATA LIMITATIONS	9
HOSPITAL COMMENTS	11
CITATION	12
DATA DICTIONARY	
BASE DATA #1 FILE	
BASE DATA #2 FILE	
CHARGES DATA FILE	
FACILITY TYPE INDICATOR FILEGROUPER FILE	
DATA FIELDS	
BASE DATA #1 FILE	61
BASE DATA #2 FILE	
CHARGES DATA FILE	
FACILITY TYPE INDICATOR FILE	
GROUPER FILE	70

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004, and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015, data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC require DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 12 variables including the THCIC ID and facility name and variables indicating whether the

facility is a teaching facility or pediatric hospital or other specialty facility. The file also includes POA provider indicator and certification status.

A Facility Reporting Status document is included which provides information about whether the facilities reported or if they reported low numbers and their identification was masked in the data, reported no discharges or if they closed, were out of compliance and if they submitted any comments about their data.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2023 PUDF is available in five fixed length format text files, Base Data #1, Base Data #2, Charges Data, Groupers Data, and Facility Type Data files. The files are also available in tab-delimited format. The size of the files is as follows:

First quarter, 696* hospitals:

Base Data #1	790,235 records	157 variables	Fixed field format	586 MB	Tab-delimited	293 MB
Base Data #2	790,235 records	99 variables	Fixed field format	490 MB	Tab-delimited	204 MB
Charges	15,178,746 records	13 variables	Fixed field format	1,187 MB	Tab-delimited	727 MB
Grouper Data	790,235 records	21 variables	Fixed field format	50 MB	Tab-delimited	65 MB
Facility Type Data	696 records	13 variables	Fixed field format	52 KB	Tab-delimited	41 KB

Second quarter, 700* hospitals:

Base Data #1	792,582 records	157 variables	Fixed field format	588 MB	Tab-delimited	295 MB
Base Data #2	792,582 records	99 variables	Fixed field format	491 MB	Tab-delimited	204 MB
Charges	15,084,398 records	13 variables	Fixed field format	1,180 MB	Tab-delimited	718 MB
Grouper Data	792,582 records	21 variables	Fixed field format	50 MB	Tab-delimited	65 MB
Facility Type Data	700 records	13 variables	Fixed field format	53 KB	Tab-delimited	41 KB

Third quarter, 698* hospitals:

Base Data #1	816,350 records	157 variables	Fixed field format	606 MB	Tab-delimited	303 MB
Base Data #2	816,350 records	99 variables	Fixed field format	506 MB	Tab-delimited	210 MB
Charges	15,425,058 records	13 variables	Fixed field format	1,206 MB	Tab-delimited	733 MB
Grouper Data	816,350 records	21 variables	Fixed field format	51 MB	Tab-delimited	67 MB
Facility Type Data	698 records	13 variables	Fixed field format	52 KB	Tab-delimited	41 KB

^{*} Final number of reporting hospitals, calculated as the result of the original number of reporting hospitals minus the number of hospital(s) with ALL claims submitted wrong due to wrong type of bill.

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals

using the THCIC 837 format. The following data elements, other than the grouper file, are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004; the grouper file becomes available for 2022 data and beyond:

BASE DATA #1 FILE (Separated Base File 2	2011)
FAC_LONG_TERM_AC_IND	Added 2004. Moved to Facility Type Indicator File in 2011
PAT COUNTRY	Added 2004. Proved to Facility Type Indicator File in 2011
FIRST_PAYMENT_SRC	Replaces PAYMENT_SOURCE_1 and SOURCE_PAYMENT_CODE_1
SECOND PAYMENT SRC	Replaces PAYMENT_SOURCE_2 and SOURCE_PAYMENT_CODE_2
REVENUE CODE 23	No longer available
TOTAL CHARGES	Replaces TOTAL CHARGES 23
TOTAL_CHARGES_ACCOMM	Replaces CLAIM_CHARGES_ACCOMM
TOTAL_CHARGES_ACCOMM TOTAL_NON_COV_CHARGES_ACCOMM	Replaces CLAIM_NON_COV_CHARGES_ACCOMM
TOTAL_NON_COV_CHARGES_ACCOMM TOTAL CHARGES ANCIL	Replaces CLAIM_CHARGES_ANCIL
TOTAL_CHARGES_ANCIL TOTAL_NON_COV_CHARGES_ANCIL	Replaces CLAIM_CHARGES_ANCIL Replaces CLAIM_NON_COV_CHARGES_ANCIL
EXTERNAL_CAUSE_OF_INJURY_1	Replaces EXTNAL_CAUSE_OF_INJURY
EXTERNAL_CAUSE_OF_INJURY 2 to	Added 2004
EXTERNAL_CAUSE_OF_INJURY_2 to EXTERNAL CAUSE OF INJURY 10	Added 2004
	Added 2004
OTH_DIAG_CODE_9 to OTH_DIAG_CODE_25	
OTH_SURG_PROC_CODE_6 to	Added 2004
OTH_SURG_PROC_CODE_25	Addad 2004
OTH_SURG_PROC_DAY_6 to	Added 2004
OTH_SURG_PROC_DAY_25	Addad 2004
OTH_ICD9_CODE_6 to OTH_ICD9_CODE_25	Added 2004
MS_MDC name changed from CMS_MDC	Added 2004; no longer available in Base Data #1—renamed as
(2011)	FROZEN_MS_MDC and moved to Grouper File in 2022
INBOUND_INDICATOR	Available 2004 only
POA_PRINC_DIAG _CODE	Added 2011
POA_OTH_DIAG_CODE_1 to	
POA_OTH_DIAG_CODE_24	Added 2011
POA_E_CODE_1 to POA_ E_CODE_10	Added 2011
	Added 2011; no longer available in Base Data #1—renamed as
	FROZEN_MS_GRP_ERROR_CODE and moved to Grouper File in
MS_GROUPER_ ERROR _CODE	2022
	Added 2011; no longer available in Base Data #1—renamed as
	FROZEN_APR_GRP_ERROR_CODE and moved to Grouper File in
APR_GROUPER_ERROR_CODE	2022
PRINC_ICD9_CODE	No longer available
OTH_ICD9_CODE_1- OTH_ICD9_CODE_24	No longer available
EMERGENCY_DEPT_FLAG	Added 2017
BASE DATA #2 FILE (added 2011) Moved of	calculated charge amounts and situational data elements to
this file	
CONDITION_CODE_1 to CONDITION_CODE_8	Added 2004
OCCUR_CODE_1 to OCCUR_CODE_12	Added 2004
OCCUR_DAY_1 to OCCUR_DAY_12	Added 2004
OCCUR_SPAN_CODE_1 to	Added 2004
OCCUR_SPAN_CODE_4	
OCCUR_SPAN_FROM_1 to	Added 2004
OCCUR_SPAN_FROM_4	
OCCUR_SPAN_THRU_1 to	Added 2004
OCCUR_SPAN_THRU_4	
VALUE_CODE_1 to VALUE_CODE_12	Added 2004
VALUE_AMOUNT_1 to VALUE_AMOUNT_12	Added 2004
CHARGES FILE	
REVENUE_CODE	Added 2004
HCPCS_QUALIFIER	Added 2004
HCPCS PROCEDURE CODE	Added 2004
MODIFIER 1 TO MODIFIER 4	Added 2004
UNIT MEASUREMENT CODE	Added 2004
UNITS_OF_SERVICE	Added 2004
UNIT_RATE	Added 2004
CHRGS_LINE_ITEM	Added 2004

DSHS/THCIC DSHS Document # E25-14163 Page 4 Last Updated: May, 2024

CHRGS_NON_COV	Added 2004
FACILITY TYPE INDICATOR FILE (added 2	011) Moved facility information data elements to this file
POA_PROVIDER_INDICATOR	Moved from Base Data #1 file to Facility Type Indicator File in 2015
CERT_STATUS	Moved from Base Data #1 file to Facility Type Indicator File in 2015
GROUPER FILE (added 2022)	
50075W MG DDG	Replaces MS_DRG; moved from Base Data #1 file to Grouper File
FROZEN_MS_DRG	in 2022
FROZEN_MS_MDC	Replaces MS_MDC; moved from Base Data #1 file to Grouper File in 2022
FROZEN_ MS _GRP_VER	Replaces MS_GROUPER_VERSION_NBR; moved from Base Data #1 file to Grouper File in 2022
FROZEN MS GRP ERROR CODE	Replaces MS_GROUPER_ERROR_CODE; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_DRG	Replaces APR_DRG; moved from Base Data #1 file to Grouper File in 2022
FROZEN_RISK_MORTALITY	Replaces RISK_MORTALITY; moved from Base Data #1 file to Grouper File in 2022
FROZEN_ILLNESS_SEVERITY	Replaces ILLNESS_SEVERITY; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_MDC	Replaces APR_MDC; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_GRP_VER	Replaces APR_GROUPER_VERSION_NBR; moved from Base Data #1 file to Grouper File in 2022
FROZEN APR GRP ERROR CODE	Replaces APR_GROUPER_ERROR_CODE; moved from Base Data #1 file to Grouper File in 2022
MS DRG	Dynamic; added 2022
MS MDC	Dynamic; added 2022
MS GRP VER	Dynamic; added 2022
MS _GRP_ERROR_CODE	Dynamic; added 2022
APR_DRG	Dynamic; added 2022
RISK_MORTALITY	Dynamic; added 2022
ILLNESS_SEVERITY	Dynamic; added 2022
APR_MDC	Dynamic; added 2022
APR_GRP_VER	Dynamic; added 2022
APR_GRP_ERROR_CODE	Dynamic; added 2022

DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (electronic UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used

for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

Beginning with fourth (4th) quarter 2015 data ICD-10-CM diagnostic codes and ICD-10-PCS procedure codes were mandated by the Federal Government. The increased length of the codes required a change in the data file formats. Some data fields (for example, "POA_Provider_ Indicator" and Cert_Status") are moved to the "Facility Type Indicator" file.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013(c) also stipulates that DSHS may not release, and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.

- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients).

The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from dates, statement through dates and procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019, Texas Register on page 44 TexReg 429 and became effective January 30, 2019.

Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:

- Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 electronic format and THCIC 837 format. Because these are billing forms, the data collected are administrative data and not clinical data. Beginning with 2005 all data are collected from the THCIC 837 format.
- Records with Major Diagnositic Category (MDC) codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After

DSHS/THCIC DSHS Document # E25-14163 Page 9 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: May, 2024

- October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.
- Hospital charges data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.
- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-10-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available after first (1st) quarter 2000 except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.
- The data are a snapshot in time. Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.
- Race and ethnicity data are required by law and rule to submit for each patient, generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments if submitted by the facilities.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.

- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as case-mix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long-Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.
- Updates to any PUDF CD's are available through the THCIC website, http://www.dshs.texas.gov/thcic/, which should be checked periodically as notifications of an update will not be sent.
- DSHS collects data from all hospitals in the state not specifically exempted by statute prior to January 1, 2015, services. Some hospitals maybe exempted for certain situations (for example, natural or other disasters or other unusual conditions) for limited time periods. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

HOSPITAL COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in separate file called the 'Reporting Status of Texas Hospitals'.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

REVISION

Field 2: DISCHARGE: Additional information regarding the breakdown of months into quarters added



Texas Department of State Health Services

Last Updated: May, 2024

Texas Hospital Inpatient Discharge Public Use Data File

DATA DICTIONARY

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field Unique, abbreviated name of the data element. Description Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals **Data** Provided by the health care facility on the claim form (Claim) **Source** Assigned by DSHS (Assigned) Provided to THCIC by the healthcare facility (Provider) Calculated by DSHS (Calculated) Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted following the Data Source. Alphanumeric or numeric **Type** Coding Valid codes for a data field. Values taken from specifications manuals. scheme

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

BASE DATA #1 FILE

Field 1:	RECORD_ID	
Description:	Record Identification Number. Unique numb	per assigned to identify the record. First available
	1 st quarter 2002. Does NOT match the RECo	ORD_ID in THCIC Research Data Files (RDF's).
Beginning Position:	1 Data Source:	Assigned
Length:	12 Type:	Alphanumeric
Field 2:	DISCHARGE	
Description:	Discharge Quarter. Year and quarter of disch	arge. yyyyQn.
	1st Quarter (YYYYQ1): 1st January-31st	March of that corresponding year
	2nd Quarter (YYYYQ2): 1st April – 30th	June of that corresponding year
	3rd Quarter (YYYYQ3): 1st July- 30th Se	ptember of that corresponding year
	4th Quarter (YYYYQ4); 1st October-31st	December of that corresponding year
Beginning Position:	13 Data Source:	Assigned
DSHS/THCIC	D 12	DSHS Document # E25-14163
WWW DOUG TEVA	Page 13	Last Undated: May 2024

WWW.DSHS.TEXAS.GOV/THCIC

Length:	6	Type:	Alphanumeric	
Field 3:	THCIC_ID	турс.	Aiphanumene	
	Provider ID. Unique identif	ion assismed to the	massides by DCIIC	
Description:				
Suppression:	Hospitals with fewer than 5			
	a hospital has fewer than 5	discharges of a pai	rticular gender, including	unknown', Provider ID
D ' ' D '	is '999998'.	D 4 G	A . 1	
Beginning Position:	19	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 4:	TYPE_OF_ADMISSION			
Description:	Code indicating the type of	admission		
Coding Scheme:	1 Emergency 2 Urgent			
	3 Elective			
	4 Newborn			
	5 Trauma			
	9 Information not availab	ole		
Daginning Dagitions	Invalid	Data Source:	Claim	
Beginning Position:	25			
Length:	1	Type:	Alphanumeric	
Field 5:	SOURCE_OF_ADMISSION			
Description:	Code indicating source of the			
Coding Scheme:	 Non-Healthcare Facility Clinic or Physician's O 		inning July 1, 2010)	
	4 Transfer from a hospita			
	*		nediate care facility or assisted liv	ving facility
	6 Transfer from another l	health care facility		
	8 Court/Law Enforcement			
	9 Information not availab		I. A Did III CA	C II 'AD II'
	D Transfer from One Dist Separate Claim to the F		al to another Distinct Unit of the	Same Hospital Resulting in a
	E Transfer from Ambulat	•		
	F Transfer from a Hospic			
	` Invalid			
	If Type of Admission=4 (Newborn			
	5 Born inside this hospita6 Born outside this hospi			
Doginning Dogition	6 Born outside this hospi 26	Data Source:	Claim	
Beginning Position:	1			
Length:		Type:	Alphanumeric	
Field 6:	SPEC_UNIT_1	most dave durin	a stay assured based	an number of days
Description:	Specialty Units in which by Type of Bill or Revenu		ig stay occurred based	on number of days
Coding Scheme:	, , ,	Coronary Care Unit	P	Pediatric Unit
Couning Scheme:		etoxification Unit	Y	Psychiatric Unit
		ntensive Care Unit	R	Rehabilitation Unit
	Н Н	Iospice Unit	U	Sub-acute Care Unit
		lursery	S	Skilled Nursing Unit
		Obstetric Unit	Blank	Acute Care
Beginning Position:	O 27	Oncology Unit Data Source:	Calculated	
	1			
Length: Field 7:	SPEC_UNIT_2	Type:	Alphanumeric	
		d moot dors drains	star againmed based on m	umbar of days by Type
Description:	Specialty Units in which 2 nd	- most days during	stay occurred based on no	illiber of days by Type
Coding Cala	of Bill or Revenue Code.	1		
Coding Scheme:	Same as field SPEC_UNIT			
Beginning Position:	28	Data Source:	Calculated	
Length:	1 CDEC LINES 2	Type:	Alphanumeric	
Field 8:	SPEC_UNIT_3	1		
Description:	Specialty Units in which 3 rd	' most days during	stay occurred based on nu	mber of days by Type
a 11 a 1	of Bill or Revenue Code.			
Coding Scheme:	Same as field SPEC_UNIT	_1		

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

Page 14

DSHS Document # E25-14163

Last Updated: May, 2024

Beginning Position:	29	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 9:	SPEC_UNIT_4		Tiphanamene	
Description:		h 4 th most days durin	g stay occurred based on	number of days by Type
2 cocription.	of Bill or Revenue Cod	•	g staf securiou suscu si	mameer or aays of Type
Coding Scheme:	Same as field SPEC_U			
Beginning Position:	30	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 10:	SPEC_UNIT_5	турсі	ruphanamene	
Description:		h 5th most days during	g stay occurred based on	number of days by Type
Description.	of Bill or Revenue Cod		g stay occurred based on	number of days by Type
Coding Scheme:	Same as field SPEC_U			
Beginning Position:	31	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 11:	PAT_STATE	турс.	Tuphanamene	
Description:		oiling address in Tay	as and contiguous states.	Standard 2 character
Description.	Postal Service abbrevia		as and configuous states.	Standard 2-character
Coding Scheme:	AR Arkansas	uon.		
Couning Scheme.	LA Louisiana			
	NM New Mexico			
	OK Oklahoma			
	TX Texas ZZ All other states and Ar	nerican Territories		
	FC Foreign country	nerican remitories		
	XX Foreign country			
Beginning Position:	32	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 12:	PAT_ZIP			
Description:	Patient's five-digit ZIP	code.		
Suppression:	Last two digits are blan	k if a ZIP code has fe	ewer than 30 discharges.	If state equals 'ZZ', ZIP
	code equals '88888'. If	state equals 'FC' (for	reign country) ZIP code	is blank. If ICD-10-CM
	indicates alcohol or dru	g use or an HIV diag	nosis, the ZIP code is bla	ank. If ICD-10-CM
	indicates alcohol or dru	g use or an HIV diag	nosis (patients covered b	oy 42 USC §290dd-2 and
	42 CFR Part 2 rules) th	e ZIP code is reported	d as "'," (back quote). If a	a hospital has fewer than
	fifty discharges the ZIP	code is blank. If a ho	ospital has fewer than 5 o	discharges of a particular
	gender, including 'unkr	nown', the ZIP Code	is blank.	
Beginning Position:	34	Data Source:	Claim	
Length:	5	Type:	Alphanumeric	
Field 13:	PAT_COUNTRY			
Description:	Country of patient's res	sidential address. List	maintained by the Intern	national Organization for
	Standardization (ISO).	If ICD-10-CM indica	tes alcohol or drug use o	or an HIV diagnosis
	(patients covered by 42	USC §290dd-2 and 4	42 CFR Part 2 rules), the	country is reported as ""
	(back quote).			
Suppression:	Suppressed if fewer that	in 5 patients from one	country.	
Coding scheme:	See www.ISO.org for co	omplete list.		
Beginning Position:	39	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 14:	PAT_COUNTY			
Description:	FIPS code of patient's	county.		
Coding scheme:	001 Anderson	129 Donley	257 Kaufman	385 Real
	003 Andrews 005 Angelina	131 Duval 133 Eastland	259 Kendall 261 Kenedy	387 Red River 389 Reeves
	007 Aransas	135 Ector	263 Kent	391 Refugio
	009 Archer	137 Edwards	265 Kerr	393 Roberts
	011 Armstrong 013 Atascosa	139 Ellis 141 El Paso	267 Kimble 269 King	395 Robertson 397 Rockwall
	015 Atascosa 015 Austin	141 El Paso 143 Erath	269 King 271 Kinney	399 Runnels
	017 Bailey	145 Falls	273 Kleberg	401 Rusk
	019 Bandera	147 Fannin	275 Knox	403 Sabine
	021 Bastrop	149 Fayette	283 La Salle	405 San Augustine
DSHS/THCIC		——— Page 15 —	DSI	HS Document # E25-14163

WWW.DSHS.TEXAS.GOV/THCIC

Last Updated: May, 2024

022	D . 1	151	P'alan	277	Y	407	C T
023	Baylor	151	Fisher	277 279	Lamar	407 409	San Jacinto San Patricio
025	Bee Bell	153	Floyd		Lamb		San Saba
027		155 157	Foard Fort Bend	281 285	Lampasas Lavaca	411 413	Schleicher
029	Bexar						
031	Blanco	159	Franklin	287	Lee	415	Scurry
033	Borden	161	Freestone	289	Leon	417	Shackelford
035	Bosque	163	Frio	291	Liberty	419	Shelby
037	Bowie	165	Gaines	293	Limestone	421	Sherman
039	Brazoria	167	Galveston	295	Lipscomb	423	Smith
041	Brazos	169	Garza	297	Live Oak	425	Somervell
043	Brewster	171	Gillespie	299	Llano	427	Starr
045	Briscoe	173	Glasscock	301	Loving	429	Stephens
047	Brooks	175	Goliad	303	Lubbock	431	Sterling
049	Brown	177	Gonzales	305	Lynn	433	Stonewall
051	Burleson	179	Gray	307	McCulloch	435	Sutton
053	Burnet	181	Grayson	309	McLennan	437	Swisher
055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
057	Calhoun	185	Grimes	313	Madison	441	Taylor
059	Callahan	187	Guadalupe	315	Marion	443	Terrell
061	Cameron	189	Hale	317	Martin	445	Terry
063	Camp	191	Hall	319	Mason	447	Throckmorton
065	Carson	193	Hamilton	321	Matagorda	449	Titus
067	Cass	195	Hansford	323	Maverick	451	Tom Green
069	Castro	197	Hardeman	325	Medina	453	Travis
071	Chambers	199	Hardin	327	Menard	455	Trinity
073	Cherokee	201	Harris	329	Midland	457	Tyler
075	Childress	203	Harrison	331	Milam	459	Upshur
077	Clay	205	Hartley	333	Mills	461	Upton
079	Cochran	207	Haskell	335	Mitchell	463	Uvalde
081	Coke	209	Hays	337	Montague	465	Val Verde
083	Coleman	211	Hemphill	339	Montgomery	467	Van Zandt
085	Collin	213	Henderson	341	Moore	469	Victoria
087	Collingsworth	215	Hidalgo	343	Morris	471	Walker
089	Colorado	217	Hill	345	Motley	473	Waller
091	Comal	219	Hockley	347	Nacogdoches	475	Ward
093	Comanche	221	Hood	349	Navarro	477	Washington
095	Concho	223	Hopkins	351	Newton	477	Webb
		225	Houston	353	Nolan	481	
097	Cooke						Wharton
099	Coryell	227	Howard	355	Nueces	483	Wheeler
101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
103	Crane	231	Hunt	359	Oldham	487	Wilbarger
105	Crockett	233	Hutchinson	361	Orange	489	Willacy
107	Crosby	235	Irion	363	Palo Pinto	491	Williamson
109	Culberson	237	Jack	365	Panola	493	Wilson
111	Dallam	239	Jackson	367	Parker	495	Winkler
113	Dallas	241	Jasper	369	Parmer	497	Wise
115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
117	Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
119	Delta	247	Jim Hogg	375	Potter	503	Young
121	Denton	249	Jim Wells	377	Presidio	505	Zapata
123	Dewitt	251	Johnson	379	Rains	507	Zavala
125	Dickens	253	Jones	381	Randall		
127	Dimmit	255	Karnes	383	Reagan	`	Invalid

Beginning Position: Length:

PUBLIC_HEALTH_REGION

Description: Coding Scheme:

Field 15:

Public Health Region of patient's address.

Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties

Data Source: Assigned; based on patient ZIP code

Alphanumeric

- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- 4 Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties
- 5 Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties
- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163 Last Updated: May, 2024

Type:

- 7 Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, 9 Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, 11 McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties Invalid

Beginning Position:

44 **Data Source:** Assigned Alphanumeric Type:

Length: Field 16:

PAT STATUS

Description: Coding Scheme:

Code indicating patient status as of the ending date of service for the period of care reported

- Discharged to home or self-care (routine discharge)
- Discharged/transferred to a short-term general hospital for inpatient care 02
- 03 Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled
- Discharged/transferred to a facility that provides custodial or supportive care 04
- 05 Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007)
- 06 Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
- 07 Left against medical advice
- 09 Admitted as inpatient to this hospital
- 20 Expired
- Discharged/transferred to Court/Law Enforcement 21
- 30 Still patient
- 40 Expired at home
- 41 Expired in a medical facility
- 42 Expired, place unknown
- Discharged/transferred to federal government operated health facility 43
- 50 Hospice-home
- Hospice-medical facility (Certified) providing hospice level of care 51
- 61 Discharged/transferred within this institution to Medicare-approved swing bed
- Discharged/transferred to inpatient rehabilitation facility 62
- Discharged/transferred to Medicare-certified long term care hospital 63
- Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare 64
- Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital 65
- Discharged/transferred to Critical Access Hospital (CAH) 66
- Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013) 69
- 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list
- Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-81
- 82 Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute 83 Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care 84 Hospital Inpatient Readmission (effective 10-1-2013)
- 85 Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned 86 Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission 87 (effective 10-1-2013)
- 88 Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part 90 Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care 91 Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)

DSHS Document # E25-14163 Page 17 -Last Updated: May, 2024

			al or Psychiatric Distinct Part Unit of a Hospital with a Planned
		patient Readmission (eff	fective 10-1-2013) spital (CAH) with a Planned Acute Care Hospital Inpatient
	Readmission (effective	10-1-2013)	
			alth Care Institution not Defined Elsewhere in this Code List leadmission (effective 10-1-2013)
Beginning Position:	46	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 17:	SEX_CODE		•
Description:	Gender of the patient as r	ecorded at date of a	admission or start of care.
Suppression:	ICD-10-CM indicates alc §290dd-2 and 42 CFR Pa a hospital has fewer than '999998' and Hospital Na	ohol or drug use or rt 2 rules), the Geno 5 patients of a parti	andicates drug or alcohol use or an HIV diagnosis. If an HIV diagnosis (patients covered by 42 USC der of the patient is reported as "U" (Unknown). If cular gender, including unknown, Provider ID is P Code are blank for those patients.
Coding Scheme:	M Male F Female U Unknown Invalid		
Beginning Position:	48	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 18:	RACE	1,100.	Ti piidiidiidii
Description:	Code indicating the patien	nt's race.	
Suppression:			ne race that race is changed to 'Other' (code equals 5).
Coding Scheme:	1 American Indian/Eskim		to race that race is changed to "outer" (code equals 3).
coung seneme.	2 Asian or Pacific Islande	er	
	3 Black		
	4 White 5 Other		
	` Invalid		
Beginning Position:	49	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 19:	ETHNICITY		
Description:	Code indicating the Hispa	anic origin of the pa	ntient.
Suppression:			ne race the ethnicity of patients of that race is
Бирргозми	suppressed (code is blank).	in ten patients of or	to race the entiretty of patients of that race is
Coding Scheme:	1 Hispanic Origin 2 Not of Hispanic Origin Invalid		
Beginning Position:	50	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 20:	ADMIT_WEEKDAY	V 1	•
Description:	Code indicating day of w	eek patient is admit	ted
Coding Scheme:	1 Monday	1	5 Friday
	2 Tuesday		6 Saturday
	3 Wednesday4 Thursday		7 Sunday ` Invalid
Beginning Position:	4 Thursday 51	Data Source:	Assigned
	1		Alphanumeric
Length: Field 21:		Type:	Alphanumenc
	LENGTH_OF_STAY		
Description:			ers period through date <i>minus</i> Admission/start of
n n	care date. The minimum I		ay. The maximum is 9999 days. Calculated
Beginning Position:			Calculated
T 43	52	Data Source:	
Length:	52 4	Type:	Alphanumeric
Field 22:	52 4 PAT_AGE	Type:	Alphanumeric
Field 22: Description:	52 4 PAT_AGE Code indicating age of pa	Type:	Alphanumeric ars on date of discharge.
Field 22:	52 4 PAT_AGE Code indicating age of pa 00 1-28 days	Type: atient in days or yea 10 35-39	Alphanumeric ers on date of discharge. 20 85-89
Field 22: Description:	PAT_AGE Code indicating age of pa 00 1-28 days 01 29-365 days	Type: atient in days or yea 10	Alphanumeric rs on date of discharge. 20 85-89 21 90+
Field 22: Description:	52 4 PAT_AGE Code indicating age of pa 00 1-28 days 01 29-365 days 02 1-4 years	Type: atient in days or yea 10 35-39 11 40-44 12 45-49	Alphanumeric rs on date of discharge. 20 85-89 21 90+ HIV and drug/alcohol use patients:
Field 22: Description:	PAT_AGE Code indicating age of pa 00 1-28 days 01 29-365 days	Type: atient in days or yea 10	Alphanumeric rs on date of discharge. 20 85-89 21 90+ HIV and drug/alcohol use patients:
Field 22: Description:	52 4 PAT_AGE Code indicating age of pa 00 1-28 days 01 29-365 days 02 1-4 years	Type: atient in days or yea 10 35-39 11 40-44 12 45-49 13 50-54	Alphanumeric rs on date of discharge. 20 85-89 21 90+ HIV and drug/alcohol use patients:
Field 22: Description: Coding Scheme:	52 4 PAT_AGE Code indicating age of pa 00 1-28 days 01 29-365 days 02 1-4 years 03 5-9	Type: atient in days or yea 10 35-39 11 40-44 12 45-49	Alphanumeric ars on date of discharge. 20 85-89 21 90+ HIV and drug/alcohol use patients: 22 0-17

	04	10-14	14	55-59			23	
	05	15-17	15	60-64			24	
	06	18-19	16	65-69			25	
	07	20-24	17	70-74			26	
	08	25-29	18	75-79				Invalid
Danimuima Danisiam.	09	30-34	19 Data S	80-84	A			
Beginning Position:	56			ource:	Assigned			
Length:	2		Type:		Alphanu	meric		
Field 23:		ST_PAYMENT_SRC						
Description:		e indicating the expected						
Coding Scheme:	09	Self Pay (Removed from 50)10 forma	t, use "ZZ"	' HM	Health Ma	inten	ance Organization
	10	beginning 2Q2012 data) Central Certification			LI	Liability		
	11	Other Non-federal Program	s		LM	Liability N	Medic:	al
	12	Preferred Provider Organiza))	MA	Medicare		
	13	Point of Service (POS)	`	,	MB	Medicare	Part B	3
	14	Exclusive Provider Organiz	ation (EP	O)	MC	Medicaid		
	15	Indemnity Insurance			TV	Title V	1.5	
	16	Health Maintenance Organi	zation (H.	MO)	OF	Other Fed	eral P	rogram
	AM	Medicare Risk Automobile Medical			VA	Veteran A	dmini	istration Plan
	BL	Blue Cross/Blue Shield			WC			ensation Health Claim
	CH	CHAMPUS			ZZ			nt or Unknown
	CI	Commercial Insurance			**	Codes 09	and Z	Z, combined for 2004 & 2005
	DS	Disability Insurance			`	Invalid		
Beginning Position:	58	•	Data S	ource:	Claim			
Length:	2		Type:		Alphanu	neric		
Field 24:		CONDARY_PAYMENT			7 II pilana	110110		
Description:		e indicating the expected		ary cour	ea of navm	ant		
Coding Scheme:		e as field FIRST_PAYM			ce of payin	ient.		
_		e as field FIRST_FATIV			Claim			
Beginning Position:	60		Data S	ource:		• .		
Length:	2	DE OF BUIL	Type:		Alphanuı	пенс		
Field 25:		PE_OF_BILL						
Description:		cates the specific type of			6.0		ard	T. 1. G
Coding Scheme:		git–Type of Facility		igit–Type o		adiaama		digit–Sequence of claim
	1	Hospital	1	Part A	including M	edicare	0	Non-payment/Zero claim
	2	Skilled nursing	2		Medicare Pa	rt B only	1	Admit through discharge claim
		Home health	3	Outpatien			2	Interim-first claim
	4	Religious non-medical health	4	Outpatier	t Other, Med	licare	3	Interim-continuing claim
		care-Hospital		Part B on	•			
		Religious non-medical health	5	Intermedi	ate Care–Le	vel I	4	Interim–last claim
		care–Extended care		T4 1	-4- C I	1 17	_	I -th(-)l
		Intermediate care	6 7		ate Care-Le		5	Late charge(s) only claim
								A directment of major aloine (Not
	7	Clinic	,	buo ucun	e inpatient – l	Level III	6	Adjustment of prior claim (Not used by Medicare)
			8		•	Level III	6 7	used by Medicare)
		Special facility		Swing be	•	Level III		
Beginning Position:	8		8	Swing be	•	Level III	7	used by Medicare) Replacement of prior claim
	8 62		8 Data S	Swing be	d Claim		7	used by Medicare) Replacement of prior claim
Length:	8 62 3	Special facility	8	Swing be	d		7	used by Medicare) Replacement of prior claim
Beginning Position: Length: Field 26: Description:	8 62 3 TO1	Special facility FAL_CHARGES	8 Data S Type:	Swing be	d Claim Alphanui	neric	7 8	used by Medicare) Replacement of prior claim Void/cancel of prior claim
Length:	8 62 3 TOT Sum	Special facility FAL_CHARGES of accommodation char	Data S Type:	Swing be ource:	d Claim Alphanui d accommo	meric	7 8	used by Medicare) Replacement of prior claim
Length: Field 26: Description:	8 62 3 TOT Sum cove	Special facility FAL_CHARGES	Data S Type: ges, noreplaces	Swing be ource: n-covered TOTAL	d Claim Alphanui d accomme	meric	7 8	used by Medicare) Replacement of prior claim Void/cancel of prior claim
Length: Field 26: Description: Beginning Position:	8 62 3 TOT Sum cove 65	Special facility FAL_CHARGES of accommodation char	Data S Type: ges, nor eplaces Data S	Swing be ource: n-covered TOTAL	Claim Alphanui d accomme CHARGI Claim	meric	7 8	used by Medicare) Replacement of prior claim Void/cancel of prior claim
Length: Field 26: Description: Beginning Position: Length:	8 62 3 TOT Sum cove 65 12	Special facility FAL_CHARGES of accommodation chared ancillary charges. Re	Data S Type: ges, nor eplaces Data S Type:	Swing be ource: n-covered TOTAL	d Claim Alphanui d accomme	meric	7 8	used by Medicare) Replacement of prior claim Void/cancel of prior claim
Length: Field 26: Description: Beginning Position: Length: Field 27:	8 62 3 TOT Sum cove 65 12 TOT	Special facility FAL_CHARGES of accommodation charged ancillary charges. RefEAL_NON_COV_CHA	Data S Type: ges, nor eplaces Data S Type:	Swing be ource: n-covered TOTAL ource:	Claim Alphanui I accomme CHARGE Claim Numeric	meric odation co ES_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description:	8 62 3 TOT Sum cove 65 12 TOT Sum	Special facility FAL_CHARGES of accommodation chared ancillary charges. Re	Data S Type: ges, nor eplaces Data S Type: RGES nodation	Swing be ource: n-covered TOTAL ource:	Claim Alphanui d accommo CHARGE Claim Numeric , non-cove	meric odation co ES_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position:	8 62 3 TOT Sum cove 65 12 TOT Sum 77	Special facility FAL_CHARGES of accommodation charged ancillary charges. RefEAL_NON_COV_CHA	Data S Type: ges, nor eplaces Data S Type:	Swing be ource: n-covered TOTAL ource:	Claim Alphanui d accomme CHARGE Claim Numeric , non-cove	meric odation co ES_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description:	8 62 3 TOT Sum cove 65 12 TOT Sum	Special facility FAL_CHARGES of accommodation charged ancillary charges. RefEAL_NON_COV_CHA	Data S Type: ges, nor eplaces Data S Type: RGES nodation	Swing be ource: n-covered TOTAL ource:	Claim Alphanui d accommo CHARGE Claim Numeric , non-cove	meric odation co ES_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position:	8 62 3 TOT Sum cove 65 12 TOT Sum 77	Special facility FAL_CHARGES of accommodation charged ancillary charges. RefEAL_NON_COV_CHA	Data S Type: ges, nor eplaces Data S Type: RGES nodatior Data S Type:	Swing be ource: n-covered TOTAL ource:	Claim Alphanui d accomme CHARGE Claim Numeric , non-cove	meric odation co ES_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	8 62 3 TOT Sum cove 65 12 TOT Sum 77 12 TOT	Special facility FAL_CHARGES of accommodation charged ancillary charges. Refered ancillary charges and of non-covered accommendation for the covered acco	Data S Type: rges, nor replaces Data S Type: RGES nodation Data S Type: COMM	Swing be ource: n-covered TOTAL ource: n charges ource:	Claim Alphanun d accomme CHARGI Claim Numeric , non-cove Claim Numeric	meric odation of aS_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:	8 62 3 TOT Sum cove 65 12 TOT Sum 77 12 TOT Sum	FAL_NON_COV_CHA	Data S Type: ges, nor eplaces Data S Type: RGES nodation Data S Type: COMM ered acc	Swing be ource: n-covered TOTAL ource: n charges ource:	Claim Alphanui d accomme CHARGH Claim Numeric , non-cove Claim Numeric	meric odation of aS_23.	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-
Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	8 62 3 TOT Sum cove 65 12 TOT Sum 77 12 TOT	Special facility FAL_CHARGES of accommodation charged ancillary charges. Refered ancillary charges and of non-covered accommendation for the covered acco	Data S Type: rges, nor replaces Data S Type: RGES nodation Data S Type: COMM	Swing be ource: n-covered TOTAL ource: n charges ource:	Claim Alphanun d accomme CHARGI Claim Numeric , non-cove Claim Numeric	meric odation of ES_23. ered ancil	7 8 harge	used by Medicare) Replacement of prior claim Void/cancel of prior claim es, ancillary charges, non-

Length:	12	Type:	Numeric			
Field 29:	TOTAL_NON_COV_CH					
Description:		Sum of non-covered accommodations charges.				
Beginning Position:	101	Data Source:	Claim			
Length:	12	Type:	Numeric			
Field 30:	TOTAL_CHARGES_AN					
Description:	Sum of covered and non-covered ancillary charges.					
Beginning Position:	113	Data Source:	Claim			
Length:	12	Type:	Numeric			
Field 31:	TOTAL NON COV CH					
Description:	Sum of non-covered ancilla		-			
Beginning Position:	125	Data Source:	Claim			
Length:	12	Type:	Numeric			
Field 32:	ADMITTING_DIAGNOS					
Description:	-		th, 5th, 6th and 7th digits if applicable. Decimal is			
L	implied following the third		g II			
Beginning Position:	137	Data Source:	Claim			
Length:	7	Type:	Alphanumeric			
Field 33:	PRINC_DIAG_CODE					
Description:		for the principal	diagnosis, including the 4th, 5th, 6th and 7th digits			
2 05011pt10111	if applicable. Decimal is im					
Beginning Position:	144	Data Source:	Claim			
Length:	7	Type:	Alphanumeric			
Field 34:	POA_PRINC_DIAG_CO	· · ·				
Description:			is code was present at the time the patient was			
F	admitted to the hospital		F			
Coding Scheme:	Y Yes					
9	N No					
	U Unknown W Clinically Undetermined					
	W Clinically Undetermined 1 Space (1 st & 2 nd Qtr. 2012	only)				
	1 Space (1 ec 2 Qui 2012					
	` Invalid	J				
Beginning Position:	Invalid 151	Data Source:	Claim			
Length:	151 1		Claim Alphanumeric			
Length: Field 35:	151 1 OTH_DIAG_CODE_1	Data Source: Type:	Alphanumeric			
Length:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code	Data Source: Type:				
Length: Field 35: Description:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third	Data Source: Type: , including the 4t character.	Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is			
Length: Field 35:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152	Data Source: Type:	Alphanumeric			
Length: Field 35: Description: Beginning Position: Length:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7	Data Source: Type: , including the 4t character. Data Source: Type:	Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is			
Length: Field 35: Description: Beginning Position: Length: Field 36:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE	Data Source: Type: a, including the 4t character. Data Source: Type:	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code	Data Source: Type: a, including the 4t character. Data Source: Type:	Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Dth_Diag_Code_1 C_DIAG_CODE	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identification whether Code identification whether Code identification whether Code identification whether Code ident	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Dth_Diag_Code_1 C_DIAG_CODE	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type:	Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether C admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character.	Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether C admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 th_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t	Alphanumeric ch, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length:	151 1 OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Coadmitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Dth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type:	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identification identifi	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identification identifi	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 bth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code implied following the third 160 7 POA_OTH_DIAG_CODE_2 Code identifying whether Code identifying wh	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code identifying whether Code identifying whether Code	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code implied following the third 160 7 POA_OTH_DIAG_CODE_2 Code identifying whether Code identifying wh	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether	Data Source: Type: c, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: c, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 2 code was present at the time the patient was			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: Beginning Position:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: C_DIAG_CODE Data Source: C_DIAG_CODE Data Source:	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric code was present at the time the patient was			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: Beginning Position: Length: Field 39:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying whether Code admitted to the hospital Same as Field POA_PRINC 159 1 OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: Type:	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric			
Length: Field 35: Description: Beginning Position: Length: Field 36: Description: Coding Scheme: Beginning Position: Length: Field 37: Description: Beginning Position: Length: Field 38: Description: Coding Scheme: Beginning Position: Length: Field 38: Length: Length: Coding Scheme: Beginning Position: Length:	OTH_DIAG_CODE_1 ICD-10-CM diagnosis code implied following the third 152 7 POA_OTH_DIAG_CODE Code identifying whether Code implied following the third 160 7 POA_OTH_DIAG_CODE_2 ICD-10-CM diagnosis code implied following the third 160 7 POA_OTH_DIAG_CODE Code identifying whether Code identifying	Data Source: Type: a, including the 4t character. Data Source: Type: E_1 Oth_Diag_Code_1 C_DIAG_CODE Data Source: Type: a, including the 4t character. Data Source: Type: E_2 Oth_Diag_Code_2 C_DIAG_CODE Data Source: C_DIAG_CODE Data Source: C_DIAG_CODE Data Source:	Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric th, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric code was present at the time the patient was			

implied following the third character.

Beginning Position: 168 **Data Source:** Claim

Length: Alphanumeric Type:

POA_OTH_DIAG_CODE 3 Field 40:

Code identifying whether Oth_Diag_Code_3 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 175 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 4 **Field 41:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 176 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 42: POA_OTH_DIAG_CODE_4

Code identifying whether Oth Diag Code 4 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 183 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 5 Field 43:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 184 **Data Source:** Claim

Length: Type: Alphanumeric

Field 44: POA_OTH_DIAG_CODE_5

Description: Code identifying whether Oth_Diag_Code_5 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 191 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 6 Field $\overline{45}$:

Beginning Position:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

Data Source:

Claim

Claim

implied following the third character.

7

Length: Type: Alphanumeric

POA_OTH_DIAG_CODE_6 Field 46:

192

Description: Code identifying whether Oth Diag Code 6 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 199 **Data Source:** Claim

Length: Alphanumeric Type:

Field 47: OTH_DIAG_CODE_7

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 200 **Data Source:**

Length: Type: Alphanumeric

Field 48: POA_OTH_DIAG_CODE_7

Description: Code identifying whether Oth Diag Code 7 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 207 **Data Source:** Claim

Length: Alphanumeric Type:

Field 49: OTH_DIAG_CODE_8

DSHS/THCIC DSHS Document # E25-14163 Page 21 Last Updated: May, 2024

implied following the third character.

Beginning Position: 208 **Data Source:** Claim

Length: Type: Alphanumeric

Field 50: POA OTH DIAG CODE 8

Code identifying whether Oth_Diag_Code_8 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 215 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 9 **Field 51:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 216 **Data Source:** Claim

Length: Type: Alphanumeric

POA_OTH_DIAG_CODE 9 Field 52:

Code identifying whether Oth Diag Code 9 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 223 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 10 **Field 53:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 224 **Data Source:** Claim

Length: Type: Alphanumeric

Field 54: POA_OTH_DIAG_CODE_10

Description: Code identifying whether Oth_Diag_Code_10 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 231 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 11 Field 55:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 232 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA_OTH_DIAG_CODE_11 Field 56:

Description: Code identifying whether Oth Diag Code 11 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 239 **Data Source:** Claim

Length: Alphanumeric Type:

Field 57: OTH_DIAG_CODE_12

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 240 **Data Source:** Claim

Length: Type: Alphanumeric

Field 58: POA_OTH_DIAG_CODE_12

Description: Code identifying whether Oth Diag Code 12 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 247 **Data Source:** Claim

Length: Alphanumeric Type:

Field 59: OTH_DIAG_CODE_13

DSHS/THCIC DSHS Document # E25-14163 Page 22 Last Updated: May, 2024

implied following the third character.

Beginning Position: 248 **Data Source:** Claim

Length: Type: Alphanumeric

Field 60: POA OTH DIAG CODE 13

Code identifying whether Oth_Diag_Code_13 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 255 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 14 Field 61:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 256 **Data Source:** Claim

Length: Type: Alphanumeric

Field 62: POA_OTH_DIAG_CODE_14

Code identifying whether Oth Diag Code 14 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 263 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 15 Field 63:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 264 **Data Source:** Claim

Length: Type: Alphanumeric

Field 64: POA_OTH_DIAG_CODE_15

Description: Code identifying whether Oth Diag Code 15 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 271 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 16 Field 65:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 272 **Data Source:** Claim

Length: Type: Alphanumeric

POA OTH DIAG CODE 16 Field 66:

Description: Code identifying whether Oth Diag Code 16 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 279 **Data Source:** Claim

Length: Alphanumeric Type:

Field 67: OTH_DIAG_CODE_17

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 280 **Data Source:** Claim

Length: Type: Alphanumeric

POA_OTH_DIAG_CODE_17 Field 68:

Description: Code identifying whether Oth Diag Code 17 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: Claim 287

Length: Alphanumeric Type:

Field 69: OTH_DIAG_CODE_18

DSHS/THCIC DSHS Document # E25-14163 Page 23 Last Updated: May, 2024

implied following the third character.

Beginning Position: 288 **Data Source:** Claim

Length: Type: Alphanumeric Field 70: POA OTH DIAG CODE 18

Code identifying whether Oth_Diag_Code_18 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 295 **Data Source:** Claim

Length: Type: Alphanumeric

OTH DIAG CODE 19 **Field 71:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 296 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA_OTH_DIAG_CODE_19 Field 72:

Code identifying whether Oth Diag Code 19 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 303 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 20 **Field 73:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 304 **Data Source:** Claim

Length: Type: Alphanumeric

Field 74: POA_OTH_DIAG_CODE_20

Description: Code identifying whether Oth_Diag_Code_20 code was present at the time the patient was

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 311 Claim

Length: Type: Alphanumeric

OTH_DIAG_CODE 21 **Field 75:**

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

Claim

implied following the third character.

Beginning Position: 312 **Data Source:**

Length: Type: Alphanumeric

POA_OTH_DIAG_CODE_21 Field 76:

Description: Code identifying whether Oth Diag Code 21 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 319 **Data Source:** Claim

Length: Alphanumeric Type:

Field 77: OTH_DIAG_CODE_22

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 320 **Data Source:** Claim

Length: Type: Alphanumeric

Field 78: POA_OTH_DIAG_CODE_22

Description: Code identifying whether Oth Diag Code 22 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 327 **Data Source:** Claim

Length: Alphanumeric Type:

Field 79: OTH_DIAG_CODE_23

DSHS/THCIC DSHS Document # E25-14163 Page 24 Last Updated: May, 2024

implied following the third character.

Data Source: Beginning Position: 328 Claim

Length: Type: Alphanumeric

POA OTH DIAG CODE 23 Field 80:

Code identifying whether Oth_Diag_Code_23 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 335 Claim

Length: Type: Alphanumeric

OTH DIAG CODE 24 Field 81:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 336 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA_OTH_DIAG_CODE_24 Field 82:

Code identifying whether Oth Diag Code 24 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 343 Claim

Length: Type: Alphanumeric

E CODE 1 Field 83:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the

primary external cause of morbidity. A decimal is implied following the third character.

Beginning Position: 344 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 84: POA E CODE 1

Description: Code identifying whether E Code 1 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 351 Claim

Length: Alphanumeric Type:

Field 85: E CODE 2

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 352 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA E CODE 2 Field 86:

Description: Code identifying whether E Code 2 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 359 **Data Source:** Claim

Length: Alphanumeric Type:

Field 87: E CODE 3

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 360 **Data Source:** Claim

Length: Alphanumeric Type:

Field 88: POA E CODE 3

Description: Code identifying whether E Code 3 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 367 Claim

Length: Alphanumeric Type:

Field 89: E_CODE_4

DSHS/THCIC DSHS Document # E25-14163 Page 25 Last Updated: May, 2024

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 368 **Data Source:** Claim

Length: Alphanumeric Type: 7

Field 90: POA E CODE 4

Code identifying whether E_Code_4 code was present at the time the patient was admitted to **Description:**

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 375 Claim

Length: Type: Alphanumeric

Field 91: E CODE 5

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 376 **Data Source:** Claim

Length: Alphanumeric 7 Type:

POA_E_CODE_5 Field 92:

Description: Code identifying whether E Code 5 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: Data Source: 383 Claim

Length: Alphanumeric Type:

Field 93: E CODE 6

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 384 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 94: POA E CODE 6

Description: Code identifying whether E Code 6 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

391 **Beginning Position: Data Source:** Claim

Length: Alphanumeric Type:

Field $\overline{95}$: E CODE 7

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 392 **Data Source:** Claim

Length: 7 Type: Alphanumeric

POA E CODE 7 Field 96:

Description: Code identifying whether E Code 7 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 399 **Data Source:** Claim

Length: Alphanumeric Type:

Field 97: E CODE 8

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Data Source: Beginning Position: 400 Claim

Length: Alphanumeric Type:

Field 98: POA E CODE 8

Description: Code identifying whether E Code 8 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 407 **Data Source:** Claim

Length: Alphanumeric Type:

Field 99: E CODE 9

DSHS/THCIC DSHS Document # E25-14163 Page 26 Last Updated: May, 2024

additional external cause of morbidity. Decimal is implied following the third character.

Beginning Position: 408 **Data Source:** Claim

Length: Alphanumeric 7 Type:

POA E CODE 9 **Field 100:**

Code identifying whether E_Code_9 code was present at the time the patient was admitted to **Description:**

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 415 **Data Source:** Claim

Length: Type: Alphanumeric

Field 101: E CODE 10

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of morbidity. Decimal is implied following the third character.

Data Source: Beginning Position: 416 Claim

Alphanumeric Length: 7 Type:

POA_E_CODE_10 **Field 102:**

Description: Code identifying whether E Code 10 code was present at the time the patient was admitted to

the hospital

Same as Field POA_PRINC_DIAG_CODE **Coding Scheme:**

Beginning Position: 423 **Data Source:** Claim

Length: Type: Alphanumeric

PRINC SURG PROC CODE **Field 103:**

Description: Code for the principal surgical or other procedure performed during the period covered by the

bill. ICD-10-PCS code.

Beginning Position: 424 **Data Source:** Claim

Length: Type: Alphanumeric

Field 104: PRINC SURG PROC DAY

Description: Day of principal surgical or other procedure equals Principal Surgical Procedure Date minus

Admission/Start of Care Date.

Beginning Position: 431 **Data Source:** Calculated Length: 4 Type: Alphanumeric

OTH SURG PROC CODE 1 **Field 105:**

Description: Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Beginning Position: 435 **Data Source:** Claim

Length: Type: Alphanumeric

Field 106: OTH SURG PROC DAY 1

Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

442 **Beginning Position: Data Source:** Calculated Length: Type: Alphanumeric

Field 107: OTH_SURG_PROC_CODE_2

Description: Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Beginning Position: 446 **Data Source:** Claim

Length: Type: Alphanumeric

Field $\overline{108}$: OTH SURG PROC DAY 2

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:**

Admission/Start of Care Date

Beginning Position: 453 **Data Source:** Calculated Length: 4 Type: Alphanumeric

Field 109: OTH SURG PROC CODE 3

Description: Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Beginning Position: Data Source: 457 Claim

DSHS/THCIC DSHS Document # E25-14163 Page 27 Last Updated: May, 2024

Length: Type: Alphanumeric OTH SURG PROC DAY 3 Field 110: **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Calculated **Beginning Position: Data Source:** 464 Length: 4 Type: Alphanumeric OTH SURG PROC CODE 4 **Field 111: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 468 Claim Length: 7 Type: Alphanumeric **Field 112:** OTH SURG PROC DAY 4 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 475 **Data Source:** Calculated Length: Alphanumeric 4 Type: **Field 113:** OTH_SURG_PROC_CODE_5 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 479 **Data Source:** Claim Length: Alphanumeric Type: **Field 114:** OTH SURG PROC DAY 5 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date **Beginning Position:** 486 **Data Source:** Calculated Length: 4 Alphanumeric Type: OTH SURG PROC CODE 6 **Field 115:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 490 **Data Source:** Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 6 **Field 116: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 497 **Data Source:** Calculated Length: Alphanumeric Type: **Field 117:** OTH SURG PROC CODE 7 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 501 **Data Source:** Claim Length: Type: Alphanumeric **Field 118:** OTH SURG PROC DAY 7 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 508 **Data Source:** Calculated Length: Type: Alphanumeric **Field 119:** OTH SURG PROC CODE 8 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 512 **Data Source:** Length: 7 Type: Alphanumeric OTH_SURG_PROC_DAY_8 **Field 120: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 519 **Data Source:** Calculated

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 28

DSHS Document # E25-14163

Last Updated: May, 2024

Length: Type: Alphanumeric OTH SURG PROC CODE 9 **Field 121: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 523 Claim Length: Type: Alphanumeric OTH SURG PROC DAY 9 **Field 122: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position: Data Source:** 530 Calculated Length: Type: Alphanumeric 4 OTH SURG PROC CODE 10 **Field 123: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 534 **Data Source:** Claim Length: 7 Type: Alphanumeric **Field 124:** OTH_SURG_PROC_DAY_10 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 541 **Data Source:** Calculated Length: 4 Type: Alphanumeric OTH SURG PROC CODE 11 **Field 125: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 545 **Data Source:** Claim Length: 7 Type: Alphanumeric **Field 126:** OTH SURG PROC DAY 11 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 552 **Data Source:** Calculated Length: 4 Type: Alphanumeric OTH SURG PROC CODE 12 **Field 127: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 556 **Data Source:** Claim Length: Type: Alphanumeric **Field 128:** OTH SURG PROC DAY 12 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 563 **Data Source:** Calculated Length: Type: Alphanumeric OTH SURG PROC CODE 13 **Field 129: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 567 **Data Source:** Claim Length: Type: Alphanumeric **Field 130:** OTH SURG PROC DAY 13 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 574 **Data Source:** Calculated Length: Type: Alphanumeric OTH_SURG_PROC_CODE_14 **Field 131: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 578 **Data Source:** Claim

Page 29

DSHS Document # E25-14163

Last Updated: May, 2024

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Length: Type: Alphanumeric Field 132: OTH SURG PROC DAY 14 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Calculated **Beginning Position: Data Source:** 585 Length: 4 Type: Alphanumeric OTH SURG PROC CODE 15 **Field 133: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 589 **Data Source:** Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 15 **Field 134: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 596 **Data Source:** Calculated Alphanumeric Length: 4 Type: **Field 135:** OTH_SURG_PROC_CODE_16 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 600 **Data Source:** Claim Length: 7 Alphanumeric Type: OTH SURG PROC DAY 16 **Field 136:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 607 **Data Source:** Calculated Length: 4 Alphanumeric Type: OTH SURG PROC CODE 17 **Field 137:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric OTH SURG PROC DAY 17 **Field 138:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 618 **Data Source:** Calculated Length: Type: Alphanumeric **Field 139:** OTH SURG PROC CODE 18 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 622 **Data Source:** Claim Length: Type: Alphanumeric OTH SURG PROC DAY 18 **Field 140: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 629 **Data Source:** Calculated Length: Type: Alphanumeric **Field 141:** OTH SURG PROC CODE 19 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 633 **Data Source:** Length: 7 Type: Alphanumeric OTH_SURG_PROC_DAY_19 **Field 142: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 640 **Data Source:** Calculated

Page 30

DSHS Document # E25-14163

Last Updated: May, 2024

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Length: Type: Alphanumeric OTH SURG PROC CODE 20 **Field 143: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 644 Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 20 **Field 144: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position: Data Source:** 651 Calculated Length: Type: Alphanumeric 4 OTH SURG PROC CODE 21 **Field 145: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 655 **Data Source:** Claim Length: Type: Alphanumeric **Field 146:** OTH_SURG_PROC_DAY_21 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 662 **Data Source:** Calculated Length: 4 Type: Alphanumeric **Field 147:** OTH SURG PROC CODE 22 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 666 Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 22 **Field 148:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 673 **Data Source:** Calculated Length: Type: Alphanumeric OTH SURG PROC CODE 23 **Field 149: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 677 **Data Source:** Claim Length: Type: Alphanumeric OTH SURG PROC DAY 23 **Field 150: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 684 **Data Source:** Calculated Length: Type: Alphanumeric Field 151: OTH SURG PROC CODE 24 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 688 **Data Source:** Claim Length: Type: Alphanumeric **Field 152:** OTH SURG PROC DAY 24 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 695 **Data Source:** Calculated Length: Type: Alphanumeric ATTENDING_PHYSICIAN_UNIF_ID **Field 153:**

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 31

DSHS Document # E25-14163

Last Updated: May, 2024

Description: Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician

> expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and

podiatrists authorized by the hospital to admit or treat patients.

Suppression: Suppressed when the number of physicians represented in a DRG for a hospital is less than the

minimum cell size of five.

999999998 Cell size less than 5 **Coding Scheme:**

999999999 Temporary license or license number could not be matched

Beginning Position: 699 **Data Source:** Assigned Length: Alphanumeric 10 Type:

Field 154: OPERATING PHYSICIAN UNIF ID

Description: Operating or other Physician Uniform Identifier (if applicable). Unique identifier assigned to

> the operating physician or physician other than the attending physician. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat

Suppressed when the number of physicians represented in a DRG for a hospital is less than the **Suppression:**

minimum cell size of five.

999999998 Cell size less than 5 **Coding Scheme:**

> 999999999 Temporary license or license number could not be matched

Beginning Position: 709 **Data Source:** Assigned Length: Type: Alphanumeric

Field 155: ENCOUNTER INDICATOR

Description: Indicates the number of claims used to create the encounter **Beginning Position: Data Source:** Calculated Length: Type: Alphanumeric

Field 156: PROVIDER NAME

Description: Hospital name provided by the hospital.

Suppression: Hospitals with fewer than 50 discharges (Provider ID equals '999999') are assigned the name

'Low Discharge Volume Hospital'. If a hospital has fewer than 5 discharges of a particular

gender, including 'unknown', Hospital Name is blank.

Beginning Position: 721 **Data Source:** Provider Length: Type: Alphanumeric

Field 157: EMERGENCY DEPT FLAG

Indicator of emergency department visit. **Description:**

visit was emergency related **Coding Scheme:** Y N Visit was not emergency related

Beginning Position: 776 **Data Source:** Assigned Length: Type: Alphanumeric

DSHS Document # E25-14163 Page 32 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: May, 2024

BASE DATA #2 FILE

Field 1:	RECORD_ID					
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1 st quarter 2002. Does NOT match the RECORD ID in THCIC Research Data Files (RDF's).					
Beginning Position:	1	Data Source:	Assigned			
Length:	12	Type:	Alphanumeric			
Field 2:	PRIVATE_AMOUNT	V 1				
Description:		ivate Room Cha	rge Amount. Calculated using MEDPAR			
<u>.</u>			evenue codes 0100-0219, revenue center 011X,			
	014X		, , , , , , , , , , , , , , , , , , ,			
Beginning Position:	13	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 3:	SEMI_PRIVATE_AMOU	NT				
Description:			n Charge Amount. Calculated using MEDPAR			
•			evenue codes 0100-0219, revenue center 010X,			
	012X-014X, 016X-019X		,			
Beginning Position:	25	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 4:	WARD_AMOUNT					
Description:	Accommodation Charge, W	ard Charge Amo	ount. Calculated using MEDPAR algorithm. Sum of			
-	charges associated with reve	enue codes 0100-	-0219, revenue center 015X.			
Beginning Position:	37	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 5:	ICU_AMOUNT					
Description:	Accommodation Charge, In	tensive Care Uni	t Charge Amount. Calculated using MEDPAR			
	algorithm. Sum of charges a	associated with re	evenue codes 0100-0219, revenue center 020X.			
Beginning Position:	49	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 6:	CCU_AMOUNT					
Description:			it Charge Amount. Calculated using MEDPAR			
	-		evenue codes 0100-0219, revenue center 021X.			
Beginning Position:	61	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 7:		OTHER_AMOUNT				
Description:	•	_	ount. Calculated using MEDPAR algorithm. Sum			
		of charges associated with revenue codes other than 0100-0219, revenue center 0002-0099,				
D 1 1 D 11			X-070X, 076X-078X, 090X-095X, 099X.			
Beginning Position:	73	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 8:	PHARM_AMOUNT	d	Amount Colorlated using MEDDAD also without			
Description:	Ancillary Service Charge, Pharmacy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 025X,					
		viui revenue code	es other than 0100-0219, revenue center 023A,			
Beginning Position:	026X, and 063X. 85	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 9:	MEDSURG_AMOUNT	Type.	Numenc			
	-	Modical/Surgical	Supply Charge Amount. Calculated using			
Description:			Supply Charge Amount. Calculated using atted with revenue codes other than 0100-0219,			
	revenue center 027X, 062X		area with revenue codes office than 0100-0219,			
Beginning Position:	97	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 10:	DME_AMOUNT	- jpc.	1 (MINOLIV			
I KIU IV.	DIVIL_INIOUITI					

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 33
DSHS Document # E25-14163
Last Updated: May, 2024

Description: Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219. revenue centers 0290-0292, 0294-0299. **Beginning Position:** 109 **Data Source:** Calculated Length: 12 Type: Numeric Field 11: USED DME AMOUNT **Description:** Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0293. 121 **Beginning Position: Data Source:** Calculated Length: 12 Type: Numeric PT AMOUNT Field 12: **Description:** Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 042X. Calculated **Beginning Position:** 133 **Data Source:** Length: 12 Type: Numeric Field 13: OT AMOUNT **Description:** Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 043X. 145 Calculated **Beginning Position: Data Source:** Length: 12 Type: Numeric Field 14: SPEECH AMOUNT **Description:** Ancillary Service Charge, Speech Pathology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 044X, 047X. **Beginning Position:** 157 **Data Source:** Calculated Length: 12 Numeric Type: Field 15: IT AMOUNT **Description:** Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 041X, 046X. **Beginning Position:** 169 **Data Source:** Calculated Length: 12 Type: Numeric Field 16: BLOOD AMOUNT **Description:** Ancillary Service Charge for blood provided during the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 038X. **Beginning Position:** Calculated 181 **Data Source:** Length: 12 Type: Numeric **Field 17: BLOOD ADMIN AMOUNT Description:** Ancillary Service Charge for blood storage and processing related to the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 039X. **Beginning Position:** 193 **Data Source:** Calculated Length: 12 Type: Numeric Field 18: OR AMOUNT **Description:** Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 036X, 071X-072X. Calculated **Beginning Position:** 205 **Data Source:**

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 34
DSHS Document # E25-14163
Last Updated: May, 2024

Type:

Numeric

Length:

Field 19:

12

LITH AMOUNT

Description:	Ancillary Service Charge, L	ithotripsy Charge	e Amount. Calculated using MEDPAR algorithm.				
		with revenue code	es other than 0100-0219, revenue center 079X.				
Beginning Position:	217	Data Source:	Calculated				
Length:	12	Type:	Numeric				
Field 20:	CARD_AMOUNT		A CLILL MEDDID I				
Description:			e Amount. Calculated using MEDPAR algorithm.				
	or or charges associated v	with revenue code	es other than 0100-0219, revenue center 048X,				
Beginning Position:	229	Data Source:	Calculated				
Length:	12	Type:	Numeric				
Field 21:	ANES_AMOUNT	турс.	Trumone				
Description:		Anesthesia Chargo	e Amount. Calculated using MEDPAR algorithm.				
F			es other than 0100-0219, revenue center 037X.				
Beginning Position:	241	Data Source:	Calculated				
Length:	12	Type:	Numeric				
Field 22:	LAB_AMOUNT						
Description:			e Amount. Calculated using MEDPAR algorithm.				
		with revenue code	es other than 0100-0219, revenue center 030X-				
D 1 1 D 1/1	031X, 074X-075X.	D 4 G					
Beginning Position:	253 12	Data Source:	Calculated				
Length: Field 23:	RAD AMOUNT	Type:	Numeric				
Description:	-	Padiology Charge	Amount. Calculated using MEDPAR algorithm.				
Description.			es other than 0100-0219, revenue center 028X,				
	032X-035X, 040X.	viai ievenue eou	object than 0100 0219, revenue center 02011,				
Beginning Position:	265	Data Source:	Calculated				
Length:	12	Type:	Numeric				
Field 24:	MRI_AMOUNT						
Description:			ount. Calculated using MEDPAR algorithm. Sum of				
	•		charges associated with revenue codes other than 0100-0219, revenue center 061X.				
Beginning Position:							
	277	Data Source:	Calculated				
Length:	12	Data Source: Type:	Calculated Numeric				
Length: Field 25:	12 OP_AMOUNT	Type:	Numeric				
Length:	12 OP_AMOUNT Ancillary Service Charge, C	Type: Outpatient Service	Numeric es Charge Amount. Calculated using MEDPAR				
Length: Field 25:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a	Type: Outpatient Service	Numeric				
Length: Field 25: Description:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X.	Type: Outpatient Service associated with re	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center				
Length: Field 25:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a	Type: Outpatient Service	Numeric es Charge Amount. Calculated using MEDPAR				
Length: Field 25: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X.	Type: Outpatient Service associated with re Data Source:	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated				
Length: Field 25: Description: Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E	Type: Outpatient Service associated with re Data Source: Type: Emergency Room	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR				
Length: Field 25: Description: Beginning Position: Length: Field 26:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a	Type: Outpatient Service associated with re Data Source: Type: Emergency Room	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X.	Type: Outpatient Service associated with respect to the property of the proper	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301	Type: Outpatient Service associated with respective to the party of th	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12	Type: Outpatient Service associated with respective to the party special source: Type: Emergency Room associated with respective to the party special source: Type:	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT	Type: Outpatient Service associated with respective to the party of th	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A	Type: Dutpatient Service associated with respective to the part of	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric es Amount. Calculated using MEDPAR algorithm.				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X.	Type: Outpatient Service associated with respect to the property of the prope	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric es Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Associated was a 13	Type: Outpatient Service associated with respect to the property of the proper	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric ge Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Length:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Assum of charges associated was 313 12	Type: Outpatient Service associated with respect to the property of the prope	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric es Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Assum of charges associated with a service charge, and a ser	Type: Outpatient Service associated with respect to the service of	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric ge Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Assum of charges associated was 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, Prospective Charge, Pr	Type: Outpatient Service associated with respect to the property of the prope	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric es Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Assum of charges associated was 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, Palgorithm. Sum of charges a 096X-098X.	Type: Outpatient Service associated with respect to the property of the prope	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric es Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR evenue center 054X. Calculated Numeric				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated was 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, Falgorithm. Sum of charges a 096X-098X. 325	Type: Outpatient Service associated with respect to the part of t	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric es Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated				
Length: Field 25: Description: Beginning Position: Length: Field 26: Description: Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:	OP_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, Ealgorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, Assum of charges associated was 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, Palgorithm. Sum of charges a 096X-098X.	Type: Outpatient Service associated with respect to the property of the prope	Numeric es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric es Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric Charge Amount. Calculated using MEDPAR evenue center 054X. Calculated Numeric				

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 35
DSHS Document # E25-14163
Last Updated: May, 2024

Field 29:	ORGAN_AMOUNT						
Description:	Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR						
	algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue cente						
	081X, 089X.						
Beginning Position:	337 Data Source: Calculated						
Length:	12 Type: Numeric						
Field 30:	ESRD_AMOUNT						
Description:	Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using						
Description.	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-02	210					
	revenue center 080X, 082X-085X, 088X	219,					
Beginning Position:	349 Data Source: Calculated						
Length: Field 31:	12 Type: Numeric CLINIC_AMOUNT						
Description:	Ancillary Service Charge, Clinic Visit Charge Amount. Calculated using MEDPAR alg						
n · · n · ·	Sum of charges associated with revenue codes other than 0100-0219, revenue center 051X.						
Beginning Position:	361 Data Source: Calculated						
Length:	12 Type: Numeric						
Field 32:	OCCUR_CODE_1						
Description:	Code describing a significant event relating to the claim.						
Coding Scheme:	1 Auto accident 40 Scheduled date of admission 2 No Fault Insurance Involved - Including Auto 41 Date of first test of pre-admission testin	າອ					
	Accident/Other	'δ					
	3 Accident/ Tort Liability 42 Date of discharge (hospice only)						
	4 Accident/Employment Related 43 Scheduled date of canceled surgery						
	5 Other accident 44 Date treatment started - OT						
	6 Crime Victim 45 Date treatment started - ST 9 Start of Infertility Treatment Cycle 46 Date treatment started - Cardiac rehabil	litation					
	10 Last Menstrual Period 47 Date cost outlier status begins	itation					
	11 Onset of Symptoms/ Illness A1 Birthdate - Insured A						
	12 Date of Onset for a Chronically Dependent A2 Effective Date - Insured A Policy Individual						
	 Date of Last Therapy Date Outpatient OT Plan Established or Last A3 Payer A benefits exhausted Split Bill Date 						
	Reviewed 18 Date of Retirement - Patient/Beneficiary B1 Birthdate - Insured B						
	19 Date of Retirement - Spouse B2 Effective date - Insured B Policy						
	20 Date Guarantee of Payment Began B3 Payer B benefits exhausted						
	21 Date UR Notice Received C1 Birthdate - Insured C						
	22 Date Active Care Ended C2 Effective date - Insured C Policy						
	24 Date Insurance Denied C3 Payer C benefits exhausted						
	25 Date Benefits Terminated by Primary Payer DR Katrina disaster related						
	26 Date SNF Bed Became Available E1 Birthdate - Insured D						
	27 Date Home Health Plan Established or Last E2 Effective date - Insured D Policy						
	Reviewed						
	Date Comprehensive Outpatient Rehabilitation E3 Payer D benefits exhausted Plan Established or Last Reviewed						
	29 Date Outpatient PT Plan established or last F1 Birthdate - Insured E reviewed						
	30 Date Outpatient ST Plan established or last F2 Effective date - Insured E Policy reviewed						
	Date beneficiary notified of intent to bill F3 Payer E benefits exhausted (accommodations)						
	32 Date beneficiary notified of intent to bill G1 Birthdate - Insured F (procedures or treatments)						
	Date of inpatient hospital discharge for non- covered transplant patients G2 Effective date - Insured F Policy						
	Date treatment started for home IV therapy G3 Payer F benefits exhausted Date discharged on a continuous course if IV						
Doginning De 141	therapy						
Beginning Position:	373 Data Source: Claim						
Length:	2 Type: Alphanumeric						
Field 33:	OCCUR_DAY_1						
DSHS/THCIC	DSHS Document # E2:	5-14163					
W/W/W DSHS TEXAS	——————————————————————————————————————						

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:375Data Source:CalculatedLength:4Type:Alphanumeric

Field 34: OCCUR_CODE_2

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR CODE 1.

Beginning Position: 379 Data Source: Claim

Length: 2 **Type:** Alphanumeric

Field 35: OCCUR_DAY_2

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:381Data Source:CalculatedLength:4Type:Alphanumeric

Field 36: OCCUR_CODE_3

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position: 385

Data Source: Claim

Length: 2 **Type:** Alphanumeric

Field 37: OCCUR_DAY_3

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:387Data Source:CalculatedLength:4Type:Alphanumeric

Field 38: OCCUR CODE 4

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position: 391 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 39: OCCUR DAY 4

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:393Data Source:CalculatedLength:4Type:Alphanumeric

Field 40: OCCUR CODE 5

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR CODE 1.

Beginning Position: 397 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 41: OCCUR_DAY_5

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:399Data Source:CalculatedLength:4Type:Alphanumeric

Field 42: OCCUR CODE 6

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR CODE 1.

Beginning Position:403Data Source:ClaimLength:2Type:Alphanumeric

Field 43: OCCUR DAY 6

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:405Data Source:CalculatedLength:4Type:Alphanumeric

Field 44: OCCUR_CODE_7

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR_CODE_1.

Beginning Position:409Data Source:ClaimLength:2Type:Alphanumeric

Field 45: OCCUR DAY 7

Description: Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 37

DSHS Document # E25-14163

Last Updated: May, 2024

Doginalna Dogition.	411	Data Source:	Calculated
Beginning Position:	411		Calculated
Length: Field 46:	OCCUR CODE 8	Type:	Alphanumeric
Description:	Code describing a significa	nt awant ralating	to the claim
Coding Scheme:	Same as Field OCCUR_CO		to the claim.
Beginning Position:	415	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 47:	OCCUR_DAY_8	Type:	Alphanumenc
Description:		aurranaa Data mii	nus Admission/Start of Care Date.
Beginning Position:	417	Data Source:	Calculated
Length:	417	Type:	Alphanumeric
Field 48:	OCCUR_CODE_9	Type.	Alphanumene
Description:	Code describing a significa	nt avant relating	to the claim
Coding Scheme:	Same as Field OCCUR_CO		to the claim.
Beginning Position:	421	Data Source:	Claim
Length:	2		Alphanumeric
Field 49:	OCCUR_DAY_9	Type:	Alphanumeric
Description:		aurranaa Data mii	nus Admission/Start of Care Date.
Beginning Position:	423	Data Source:	Calculated
Length:	423		- 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Field 50:	OCCUR_CODE_10	Type:	Alphanumeric
Description:	Code describing a significa	nt awant ralating	to the alaim
Coding Scheme:	Same as Field OCCUR CO		to the ciain.
Beginning Position:	427	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 51:	OCCUR_DAY_10	Type.	Alphanumeric
Description:		currence Date mi	nus Admission/Start of Care Date.
Beginning Position:	429	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 52:	OCCUR_CODE_11	турс.	7 tiphanameric
Description:	Code describing a significa	nt event relating	to the claim
Coding Scheme:	Same as Field OCCUR_CO		to the claim.
Beginning Position:	433	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 53:	OCCUR_DAY_11	VI.	£ ** ** * *
Description:		currence Date min	nus Admission/Start of Care Date.
Beginning Position:	435	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 54:	OCCUR_CODE_12	¥	•
Description:	Code describing a significa	nt event relating	to the claim.
Coding Scheme:	Same as Field OCCUR_CC	DDE_1.	
Beginning Position:	439	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 55:	OCCUR_DAY_12		
Description:	Occurrence Day equals Oc		nus Admission/Start of Care Date.
Beginning Position:	441	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 56:	OCCUR_SPAN_CODE_1		
Description:			to the claim that may affect payer processing.
Coding Scheme:	70 Qualifying stay dates (for	SNF use only)	78 SNF prior stay dates
	71 Prior stay dates		80 Prior Same SNF prior stay dates for Payment Ban Purposes
	72 First/Last Visit		81 Antepartum Days at Reduced Level of Care
	73 Benefit eligibility period	or 0.1	M0 QIO/UR approved stay dates
	74 Noncovered level of care75 SNF level of care	Leave of absence	M1 Provider liability - no utilizationM2 Inpatient respite dates
	76 Patient Liability Period		M3 ICF level of care
Delie/THCIC	·		DOILG Do # F25 14162

DSHS Document # E25-14163 Last Updated: May, 2024 DSHS/THCIC Page 38

	77 Provider Liability - Utilization	on Charged	M4 Residential level of care
Beginning Position:		Data Source:	Claim
Length:		Туре:	Alphanumeric
Field 57:	OCCUR_SPAN_FROM_1		
Description:	Occurrence Span From equal	s Beginning Da	te of Event minus Admission/Start of Care Date.
Beginning Position:	447	Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 58:	OCCUR_SPAN_THRU_1		
Description:	Occurrence Span Thru equals	s Ending Date of	f Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 59:	OCCUR SPAN CODE 2		
Description:	Code describing a significant	event relating t	o the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPA		, , , ,
Beginning Position:	_	Data Source:	Claim
Length:		Type:	Alphanumeric
Field 60:	OCCUR_SPAN_FROM_2		
Description:		s Reginning Da	te of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 61:	OCCUR SPAN THRU 2	турс.	пришинене
Description:		Ending Data of	f Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
0 0			Alphanumeric
Length:	OCCUR SPAN CODE 3	Type:	Alphanumeric
Field 62:			de la la la desta de la companya de
Description:			o the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPA	_	Cl. '
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 63:	OCCUR_SPAN_FROM_3		
Description:			te of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length: Field 64:	6 OCCUR_SPAN_THRU_3	Type:	Alphanumeric
		Ending Data o	f Event minus Admission/Start of Com Data
Description:			f Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 65:	OCCUR_SPAN_CODE_4		de la la la desta de la companya de
Description:			o the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPA	_	CI.
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 66:	OCCUR_SPAN_FROM_4		
Description:			te of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 67:	OCCUR_SPAN_THRU_4		
Description:			f Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 68:	CONDITION_CODE_1		
Description:	Code describing a condition r	elating to the cl	
Coding Scheme:	01 Military service related	1 , 1	A0 TRICARE external partnership program
	O2 Condition is employment rel O3 Patient covered by insurance		A1 EPSDT/CHAP A2 Physically handicapped children's program
	04 Information only bill.	. not reflected field	A3 Special Federal Funding
	05 Lien has been filed		A4 Family planning
DSHS/THCIC			* * *
~ NIIN/ IIIUIU			17202 170000000 # 67 1=14103
WWW.DSHS.TEXAS	S GOV/THCIC	– Page 39 <i>–</i>	DSHS Document # E25-14163 Last Updated: May, 2024

06	ESRD patient in first 18 months of entitlement covered by EGHP	A5	Disability
07	Treatment of non-terminal condition for hospice patient	A6	Vaccines/Medicare 100% payment
08	Beneficiary would not provide information concerning other insurance coverage	A9	Second opinion surgery
09	Neither patient or spouse is employed	AA	Abortion performed due to rape
10	Patient and/or spouse is employed but no EGHP exists	AB	Abortion performed due to incest
11	Disabled beneficiary but no LGHP coverage exists	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality
17	Patient is homeless	AD	Abortion performed due to life endangering physical condition
18	Maiden name retained	AE	Abortion performed due to physical health of mother that is not life endangering
19	Child retains mother's name	AF	Abortion performed due to emotional/psychological health of mother
20	Beneficiary requested billing	AG	Abortion performed due to social or economic reasons
21	Billing for denial notice	AH	Elective abortion
22 23	Patient on multiple drug regimen Home care giver available	AI AJ	Sterilization Payer responsible for co-payment
23	Home IV patient also receiving HHA services	AJ	rayer responsible for co-payment
25	Patient is non-US resident	AK	Air ambulance required
26	VA eligible patient chooses to receive services in	AL	Specialized treatment/bed unavailable
27	a Medicare certified facility Patient referred to a sole community hospital for a diagnostic laboratory test	AM	Non-emergency medically necessary stretcher transport required
28	Patient and/or spouse's EGHP is secondary to Medicare	AN	Pre-admission screening not required
29	Disabled beneficiary and/or family member's	В0	Medicare coordinated care demonstration claim
30	LGHP is secondary to Medicare Non-research services provided to patients	В1	Beneficiary is ineligible for demonstration
31	enrolled in a qualified clinical trial Patient is student (full time - day)	В4	program Admission unrelated to discharge on same day
32	Patient is student (cooperative/work study program)	BP	Gulf Oil Spill of 2010
33	Patient is student (full time - night)	C1	Approved as billed
34	Patient is student (part-time)	C2	Automatic approval as billed based on focused review
36	General care patient in a special unit	C3	Partial approval
37	Ward accommodation at patient request	C4	Admission/services denied
38	Semi-private room not available	C5	Postpayment review applicable
39	Private room medically necessary	C6	Admission Preauthorization
40	Same day transfer	C7	Extended Authorization
41	Partial hospitalization	D0	Changes to Service Dates
42	Continuing care not related to inpatient admission	D1	Changes to Charges
43	Continuing care not provided within prescribed postdischarge window	D3	Second or Subsequent Interim PPS Bill
44	Inpatient admission changed to outpatient	D4	Change in clinical codes (ICD) for diagnosis and/or procedure codes.
45	Ambiguous Gender Category	D5	Cancel to correct Insured's ID or Provider ID
46	Non-availability statement on file	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
47	Transfer from another Home Health Agency	D7	Change to Make Medicare the Secondary Payer
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D8	Change to Make Medicare the Primary Payer
49	Product replacement within product lifecycle	D9	Any Other Change
50	Product Replacement for Known Recall of a Product	DR	Disaster related
51	Attestation of Unrelated Outpatient Nondiagnostic Services	E0	Changes in Patient Status
52	Out of Hospice Service Area	G0	Distinct Medical Visit
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	H0	Delayed Filing, Statement of Intent Submitted

	54	No Skilled Home Health V Policy Exception Documen Health Agency		H2	Discharge by a Hospice Provider for Cause
	55	SNF bed not available		Н3	Reoccurrence of GI Bleed Comorbid Category
	56	Medical appropriateness		H4	Reoccurrence of Pneumonia Comorbid Category
	57	SNF readmission		H5	Reoccurrence of Pericarditis Comorbid Category
	58	Terminated Medicare+Cho enrollee	ice organization	P1	Do not Resuscitate Order (DNR)
	59	Non-primary ESRD facility	7	P7	Direct Inpatient Admission from Emergency Room
	60	Day outlier		R1	Request for reopening Reason Code - Mathematical or Computational Mistake
	61	Cost outlier		R2	Request for reopening Reason Code -Inaccurate Data Entry
	66	Provider does not wish cost	t outlier payment	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	67	Beneficiary elects not to us	e life time reserve	R4	Request for reopening Reason Code - Computer
	68	(LTR) days Beneficiary elects to use lif	e time reserve (LTR)	R5	Errors Request for reopening Reason Code - Incorrectly
		days			Identified Duplicate Claim Request for reopening Reason Code - Other
	69	IME/DGME/N&AH Paymo	ent Only	R6	Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	70	Self-administered anemia n	nanagement drug	R7	Request for reopening Reason Code - Corrections other than clerical errors
	71	Full care in unit		R8	Request for reopening Reason Code - New and Material Evidence
	72	Self care in unit		R9	Request for reopening Reason Code - Faulty Evidence
	73	Self care training		WO	United Mine Workers of America (UMWA) Demonstration Indicator
	74	Home		W2	Duplicate of Original Bill
	75	Home - 100% reimburseme		W3	Level I Appeal
	76	Back-up in facility dialysis		W4	Level II Appeal
	77	Provider accepts or is oblig contractual arrangement or payment by a primary paye	law to accept	W5	Level III Appeal
	78	New coverage not impleme	ented by HMO		
	79	CORF services provided of	fsite		
	80	Home dialysis - nursing fac	cility		
	81	C-section/Inductions <39 w Necessity			
	82	C-section/Inductions <39 w	eeks-Elective		
	83	C-section/Inductions 39 we	eks or greater		
	84	Dialysis for Acute Kidney			
	85	Delayed Recertification of Illness		1	
Destruct D 10	86 501	Additional Hemodialysis T Justification			
Beginning Position:	501		Data Source:	Claim	io
Length: Field 69:	2 CON	DITION CODE 2	Type:	Alphanu	mene
		DITION_CODE_2	rolating to the -1-	im	
Description:		describing a condition		11111.	
Coding Scheme:	503	as Field CONDITION	_CODE_1. Data Source:	Claim	
Beginning Position: Length:	303 2		Type:	Alphanu	maria
Field 70:		DITION_CODE_3	Type:	Aipiiaiiu	menc
Description:		describing a condition	relating to the ale	im	
Coding Scheme:		as Field CONDITION		11111.	
Beginning Position:	505	mo I lolu COMDITION	Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 71:		DITION_CODE_4	- jpc.	. ripiiaiiu	
Description:		describing a condition	relating to the cla	im	
-	Code	acsertoing a condition	remaining to the cla		David 5
DSHS/THCIC			Do as 41		DSHS Document # E25-14163

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

Page 41

Coding Scheme:	Saı	ne as Field CONDITI	ON CODE 1.		
Beginning Positi			Data Source:	Claim	
Length:	2		Type:	Alphani	ımeric
Field 72:		ONDITION_CODE_			
Description:		de describing a condit		aim.	
Coding Scheme:		ne as Field CONDITI			
Beginning Positi			Data Source:	Claim	
Length:	2		Type:	Alphani	umeric
Field 73:		ONDITION_CODE_O			
Description:		de describing a condit		aim.	
Coding Scheme:		ne as Field CONDITI			
Beginning Positi		[Data Source:	Claim	
Length:	2		Type:	Alphani	ımeric
Field 74:	CC	ONDITION_CODE_	7		
Description:	Co	de describing a condit	ion relating to the cla	aim.	
Coding Scheme:	Sai	ne as Field CONDITI	ON_CODE_1.		
Beginning Positi		3	Data Source:	Claim	
Length:	2		Type:	Alphani	americ
Field 75:	CC	ONDITION_CODE_8		•	
Description:	Co	de describing a condit	ion relating to the cla	aim.	
Coding Scheme:	Saı	ne as Field CONDITI	ON_CODE_1.		
Beginning Positi	on: 515	5	Data Source:	Claim	
Length:	2		Type:	Alphani	ımeric
Field 76:	VA	LUE_CODE_1			
Description:	Co	de describing informa	tion that may affect p	payer pro	cessing.
Coding Scheme:	01	Most common semi-pr		58	Arterial blood gas
	02 04	Hospital has no semi-p	rivate rooms component charges which	59 60	Oxygen saturation HHA branch MSA
	04	are combined billed	component charges which	. 00	HHA DIANCII MSA
	05		nt included in charges and	61	Place of Residence where service is furnished
		also billed separately to	o carrier		(HHA and hospice)
	06 08	Blood deductible Life time reserve amou	ent in the first colonder	66 67	Medicaid spend down amount Peritoneal dialysis
	00	year	int in the first calendar	07	Teritorical diarysis
	09	•	the first calendar year	68	EPO-drug
	10		nt in the second calendar	69	State charity care percentage
	11	year Coinsurance amount in	the second calendar year	80	Covered Days
	12		ary/spouse with employer		Non-covered Days
		group health plan			
	13		Medicare coordination	82	Co-insurance Days
	14	period with an employ No fault, including aut		83	Lifetime Reserve Days
	15	Worker's compensation	n	84	Shorter Duration Hemodialysis
	16	Public health service (l	PHS) or other federal	A0	Special zip code reporting
		agency			
	21	Catastrophic		A1	Deductible payer A
	22	Surplus		A2	Coinsurance payer A
	23	Recurring monthly inc	ome	A3	Estimated responsibility payer A
	24	Medicaid Rate Code		A4	Covered self-administrable drugs - emergency
	25	Offset to the patient - prescription drugs	payment amount -	A5	Covered self-administrable drugs - administrable in form and situation furnished to patient
	26		payment amount - hearing	A6	Covered self-administrable drugs - diagnostic
		and ear services	,		study and other
	27		payment amount - vision	A7	Co-payment payer A
	28	and eye services Offset to the patient - r	payment amount - dental	A8	Patient weight
	20	services	a, mont amount - dental	Au	I desone weight
	29	Offset to the patient - p	payment amount -	A9	Patient height
	30	chiropractic services Preadmission testing		AA	Regulatory surcharges, assessments, allowances
	30	1 readingsion testing		2121	or health care related taxes - payer A

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 42
DSHS Document # E25-14163
Last Updated: May, 2024

	31	Patient Liability Amount		AB	Other assessments or allowances (e.g., medical
	22	Maddinla madiand analastana		D.1	education) - payer A
	32	Multiple patient ambulance		B1	Deductible payer B
	33	Offset to the patient - payr services	ment amount - podiatri	c B2	Coinsurance payer B
	34	Offset to the patient - pays medical services	ment amount - other	В3	Estimated responsibility payer B
	35	Offset to the patient - payr	ment amount - health	В7	Co-payment payer B
	37	Units of blood furnished		BA	Regulatory surcharges, assessments, allowances or health care related taxes - payer B
	38	Blood deductible units		BB	Other assessments or allowances (e.g., medical education) - payer B
	39	Units of blood replaced		C1	Deductible payer C
	40	New coverage not implem	ented by HMO	C2	Coinsurance payer C
	41	Black lung	•	C3	Estimated responsibility payer C
	42	VA		C7	Co-payment payer C
	43	Disabled beneficiary unde	r age 65 with LGHP	CA	Regulatory surcharges, assessments, allowances
					or health care related taxes - payer C
	44	Amount provider agreed to payer when this amount is higher than payment recei	less than charges but	СВ	Other assessments or allowances (e.g., medical education) - payer C
	45	Accident hour		D3	Patient estimated responsibility
	46	Number of grace days		D4	Clinical Trial Number Assigned by NLM/NIH
	47	Any liability insurance		D5	Last Kt/V Reading
	48	Hemoglobin reading		FC	Patient Paid Amount
	49	Hematocrit reading		FD	Credit Received from the Manufacturer for a Medical Device
	50	Physical Therapy visits		G8	Facility where Inpatient Hospice Service is Delivered
	51	Occupational Therapy visi	its	Y1	Part A Demonstration Payment
	52	Speech Therapy visits		Y2	Part B Demonstration Payment
	53	Cardiac rehab visits		Y3	Part B Coinsurance
	54	Newborn birth weight in g	rams	Y4	Conventional Provider Payment
	55	Eligibility threshold for ch	•	Y5	Part B Deductible
	56	Skilled nurse - home visit	•	13	Tatt B Deduction
	57	Home health aide - home			
D ' ' D ''		nome nearm aide - nome		CI.	
Beginning Position: Length:	517 2		Data Source: Type:	Claim Alphanu	maric
Field 77:		UE_AMOUNT_1	турс.	Aiphanu	mere
Description:		ar amount that may be	offoctod		
Beginning Position:		ii amount mat may be		Claim	
	519		Data Source:	Claim	mania
Length:	9	HE CODE 1	Type:	Alphanu	menc
Field 78:		UE_CODE_2	.1		
Description:		describing information		oayer pro	cessing.
Coding Scheme:		as Field Value_CODI		a. .	
Beginning Position:	528		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 79:		UE_AMOUNT_2			
Description:		ar amount that may be			
Beginning Position:	530		Data Source:	Claim	
Length:	9		Type:	Alphanu	meric
Field 80:	T 7 A T	UE_CODE_3			
			n that may affaat r		agging
Description:		describing information		Jayer pro	cosing.
Coding Scheme:		e as Field Value_CODI	_	C1 :	
Beginning Position:	539		Data Source:	Claim	and and a
Length:	2		Type:	Alphanu	menc
HIDIO XII	2	TIE AMOTINE 2			
Field 81:	VAL	UE_AMOUNT_3			
Description:	VAL	UE_AMOUNT_3 ar amount that may be			
Description: DSHS/THCIC	VAL Dolla	ar amount that may be	affected.	•	DSHS Document # E25-14163
Description:	VAL Dolla	ar amount that may be			DSHS Document # E25-14163 Last Updated: May, 2024

Beginning Position: 541 **Data Source:** Claim Length: 9 Type: Alphanumeric Field 82: VALUE CODE 4 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value_CODE_1. **Beginning Position:** 550 **Data Source:** Claim Length: Type: Alphanumeric Field 83: VALUE_AMOUNT_4 **Description:** Dollar amount that may be affected. **Beginning Position:** Data Source: 552 Claim Length: 9 Type: Alphanumeric VALUE CODE 5 Field 84: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 561 **Data Source:** Claim Length: Type: Alphanumeric Field 85: VALUE AMOUNT 5 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 563 Claim Length: Type: Alphanumeric **Field 86:** VALUE CODE 6 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 572 **Data Source:** Claim Length: Type: Alphanumeric **Field 87:** VALUE AMOUNT 6 Dollar amount that may be affected. **Description: Beginning Position:** 574 **Data Source:** Claim Length: Type: Alphanumeric Field 88: VALUE CODE 7 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 583 **Data Source:** Claim Length: Type: Alphanumeric Field 89: VALUE_AMOUNT 7 **Description:** Dollar amount that may be affected. **Beginning Position:** 585 **Data Source:** Claim Length: Type: Alphanumeric Field 90: VALUE CODE 8 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Data Source: Beginning Position:** 594 Claim Length: Type: Alphanumeric Field 91: VALUE_AMOUNT_8 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 596 Claim Length: 9 Type: Alphanumeric Field 92: VALUE CODE 9 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value_CODE_1. **Beginning Position:** 605 **Data Source:** Claim Length: Alphanumeric Type: Field $\overline{93}$: VALUE AMOUNT 9 **Description:** Dollar amount that may be affected.

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 44

DSHS Document # E25-14163

Last Updated: May, 2024

Beginning Position: 607 **Data Source:** Claim Length: 9 Type: Alphanumeric Field 94: VALUE CODE 10 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value_CODE_1. **Beginning Position: Data Source:** 616 Claim Length: Alphanumeric Type: Field 95: VALUE_AMOUNT_10 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 618 Claim Length: 9 Type: Alphanumeric VALUE CODE 11 Field 96: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 627 **Data Source:** Claim Alphanumeric Length: 2 Type: **Field 97:** VALUE_AMOUNT_11 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 629 Claim Length: Type: Alphanumeric Field 98: VALUE_CODE_12 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 638 **Data Source:** Claim Length: Alphanumeric Type: Field 99: VALUE_AMOUNT_12 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 640 Claim Length: 9 Type: Alphanumeric

CHARGES DATA FILE

	22.00			
Field 1:		ORD_ID		
Description:		d Identification Number. Unique number arter 2002. Does NOT match the RECOF		
Beginning Position:	1	Data Source:	Assign	· · · · · · · · · · · · · · · · · · ·
Length:	12	Type:	Alphan	
		7.1	Aipiiaii	umerie
Field 2:		ENUE_CODE	1	211 2 1212 1 1 2
Description:		corresponding to each specific accommo	dation, a	ncillary service or billing calculation
Coding Scheme:	oloo	I to the services being billed. All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health
	0101	All-inclusive room charges	0528	Shortage Area Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general
	0115	Room charges for private rooms - hospice	0541	Ambulance service - supplies
	0116 0117	Room charges for private rooms - detoxification	0542	Ambulance service - medical transport
	0117	Room charges for private rooms - oncology Room charges for private rooms - rehabilitation	0543 0544	Ambulance service - heart mobile Ambulance service - oxygen
	0119	Room charges for private rooms - rehabilitation	0545	Ambulance service - air ambulance
	0110	Room charges for semi-private rooms - general	0546	Ambulance service - neonatal
	0121	Room charges for semi-private rooms -	0547	Ambulance service - pharmacy
	0122	medical/surgical/GYN Room charges for semi-private rooms -	0548	Ambulance service - telephone transmission
		obstetrics		EKG
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other
	0124	Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other
	0132 0133	Room charges for semi-private - 3/4 beds - rooms - obstetrics Room charges for semi-private - 3/4 beds -	0570	Home health aide - general
	0134	rooms - pediatric Room charges for semi-private - 3/4 beds -	0571 0572	Home health aide - visit charge Home health aide - hourly charge
	0135	rooms - psychiatric Room charges for semi-private - 3/4 beds -	0572	Home health aide - other
	0136	rooms - hospice Room charges for semi-private - 3/4 beds -	0580	Other visits (home health) - general
	0137	rooms - detoxification Room charges for semi-private - 3/4 beds -	0581	Other visits (home health) - visit charge
	0138	rooms - oncology Room charges for semi-private - 3/4 beds -	0582	Other visits (home health) - hourly charge
	0139	rooms - rehabilitation Room charges for semi-private - 3/4 beds -	0583	Other visits (home health) - assessment
	0140	rooms - other Room charges for private (deluxe) rooms - general	0589	Other visits (home health) - other

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms - obstetrics	0600	Oxygen (home health) - general
0143	Room charges for private (deluxe) rooms - pediatric	0601	Oxygen (home health) - stat/equip/supply or contents
0144	Room charges for private (deluxe) rooms - psychiatric	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0145	Room charges for private (deluxe) rooms - hospice	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0146	Room charges for private (deluxe) rooms - detoxification	0604	Oxygen (home health) - portable add-in
0147	Room charges for private (deluxe) rooms - oncology	0609	Oxygen (home health) - other
0148	Room charges for private (deluxe) rooms - rehabilitation	0610	Magnetic Resonance Technology (MRT) - MRI - general
0149	Room charges for private (deluxe) rooms - other	0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150	Room charges for ward rooms - general	0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	Room charges for ward rooms - obstetrics	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160	Room charges for other rooms - general	0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0169	Room charges for other rooms - other	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	Room charges for nursery - general	0636	Drugs requiring specific identification - requiring detailed coding
0171	Room charges for nursery - newborn level I	0637	Drugs requiring specific identification - self- administrable
0172	Room charges for nursery - newborn level II	0640	Home IV therapy services - general
0173	Room charges for nursery - newborn level III	0641	Home IV therapy services - nonroutine nursing, central line
0174	Room charges for nursery - newborn level IV	0642	Home IV therapy services - IV site care, central line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services - nonroutine nursing, peripheral line
0182	Room charges for LOA - patient convenience- charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	Room charges for LOA - therapeutic leave	0646	Home IV therapy services - training, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	Room charges for LOA - other	0648	Home IV therapy services - training, disabled patient, peripheral
 0190	Room charges for subacute care - general	0649	Home IV therapy services - other

0191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
0192	Room charges for subacute care - Level II	0651	Hospice services - routine home care
0193	(comprehensive care) Room charges for subacute care - Level III	0652	Hospice services - continuous home care
0194	(complex care) Room charges for subacute care - Level IV	0655	Hospice services - inpatient respite care
0199	(intensive care) Room charges for subacute care - other	0656	Hospice services - general inpatient care (nonrespite)
0200	Room charges for intensive care - general	0657	Hospice services - physician services
0201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
0202	Room charges for intensive care - medical	0659	Hospice services - other
0203	Room charges for intensive care - pediatric	0660	Respite care - general
0204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
0207	Room charges for intensive care - burn care	0663	Respite care - daily charge
0208	Room charges for intensive care - trauma	0669	Respite care - other
0209	Room charges for intensive care - other	0670	Outpatient special residence - general
0210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
0211	Room charges for coronary care - myocardial infarction	0672	Outpatient special residence - contracted
0212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
0213 0214	Room charges for coronary care - heart transplant Room charges for coronary care - intermediate	0681 0682	Trauma response - level I Trauma response - level II
0214	coronary care unit (CCU)		•
	Room charges for coronary care - other	0683	Trauma response - level III
0220	Special charges - general	0684	Trauma response - level IV
0221 0222	Special charges - admission charge Special charges - technical support charge	0689 0690	Trauma response - other
0222	Special charges - technical support charge Special charges - UR service charge	0691	Pre-hospice/Palliative Care Services - general Pre-hospice/Palliative Care Services – visit
			charge
0224	Special charges - late discharge, medically necessary	0692	Pre-hospice/Palliative Care Services – hourly charge
0229	Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
0230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
0231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient care
0232	Incremental nursing care - OB	0696	Pre-hospice/Palliative Care Services – physician services
0233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
0234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
0235	Incremental nursing care - hospice	0710	Recovery Room services - general
0239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
0240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
0241	All-inclusive ancillary - basic	0722	Labor/Delivery Room services - delivery
0242	All-inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
0243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
0249	All-inclusive ancillary - other	0729	Labor/Delivery Room services - other
0250	Pharmacy - general	0730	EKG/ECG services - general
0251	Pharmacy - generic drugs	0731	EKG/ECG services - holter monitor
0252	Pharmacy - nongeneric drugs	0732	EKG/ECG services - telemetry
0253	Pharmacy - take-home drugs	0739	EKG/ECG services - other
0254	Pharmacy - drugs incident to other diagnostic services	0740	EEG services - general
0255	Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine administration
0262	IV Therapy - pharmacy services	0780	Telemedicine services - general
0263	IV Therapy - drug/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0200	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal
			(non-CAPD) Inpatient renal dialysis services - peritonear (non-Capp)
0271	Medical surgical supplies and devices - nonsterile	0803	ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other implants	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells- allogeneic
0280	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite
0291	DME - rental	0822	or other rate Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home – home supplies
0304	Laboratory - nonroutine dialysis	0833	Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hematology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other
0311	Laboratory pathological - cytology	0842	rate CAPD - outpatient or home – home supplies
0312	Laboratory pathological - histology	0843	CAPD - outpatient or home – home equipment
	The state of the s	50.15	nome equipment

0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy administration - general	0855	CCPD - outpatient or home - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic radiopharmaceuticals	0901	Behavior health treatments/services - electroshock
0344	Nuclear medicine - therapeutic	0902	Behavior health treatments/services - milieu
0349	radiopharmaceuticals Nuclear medicine - other	0903	therapy Behavioral health treatments/services - play therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant other than kidney	0913	Behavior health treatment/services - partial hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual therapy
0369	Operating room services - other	0915	Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic services	0918	Behavior health treatment/services - testing
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular lab
0381	Blood - packed red cells	0922	Other diagnostic services - electromyogram
0382	Blood - whole blood	0923	Other diagnostic services - pap smear
0383	Blood - plasma	0924	Other diagnostic services - allergy test
0384	Blood - platelets	0925	Other diagnostic services - pregnancy test
0385	Blood - leukocytes	0929	Other diagnostic services - other
 0386	Blood - other components	0931	Medical rehabilitation day program - half day

0387	Blood - other derivatives (cryoprecipitate)	0932	Medical rehabilitation day program - full day
0389	Blood - other	0940	Other therapeutic services - general
0390	Blood and blood component administration, storage and processing - general	0941	Other therapeutic services - recreational therapy
0391	Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
0392	Blood and blood component administration, storage and processing – processing and storage	0943	Other therapeutic services - cardiac rehabilitation
0399	Blood and blood component administration, storage and processing - other	0944	Other therapeutic services - drug rehabilitation
0400	Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0410	Respiratory services - inhalation	0953	Other therapeutic services – chemical
0712	respiratory services - initiatation	0,00	dependency (drug and alcohol)
0413	Respiratory services - hyperbaric oxygen therapy	0960	Professional fees - general
0419	Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0423	Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0431	Occupational therapy - visit charge	0974	Professional fees - radiology - nuclear medicine
0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
0439	Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
0469	Pulmonary function - other	0992	Patient convenience items - private linen service
0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room
0479	Audiology - other	0996	rentals Patient convenience items - late discharge
0		00	charge
0.490	Cardiology general	0997	Patient convenience items - admission kits
0480 0481	Cardiology - general Cardiology - cardiac cath lab	0998	Patient convenience items - beauty shop/barber

	0482	Cardiology - stress test	0999	Patient convenience items - other
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general
	0489	Cardiology - other	1001	Behavior health accommodations - residential treatment - psychiatric
	0490	Ambulatory surgical care - general	1002	Behavior health accommodations - residential treatment - chemical dependency
	0499	Ambulatory surgical care - other	1003	Behavior health accommodations - supervised living
	0500	Outpatient services - general	1004	Behavior health accommodations - halfway house
	0509	Outpatient services - other	1005	Behavior health accommodations - group home
	0510	Clinic - general	2100	Alternative therapy services - general
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture
	0512	Clinic - dental	2102	Alternative therapy services - acupressure
	0513	Clinic - psychiatric	2103	Alternative therapy services - massage
	0514	Clinic - OB/GYN	2104	Alternative therapy services - reflexology
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly
	0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC	3103	Adult day care, medical and social - daily
	0522	Freestanding Clinic - Home Visit by RHC/FQHC Practitioner	3104	Adult day care, social - daily
	0523	Freestanding Clinic - family practice	3105	Adult foster care - daily
	0524 0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF Freestanding Clinic - Visit by RHC/FQHC	3109	Adult foster care - other
	0526	Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care		
Beginning Position:	13	Data Source:	Claim	
Length:	4	Type:		umeric
Field 3:		CS_QUALIFIER		
Description:	Code	identifying the type/source of the descrip CS_PROCEDURE_CODE	tive nun	nber used in
Beginning Position:	17	Data Source:	Claim	
Length:	2	Type:		numeric
Field 4		CS PROCEDURE CODE	Aipiiai	tumene
Description:	HCFA	A Common Procedure Coding System (He	CPCS) c	ode applicable to ancillary services or
		nmodations.		
Coding Scheme:	See h	ttp://www.cms.hhs.gov/HCPCSReleaseCo	odeSets//	ANHCPCS/list.asp for complete list.
Beginning Position:	19	Data Source:	Claim	
Length:	5	Type:	Alphan	umeric
Field 5:	MOD	IFIER_1		
Description:	Identi	fies special circumstances related to the p	erforma	nce of the service
Coding Scheme:	22	Increased procedural services	P4	A patient with severe systemic disease that is a
C	23	Unusual Anesthesia	P5	constant threat to life A moribund patient who is not expected to
	24	Unrelated Evaluation and Management Service by	P6	survive without the operation A declared brain-dead patient whose organs are
	24	the Same Physician or Other Qualified Health		being removed for donor purposes
	25	Care Professional during a Postoperative Period Significant, Separately Identifiable Evaluation and	i E1	Upper left eyelid
		Care Professional during a Postoperative Period	l E1	

	27	Multiple Outpatient Hospital E/M Encounters on the Same Date	E3	Upper right eyelid
	32	Mandated Services	E4	Lower right eyelid
	33	Preventive Service	F1	Left hand, second digit
	47	Anesthesia by Surgeon	F2	Left hand, third digit
	50	Bilateral Procedure	F3	Left hand, fourth digit
	51	Multiple Procedures	F4	Left hand, fifth digit
	52	Reduced Services	F5	Right hand, thumb
	53	Discontinued Procedure	F6	Right hand, second digit
	54	Surgical Care Only	F7	Right hand, third digit
	55	Postoperative Management Only	F8	Right hand, fourth digit
	56	Preoperative Management Only	F9	Right hand, fifth digit
	57	Decision for Surgery	FA	Left hand, thumb
	58	Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care	GG	Performance and payment of a screening mammography and diagnostic mammography or
	59	Professional During the Postoperative Period Distinct Procedural Service	GH	same patient, same day. Diagnostic mammogram converted from screening mammogram on same day
	62	Two Surgeons	LC	Left circumflex coronary artery
	63	Procedure Performed on Infants less than 4kg	LD	Left anterior descending coronary artery
		· ·		
	66	Surgical Team	LM	Left main coronary artery
	73	Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure prior to the Administration of Anesthesia	LT	Left side of the body procedure
	74	Discontinued Outpatient Hospital/Ambulatory	Q	Ambulance service provided under arrangement
		Surgery Center (ASC) Procedure after Administration of Anesthesia	M	by a provider of services
	76	Repeat Procedure by Same Physician or Other Qualified Health Care Professional	QN	Ambulance service furnished directly by a provider of services
	77	Repeat Procedure by Another Physician or Other Qualified Health Care Professional	RC	Right coronary artery
	78	Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period	RI	Ramus intermedius coronary artery
	79	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	RT	Right side of the body procedure
	80	Assistant Surgeon	T1	Left foot, second digit
	81	Minimum Assistant Surgeon	T2	Left foot, third digit
	82	Repeat procedure by same physician	T3	Left foot, fourth digit
				•
	90	Reference (Outside) Laboratory	T4	Left foot, fifth digit
	91	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
	92	Alternative Laboratory Platform Testing	T6	Right foot, second digit
	95	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System	Т7	Right foot, third digit
	99	Multiple Modifiers	T8	Right foot, fourth digit
	1P	Performance Measure Exclusion Modifier due to Medical Reasons	Т9	Right foot, fifth digit
	2P	Performance Measure Exclusion Modifier due to Patient Reasons	TA	Left foot, great toe
	3P	Performance Measure Exclusion Modifier due to System Reasons	XE	Separate Encounter
	8P	Performance Measure Reporting Modifier- Action not performed, reason not otherwise specified		Separate Structure
	P1	A normal healthy patient	XP	Separate Practitioner
	P2	A patient with mild systemic disease	XU	Unusual Non-Overlapping Service
	P3	A patient with severe systemic disease		
Beginning Position:	24	Data Source:	Claim	
	2	Type:	Alphan	umeric
Length:	_	± ypc.	2 ribitali	
Length:		TIFIED 2		
Length: Field 6: Description:	MOI	DIFIER_2 ifies special circumstances related to the p	C	C.A.

Coding Scheme:	Same as Field MODIFIER	1	_
Beginning Position:	26	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 7:	MODIFIER_3		
Description:	Identifies special circumsta	nces related to the	performance of the service.
Coding Scheme:	Same as Field MODIFIER_	_1	
Beginning Position:	28	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 8:	MODIFIER_4		
Description:	Identifies special circumsta	nces related to the	performance of the service.
Coding Scheme:	Same as Field MODIFIER_	_1	
Beginning Position:	30	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 9:	UNIT_MEASUREMENT	_	
Description:	Code specifying the units in	which a value is	being expressed.
Coding Scheme:	DA Days		
	F2 International unit UN Unit		
Beginning Position:	32	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 10:	UNITS_OF_SERVICE	V I	•
Description:	Numeric value of quantity		
Beginning Position:	34	Data Source:	Claim
Length:	7	Type:	Numeric
Field 11:	UNIT_RATE		
Description:	Rate per unit		
Beginning Position:	41	Data Source:	Claim
Length:	12	Type:	Numeric
Field 12:	CHRGS_LINE_ITEM		
Description:	Total amount of the charge		
Beginning Position:	53	Data Source:	Assigned
Length:	14	Type:	Numeric
Field 13:	CHRGS_NON_COV		
Description:	Total non-covered amount of		
Beginning Position:	67	Data Source:	Assigned
Length:	14	Type:	Numeric

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the inpatient service.

Field 1:	THCIC_ID	
Description:	Provider ID. Unique identifier assigned to t	he provider by DSHS.
Beginning Position:	1 Data Source:	Assigned
Length:	6 Type:	Alphanumeric
Field 2:	FACILITY_TYPE	
Description:	Types of healthcare facilities.	
Beginning Position:	7 Data Source:	Provider
Length:	4 Type:	Alphanumeric
Field 3:	FAC_TEACHING_IND	
Description:	Teaching Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50) discharges (Provider ID equals '999999').
Coding Scheme:	A Member, Council of Teaching Hospitals	
Beginning Position:	X Other teaching facility 11 Data Source:	Provider
Length:		Alphanumeric
Field 4:	1 Type: FAC_PSYCH_IND	Alphanumenc
Description:	Psychiatric Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '000000')
Beginning Position:	12 Data Source:	Provider Provider Provider Provider
Length:	1 Type:	Alphanumeric
Field 5:	FAC REHAB IND	Alphanumeric
Description:	Rehabilitation Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '000000')
Beginning Position:	13 Data Source:	Provider Provider Provider Provider Provider
Length:	1 Type:	Alphanumeric
Field 6:	FAC_ACUTE_CARE_IND	Aiphanumene
Description:	Acute Care Facility Indicator.) discharges (Provider ID equals '999999')
Description: Suppression:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50	<u> </u>
Description: Suppression: Beginning Position:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source:	Provider
Description: Suppression: Beginning Position: Length:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type:	<u> </u>
Description: Suppression: Beginning Position: Length: Field 7:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND	Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital	Provider Alphanumeric facility type indicator provided by the hospital.
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999').
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source:	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type:	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999').
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator.	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999').
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Suppression: Beginning Position:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source:	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Length: Length: Length: Length:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type:	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999').
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type: FAC_OTHER_LTC_IND	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type: FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator.	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Suppression: Length:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type: FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50 Type: TAC_OTHER_LTC_IND	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type: FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50 17 Data Source:	Provider Alphanumeric facility type indicator provided by the hospital.) discharges (Provider ID equals '999999'). Provider Alphanumeric) discharges (Provider ID equals '999999'). Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 9: Length: Length: Length: Length: Length:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type: FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50 17 Data Source: 1 Type: FAC_PEDS_IND	Provider Alphanumeric facility type indicator provided by the hospital. O discharges (Provider ID equals '999999'). Provider Alphanumeric O discharges (Provider ID equals '999999'). Provider Alphanumeric O discharges (Provider ID equals '999999'). Provider Provider
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10: Description:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10: Description: Suppression: Suppression: Suppression: Length: Field 10: Description: Suppression:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14 Data Source: 1 Type: FAC_SNF_IND Skilled Nursing Facility Indicator. Hospital Suppressed for hospitals with fewer than 50 15 Data Source: 1 Type: FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 16 Data Source: 1 Type: FAC_OTHER_LTC_IND Other Long Term Care Facility Indicator. Suppressed for hospitals with fewer than 50 17 Data Source: 1 Type: FAC_PEDS_IND	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999').
Description: Suppression: Beginning Position: Length: Field 7: Description: Suppression: Beginning Position: Length: Field 8: Description: Suppression: Beginning Position: Length: Field 9: Description: Suppression: Beginning Position: Length: Field 10: Description:	Acute Care Facility Indicator. Suppressed for hospitals with fewer than 50 14	Provider Alphanumeric facility type indicator provided by the hospital. discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999'). Provider Alphanumeric discharges (Provider ID equals '999999').

Beginning Position:	18	Data Source:	Provider		
Length:	1	Type:	Alphanumeric		
Field 11	PROVIDER_NAME	J.F.	r		
Description:	Hospital name provided	by the hospital.			
Beginning Position:	19	Data Source:	Provider		
Length:	55	Type:	Alphanumeric		
Field 12:	POA_PROVIDER_INI				
Description:			uired to submit Diagnosis Present on Admission		
•			the following facility types as exempt from		
			Access Hospitals, Inpatient Rehabilitation		
	Hospitals, Inpatient Psyc	hiatric Hospitals, (Cancer Hospitals, Children's or Pediatric Hospitals		
	and Long Term Care Hos	spitals.	•		
Coding Scheme:	M Mixed (Facility has sections that would be exempted from reporting POA for those patients)				
G	R Required				
	X Exempt ` Invalid				
Beginning Position:	74	Data Source:	Assigned		
Length:	1	Type:	Alphanumeric		
Field 13:	CERT_STATUS	V 1			
Description:	-	indicate the certifi	cation of data and submission of comments by the		
•	hospital. First available 3		•		
Coding Scheme:	1 Certified, without comm				
ě	2 Certified, with comment				
	3 Certified, with comment		d by deadline		
	4 Hospital elected not to c5 Hospital closed, data no	•			
	6 Hospital out of complian				
	-		or man-made disaster (Starting 4Q2016)		
Beginning Position:	75	•	Assigned		
Length:	1		Alphanumeric		
	-	- 7 I			

GROUPER FILE

Field 1:	RECORD_ID
Description:	Record Identification Number. Unique number assigned to identify the record. First available
Doginning Dogitions	1st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's). 1 Data Source: Assigned
Beginning Position: Length:	1 Data Source: Assigned 12 Type: Alphanumeric
Field 2:	FROZEN MS DRG
Description:	Centers for Medicare and Medicaid Services (CMS) Diagnosis Related Group (DRG), as
Description.	assigned for hospital payment for Medicare beneficiaries.
Beginning Position:	Data Source: Assigned
Length:	3 Type: Alphanumeric
Field 3:	FROZEN_MS_MDC
Description:	Major Diagnostic Category (MDC) as assigned by Centers for Medicare and Medicaid Services
	(CMS) (formerly Health Care Financing Administration (HCFA)) for hospital payment for
	Medicare beneficiaries. First available 2004.
Beginning Position:	Data Source: Assigned
Length:	2 Type: Alphanumeric
Field 4:	FROZEN_MS_GROUPER_VERSION_NBR
Description:	CMS Medicare Severity Diagnosis Related Grouper (formerly CMS DRG Grouper and previously reported as HCFA_GROUPER_VERSION_NBR) version used to assign MS DRG
	and, MS MDC codes
Beginning Position:	18 Data Source: Assigned
Length:	5 Type: Alphanumeric
Field 5:	FROZEN MS GROUPER ERROR CODE
Description:	Error codes identify potential variations with MS DRG code assignment
Coding Scheme:	00 No errors. DRG successfully assigned.
9	exempt
	O1 Diagnosis code cannot be used as principal 20 DisableHac is invalid and at least one HAC POA is N or diagnosis U
	02 Record does not meet criteria for any DRG 21 DisableHac is invalid and at least one HAC POA is invalid or exempt
	03 Invalid Age 22 DisableHac = 0 and at least one HAC POA is exempt
	04 Invalid Sex 23 DisableHac is invalid and at least one HAC POA is
	exempt 24 DisableHac = 0 and there are multiple HACs that have
	Invalid Discharge Status
	10 Illogical Principal Diagnosis (CMS only) 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W
	11 Invalid Principal Diagnosis
Beginning Position:	Data Source: Assigned
Length:	2 Type: Alphanumeric
Field 6:	FROZEN_APR_DRG
Description:	All Patient Refined (APR) Diagnosis Related Group (DRG) as assigned by 3M APR-DRG
Beginning Position:	Grouper 25 Data Source: Assigned
Length:	3 Type: Alphanumeric
Field 7:	FROZEN_RISK_MORTALITY
Description:	Assignment of a risk of mortality score from the All Patient Refined (APR) Diagnosis Related
•	Group (DRG) from the 3M [™] APR-DRG Grouper. Indicates the likelihood of dying.
Coding Scheme:	1 Minor
	2 Moderate 3 Major
	4 Extreme
Beginning Position:	28 Data Source: Assigned
Length:	1 Type: Alphanumeric
Field 8:	FROZEN_ILLNESS_SEVERITY
DSUS/TUCIC	DOILG Decement # F05 1/1/2
DSHS/THCIC WWW.DSHS.TEXAS	Page 57 DSHS Document # E25-14163 Last Undated: May 2024
W W W.DSDS.IEAAS	GOV/THCIC Last Updated: May, 2024

Description:	Assignment of a severity of	fillness score from	n the All Patient Refined (APR) Diagnosis Related
2 0001170110110			ouper. Indicates the extent of physiologic
	decompensation.		
Coding Scheme:	1 Minor		
	2 Moderate3 Major		
	4 Extreme		
	0 No class specified		
Beginning Position:	29	Data Source:	Assigned
Length:	EDOZEN ADD MDC	Type:	Alphanumeric
Field 9:	FROZEN_APR_MDC	(MDC) as assign	ed by 3M™ APR-DRG Grouper.
Description: Beginning Position:	30	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 10:	FROZEN_APR_GROUP		•
Description:			d Grouper version used to assign APR DRG codes,
•			s and, Severity of Illness rankings
Beginning Position:	32	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 11:	FROZEN_APR_GROUP		
Description:	Error codes identify potent	tial variations with	n APR DRG code assignment
Coding Scheme:	00 No errors. DRG successfull		Gestational age/birth weight conflict (APR only)
	01 Diagnosis code cannot be u principal diagnosis	sed as 19	DisableHac = 0 and at least one HAC POA is invalid or exempt
	02 Record does not meet criter	ria for any 20	DisableHac is invalid and at least one HAC POA is N or U
	DRG 03 Invalid Age	21	DisableHac is invalid and at least one HAC POA is invalid
	03 Invalid Age	21	or exempt
	04 Invalid Sex	22	DisableHac = 0 and at least one HAC POA is exempt
	05 Invalid Discharge Status06 Invalid birthweight (AP &	APR only) 23	DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have
		•	different HAC POA values that are not Y, W, N, U
	09 Invalid discharge age in day APR only)	ys (AP & 25	DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W
	11 Invalid Principal Diagnosis		
Beginning Position:	37	Data Source:	Assigned
Length: Field 12:	MS DRG	Type:	Alphanumeric
Description:	_	Medicaid Services	(CMS) Diagnosis Related Group (DRG), as
Description.	assigned for hospital payme		1 ,
Beginning Position:	39	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 13:	MS_MDC		
Description:			ed by Centers for Medicare and Medicaid Services
			ministration (HCFA)) for hospital payment for
Paginning Desitions	Medicare beneficiaries. First		
Beginning Position: Length:	42 2	Data Source: Type:	Assigned Alphanumeric
Field 14:	MS_GROUPER_VERSION		Alphanumene
Description:			Grouper (formerly CMS DRG Grouper and
F · · · ·	•	•	ERSION_NBR) version used to assign MS DRG
	and, MS MDC codes		_ ,
Beginning Position:	44	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 15:	MS_GROUPER_ERROR		Mappa I :
Description:	Error codes identify potenti		
Coding Scheme:	No errors. DRG successfull	ly assigned.	9 DisableHac = 0 and at least one HAC POA is invalid or exempt
	01 Diagnosis code cannot be u diagnosis	sed as principal 20	*
Dene/There	diagnosis		-
DSHS/THCIC		— Рада 58 —	DSHS Document # E25-14163

WWW.DSHS.TEXAS.GOV/THCIC

Page 58

	02		~	Dischlattee is invalid and at least one HAC	DOA is
	02	Record does not meet criteria for any D	org ²	DisableHac is invalid and at least one HAC invalid or exempt	POA IS
	03	Invalid Age	2	DisableHac = 0 and at least one HAC POA	•
	04	Invalid Sex	2	DisableHac is invalid and at least one HAC	POA is
	05	Invalid Discharge Status	2	exempt DisableHac = 0 and there are multiple HAC different HAC POA values that are not Y, V	
	10	Illogical Principal Diagnosis (CMS onl	y) 2	DisableHac is invalid and there are multiple have different HAC POA values that are no	e HACs that
	11	Invalid Principal Diagnosis		have different HAC FOA values that are no	it I OI W
Beginning Position:	49	Data S	ource:	ssigned	
Length:	2	Type:		lphanumeric	
Field 16:		R_DRG			
Description:		` ,	Relate	roup (DRG) as assigned by 3M APR	R-DRG
D ' ' D '		uper D		. ,	
Beginning Position:	51	Data S	ource:	ssigned	
Length:	3	Type:		lphanumeric	
Field 17: Description:		K_MORTALITY	ra fram	All Dationt Refined (ARR) Diagnos	is Dalatad
Description:				e All Patient Refined (APR) Diagnos ber. Indicates the likelihood of dying.	
Coding Scheme:	1	Minor	JKG GI	er. malcates the fixenhood of dying.	
Couning Scheme.	2	Moderate			
	3	Major			
D ' ' D '	4	Extreme		. ,	
Beginning Position:	54	Data S	ource:	assigned	
Length: Field 18:	I TT T	Type: NESS_SEVERITY		lphanumeric	
Description:			nora fra	he All Patient Refined (APR) Diagno	osis Dalatad
Description:				er. Indicates the extent of physiologic	
		ompensation.	JKO OI	er. maleates the extent of physiologic	ic
Coding Scheme:	1	Minor			
coung beneme.	2	Moderate			
	3	Major			
	4	Extreme			
Beginning Position:	4 0	Extreme No class specified	ource:	ssigned	
Beginning Position: Length:	4	Extreme	ource:	ssigned Aphanumeric	
Beginning Position: Length: Field 19:	55 1	Extreme No class specified Data S	ource:	•	
Length:	4 0 55 1 API	Extreme No class specified Data S Type:		Alphanumeric	
Length: Field 19:	4 0 55 1 API	Extreme No class specified Data S Type: R_MDC	ıs assigr	Alphanumeric	
Length: Field 19: Description:	4 0 55 1 API Maj 56 2	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type:	ıs assigr ource:	hlphanumeric by 3M™ APR-DRG Grouper.	
Length: Field 19: Description: Beginning Position: Length: Field 20:	4 0 55 1 API Maj 56 2 API	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB	ns assigr ource:	hlphanumeric by 3M™ APR-DRG Grouper. assigned alphanumeric	
Length: Field 19: Description: Beginning Position: Length:	4 0 55 1 API Maj 56 2 API 3M	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NBI TM All Patient Refined Diagnosis	as assigr ource: R	hy 3M™ APR-DRG Grouper. Assigned Alphanumeric rouper version used to assign APR □	DRG codes,
Length: Field 19: Description: Beginning Position: Length: Field 20: Description:	4 0 55 1 API Maj 56 2 API 3M APF	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NBI TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality	as assigr ource: R s Related	by 3M™ APR-DRG Grouper. Assigned Alphanumeric rouper version used to assign APR D and,Severity of Illness rankings	DRG codes,
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position:	4 0 55 1 API Maj 56 2 API 3M APE 58	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S	as assigr ource: R s Related	by 3M™ APR-DRG Grouper. ssigned lphanumeric rouper version used to assign APR End,Severity of Illness rankings ssigned	DRG codes,
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length:	4 0 55 1 API Maj 56 2 API 3M APF 58 5	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type:	as assigr ource: R s Related ranking ource:	by 3M™ APR-DRG Grouper. Assigned Alphanumeric rouper version used to assign APR D and,Severity of Illness rankings	DRG codes,
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21:	4 0 55 1 API Maj 56 2 API 3M API 58 5	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI	as assignource: R s Related ranking ource:	by 3M™ APR-DRG Grouper. ssigned lphanumeric rouper version used to assign APR End,Severity of Illness rankings ssigned lphanumeric	DRG codes,
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API Maj 56 2 API 3M APF 58 5 API Erro	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variation	as assignource: R s Related ranking ource:	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR Dad, Severity of Illness rankings Assigned alphanumeric PR DRG code assignment	
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21:	4 0 55 1 API Maj 56 2 API 3M APF 58 5 API Erro	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned.	as assignource: R s Related ranking ource: E ions wit	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR Dad, Severity of Illness rankings Assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of	nly)
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API Maj 56 2 API 3M APF 58 5 API Erro	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variation	as assignource: R s Related ranking ource:	by 3M™ APR-DRG Grouper. Lassigned Liphanumeric rouper version used to assign APR D Lad,Severity of Illness rankings Liphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt	nly) s invalid or
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API Maj 56 2 API 3M APF 58 5 API Erro	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any	as assignource: R s Related ranking ource: E ions wit	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR Dad, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is	nly) s invalid or
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API Maj 56 2 API 3M APF 58 5 API 00 01	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG	as assignource: R s Related ranking ource: E tions with 12 19 20	by 3M™ APR-DRG Grouper. Lassigned Liphanumeric rouper version used to assign APR D Lassigned Liphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC F	nly) s invalid or POA is N or U
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API 56 2 API 3M APF 58 5 API Erro 00 01	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any	as assignource: R s Relater ranking ource: E ions wit	by 3M™ APR-DRG Grouper. Lassigned Liphanumeric rouper version used to assign APR D Lad,Severity of Illness rankings Liphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt	nly) s invalid or POA is N or U
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API 3M API 58 5 API 00 01 02 03 04	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NBI TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex	as assignource: R s Related ranking ource: E ions with 12 19 20 21 22	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR End, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac = 0 and at least one HAC For exempt DisableHac = 0 and at least one HAC POA is	nly) s invalid or POA is N or U POA is invalid
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 0 55 1 API Maj 56 2 API 3M APF 58 5 API Erro 00 01 02 03 04 05	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NBI TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex Invalid Discharge Status	as assigrource: R s Related ranking ource: 12 19 20 21 22 23	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR End, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR or DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC POA is or exempt DisableHac is invalid and at least one HAC POA is DisableHac = 0 and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is	nly) s invalid or POA is N or U POA is invalid s exempt POA is exempt
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API 3M API 58 5 API 00 01 02 03 04	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NBI TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex	as assignource: R s Related ranking ource: E ions with 12 19 20 21 22	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR End, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac = 0 and at least one HAC For exempt DisableHac = 0 and at least one HAC POA is	nly) s invalid or POA is N or U POA is invalid s exempt POA is exempt that have
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 0 55 1 API Maj 56 2 API 3M APF 58 5 API Erro 00 01 02 03 04 05	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex Invalid Discharge Status Invalid birthweight (AP & APR only) Invalid discharge age in days (AP &	as assigrource: R s Related ranking ource: 12 19 20 21 22 23	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR Dad, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC POA is bisableHac is invalid and at least one HAC POA is DisableHac = 0 and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and there are multiple IACs different HAC POA values that are not Y, W DisableHac is invalid and there are multiple IACs	nly) s invalid or POA is N or U POA is invalid s exempt POA is exempt that have (, N, U HACs that
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 55 1 API Maj 56 2 API 3M APF 58 5 API 00 01 02 03 04 05 06 09	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex Invalid Discharge Status Invalid birthweight (AP & APR only) Invalid discharge age in days (AP & APR only)	as assigrource: R s Related ranking ource: 12 19 20 21 22 23 24	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR Dad, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac = 0 and at least one HAC POA is bisableHac is invalid and at least one HAC For exempt DisableHac = 0 and at least one HAC POA is DisableHac = 0 and there are multiple HACs different HAC POA values that are not Y, W	nly) s invalid or POA is N or U POA is invalid s exempt POA is exempt that have (, N, U HACs that
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description: Coding Scheme:	4 0 55 1 API 56 2 API 3M APF 58 5 API 60 01 02 03 04 05 06	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NB TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex Invalid Discharge Status Invalid birthweight (AP & APR only) Invalid discharge age in days (AP &	as assigrource: R s Related ranking ource: 12 19 20 21 22 23 24	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR End, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR or DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC POA is bisableHac = 0 and at least one HAC POA is bisableHac = 0 and there are multiple HACs different HAC POA values that are not Y, W DisableHac is invalid and there are multiple I have different HAC POA values that are not	nly) s invalid or POA is N or U POA is invalid s exempt POA is exempt that have , N, U HACs that Y or W
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 0 0 55 1 Maj 56 2 API 3M APF 58 5 API 00 01 02 03 04 05 06 09 11	Extreme No class specified Data S Type: R_MDC or Diagnostic Category (MDC) a Data S Type: R_GROUPER_VERSION_NBI TM All Patient Refined Diagnosis R MDC codes, Risk of Mortality Data S Type: R_GROUPER_ERROR_CODI or codes identify potential variati No errors. DRG successfully assigned. Diagnosis code cannot be used as principal diagnosis Record does not meet criteria for any DRG Invalid Age Invalid Sex Invalid Discharge Status Invalid Discharge Status Invalid discharge age in days (AP & APR only) Invalid Principal Diagnosis	as assigrource: R s Relaterranking ource: E cons with the second of the second output to th	by 3M™ APR-DRG Grouper. Assigned alphanumeric rouper version used to assign APR Dad, Severity of Illness rankings assigned alphanumeric PR DRG code assignment Gestational age/birth weight conflict (APR of DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC For exempt DisableHac is invalid and at least one HAC POA is bisableHac is invalid and at least one HAC POA is DisableHac = 0 and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and at least one HAC POA is DisableHac is invalid and there are multiple IACs different HAC POA values that are not Y, W DisableHac is invalid and there are multiple IACs	nly) s invalid or POA is N or U POA is invalid s exempt POA is exempt that have I, N, U HACs that Y or W E25-14163

Beginning Position:63Data Source:AssignedLength:2Type:Alphanumeric



Texas Department of State Health Services

Texas Hospital Inpatient Discharge Public Use Data File DATA FIELDS

BASE DATA #1 FILE

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	DISCHARGE	13	6	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	TYPE_OF_ADMISSION	25	1	Alphanumeric
5	SOURCE_OF_ADMISSION	26	1	Alphanumeric
6	SPEC_UNIT_1	27	1	Alphanumeric
7	SPEC_UNIT_2	28	1	Alphanumeric
8	SPEC_UNIT_3	29	1	Alphanumeric
9	SPEC_UNIT_4	30	1	Alphanumeric
10	SPEC_UNIT_5	31	1	Alphanumeric
11	PAT_STATE	32	2	Alphanumeric
12	PAT_ZIP	34	5	Alphanumeric
13	PAT_COUNTRY	39	2	Alphanumeric
14	PAT_COUNTY	41	3	Alphanumeric
15	PUBLIC_HEALTH_REGION	44	2	Alphanumeric
16	PAT_STATUS	46	2	Alphanumeric
17	SEX_CODE	48	1	Alphanumeric
18	RACE	49	1	Alphanumeric
19	ETHNICITY	50	1	Alphanumeric
20	ADMIT_WEEKDAY	51	1	Alphanumeric
21	LENGTH_OF_STAY	52	4	Alphanumeric
22	PAT_AGE	56	2	Alphanumeric
23	FIRST_PAYMENT_SRC	58	2	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
24	SECONDARY_PAYMENT_SRC	60	2	Alphanumeric
25	TYPE_OF_BILL	62	3	Alphanumeric
26	TOTAL_CHARGES	65	12	Numeric
27	TOTAL_NON_COV_CHARGES	77	12	Numeric
28	TOTAL_CHARGES_ACCOMM	89	12	Numeric
29	TOTAL_NON_COV_CHARGES_ACCOMM	101	12	Numeric
30	TOTAL_CHARGES_ANCIL	113	12	Numeric
31	TOTAL_NON_COV_CHARGES_ANCIL	125	12	Numeric
32	ADMITTING_DIAGNOSIS	137	7	Alphanumeric
33	PRINC_DIAG_CODE	144	7	Alphanumeric
34	POA_PRINC_DIAG_CODE	151	1	Alphanumeric
35	OTH_DIAG_CODE_1	152	7	Alphanumeric
36	POA_OTH_DIAG_CODE_1	159	1	Alphanumeric
37	OTH_DIAG_CODE_2	160	7	Alphanumeric
38	POA_OTH_DIAG_CODE_2	167	1	Alphanumeric
39	OTH_DIAG_CODE_3	168	7	Alphanumeric
40	POA_OTH_DIAG_CODE_3	175	1	Alphanumeric
41	OTH_DIAG_CODE_4	176	7	Alphanumeric
42	POA_OTH_DIAG_CODE_4	183	1	Alphanumeric
43	OTH_DIAG_CODE_5	184	7	Alphanumeric
44	POA_OTH_DIAG_CODE_5	191	1	Alphanumeric
45	OTH_DIAG_CODE_6	192	7	Alphanumeric
46	POA_OTH_DIAG_CODE_6	199	1	Alphanumeric
47	OTH_DIAG_CODE_7	200	7	Alphanumeric
48	POA_OTH_DIAG_CODE_7	207	1	Alphanumeric
49	OTH_DIAG_CODE_8	208	7	Alphanumeric
50	POA_OTH_DIAG_CODE_8	215	1	Alphanumeric
51	OTH_DIAG_CODE_9	216	7	Alphanumeric
52	POA_OTH_DIAG_CODE_9	223	1	Alphanumeric
53	OTH_DIAG_CODE_10	224	7	Alphanumeric
54	POA_OTH_DIAG_CODE_10	231	1	Alphanumeric
55	OTH_DIAG_CODE_11	232	7	Alphanumeric
56	POA_OTH_DIAG_CODE_11	239	1	Alphanumeric
57	OTH_DIAG_CODE_12	240	7	Alphanumeric
58	POA_OTH_DIAG_CODE_12	247	1	Alphanumeric
59	OTH_DIAG_CODE_13	248	7	Alphanumeric
60	POA_OTH_DIAG_CODE_13	255	1	Alphanumeric
61	OTH_DIAG_CODE_14	256	7	Alphanumeric
62	POA_OTH_DIAG_CODE_14	263	1	Alphanumeric
63	OTH_DIAG_CODE_15	264	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
64	POA_OTH_DIAG_CODE_15	271	1	Alphanumeric
65	OTH_DIAG_CODE_16	272	7	Alphanumeric
66	POA_OTH_DIAG_CODE_16	279	1	Alphanumeric
67	OTH_DIAG_CODE_17	280	7	Alphanumeric
68	POA_OTH_DIAG_CODE_17	287	1	Alphanumeric
69	OTH_DIAG_CODE_18	288	7	Alphanumeric
70	POA_OTH_DIAG_CODE_18	295	1	Alphanumeric
71	OTH_DIAG_CODE_19	296	7	Alphanumeric
72	POA_OTH_DIAG_CODE_19	303	1	Alphanumeric
73	OTH_DIAG_CODE_20	304	7	Alphanumeric
74	POA_OTH_DIAG_CODE_20	311	1	Alphanumeric
75	OTH_DIAG_CODE_21	312	7	Alphanumeric
76	POA_OTH_DIAG_CODE_21	319	1	Alphanumeric
77	OTH_DIAG_CODE_22	320	7	Alphanumeric
78	POA_OTH_DIAG_CODE_22	327	1	Alphanumeric
79	OTH_DIAG_CODE_23	328	7	Alphanumeric
80	POA_OTH_DIAG_CODE_23	335	1	Alphanumeric
81	OTH_DIAG_CODE_24	336	7	Alphanumeric
82	POA_OTH_DIAG_CODE_24	343	1	Alphanumeric
83	E_CODE_1	344	7	Alphanumeric
84	POA_E_CODE_1	351	1	Alphanumeric
85	E_CODE_2	352	7	Alphanumeric
86	POA_E_CODE_2	359	1	Alphanumeric
87	E_CODE_3	360	7	Alphanumeric
88	POA_E_CODE_3	367	1	Alphanumeric
89	E_CODE_4	368	7	Alphanumeric
90	POA_E_CODE_4	375	1	Alphanumeric
91	E_CODE_5	376	7	Alphanumeric
92	POA_E_CODE_5	383	1	Alphanumeric
93	E_CODE_6	384	7	Alphanumeric
94	POA_E_CODE_6	391	1	Alphanumeric
95	E_CODE_7	392	7	Alphanumeric
96	POA_E_CODE_7	399	1	Alphanumeric
97	E_CODE_8	400	7	Alphanumeric
98	POA_E_CODE_8	407	1	Alphanumeric
99	E_CODE_9	408	7	Alphanumeric
100	POA_E_CODE_9	415	1	Alphanumeric
101	E_CODE_10	416	7	Alphanumeric
102	POA_E_CODE_10	423	1	Alphanumeric
103	PRINC_SURG_PROC_CODE	424	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
104	PRINC_SURG_PROC_DAY	431	4	Alphanumeric
105	OTH_SURG_PROC_CODE_1	435	7	Alphanumeric
106	OTH_SURG_PROC_DAY_1	442	4	Alphanumeric
107	OTH_SURG_PROC_CODE_2	446	7	Alphanumeric
108	OTH_SURG_PROC_DAY_2	453	4	Alphanumeric
109	OTH_SURG_PROC_CODE_3	457	7	Alphanumeric
110	OTH_SURG_PROC_DAY_3	464	4	Alphanumeric
111	OTH_SURG_PROC_CODE_4	468	7	Alphanumeric
112	OTH_SURG_PROC_DAY_4	475	4	Alphanumeric
113	OTH_SURG_PROC_CODE_5	479	7	Alphanumeric
114	OTH_SURG_PROC_DAY_5	486	4	Alphanumeric
115	OTH_SURG_PROC_CODE_6	490	7	Alphanumeric
116	OTH_SURG_PROC_DAY_6	497	4	Alphanumeric
117	OTH_SURG_PROC_CODE_7	501	7	Alphanumeric
118	OTH_SURG_PROC_DAY_7	508	4	Alphanumeric
119	OTH_SURG_PROC_CODE_8	512	7	Alphanumeric
120	OTH_SURG_PROC_DAY_8	519	4	Alphanumeric
121	OTH_SURG_PROC_CODE_9	523	7	Alphanumeric
122	OTH_SURG_PROC_DAY_9	530	4	Alphanumeric
123	OTH_SURG_PROC_CODE_10	534	7	Alphanumeric
124	OTH_SURG_PROC_DAY_10	541	4	Alphanumeric
125	OTH_SURG_PROC_CODE_11	545	7	Alphanumeric
126	OTH_SURG_PROC_DAY_11	552	4	Alphanumeric
127	OTH_SURG_PROC_CODE_12	556	7	Alphanumeric
128	OTH_SURG_PROC_DAY_12	563	4	Alphanumeric
129	OTH_SURG_PROC_CODE_13	567	7	Alphanumeric
130	OTH_SURG_PROC_DAY_13	574	4	Alphanumeric
131	OTH_SURG_PROC_CODE_14	578	7	Alphanumeric
132	OTH_SURG_PROC_DAY_14	585	4	Alphanumeric
133	OTH_SURG_PROC_CODE_15	589	7	Alphanumeric
134	OTH_SURG_PROC_DAY_15	596	4	Alphanumeric
135	OTH_SURG_PROC_CODE_16	600	7	Alphanumeric
136	OTH_SURG_PROC_DAY_16	607	4	Alphanumeric
137	OTH_SURG_PROC_CODE_17	611	7	Alphanumeric
138	OTH_SURG_PROC_DAY_17	618	4	Alphanumeric
139	OTH_SURG_PROC_CODE_18	622	7	Alphanumeric
140	OTH_SURG_PROC_DAY_18	629	4	Alphanumeric
141	OTH_SURG_PROC_CODE_19	633	7	Alphanumeric
142	OTH_SURG_PROC_DAY_19	640	4	Alphanumeric
143	OTH_SURG_PROC_CODE_20	644	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
144	OTH_SURG_PROC_DAY_20	651	4	Alphanumeric
145	OTH_SURG_PROC_CODE_21	655	7	Alphanumeric
146	OTH_SURG_PROC_DAY_21	662	4	Alphanumeric
147	OTH_SURG_PROC_CODE_22	666	7	Alphanumeric
148	OTH_SURG_PROC_DAY_22	673	4	Alphanumeric
149	OTH_SURG_PROC_CODE_23	677	7	Alphanumeric
150	OTH_SURG_PROC_DAY_23	684	4	Alphanumeric
151	OTH_SURG_PROC_CODE_24	688	7	Alphanumeric
152	OTH_SURG_PROC_DAY_24	695	4	Alphanumeric
153	ATTENDING_PHYSICIAN_UNIF_ID	699	10	Alphanumeric
154	OPERATING_PHYSICIAN_UNIF_ID	709	10	Alphanumeric
155	ENCOUNTER_INDICATOR	719	2	Alphanumeric
156	PROVIDER_NAME	721	55	Alphanumeric
157	EMERGENCY_DEPT_FLAG	776	1	Alphanumeric
	Record_Length		776	

BASE DATA #2 FILE

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	PRIVATE_AMOUNT	13	12	Numeric
3	SEMI_PRIVATE_AMOUNT	25	12	Numeric
4	WARD_AMOUNT	37	12	Numeric
5	ICU_AMOUNT	49	12	Numeric
6	CCU_AMOUNT	61	12	Numeric
7	OTHER_AMOUNT	73	12	Numeric
8	PHARM_AMOUNT	85	12	Numeric
9	MEDSURG_AMOUNT	97	12	Numeric
10	DME_AMOUNT	109	12	Numeric
11	USED_DME_AMOUNT	121	12	Numeric
12	PT_AMOUNT	133	12	Numeric
13	OT_AMOUNT	145	12	Numeric
14	SPEECH_AMOUNT	157	12	Numeric
15	IT_AMOUNT	169	12	Numeric
16	BLOOD_AMOUNT	181	12	Numeric
17	BLOOD_ADM_AMOUNT	193	12	Numeric
18	OR_AMOUNT	205	12	Numeric
19	LITH_AMOUNT	217	12	Numeric
20	CARD_AMOUNT	229	12	Numeric
21	ANES_AMOUNT	241	12	Numeric
22	LAB_AMOUNT	253	12	Numeric
23	RAD_AMOUNT	265	12	Numeric
24	MRI_AMOUNT	277	12	Numeric
25	OP_AMOUNT	289	12	Numeric
26	ER_AMOUNT	301	12	Numeric
27	AMBULANCE_AMOUNT	313	12	Numeric
28	PRO_FEE_AMOUNT	325	12	Numeric
29	ORGAN_AMOUNT	337	12	Numeric
30	ESRD_AMOUNT	349	12	Numeric
31	CLINIC_AMOUNT	361	12	Numeric
32	OCCUR_CODE_1	373	2	Alphanumeric
33	OCCUR_DAY_1	375	4	Alphanumeric
34	OCCUR_CODE_2	379	2	Alphanumeric
35	OCCUR_DAY_2	381	4	Alphanumeric
36	OCCUR_CODE_3	385	2	Alphanumeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
37	OCCUR_DAY_3	387	4	Alphanumeric
38	OCCUR_CODE_4	391	2	Alphanumeric
39	OCCUR_DAY_4	393	4	Alphanumeric
40	OCCUR_CODE_5	397	2	Alphanumeric
41	OCCUR_DAY_5	399	4	Alphanumeric
42	OCCUR_CODE_6	403	2	Alphanumeric
43	OCCUR_DAY_6	405	4	Alphanumeric
44	OCCUR_CODE_7	409	2	Alphanumeric
45	OCCUR_DAY_7	411	4	Alphanumeric
46	OCCUR_CODE_8	415	2	Alphanumeric
47	OCCUR_DAY_8	417	4	Alphanumeric
48	OCCUR_CODE_9	421	2	Alphanumeric
49	OCCUR_DAY_9	423	4	Alphanumeric
50	OCCUR_CODE_10	427	2	Alphanumeric
51	OCCUR_DAY_10	429	4	Alphanumeric
52	OCCUR_CODE_11	433	2	Alphanumeric
53	OCCUR_DAY_11	435	4	Alphanumeric
54	OCCUR_CODE_12	439	2	Alphanumeric
55	OCCUR_DAY_12	441	4	Alphanumeric
56	OCCUR_SPAN_CODE_1	445	2	Alphanumeric
57	OCCUR_SPAN_FROM_1	447	6	Alphanumeric
58	OCCUR_SPAN_THRU_1	453	6	Alphanumeric
59	OCCUR_SPAN_CODE_2	459	2	Alphanumeric
60	OCCUR_SPAN_FROM_2	461	6	Alphanumeric
61	OCCUR_SPAN_THRU_2	467	6	Alphanumeric
62	OCCUR_SPAN_CODE_3	473	2	Alphanumeric
63	OCCUR_SPAN_FROM_3	475	6	Alphanumeric
64	OCCUR_SPAN_THRU_3	481	6	Alphanumeric
65	OCCUR_SPAN_CODE_4	487	2	Alphanumeric
66	OCCUR_SPAN_FROM_4	489	6	Alphanumeric
67	OCCUR_SPAN_THRU_4	495	6	Alphanumeric
68	CONDITION_CODE_1	501	2	Alphanumeric
69	CONDITION_CODE_2	503	2	Alphanumeric
70	CONDITION_CODE_3	505	2	Alphanumeric
71	CONDITION_CODE_4	507	2	Alphanumeric
72	CONDITION_CODE_5	509	2	Alphanumeric
73	CONDITION_CODE_6	511	2	Alphanumeric
74	CONDITION_CODE_7	513	2	Alphanumeric
75	CONDITION_CODE_8	515	2	Alphanumeric
76	VALUE_CODE_1	517	2	Alphanumeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
77	VALUE_AMOUNT_1	519	9	Numeric
78	VALUE_CODE_2	528	2	Alphanumeric
79	VALUE_AMOUNT_2	530	9	Numeric
80	VALUE_CODE_3	539	2	Alphanumeric
81	VALUE_AMOUNT_3	541	9	Numeric
82	VALUE_CODE_4	550	2	Alphanumeric
83	VALUE_AMOUNT_4	552	9	Numeric
84	VALUE_CODE_5	561	2	Alphanumeric
85	VALUE_AMOUNT_5	563	9	Numeric
86	VALUE_CODE_6	572	2	Alphanumeric
87	VALUE_AMOUNT_6	574	9	Numeric
88	VALUE_CODE_7	583	2	Alphanumeric
89	VALUE_AMOUNT_7	585	9	Numeric
90	VALUE_CODE_8	594	2	Alphanumeric
91	VALUE_AMOUNT_8	596	9	Numeric
92	VALUE_CODE_9	605	2	Alphanumeric
93	VALUE_AMOUNT_9	607	9	Numeric
94	VALUE_CODE_10	616	2	Alphanumeric
95	VALUE_AMOUNT_10	618	9	Numeric
96	VALUE_CODE_11	627	2	Alphanumeric
97	VALUE_AMOUNT_11	629	9	Numeric
98	VALUE_CODE_12	638	2	Alphanumeric
99	VALUE_AMOUNT_12	640	9	Numeric
	Record_Length		648	

CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

FACILITY TYPE INDICATOR FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	FACILITY_TYPE	7	4	Alphanumeric
3	FAC_TEACHING_IND	11	1	Alphanumeric
4	FAC_PSYCH_IND	12	1	Alphanumeric
5	FAC_REHAB_IND	13	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	14	1	Alphanumeric
7	FAC_SNF_IND	15	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	16	1	Alphanumeric
9	FAC_OTHER_LTC_IND	17	1	Alphanumeric
10	FAC_PEDS_IND	18	1	Alphanumeric
11	PROVIDER_NAME	19	55	Alphanumeric
12	POA_PROVIDER_INDICATOR	74	1	Alphanumeric
13	CERT_STATUS	75	1	Alphanumeric
	Record_Length		75	

GROUPER FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	FROZEN_MS_DRG	13	3	Alphanumeric
3	FROZEN_MS_MDC	16	2	Alphanumeric
4	FROZEN_MS_GRP_VER	18	5	Alphanumeric
5	FROZEN_MS_GRP_ERROR_CODE	23	2	Alphanumeric
6	FROZEN_APR_DRG	25	3	Alphanumeric
7	FROZEN_RISK_MORTALITY	28	1	Alphanumeric
8	FROZEN_ILLNESS_SEVERITY	29	1	Alphanumeric
9	FROZEN_APR_MDC	30	2	Alphanumeric
10	FROZEN_APR_GRP_VER	32	5	Alphanumeric
11	FROZEN_APR_GRP_ERROR_CODE	37	2	Alphanumeric
12	MS_DRG	39	3	Alphanumeric
13	MS_MDC	42	2	Alphanumeric
14	MS_GRP_VER	44	5	Alphanumeric
15	MS_GRP_ERROR_CODE	49	2	Alphanumeric
16	APR_DRG	51	3	Alphanumeric
17	RISK_MORTALITY	54	1	Alphanumeric
18	ILLNESS_SEVERITY	55	1	Alphanumeric
19	APR_MDC	56	2	Alphanumeric
20	APR_GRP_VER	58	5	Alphanumeric
21	APR_GRP_ERROR_CODE	63	2	Alphanumeric
	Record_Length		64	