

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2024

BACKGROUND	.2
PUBLIC USE DATA FILE (PUDF)	.2
DATA PROCESSING AND QUALITY	.5
PATIENT/PHYSICIAN CONFIDENTIALITY	.6
RESTRICTIONS ON DATA USE	.8
DATA LIMITATIONS	.9
HOSPITAL COMMENTS1	.1
CITATION1	.2
DATA DICTIONARY	13 34 47 56
DATA FIELDS	52 57 70 70

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004, and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015, data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC require DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 12 variables including the THCIC ID and facility name and variables indicating whether the

facility is a teaching facility or pediatric hospital or other specialty facility. The file also includes POA provider indicator and certification status.

A Facility Reporting Status document is included which provides information about whether the facilities reported or if they reported low numbers and their identification was masked in the data, reported no discharges or if they closed, were out of compliance and if they submitted any comments about their data.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2024 PUDF is available in five fixed length format text files, Base Data #1, Base Data #2, Charges Data, Groupers Data, and Facility Type Data files. The files are also available in tab-delimited format. The size of the files is as follows:

Base Data #1	820,346 records	157 variables	Fixed field format	609 MB	Tab-delimited	304 MB
Base Data #2	820,346 records	99 variables	Fixed field format	509 MB	Tab-delimited	212 MB
Charges	15,982,731 records	13 variables	Fixed field format	1,250 MB	Tab-delimited	760 MB
Grouper Data	820,346 records	21 variables	Fixed field format	52 MB	Tab-delimited	67 MB
Facility Type Data	708 records	13 variables	Fixed field format	53 KB	Tab-delimited	42 KB

First quarter, 708* hospitals:

Second quarter, 696* hospitals:

797,178 records	157 variables	Fixed field format	591 MB	Tab-delimited	295 MB
797,178 records	99 variables	Fixed field format	494 MB	Tab-delimited	206 MB
524,575 records	13 variables	Fixed field format	1,214 MB	Tab-delimited	739 MB
797,178 records	21 variables	Fixed field format	50 MB	Tab-delimited	65 MB
696 records	13 variables	Fixed field format	52 KB	Tab-delimited	41 KB
	797,178 records 524,575 records 797,178 records	797,178 records99 variables524,575 records13 variables797,178 records21 variables	797,178 records99 variablesFixed field format524,575 records13 variablesFixed field format797,178 records21 variablesFixed field format	797,178 records99 variablesFixed field format494 MB524,575 records13 variablesFixed field format1,214 MB797,178 records21 variablesFixed field format50 MB	797,178 records99 variablesFixed field format494 MBTab-delimited524,575 records13 variablesFixed field format1,214 MBTab-delimited797,178 records21 variablesFixed field format50 MBTab-delimited

Third quarter, 691* hospitals:

Base Data #1	823,286 records	157 variables	Fixed field format	611 MB	Tab-delimited	295 MB
Base Data #2	823,286 records	99 variables	Fixed field format	510 MB	Tab-delimited	213 MB
Charges	15,832,415 records	13 variables	Fixed field format	1,238 MB	Tab-delimited	754 MB
Grouper Data	823,286 records	21 variables	Fixed field format	52 MB	Tab-delimited	68 MB
Facility Type Data	691 records	13 variables	Fixed field format	52 KB	Tab-delimited	41 KB

* Final number of reporting hospitals, calculated as the result of the original number of reporting hospitals minus the number of hospital(s) with ALL claims submitted wrong due to wrong type of bills.

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals

using the THCIC 837 format. The following data elements, other than the grouper file, are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004; the grouper file becomes available for 2022 data and beyond:

BASE DATA #1 FILE (Separated Base File 2	2011)
FAC LONG TERM AC IND	Added 2004. Moved to Facility Type Indicator File in 2011
PAT_COUNTRY	Added 2004. Hoved to Facility Type Indicator File in 2011
FIRST_PAYMENT_SRC	Replaces PAYMENT_SOURCE_1 and SOURCE_PAYMENT_CODE_1
SECOND PAYMENT SRC	Replaces PAYMENT_SOURCE_2 and SOURCE_PAYMENT_CODE_2
REVENUE_CODE_23	No longer available
TOTAL_CHARGES	Replaces TOTAL_CHARGES_23
TOTAL_CHARGES ACCOMM	
	Replaces CLAIM_CHARGES_ACCOMM
TOTAL_NON_COV_CHARGES_ACCOMM	Replaces CLAIM_NON_COV_CHARGES_ACCOMM
TOTAL_CHARGES_ANCIL	Replaces CLAIM_CHARGES_ANCIL
TOTAL_NON_COV_CHARGES_ANCIL	Replaces CLAIM_NON_COV_CHARGES_ANCIL
EXTERNAL_CAUSE_OF_INJURY_1	Replaces EXTNAL_CAUSE_OF_INJURY
EXTERNAL_CAUSE_OF_INJURY_2 to	Added 2004
EXTERNAL_CAUSE_OF_INJURY_10	
OTH_DIAG_CODE_9 to OTH_DIAG_CODE_25	Added 2004
OTH_SURG_PROC_CODE_6 to	Added 2004
OTH_SURG_PROC_CODE_25	
OTH_SURG_PROC_DAY_6 to	Added 2004
OTH_SURG_PROC_DAY_25	
OTH_ICD9_CODE_6 to OTH_ICD9_CODE_25	Added 2004
MS_MDC name changed from CMS_MDC	Added 2004; no longer available in Base Data #1—renamed as
(2011)	FROZEN_MS_MDC and moved to Grouper File in 2022
INBOUND_INDICATOR	Available 2004 only
POA_PRINC_DIAG _CODE	Added 2011
POA_OTH_DIAG_CODE_1 to	
POA OTH DIAG CODE 24	Added 2011
POA E CODE 1 to POA E CODE 10	Added 2011
	Added 2011; no longer available in Base Data #1—renamed as
	FROZEN_MS_GRP_ERROR_CODE and moved to Grouper File in
MS GROUPER ERROR CODE	2022
	Added 2011; no longer available in Base Data #1-renamed as
	FROZEN_APR_GRP_ERROR_CODE and moved to Grouper File in
APR_GROUPER_ERROR_CODE	2022
PRINC_ICD9_CODE	No longer available
OTH_ICD9_CODE_1- OTH_ICD9_CODE_24	No longer available
EMERGENCY_DEPT_FLAG	Added 2017
	calculated charge amounts and situational data elements to
this file	anculated charge amounts and situational data clements to
CONDITION_CODE_1 to CONDITION_CODE_8	Added 2004
OCCUR_CODE_1 to OCCUR_CODE_12	Added 2004
OCCUR DAY 1 to OCCUR DAY 12	Added 2004
OCCUR_SPAN_CODE_1 to	Added 2004 Added 2004
OCCUR SPAN_CODE_1 to	
OCCUR_SPAN_CODE_4	Added 2004
OCCUR_SPAN_FROM_4	Added 2004
OCCUR_SPAN_THRU_1 to	Added 2004
OCCUR_SPAN_THRU_4	Added 2004
VALUE_CODE_1 to VALUE_CODE_12	Added 2004
VALUE_AMOUNT_1 to VALUE_AMOUNT_12	Added 2004
CHARGES FILE	
REVENUE_CODE	Added 2004
HCPCS_QUALIFIER	Added 2004
HCPCS_PROCEDURE_CODE	Added 2004
MODIFIER_1 TO MODIFIER_4	Added 2004
UNIT_MEASUREMENT_CODE	Added 2004
UNITS_OF_SERVICE	Added 2004
UNIT_RATE	Added 2004
CHRGS_LINE_ITEM	Added 2004
	DSHS Document # E25 1/162

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

CHRGS_NON_COV	Added 2004
FACILITY TYPE INDICATOR FILE (added	2011) Moved facility information data elements to this file
POA_PROVIDER_INDICATOR	Moved from Base Data #1 file to Facility Type Indicator File in 2015
CERT_STATUS	Moved from Base Data #1 file to Facility Type Indicator File in 2015
GROUPER FILE (added 2022)	
FROZEN_MS_DRG	Replaces MS_DRG; moved from Base Data #1 file to Grouper File in 2022
FROZEN_MS_MDC	Replaces MS_MDC; moved from Base Data #1 file to Grouper File in 2022
FROZEN_MS_GROUPER_VERSION_NBR	Replaces MS_GROUPER_VERSION_NBR; moved from Base Data #1 file to Grouper File in 2022
FROZEN_ MS _GROUPER_ERROR_CODE	Replaces MS_GROUPER_ERROR_CODE; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_DRG	Replaces APR_DRG; moved from Base Data #1 file to Grouper File in 2022
FROZEN_RISK_MORTALITY	Replaces RISK_MORTALITY; moved from Base Data #1 file to Grouper File in 2022
FROZEN_ILLNESS_SEVERITY	Replaces ILLNESS_SEVERITY; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_MDC	Replaces APR_MDC; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_GROUPER_VERSION_NBR	Replaces APR_GROUPER_VERSION_NBR; moved from Base Data #1 file to Grouper File in 2022
FROZEN_APR_GROUPER_ERROR_CODE	Replaces APR_GROUPER_ERROR_CODE; moved from Base Data #1 file to Grouper File in 2022
MS _DRG	Dynamic; added 2022
MS_MDC	Dynamic; added 2022
MS_GROUPER_VERSION_NBR	Dynamic; added 2022
MS _GROUPER_ERROR_CODE	Dynamic; added 2022
APR_DRG	Dynamic; added 2022
RISK_MORTALITY	Dynamic; added 2022
ILLNESS_SEVERITY	Dynamic; added 2022
APR_MDC	Dynamic; added 2022
APR_GROUPER_VERSION_NBR	Dynamic; added 2022
APR_GROUPER_ERROR_CODE	Dynamic; added 2022

DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (electronic UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used

for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

Beginning with fourth (4th) quarter 2015 data ICD-10-CM diagnostic codes and ICD-10-PCS procedure codes were mandated by the Federal Government. The increased length of the codes required a change in the data file formats. Some data fields (for example, "POA_Provider_ Indicator" and Cert_Status") are moved to the "Facility Type Indicator" file.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013(c) also stipulates that DSHS may not release, and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.

- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients).

The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from dates, statement through dates and procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019, Texas Register on page 44 TexReg 429 and became effective January 30, 2019.

Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:

- *Texas Hospital Inpatient Discharge Public Use Data File,* [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 electronic format and THCIC 837 format. Because these are billing forms, the data collected are administrative data and not clinical data. Beginning with 2005 all data are collected from the THCIC 837 format.
- Records with Major Diagnositic Category (MDC) codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After

October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.

- Hospital charges data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.
- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-10-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available after first (1st) quarter 2000 except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.
- The data are a snapshot in time. Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.
- Race and ethnicity data are required by law and rule to submit for each patient, generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments if submitted by the facilities.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.

- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as case-mix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long-Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.
- Updates to any PUDF CD's are available through the THCIC website, <u>http://www.dshs.texas.gov/thcic/</u>, which should be checked periodically as notifications of an update will not be sent.
- DSHS collects data from all hospitals in the state not specifically exempted by statute prior to January 1, 2015, services. Some hospitals maybe exempted for certain situations (for example, natural or other disasters or other unusual conditions) for limited time periods. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

HOSPITAL COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in separate file called the 'Reporting Status of Texas Hospitals'.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

REVISION

Field 2: DISCHARGE: Additional information regarding the breakdown of months into quarters added



Texas Hospital Inpatient Discharge Public Use Data File

DATA DICTIONARY

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element.
Description	Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals
Data Source	Provided by the health care facility on the claim form (Claim)
	Assigned by DSHS (Assigned)
	Provided to THCIC by the healthcare facility (Provider)
	Calculated by DSHS (Calculated)
	Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted
	following the Data Source.
Туре	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

BASE DATA #1 FILE

Field 1:	RECORD_ID						
Description:	Record Identification Number. Unique numb	er assigned to identify the record. First available					
-		ORD ID in THCIC Research Data Files (RDF's).					
Beginning Position:	1 Data Source:	Assigned					
Length:	12 Type:	Alphanumeric					
Field 2:	DISCHARGE						
Description:	Discharge Quarter. Year and quarter of discharge	Discharge Quarter. Year and quarter of discharge. <i>yyyyQn</i> .					
	1st Quarter (YYYYQ1): 1st January-31st	March of that corresponding year					
	2nd Quarter (YYYYQ2): 1st April – 30th June of that corresponding year						
	3rd Quarter (YYYYQ3): 1st July- 30th Se	ptember of that corresponding year					
	4th Quarter (YYYYQ4); 1st October-31st	December of that corresponding year					
	* Late submissions by facilities of the previou	us quarter can appear.					
DSHS/THCIC	· · ·	DSHS Document # E25-14163					

Beginning Position:	13	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 3:	THCIC_ID	Type.	Tiphaneme	
Description:	Provider ID. Unique identif	fier assigned to the	provider by DSHS	
Suppression:	Hospitals with fewer than 5			Provider ID '000000' If
Suppression.	a hospital has fewer than 5			
	is '999998'.	discharges of a pa	luculai gender, including	ulikilowii, Flovidei ID
Desimulus Desitions		Data Common	Assistant	
Beginning Position:	19	Data Source:	Assigned	
Length: Field 4:	6 TYPE OF ADMISSION	Туре:	Alphanumeric	
	TYPE_OF_ADMISSION			
Description:	Code indicating the type of 1 Emergency	admission		
Coding Scheme:	2 Urgent			
	3 Elective			
	4 Newborn			
	5 Trauma	L1.		
	 9 Information not availab Invalid 	bie		
Beginning Position:	25	Data Source:	Claim	
Length:	1	Type:	Alphanumeric	
Field 5:	SOURCE OF ADMISSI		Tiplianeme	
Description:	Code indicating source of the			
Coding Scheme:	1 Non-Healthcare Facilit		inning July 1, 2010)	
Couning Scheme.	2 Clinic or Physician's C			
	4 Transfer from a hospita			
		0	nediate care facility or assisted liv	ing facility
	6 Transfer from another 1	•		
	 8 Court/Law Enforcement 9 Information not available 			
			tal to another Distinct Unit of the	Same Hospital Resulting in a
	Separate Claim to the I	-		Same mosphar resulting in a
	E Transfer from Ambulat	tory Surgery Center		
	F Transfer from a Hospic	ce Facility		
	Invalid			
	If Type of Admission=4 (Newborn 5 Born inside this hospita			
	6 Born outside this hospit			
Beginning Position:	26	Data Source:	Claim	
Length:	1	Туре:	Alphanumeric	
Field 6:	SPEC_UNIT_1	Typer	Tipitallanielle	
Description:	Specialty Units in which m	ost days during sta	w occurred based on numb	er of days by Type of
Description.	Bill or Revenue Code.	lost days during sta	ly becarred based on nume	er of days by Type of
Coding Scheme:		Coronary Care Unit	Р	Pediatric Unit
Couning Scheme.		Detoxification Unit	Y	Psychiatric Unit
	I Iı	ntensive Care Unit	R	Rehabilitation Unit
		Hospice Unit	U	Sub-acute Care Unit
		Nursery	S	Skilled Nursing Unit
		Dbstetric Unit Dncology Unit	Blank	Acute Care
Beginning Position:	27	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 7:	SPEC_UNIT_2	Type.	Aphanumene	
Description:	Specialty Units in which 2^n	d most days during	stay occurred based on n	mbor of days by Type
Description.	of Bill or Revenue Code.	most days during	, stay occurred based off fil	moet of days by Type
Coding Schomor	Same as field SPEC_UNIT	· 1		
Coding Scheme:			Calculated	
Beginning Position:	28	Data Source:	Calculated	
Length:		Туре:	Alphanumeric	
Field 8:	SPEC_UNIT_3	d		1 (1) 7
Description:	Specialty Units in which 3 rd	" most days during	stay occurred based on nu	mber of days by Type
	of Bill or Revenue Code.			

Coding Scheme:	Same as field SPEC_UNIT_	_1	
Beginning Position:		Data Source:	Calculated
Length:	1	Type:	Alphanumeric
Field 9:	SPEC_UNIT_4		F the second sec
Description:		most days during	stay occurred based on number of days by Type
Coding Scheme:	Same as field SPEC_UNIT_	_1	
Beginning Position:	30	Data Source:	Calculated
Length:	1	Туре:	Alphanumeric
Field 10:	SPEC_UNIT_5		-
Description:	Specialty Units in which 5 th of Bill or Revenue Code.	most days during	stay occurred based on number of days by Type
Coding Scheme:	Same as field SPEC_UNIT_	_1	
Beginning Position:	31	Data Source:	Calculated
Length:	1	Туре:	Alphanumeric
Field 11:	PAT_STATE	e 1	
Description:		g address in Texas	s and contiguous states. Standard 2-character
1	Postal Service abbreviation.		C
Coding Scheme:	AR Arkansas		
0	LA Louisiana		
	NM New Mexico OK Oklahoma		
	TX Texas		
	ZZ All other states and America	an Territories	
	FC Foreign country		
Beginning Position:	XX Foreign country 32	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 12:	PAT_ZIP	турс.	Alphanumene
Description:	Patient's five-digit ZIP code	ב	
Suppression:	The last 2 digits are blank if		ower than 30 natients
Suppression.			ZZ' (states other than Texas and the adjacent
			(states other than Texas and the adjacent
	states).		
	states). The ZIP Code is blank if pa	tient state equals '	FC' (foreign country), a facility for the quarter
	The ZIP Code is blank if pa		FC' (foreign country), a facility for the quarter han 5 patients reported of a particular gender.
	The ZIP Code is blank if pa has fewer than 50 patients r		FC' (foreign country), a facility for the quarter han 5 patients reported of a particular gender,
	The ZIP Code is blank if pa has fewer than 50 patients reincluding 'unknown'.	eported or fewer th	
	The ZIP Code is blank if pa has fewer than 50 patients r including 'unknown'. ZIP code is reported as "`" (eported or fewer the second seco	han 5 patients reported of a particular gender,
	The ZIP Code is blank if pa has fewer than 50 patients re- including 'unknown'. ZIP code is reported as "'" (disorder, drug or alcohol use	eported or fewer the (back quote) if an the feature of an HIV diagn	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health
0 0	The ZIP Code is blank if pa has fewer than 50 patients re- including 'unknown'. ZIP code is reported as "'" (disorder, drug or alcohol use	eported or fewer the (back quote) if an the feature of an HIV diagn	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42
Length:	The ZIP Code is blank if pa has fewer than 50 patients r including 'unknown'. ZIP code is reported as "'" (disorder, drug or alcohol us CFR Part 2, HIPPA of 1996 34 5	eported or fewer the (back quote) if an e, or an HIV diagn b, and Texas HEAI	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health nosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2).
Length: Field 13:	The ZIP Code is blank if pa has fewer than 50 patients re- including 'unknown'. ZIP code is reported as "`" (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY	eported or fewer th (back quote) if an e, or an HIV diagn f, and Texas HEAI Data Source: Type:	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health nosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric
Length: Field 13:	The ZIP Code is blank if pa has fewer than 50 patients re- including 'unknown'. ZIP code is reported as "'" (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996 34 5 PAT_COUNTRY Country of patient's residen	eported or fewer the (back quote) if an e, or an HIV diagn f, and Texas HEAI Data Source: Type: tial address. List r	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for
Length: Field 13:	The ZIP Code is blank if pathas fewer than 50 patients reincluding 'unknown'. ZIP code is reported as "'" (disorder, drug or alcohol used CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY Country of patient's resident Standardization (ISO). If IC	eported or fewer the (back quote) if and e, or an HIV diagn f, and Texas HEAI Data Source: Type: ttial address. List r CD-10-CM indicate	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric maintained by the International Organization for es alcohol or drug use or an HIV diagnosis
Length: Field 13:	The ZIP Code is blank if pathas fewer than 50 patients reincluding 'unknown'. ZIP code is reported as "'" (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY Country of patient's resident Standardization (ISO). If ICC (patients covered by 42 USC)	eported or fewer the (back quote) if and e, or an HIV diagn f, and Texas HEAI Data Source: Type: ttial address. List r CD-10-CM indicate	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric maintained by the International Organization for es alcohol or drug use or an HIV diagnosis
<u>Length:</u> Field 13: Description:	The ZIP Code is blank if pathas fewer than 50 patients resident including 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY Country of patient's resident Standardization (ISO). If IC (patients covered by 42 USC) (back quote).	eported or fewer th (back quote) if an e, or an HIV diagn f, and Texas HEAI Data Source: Type: tial address. List r 2D-10-CM indicate C §290dd-2 and 42	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric maintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as ""
<u>Length:</u> Field 13: Description:	The ZIP Code is blank if pathas fewer than 50 patients residuing 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY Country of patient's resident Standardization (ISO). If IC (patients covered by 42 USC (back quote). The country code is blank if	eported or fewer the (back quote) if an a e, or an HIV diagn b, and Texas HEAI Data Source: Type: thial address. List r CD-10-CM indicate C §290dd-2 and 42 f a country has less	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health tosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as "" s than 5 patients or reported as "" (back quote) if
<u>Length:</u> Field 13: Description:	The ZIP Code is blank if pathas fewer than 50 patients residucing 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY Country of patient's resident Standardization (ISO). If IC (patients covered by 42 USC (back quote). The country code is blank if an ICD-10-CM code indicated	eported or fewer the (back quote) if an a e, or an HIV diagr b, and Texas HEAI Data Source: Type: the address. List r CD-10-CM indicate C §290dd-2 and 42 f a country has less tes a mental health	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health nosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as "`" s than 5 patients or reported as "`" (back quote) if a disorder, drug or alcohol use, or an HIV
<u>Length:</u> Field 13: Description:	The ZIP Code is blank if pathas fewer than 50 patients reincluding 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol use CFR Part 2, HIPPA of 1996) 34 5 PAT_COUNTRY Country of patient's resident Standardization (ISO). If IC (patients covered by 42 USC (back quote). The country code is blank if an ICD-10-CM code indicated diagnosis (patients covered	eported or fewer the (back quote) if an a e, or an HIV diagn b, and Texas HEAI Data Source: Type: tial address. List r CD-10-CM indicate C §290dd-2 and 42 f a country has less tes a mental health by 42 USC §290d	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as "" s than 5 patients or reported as "" (back quote) if a disorder, drug or alcohol use, or an HIV d-2, 42 CFR Part 2, HIPPA of 1996, and Texas
Length: Field 13: Description: Suppression:	The ZIP Code is blank if pathas fewer than 50 patients reincluding 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol uss CFR Part 2, HIPPA of 1996 34 5 PAT_COUNTRY Country of patient's residen Standardization (ISO). If IC (patients covered by 42 USC (back quote). The country code is blank if an ICD-10-CM code indication diagnosis (patients covered HEALTH AND SAFETY C	eported or fewer th (back quote) if an i e, or an HIV diagn of and Texas HEAI Data Source: Type: tial address. List r CD-10-CM indicate C §290dd-2 and 42 f a country has less tes a mental health by 42 USC §290d CODE - TITLE 2).	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as "" s than 5 patients or reported as "" (back quote) if a disorder, drug or alcohol use, or an HIV d-2, 42 CFR Part 2, HIPPA of 1996, and Texas
Beginning Position: <u>Length:</u> Field 13: Description: Suppression: Coding scheme:	The ZIP Code is blank if pathas fewer than 50 patients reincluding 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol uss CFR Part 2, HIPPA of 1996 34 5 PAT_COUNTRY Country of patient's residen Standardization (ISO). If IC (patients covered by 42 USC (back quote). The country code is blank if an ICD-10-CM code indicated diagnosis (patients covered HEALTH AND SAFETY C See www.ISO.org for comp	eported or fewer th (back quote) if an e, or an HIV diagn Data Source: Type: tial address. List r CD-10-CM indicate C §290dd-2 and 42 f a country has less tes a mental health by 42 USC §290d CODE - TITLE 2). lete list.	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as "" s than 5 patients or reported as "" (back quote) if a disorder, drug or alcohol use, or an HIV d-2, 42 CFR Part 2, HIPPA of 1996, and Texas
Length: Field 13: Description: Suppression:	The ZIP Code is blank if pathas fewer than 50 patients reincluding 'unknown'. ZIP code is reported as """ (disorder, drug or alcohol uss CFR Part 2, HIPPA of 1996 34 5 PAT_COUNTRY Country of patient's residen Standardization (ISO). If IC (patients covered by 42 USC (back quote). The country code is blank if an ICD-10-CM code indication diagnosis (patients covered HEALTH AND SAFETY C	eported or fewer th (back quote) if an i e, or an HIV diagn of and Texas HEAI Data Source: Type: tial address. List r CD-10-CM indicate C §290dd-2 and 42 f a country has less tes a mental health by 42 USC §290d CODE - TITLE 2).	han 5 patients reported of a particular gender, ICD-10-CM code indicates a mental health hosis (patients covered by 42 USC §290dd-2, 42 LTH AND SAFETY CODE - TITLE 2). Claim Alphanumeric naintained by the International Organization for es alcohol or drug use or an HIV diagnosis 2 CFR Part 2 rules), the country is reported as "" s than 5 patients or reported as "" (back quote) if a disorder, drug or alcohol use, or an HIV d-2, 42 CFR Part 2, HIPPA of 1996, and Texas

FIPS code of patient's county.

Description: Suppression:

County FIPS is blank if an ICD-10-CM code indicates a mental health disorder, drug or alcohol use, or an HIV diagnosis (patients covered by 42 USC §290dd-2, 42 CFR Part 2, HIPPA of 1996, and Texas HEALTH AND SAFETY CODE - TITLE 2).

Coding scheme:

Coding scheme:	001	A 1	120	Deale	057	V. C.	205	D 1
	001 003	Anderson Andrews	129	Donley Duval	257 259	Kaufman Kendall	385 387	Real Red River
	003	Angelina	131 133	Eastland	259	Kenedy	387	Reeves
	005	Aransas	135	Ector	263	Kent	391	Refugio
	009	Archer	135	Edwards	265	Kerr	393	Roberts
	011	Armstrong	139	Ellis	267	Kimble	395	Robertson
	013	Atascosa	141	El Paso	269	King	397	Rockwall
	015	Austin	143	Erath	271	Kinney	399	Runnels
	017	Bailey	145	Falls	273	Kleberg	401	Rusk
	019	Bandera	147	Fannin	275	Knox	403	Sabine
	021	Bastrop	149	Fayette	283	La Salle	405	San Augustine
	023	Baylor	151	Fisher	277	Lamar	407	San Jacinto
	025	Bee	153	Floyd	279	Lamb	409	San Patricio
	027	Bell	155	Foard	281	Lampasas	411	San Saba
	029	Bexar	157	Fort Bend	285	Lavaca	413	Schleicher
	031	Blanco	159	Franklin	287	Lee	415	Scurry
	033	Borden	161	Freestone	289	Leon	417	Shackelford
	035	Bosque	163	Frio	291	Liberty	419	Shelby
	037 039	Bowie	165	Gaines	293	Limestone	421	Sherman
	039	Brazoria Brazos	167	Galveston Garza	295 297	Lipscomb	423	Smith Somervell
	041 043	Brewster	169 171	Gillespie	297	Live Oak Llano	425 427	Starr
	043	Briscoe	171	Glasscock	301	Loving	427	Stephens
	045	Brooks	175	Goliad	303	Lubbock	431	Sterling
	049	Brown	175	Gonzales	305	Lynn	433	Stonewall
	051	Burleson	179	Gray	307	McCulloch	435	Sutton
	053	Burnet	181	Grayson	309	McLennan	437	Swisher
	055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
	057	Calhoun	185	Grimes	313	Madison	441	Taylor
	059	Callahan	187	Guadalupe	315	Marion	443	Terrell
	061	Cameron	189	Hale	317	Martin	445	Terry
	063	Camp	191	Hall	319	Mason	447	Throckmorton
	065	Carson	193	Hamilton	321	Matagorda	449	Titus
	067	Cass	195	Hansford	323	Maverick	451	Tom Green
	069	Castro	197	Hardeman	325	Medina	453	Travis
	071	Chambers	199	Hardin	327	Menard	455	Trinity
	073	Cherokee	201	Harris	329	Midland	457	Tyler
	075	Childress	203	Harrison	331	Milam	459	Upshur
	077 079	Clay Cochran	205 207	Hartley Haskell	333 335	Mills Mitchell	461 463	Upton Uvalde
	079	Coke	207	Hays	333	Montague	403	Val Verde
	081	Coleman	209	Hemphill	339	Montgomery	403	Van Zandt
	085	Collin	211	Henderson	341	Moore	469	Victoria
	087	Collingsworth	215	Hidalgo	343	Morris	471	Walker
	089	Colorado	217	Hill	345	Motley	473	Waller
	091	Comal	219	Hockley	347	Nacogdoches	475	Ward
	093	Comanche	221	Hood	349	Navarro	477	Washington
	095	Concho	223	Hopkins	351	Newton	479	Webb
	097	Cooke	225	Houston	353	Nolan	481	Wharton
	099	Coryell	227	Howard	355	Nueces	483	Wheeler
	101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
	103	Crane	231	Hunt	359	Oldham	487	Wilbarger
	105	Crockett	233	Hutchinson	361	Orange	489	Willacy
	107	Crosby	235	Irion	363	Palo Pinto	491	Williamson
	109	Culberson	237	Jack	365	Panola	493	Wilson
	111 113	Dallam Dallas	239 241	Jackson Jasper	367 369	Parker	495 497	Winkler Wise
	115	Damas	241	Jasper Jeff Davis	309	Parmer Pecos	497	Wood
	117	Deaf Smith	243 245	Jefferson	373	Polk	501	Yoakum
	117	Delta	243 247	Jim Hogg	375	Potter	503	Young
	121	Denton	249	Jim Wells	373	Presidio	505	Zapata
	121	Dewitt	251	Johnson	379	Rains	507	Zavala
	125	Dickens	253	Jones	381	Randall	507	
	127	Dimmit	255	Karnes	383	Reagan	•	Invalid
Beginning Position:	41			Data Source:		ed; based on pa	tient ZIP	
Length:	3				Alphan	-		
			DEGIO	Type:	Aipiiali			
Field 15:	PUBL	IC_HEALTH	_KEGIO	N				

DSHS/THCIC

Description: Suppression:	The p disorc	ic Health Region of patient's address. public health region field is blank if an ICD-10-CM code indicates a mental health der, drug or alcohol use, or an HIV diagnosis (patients covered by 42 USC §290dd-2, 42 Part 2, HIPPA of 1996, and Texas HEALTH AND SAFETY CODE - TITLE 2).
C. P C.L.	CIK	rait 2, III FR 01 1990, and Texas HEALTH AND SAFET I CODE - IIILE 2).
Coding Scheme:	1	Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties
	2	Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
	3	Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
	4 5	Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine,
	6	San Jacinto, Shelby, Trinity, Tyler counties Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery,
	7	Walker, Waller, Wharton counties Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson
	8	San Saba, Travis, Washington, Williamson counties Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val
	9	Verde, Victoria, Wilson, Zavala counties Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton,
		Terrell, Tom Green, Upton, Ward, Winkler counties
	10	Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
	11	Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties
Beginning Position:		Invalid Data Source: Assigned
0 0	2	
Length:		Type: Alphanumeric
Field 16:		'_STATUS
Description:		e indicating patient status as of the ending date of service for the period of care reported
Coding Scheme:	01	Discharged to home or self-care (routine discharge)
	02 03	Discharged/transferred to a short-term general hospital for inpatient care Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled
	05	care
	04	Discharged/transferred to a facility that provides custodial or supportive care
	05 06	Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007) Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
	07	
	07	Left against medical advice
	09	Admitted as inpatient to this hospital
	09 20	Admitted as inpatient to this hospital Expired
	09 20 21	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement
	09 20	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient
	09 20 21 30	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement
	09 20 21 30 40 41 42	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired in a medical facility Expired, place unknown
	09 20 21 30 40 41 42 43	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility
	09 20 21 30 40 41 42 43 50	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice-home
	09 20 21 30 40 41 42 43 50 51	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at nome Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at nome Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice-home Hospice-medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice-home Hospice-medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital Discharged/transferred to Critical Access Hospital (CAH)
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 69\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice-home Hospice-home Hospice-medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital Discharged/transferred to Critical Access Hospital (CAH) Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013)
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 69\\ 70\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicare-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to Critical Access Hospital (CAH) Discharged/transferred to a designated disaster alternate care (effective 10-1-2013) Discharge/transfer to another type of health care institution not defined elsewhere in the code list
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 69\\ 70\\ 81 \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to Spytiatric hospital or psychiatric distinct part of a hospital Discharged/transferred to a designated disaster alternate care (effective 10-1-2013) Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1- 2013)
	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 69\\ 70\\ \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to Critical Access Hospital (CAH) Discharged/transferred to a designated disaster alternate care (effective 10-1-2013) Discharged/transfer to another type of health care institution not defined elsewhere in the code list Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-
DSHS/THCIC	$\begin{array}{c} 09\\ 20\\ 21\\ 30\\ 40\\ 41\\ 42\\ 43\\ 50\\ 51\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 69\\ 70\\ 81 \end{array}$	Admitted as inpatient to this hospital Expired Discharged/transferred to Court/Law Enforcement Still patient Expired at home Expired at home Expired in a medical facility Expired, place unknown Discharged/transferred to federal government operated health facility Hospice–home Hospice–home Hospice–medical facility (Certified) providing hospice level of care Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare Discharged/transferred to Critical Access Hospital or psychiatric distinct part of a hospital Discharged/transferred to a designated disaster alternate care (effective 10-1-2013) Discharged/transfer to another type of health care institution not defined elsewhere in the code list Discharged/transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care

			to a Skilled Nursing Fa Readmission (effective	acility (SNF) with Medicare Certification with a Planned Acute 10-1-2013)		
	84	Discharged/Transferred	to a Facility that Provid	des Custodial or Supportive Care with a Planned Acute Care		
	 Hospital Inpatient Readmission (effective 10-1-2013) Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care 					
		Hospital Inpatient Read				
		Acute Care Hospital Inj	patient Readmission (eff			
	87	Discharged/Transferred (effective 10-1-2013)	to Court/Law Enforcer	nent with a Planned Acute Care Hospital Inpatient Readmission		
	88	Discharged/Transferred Readmission (effective		re Facility with a Planned Acute Care Hospital Inpatient		
			l to a Hospital-based Me	edicare Approved Swing Bed with a Planned Acute Care		
	90	Discharged/Transferred	l to an Inpatient Rehabil	itation Facility (IRF) including Rehabilitation Distinct Part Hospital Inpatient Readmission (effective 10-1-2013)		
		Discharged/Transferred Hospital Inpatient Read		Long Term Care Hospital (LTCH) with a Planned Acute Care -2013)		
	92	Discharged/Transferred	to a Nursing Facility C	Certified Under Medicaid but not Certified Under Medicare with nission (effective 10-1-2013)		
	93	Discharged/Transferred		al or Psychiatric Distinct Part Unit of a Hospital with a Plannec		
		Discharged/Transferred	to a Critical Access Ho	ospital (CAH) with a Planned Acute Care Hospital Inpatient		
			to Another Type of He	alth Care Institution not Defined Elsewhere in this Code List		
		with a Planned Acute C Invalid	are Hospital Inpatient R	Readmission (effective 10-1-2013)		
Beginning Position:	46		Data Source:	Claim		
Length:	2		Туре:	Alphanumeric		
Field 17:	SEX_	CODE				
Description:	Gende	er of the patient as r	ecorded at date of a	admission or start of care.		
Suppression:	Code i	is suppressed if an I	CD-10-CM code in	ndicates drug or alcohol use or an HIV diagnosis. I		
				an HIV diagnosis (patients covered by 42 USC		
	§290d a hosp '99999	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na	rt 2 rules), the Gen 5 patients of a parti	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients.		
Coding Scheme:	§290d a hosp '99999 M M F F U U	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Jale Temale Jnknown	rt 2 rules), the Gen 5 patients of a parti	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is		
-	\$290d a hosp '99999 M M F F U U	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Male Yemale	rt 2 rules), the Gen 5 patients of a parti ame and Patient ZII	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients.		
Beginning Position:	§290d a hosp '99999 M M F F U U	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Jale Temale Jnknown	rt 2 rules), the Gen 5 patients of a parti ame and Patient ZII Data Source:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim		
Beginning Position: Length:	\$290d a hosp '99999 M M F F U U ` II 48 1	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Jale ^{Cemale} Jnknown nvalid	rt 2 rules), the Gen 5 patients of a parti ame and Patient ZII	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients.		
Beginning Position: Length: Field 18:	\$290dd a hosp '99999 M M F F U U \ 1 48 1 RACE	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Jale ^{Cemale} Jnknown nvalid	rt 2 rules), the Gen 5 patients of a parti ame and Patient ZII Data Source: Type:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim		
Coding Scheme: Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme:	\$290dd a hosp '99999 M M F F U U 1 48 1 RACE Code i If a ho 1 2 3 4	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Jale emale Juknown nvalid 2 indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White	rt 2 rules), the Gend 5 patients of a partiant ame and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme:	\$290d. a hosp '99999 M M F F U U S In 48 1 RACE If a ho 1 2 3 4 5 S	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na fale bemale Juknown nvalid 2 5 indicating the patien espital has fewer tha American Indian/Eskim Asian or Pacific Islande Black	rt 2 rules), the Genu 5 patients of a partianne and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5)		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position:	\$290d. a hosp '99999 M M F F U U ' In 48 1 RACE Code i If a ho 1 2 3 4 5 ` 49	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Aale emale Juknown nvalid 25 indicating the patier ospital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other	rt 2 rules), the Genu 5 patients of a partianne and Patient ZII Data Source: Type: nt's race. in ten patients of or no/Aleut er Data Source:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length:	\$290d. a hosp '99999 M M F F U U ' In 48 1 RACE Code i If a ho 1 2 3 4 5 ` 49 1	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Male emale Juknown nvalid 25 indicating the patien ospital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid	rt 2 rules), the Genu 5 patients of a partianne and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5)		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19:	\$290dd a hosp '99999 M M F F U U 1 48 1 RACE Code i If a ho 1 2 3 4 5 5 5 4 9 1 ETHN	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na fale 'emale Juknown nvalid E indicating the patien ospital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid	rt 2 rules), the Gend 5 patients of a partiant ame and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description:	\$290dd a hosp '99999 M M F F U U 1 48 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na ale 'emale Juknown nvalid E indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid	rt 2 rules), the Gend 5 patients of a partiant ame and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the pa	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient.		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description:	\$290dd a hosp '99999 M M F F U U 1 48 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i If a ho	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na ale emale Juknown nvalid 2 indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid NICITY indicating the Hispa	rt 2 rules), the Gend 5 patients of a partiant ame and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the pa	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric		
Beginning Position: Length: Field 18: Description: Suppression:	\$290dd a hosp '99999 M M F F U U A8 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i If a ho suppre 1 2	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na ale 'emale Juknown nvalid E indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid	rt 2 rules), the Gend 5 patients of a partiant ame and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the pa	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient.		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description: Suppression: Coding Scheme:	\$290dd a hosp '99999 M M F F U U A8 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i If a ho suppre 1 2	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Aale eemale Jnknown nvalid E indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid VICITY indicating the Hispa spital has fewer tha essed (code is blank). Hispanic Origin Not of Hispanic Origin	rt 2 rules), the Gend 5 patients of a partiant ame and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the pa	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient.		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description: Suppression:	\$290dd a hosp '99999 M M F F U U S II 48 1 RACE Code i If a ho 1 2 3 4 5 5 5 49 1 ETHN Code i If a ho suppre 1 2	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Aale eemale Jnknown nvalid E indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid VICITY indicating the Hispa spital has fewer tha essed (code is blank). Hispanic Origin Not of Hispanic Origin	rt 2 rules), the Genu 5 patients of a partiante and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the patients of or	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient. ne race the ethnicity of patients of that race is		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length:	\$290dd a hosp '99999 M M F F U U A8 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i If a ho suppre 1 2 50 1	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Aale eemale Jnknown nvalid E indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid VICITY indicating the Hispa spital has fewer tha essed (code is blank). Hispanic Origin Not of Hispanic Origin	rt 2 rules), the Genu 5 patients of a partiante ame and Patient ZII Data Source: Type: nt's race. un ten patients of or no/Aleut er Data Source: Type: anic origin of the patients of or un ten patients of or Data Source:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient. ne race the ethnicity of patients of that race is Claim		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20:	\$290dd a hosp '99999 M M F F U U S In 48 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i If a ho suppre 1 2 50 1 ADMI	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Aale 'emale Jaknown nvalid E indicating the patien spital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid VICITY indicating the Hispa spital has fewer tha essed (code is blank). Hispanic Origin Not of Hispanic Origin Invalid	rt 2 rules), the Genu 5 patients of a partianne and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the patients of or Data Source: Type:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient. ne race the ethnicity of patients of that race is Claim Alphanumeric		
Beginning Position: Length: Field 18: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position:	\$290dd a hosp '99999 M M F F U U S In 48 1 RACE Code i If a ho 1 2 3 4 5 5 4 9 1 ETHN Code i If a ho suppre 1 2 50 1 ADMI	d-2 and 42 CFR Pa ital has fewer than 98' and Hospital Na Aale emale Inknown nvalid 2 5 indicating the patien ospital has fewer tha American Indian/Eskim Asian or Pacific Islande Black White Other Invalid 3 NICITY indicating the Hispa ospital has fewer tha sessed (code is blank). Hispanic Origin Not of Hispanic Origin Invalid 3 IT_WEEKDAY	rt 2 rules), the Genu 5 patients of a partianne and Patient ZII Data Source: Type: nt's race. an ten patients of or no/Aleut er Data Source: Type: anic origin of the patients of or Data Source: Type:	der of the patient is reported as "U" (Unknown). If icular gender, including unknown, Provider ID is P Code are blank for those patients. Claim Alphanumeric ne race that race is changed to 'Other' (code equals 5) Claim Alphanumeric atient. ne race the ethnicity of patients of that race is Claim Alphanumeric		

Coding Scheme:	1 2	Monday Tuesday			5 6	Frida Satur	day		
	3 4	Wednesday Thursday			7	Sund Inval			
Beginning Position: Length:	51 1	Thuistuy	Data S Type:	ource:	Assig Alph				
Field 21:	_	GTH_OF_STAY	1 ypc.		7 11 11 11	ununi			
Description:			s Statem	nent cov	ers peri	od thr	ough d	ate m	inus Admission/start of
Description		date. The minimum leng							
Beginning Position:	52		Data S		Calcu				, august
Length:	4		Type:			anume	eric		
Field 22:		AGE	J 1		I		-		
Description:		e indicating age of paties	nt in day	s or yea	rs on d	ate of	discha	rge.	
Coding Scheme:	00	0-28 days	10	•				20	85-89
8	01	29-365 days	11	40-44				21	90+
	02	1-4 years	12	45-49					and drug/alcohol use patient.
	03 04	5-9 10-14	13 14	50-54 55-59				22 23	0-17 18-44
	04	15-17	14	60-64				23	45-64
	06	18-19	16					25	65-74
	07	20-24	17	70-74				26	75+
	08	25-29	18	75-79				`	Invalid
	09	30-34	19	80-84					
Beginning Position:	56		Data S	ource:	Assig				
Length:	2		Type:		Alpha	anume	eric		
Field 23:		ST_PAYMENT_SRC			ŝ				
Description:		e indicating the expected						• .	
Coding Scheme:	09	Self Pay (Removed from 5)	010 forma	t, use "ZZ	" н	M H	lealth Ma	intenar	nce Organization
	10	beginning 2Q2012 data) Central Certification			L	гт	iability		
	11	Other Non-federal Program	ıs		LI		iability N	Medical	1
	12	Preferred Provider Organiz	ation (PPO	C)	М	A N	Iedicare	Part A	
	13	Point of Service (POS)			М		Aedicare	Part B	
	14 15	Exclusive Provider Organiz	zation (EP	O)	M T		Iedicaid itle V		
	15	Indemnity Insurance Health Maintenance Organ	ization (H	MO)	0		ther Fed	eral Pro	ogram
	10	Medicare Risk			0				-B
	AM	Automobile Medical			V		eteran A	dminis	tration Plan
	BL	Blue Cross/Blue Shield			W				nsation Health Claim
	CH CI	CHAMPUS Commercial Insurance			Z				or Unknown , combined for 2004 & 2005
	DS						nvalid		2, combined for 2004 & 2005
D!		Disability Insurance	D-4- 0		CL		Ivanu		
Beginning Position:	58		Data S	ource:	Clain				
Length:	2		Type:		Alpha	anume	eric		
Field 24:		ONDARY_PAYMEN'			2				
Description:		e indicating the expected			rce of p	aymei	nt.		
Coding Scheme:		e as field FIRST_PAYN			~ .				
Beginning Position:	60		Data S	ource:	Clain				
Length:	2		Type:		Alpha	anume	eric		
Field 25:		E_OF_BILL							
Description:		ates the specific type of							
Coding Scheme:		it–Type of Facility		ligit–Type			•		git–Sequence of claim
	1	Hospital	1	Inpatien Part A	t, includir	ng Med	icare	0	Non-payment/Zero claim
		Skilled nursing	2	-	t, Medica	re Part	B only	1	Admit through discharge clai
		Home health	3	Outpatie				2	Interim-first claim
		Religious non-medical health care–Hospital	4	Outpatie Part B o	nt Other,	Medic	are	3	Interim-continuing claim
	5	care–Hospital Religious non-medical health care–Extended care	5		liate Care	e–Level	I	4	Interim-last claim
		Intermediate care	6	Intermed	liate Care	–Level	II	5	Late charge(s) only claim
		Clinic	7		te inpatie			6	Adjustment of prior claim (N used by Medicare)
DSHS/THCIC			D	o 10				DSH	S Document # E25-1416
		/THCIC	— Pag	e 19 –					S Document # E25-141 Last Updated: July, 202

	8 Special facility	8 Swing be	· ·
Beginning Position:	62	Data Source:	8 Void/cancel of prior claim
Length:	3	Type:	Alphanumeric
Field 26:	TOTAL_CHARGES	i ype.	T inplication in the second se
Description:		arges non-covere	d accommodation charges, ancillary charges, non-
Description	covered ancillary charges. I		
Beginning Position:	65	Data Source:	Claim
Length:	12	Туре:	Numeric
Field 27:	TOTAL_NON_COV_CH		Tumbrio
Description:			s, non-covered ancillary charges.
Beginning Position:	77	Data Source:	Claim
Length:	12	Туре:	Numeric
Field 28:	TOTAL_CHARGES_AC		
Description:	Sum of covered and non-co		lation charges
Beginning Position:	89	Data Source:	Claim
Length:	12	Туре:	Numeric
Field 29:	TOTAL_NON_COV_CH		
Description:	Sum of non-covered accom		
Beginning Position:	101	Data Source:	Claim
Length:	101	Type:	Numeric
Field 30:	TOTAL_CHARGES_AN		Tumene
Description:	Sum of covered and non-co		harges
Beginning Position:	113	Data Source:	Claim
Length:	12	Type:	Numeric
Field 31:	TOTAL_NON_COV_CH		
Description:	Sum of non-covered ancilla		
Beginning Position:	125	Data Source:	Claim
Length:	125	Type:	Numeric
Field 32:	ADMITTING_DIAGNOS		Tumene
Description:			h, 5th, 6th and 7th digits if applicable. Decimal is
2 toti prioni	implied following the third		
Beginning Position:	137	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 33:	PRINC_DIAG_CODE	_ JF = 0	
Description:		e for the principal	diagnosis, including the 4th, 5th, 6th and 7th digits
- ····· P ·····	if applicable. Decimal is im		
Beginning Position:	144	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 34:	POA PRINC DIAG CO		•
Description:			is code was present at the time the patient was
1	admitted to the hospital	1 0	1 1
Coding Scheme:	Y Yes		
8	N No		
	U Unknown W Clinically Undetermined		
	1 Space (1 st & 2 nd Qtr. 2012	only)	
	Invalid		
Beginning Position:	151	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 35:	OTH_DIAG_CODE_1		
Description:			h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	152	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 36:	POA_OTH_DIAG_CODI	E_1	

Description:	Code identifying whether O	th Diag Code 1	code was present at the time the patient was
	admitted to the hospital		1 1
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	159	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 37:	OTH_DIAG_CODE_2	1урс.	7 Aphanumene
Description:		including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
Description:	implied following the third		ii, sui, oui and 7th digits if applicable. Declinal is
D'' D'	1 0		
Beginning Position:	160	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 38:	POA_OTH_DIAG_CODE		
Description:		th_Diag_Code_2	2 code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Same as Field POA_PRINC		
Beginning Position:	167	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 39:	OTH_DIAG_CODE_3		
Description:	ICD-10-CM diagnosis code	, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
•	implied following the third	character.	
Beginning Position:	168	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 40:	POA OTH DIAG CODE		
Description:			3 code was present at the time the patient was
Description.	admitted to the hospital	ui_Diag_Couc_J	code was present at the time the patient was
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
	175	Data Source:	Claim
Beginning Position:			
Length:		Туре:	Alphanumeric
Field 41:	OTH_DIAG_CODE_4		
Description:	implied following the third		h, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:	176	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 42:	POA_OTH_DIAG_CODE		Alphalumene
			I and a more and at the time the metions me
Description:		tn_Diag_Code_4	code was present at the time the patient was
Callera Calarra	admitted to the hospital		
Coding Scheme:	Same as Field POA_PRINC		
Beginning Position:	183	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 43:	OTH_DIAG_CODE_5		
Description:			h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	184	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 44:	POA_OTH_DIAG_CODE	2_5	
Description:	Code identifying whether O	th_Diag_Code_5	5 code was present at the time the patient was
-	admitted to the hospital	-	
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	191	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 45:	OTH_DIAG_CODE_6	V 1	
Description:		including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
~	implied following the third		a, car, car and car digits it approacte. Decilitat is
Beginning Position:	192	Data Source:	Claim
0 0	7		
Length:		Type:	Alphanumeric
Field 46:	POA_OTH_DIAG_CODE	<u>_</u> 0	

Description:	Code identifying whether O	th Diag Code 6	code was present at the time the patient was
1	admitted to the hospital		I I I I I I I I I I I I I I I I I I I
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	199	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 47:	OTH_DIAG_CODE_7	<i></i>	
Description:		including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
I	implied following the third of		
Beginning Position:	200	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 48:	POA_OTH_DIAG_CODE	V .	
Description:			code was present at the time the patient was
2 toti prioni	admitted to the hospital	2.1	
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	207	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 49:	OTH_DIAG_CODE_8	rype.	7 Ilphanamerie
Description:		including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
Description.	implied following the third of		n, 5th, 6th and 7th digits it applicable. Decimal is
Beginning Position:	208	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 50:	POA_OTH_DIAG_CODE		Alphanumene
Description:			code was present at the time the patient was
Description.	admitted to the hospital	un_Diag_Coue_o	code was present at the time the patient was
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	215	Data Source:	Claim
Length: Field 51:	1 OTH DIAC CODE 0	Туре:	Alphanumeric
	OTH_DIAG_CODE_9	including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
Description:	implied following the third of		n, 5m, 6m and 7m digits it applicable. Declinal is
Beginning Position:	216	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 52:	POA_OTH_DIAG_CODE		
Description:			code was present at the time the patient was
	admitted to the hospital		····· ···· ···· ···· ···· ···· ···· ····
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	223	Data Source:	Claim
Length:	1		
Field 53:		Туре:	
riciu 33.		Туре:	Alphanumeric
	OTH_DIAG_CODE_10		Alphanumeric
Description:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code,	including the 4t	
Description:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of	including the 4th	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is
Description: Beginning Position:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code,	including the 4t	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim
Description:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224	including the 4t character. Data Source: Type:	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is
Description: Beginning Position: Length: Field 54:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE	including the 4t character. Data Source: Type: _10	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric
Description: Beginning Position: Length:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE	including the 4t character. Data Source: Type: _10	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim
Description: Beginning Position: Length: Field 54: Description:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital	including the 4t character. Data Source: <u>Type:</u> _10 th_Diag_Code_1	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric
Description: Beginning Position: Length: Field 54: Description: Coding Scheme:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of	including the 4t character. Data Source: <u>Type:</u> _10 th_Diag_Code_1	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC	including the 4t character. Data Source: Type: _ 10 th_Diag_Code_1 _DIAG_CODE Data Source:	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was Claim
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position: Length:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 231 1	including the 4t character. Data Source: Type: _10 th_Diag_Code_1 _DIAG_CODE	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position: Length: Field 55:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 231 1 OTH_DIAG_CODE_11	including the 4t character. Data Source: Type: _ 10 th_Diag_Code_1 _DIAG_CODE Data Source: Type:	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was Claim Alphanumeric
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position: Length:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 231 1 OTH_DIAG_CODE_11 ICD-10-CM diagnosis code,	including the 4t character. Data Source: Type: _10 th_Diag_Code_1 _DIAG_CODE Data Source: Type: including the 4t	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was Claim
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position: Length: Field 55: Description:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 231 1 OTH_DIAG_CODE_11 ICD-10-CM diagnosis code, implied following the third of	including the 4th character. Data Source: Type: _ 10 th_Diag_Code_1 _DIAG_CODE Data Source: Type: including the 4th character.	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position: Length: Field 55: Description: Beginning Position:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 231 1 OTH_DIAG_CODE_11 ICD-10-CM diagnosis code, implied following the third of 232	including the 4t character. Data Source: Type: _10 th_Diag_Code_1 _DIAG_CODE Data Source: Type: including the 4t character. Data Source:	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim
Description: Beginning Position: Length: Field 54: Description: Coding Scheme: Beginning Position: Length: Field 55: Description:	OTH_DIAG_CODE_10 ICD-10-CM diagnosis code, implied following the third of 224 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 231 1 OTH_DIAG_CODE_11 ICD-10-CM diagnosis code, implied following the third of	including the 4th character. Data Source: Type: _10 th_Diag_Code_1 _DIAG_CODE Data Source: Type: including the 4th character. Data Source: Type:	Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is Claim Alphanumeric 0 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable. Decimal is

Description: Code identifying whether Oth_Diag_Code_11 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 239 Data Source: Claim Length: 1 Type: Alphanumeric Field 57: OTH_DIAG_CODE_12 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 240 Data Source: Claim Length: 7 Type: Alphanumeric Field 58: POA_OTH_DIAG_CODE_12 Code identifying whether 0th_Diag_Code_12 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 247 Data Source: Claim Length: 1 Type: Alphanumeric Field 59: OTH_DIAG_CODE_13 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 248 Data Source: Claim Length: 1 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Description: Code iden	le. Decimal is
Coding Scheme: Beginning Position:Same as Field POA_PRINC_DIAG_CODE239Data Source: Type:ClaimLength:1Type:Field 57:OTH_DIAG_CODE_12Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:240Length:7Type:AlphanumericField 58:POA_OTH_DIAG_CODE_12Description:Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:ClaimLength:1Type:AlphanumericField 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:ClaimLength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimCodi identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCode identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalDescription:Code iden	
Beginning Position: 239 Data Source: Claim Length: 1 Type: Alphanumeric Field 57: OTH_DIAG_CODE_12 Including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 240 Data Source: Claim Length: 7 Type: Alphanumeric Field 58: POA_OTH_DIAG_CODE_12 Code identifying whether Oth_Diag_Code_12 code was present at the time the pradmitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 247 Data Source: Claim Length: 1 Type: Alphanumeric Field 59: OTH_DIAG_CODE_13 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 248 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the pradmitted to the hospital Scode identifying whether Oth_Diag_Code_13 code was present at the time the pradmitted to the hospital Description: Code identifying whether Oth_Diag_CODE_13 </th <th></th>	
Length: 1 Type: Alphanumeric Field 57: OTH_DIAG_CODE_12 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 240 Data Source: Claim Length: 7 Type: Alphanumeric Field 58: POA_OTH_DIAG_CODE_12 Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 247 Data Source: Claim Length: 1 Type: Alphanumeric Type: Alphanumeric Field 59: OTH_DIAG_CODE_13 Data Source: Claim Claim Jescription: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 248 Data Source: Claim Jength: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Description: Co	
Field 57:OTH_DIAG_CODE_12Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:240Data Source:Length:7Type:AlphanumericField 58:POA_OTH_DIAG_CODE_12Description:Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:Claim1Type:AlphanumericField 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalDescription:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalDescription:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimLength:1Type:AlphanumericField 61:OTH_DIAG_CODE_14Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:240Data Source:ClaimLength:7Type:AlphanumericField 58:POA_OTH_DIAG_CODE_12Description:Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:ClaimType:AlphanumericField 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:IcD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:IcD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:Icength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimType:AlphanumericField 61:OTH_DIAG_CODE_14Description:1Type:Alphanume	
implied following the third character. Beginning Position: 240 Data Source: Claim Length: 7 Type: Alphanumeric Field 58: POA_OTH_DIAG_CODE_12 Description: Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospital Same as Field POA_PRINC_DIAG_CODE Beginning Position: 247 Data Source: Claim Length: 1 Type: Alphanumeric Field 59: OTH_DIAG_CODE_13 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 248 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE I Field 60: POA_OTH_DIAG_CODE_13 Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Beginning Position: 240 Data Source: Claim Length: 7 Type: Alphanumeric Field 58: POA_OTH_DIAG_CODE_12 Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 247 Data Source: Claim Length: 1 Type: Alphanumeric Same as Field POA_PRINC_DIAG_CODE_13 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: 248 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 Inplanumeric Field	atient was
Length:7Type:AlphanumericField 58:POA_OTH_DIAG_CODE_12Description:Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:Length:1Type:AlphanumericField 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:ClaimClaimLength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimClaimLength:1Type:Alphanumeric	atient was
Field 58:POA_OTH_DIAG_CODE_12Description:Code identifying whether Oth_Diag_Code_12 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:Length:1Type:AlphanumericField 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Length:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimLength:1Type:AlphanumericField 61:OTH_DIAG_CODE_14Description:1Type:Alphanumeric	atient was
Description:Code identifying whether Oth_Diag_Code_12 code was present at the time the presentation of the presentation o	atient was
admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:ClaimLength:1Type:AlphanumericField 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:ClaimClaimLength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:Coding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimClaimLength:1Type:AlphanumericField 61:OTH_DIAG_CODE_14Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Coding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:247Data Source:ClaimLength:1Type:AlphanumericField 59:OTH_DIAG_CODE_13ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:ClaimLength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEClaimBeginning Position:255Data Source:ClaimField 61:OTH_DIAG_CODE_14Type:AlphanumericField 61:OTH_DIAG_CODE_14ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Beginning Position: 247 Data Source: Claim Length: 1 Type: Alphanumeric Field 59: OTH_DIAG_CODE_13 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Beginning Position: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character. Claim Beginning Position: 248 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Length:1Type:AlphanumericField 59:OTH_DIAG_CODE_13ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:ClaimLength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalDescription:Code identifying whether Oth_DIAG_CODEJata Source:ClaimBeginning Position:Same as Field POA_PRINC_DIAG_CODEData Source:ClaimField 61:OTH_DIAG_CODE_14Type:AlphanumericField 61:OTH_DIAG_CODE_14IcD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Field 59:OTH_DIAG_CODE_13Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Data Source:ClaimLength:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimLength:1Type:AlphanumericField 61:OTH_DIAG_CODE_14Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.Beginning Position:248Length:7Type:AlphanumericField 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:ClaimField 61:OTH_DIAG_CODE_14Description:1Type:Alphanumeric	
Beginning Position: 248 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Alphanumeric Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 Alphanumeric Field 61: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	le. Decimal is
Beginning Position: 248 Data Source: Claim Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Alphanumeric Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the present admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 Alphanumeric Field 61: OTH_DIAG_CODE_14 Alphanumeric Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Length: 7 Type: Alphanumeric Field 60: POA_OTH_DIAG_CODE_13 Alphanumeric Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 IcD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Field 60:POA_OTH_DIAG_CODE_13Description:Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospitalCoding Scheme:Same as Field POA_PRINC_DIAG_CODEBeginning Position:255Data Source:Length:1Type:AlphanumericField 61:OTH_DIAG_CODE_14Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Description: Code identifying whether Oth_Diag_Code_13 code was present at the time the p admitted to the hospital Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Coding Scheme: admitted to the hospital Beginning Position: Same as Field POA_PRINC_DIAG_CODE Length: 1 Type: Field 61: OTH_DIAG_CODE_14 Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	atient was
Coding Scheme: Same as Field POA_PRINC_DIAG_CODE Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 Alphanumeric Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Beginning Position: 255 Data Source: Claim Length: 1 Type: Alphanumeric Field 61: OTH_DIAG_CODE_14 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Length:1Type:AlphanumericField 61:OTH_DIAG_CODE_14Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Field 61:OTH_DIAG_CODE_14Description:ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab implied following the third character.	
	le. Decimal is
Beginning Position: 256 Data Source: Claim	
Length:7Type:AlphanumericField 62:POA_OTH_DIAG_CODE_14	
Description: FOA_OTH_DIAG_CODE_14 Code identifying whether Oth_Diag_Code_14 code was present at the time the p	ationt was
admitted to the hospital	attent was
Coding Scheme: Same as Field POA_PRINC_DIAG_CODE	
Beginning Position: 263 Data Source: Claim	
Length: 1 Type: Alphanumeric	
Field 63: OTH_DIAG_CODE_15	
Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab	le. Decimal is
implied following the third character.	
Beginning Position: 264 Data Source: Claim	
Length:7Type:Alphanumeric	
Field 64: POA_OTH_DIAG_CODE_15	
Description: Code identifying whether Oth_Diag_Code_15 code was present at the time the p	atient was
admitted to the hospital	
Coding Scheme: Same as Field POA_PRINC_DIAG_CODE	
Beginning Position:271Data Source:ClaimLength:1Type:Alphanumeric	
Field 65: OTH_DIAG_CODE_16 Description: ICD 10 CM diagnosis and a including the 4th 5th 6th and 7th digits if appliesh	
Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicab	
implied following the third character.	le. Decimal is
Beginning Position: 272 Data Source: Claim	le. Decimal is
Length: 7 Type: Alphanumeric	le. Decimal is
Field 66:POA_OTH_DIAG_CODE_16	le. Decimal is

Description:	Code identifying whether O	th Diag Code 1	6 code was present at the time the patient was
Description.	admitted to the hospital	un_Dhug_couc_i	to code was present at the time the patient was
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	279	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 67:	OTH_DIAG_CODE_17	- J F**	
Description:		, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
L. L.	implied following the third		,,
Beginning Position:	280	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 68:	POA OTH DIAG CODE		•
Description:	Code identifying whether O	th Diag Code 1	7 code was present at the time the patient was
•	admitted to the hospital	_ 0	
Coding Scheme:	Same as Field POA_PRINC	_DIAG_CODE	
Beginning Position:	287	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 69:	OTH_DIAG_CODE_18		
Description:	ICD-10-CM diagnosis code	, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
-	implied following the third	character.	
Beginning Position:	288	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 70:	POA_OTH_DIAG_CODE	E_18	
Description:	Code identifying whether O	th_Diag_Code_1	8 code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Same as Field POA_PRINC	_DIAG_CODE	
Beginning Position:	295	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 71:	OTH_DIAG_CODE_19		
Description:			h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		~
Beginning Position:	296	Data Source:	Claim
Length:		Type:	Alphanumeric
Field 72:	POA_OTH_DIAG_CODE	_	
Description:		th_Diag_Code_1	9 code was present at the time the patient was
Cadina Cahamar	admitted to the hospital		
Coding Scheme:	Same as Field POA_PRINC		Claim
Beginning Position: Length:	303 1	Data Source:	Claim
Field 73:	OTH_DIAG_CODE_20	Туре:	Alphanumeric
Description:		including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
Description.	implied following the third		in, 5th, 6th and 7th eights it applicable. Declinar is
Beginning Position:	304	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 74:	POA_OTH_DIAG_CODE		T iphanumene
Description:			20 code was present at the time the patient was
Description.	admitted to the hospital	un_Dhug_couc_2	to code was present at the time the patient was
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	311	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 75:	OTH_DIAG_CODE_21	J 1	1
Description:		, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
····	implied following the third		
Beginning Position:	312	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 76:	POA_OTH_DIAG_CODE		1 ··· ·· · · ·
•••	UUUUU		

DSHS/THCIC

Description:	Code identifying whether O	th Diag Code 2	1 code was present at the time the patient was
Description	admitted to the hospital	II_DIU <u>5_</u> Couc_2	r code was present at the time the patient was
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	319	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 77:	OTH_DIAG_CODE_22	rype.	A sphulutione
Description:		including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
Description	implied following the third of		ii, sui, sui uid 711 digits ii uppiedole. Deelina is
Beginning Position:	320	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 78:	POA OTH DIAG CODE		- Alphananierie
Description:		_	2 code was present at the time the patient was
Description.	admitted to the hospital	III_DIug_Code_2	22 code was present at the time the patient was
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	327	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 79:	OTH DIAG CODE 23	турс.	Alphandmene
Description:		including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
Description.	implied following the third of		in, our and our argues in applicable. Decimal is
Beginning Position:	328	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 80:	POA_OTH_DIAG_CODE		Alphandmene
Description:			3 code was present at the time the patient was
Description.	admitted to the hospital	III_DIag_Code_2	S code was present at the time the patient was
Coding Scheme:	Same as Field POA PRINC	DIAG CODE	
Beginning Position:	335	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 81:	OTH_DIAG_CODE_24	1 ypc.	Alphanumene
Description:		including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
Description.			n, 5th, 6th and 7th eights it applicable. Deenhal is
	implied following the third a	naracter	
Reginning Position:	implied following the third of 336		Claim
Beginning Position: Length:	336	Data Source:	Claim Alphanumeric
Length:	336 7	Data Source: Type:	Claim Alphanumeric
Length: Field 82:	336 7 POA_OTH_DIAG_CODE	Data Source: Type: _24	Alphanumeric
Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether O	Data Source: Type: _24	
Length: Field 82: Description:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital	Data Source: <u>Type:</u> _24 th_Diag_Code_2	Alphanumeric
Length: Field 82: Description: Coding Scheme:	336 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC	Data Source: <u>Type:</u> _24 th_Diag_Code_2 _DIAG_CODE	Alphanumeric 4 code was present at the time the patient was
Length: Field 82: Description: Coding Scheme: Beginning Position:	336 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 343	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source:	Alphanumeric 4 code was present at the time the patient was Claim
Length: Field 82: Description: Coding Scheme: Beginning Position: Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 343 1	Data Source: <u>Type:</u> _24 th_Diag_Code_2 _DIAG_CODE	Alphanumeric 4 code was present at the time the patient was
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric
Length: Field 82: Description: Coding Scheme: Beginning Position: Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code,	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of mo	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character.
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of mo 344	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of mo 344 7	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character.
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description:	336 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code was	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme:	336 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E the hospital Same as Field POA_PRINC	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme: Beginning Position:	336 7 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE Data Source:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to Claim
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme: Beginning Position: Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital Same as Field POA_PRINC 351 1	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme: Beginning Position: Length: Field 85:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of mage 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital Same as Field POA_PRINC 351 1 E_CODE_2	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE Data Source: Type:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to Claim Alphanumeric
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme: Beginning Position: Length:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of mo 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital Same as Field POA_PRINC 351 1 E_CODE_2 ICD-10-CM diagnosis code,	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE Data Source: Type: including the 4t	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of an
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme: Beginning Position: Length: Field 85: Description:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital Same as Field POA_PRINC 351 1 E_CODE_2 ICD-10-CM diagnosis code, additional external cause of	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE Data Source: Type: including the 4t morbidity. Decir	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character.
Length:Field 82:Description:Coding Scheme:Beginning Position:Length:Field 83:Description:Beginning Position:Length:Field 84:Description:Coding Scheme:Beginning Position:Length:Field 84:Description:Coding Scheme:Beginning Position:Length:Field 85:Description:Beginning Position:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of mo 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital Same as Field POA_PRINC 351 1 E_CODE_2 ICD-10-CM diagnosis code,	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE Data Source: Type: including the 4t morbidity. Decim Data Source:	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character. Claim
Length: Field 82: Description: Coding Scheme: Beginning Position: Length: Field 83: Description: Beginning Position: Length: Field 84: Description: Coding Scheme: Beginning Position: Length: Field 85: Description:	336 7 POA_OTH_DIAG_CODE Code identifying whether Or admitted to the hospital Same as Field POA_PRINC 343 1 E_CODE_1 ICD-10-CM diagnosis code, primary external cause of m 344 7 POA_E_CODE_1 Code identifying whether E_ the hospital Same as Field POA_PRINC 351 1 E_CODE_2 ICD-10-CM diagnosis code, additional external cause of 352	Data Source: Type: _24 th_Diag_Code_2 _DIAG_CODE Data Source: Type: including the 4t orbidity. A decim Data Source: Type: _Code_1 code wa _DIAG_CODE Data Source: Type: including the 4t morbidity. Decir	Alphanumeric 4 code was present at the time the patient was Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of the nal is implied following the third character. Claim Alphanumeric as present at the time the patient was admitted to Claim Alphanumeric h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character.

Description:	Code identifying whether E	Code 2 code wa	as present at the time the patient was admitted to
Description	the hospital	_0040_2 0040	is present at the time the patient was admitted to
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	359	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 87:	E_CODE_3	_ j F**	
Description:		including the 4t	h, 5th, 6th and 7th digits if applicable, of an
2 total prom			nal is implied following the third character.
Beginning Position:	360	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 88:	POA_E_CODE_3	J 1	
Description:		Code 3 code wa	as present at the time the patient was admitted to
•	the hospital		1 1
Coding Scheme:	Same as Field POA_PRINC	_DIAG_CODE	
Beginning Position:	367	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 89:	E_CODE_4		
Description:	ICD-10-CM diagnosis code,	including the 4t	h, 5th, 6th and 7th digits if applicable, of an
	additional external cause of	morbidity. Decir	nal is implied following the third character.
Beginning Position:	368	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 90:	POA_E_CODE_4		
Description:	Code identifying whether E	_Code_4 code wa	as present at the time the patient was admitted to
	the hospital		
Coding Scheme:	Same as Field POA_PRINC		
Beginning Position:	375	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 91:	E_CODE_5		
Description:			h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	376	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 92:	POA_E_CODE_5	a 1 a 1	
Description:		_Code_5 code wa	as present at the time the patient was admitted to
Callera Calarra	the hospital	DIAC CODE	
Coding Scheme:	Same as Field POA_PRINC		
Beginning Position:	383	Data Source:	Claim
Length:		Туре:	Alphanumeric
Field 93: Description:	E_CODE_6	including the At	h 5th 6th and 7th digits if applicable of an
Description:			h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character.
Beginning Position:	384	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 94:	POA_E_CODE_6	турс.	Alphandmene
Description:		Code 6 code w	as present at the time the patient was admitted to
Description.	the hospital		as present at the time the patient was admitted to
Coding Scheme:		DIAG CODE	
Coding Scheme: Beginning Position:	Same as Field POA_PRINC		Claim
Beginning Position:		Data Source:	Claim Alphanumeric
Beginning Position: Length:	Same as Field POA_PRINC 391 1		Claim Alphanumeric
Beginning Position: Length: Field 95:	Same as Field POA_PRINC 391 1 E_CODE_7	Data Source: Type:	Alphanumeric
Beginning Position: Length:	Same as Field POA_PRINC 391 1 E_CODE_7 ICD-10-CM diagnosis code,	Data Source: Type: including the 4t	Alphanumeric h, 5th, 6th and 7th digits if applicable, of an
Beginning Position: Length: Field 95: Description:	Same as Field POA_PRINC 391 1 E_CODE_7 ICD-10-CM diagnosis code, additional external cause of	Data Source: Type: including the 4t morbidity. Decir	Alphanumeric
Beginning Position: Length: Field 95: Description: Beginning Position:	Same as Field POA_PRINC 391 1 E_CODE_7 ICD-10-CM diagnosis code,	Data Source: Type: including the 4t morbidity. Decir Data Source:	Alphanumeric h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character. Claim
Beginning Position: Length: Field 95: Description:	Same as Field POA_PRINC 391 1 E_CODE_7 ICD-10-CM diagnosis code, additional external cause of 392	Data Source: Type: including the 4t morbidity. Decir	Alphanumeric h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character.

	Code identifying whether E	_Code_7 code wa	as present at the time the patient was admitted to
	the hospital		
Coding Scheme:	Same as Field POA_PRINC		
Beginning Position:	399	Data Source:	Claim
Length:	1	Туре:	Alphanumeric
Field 97:	E_CODE_8		
Description:			h, 5th, 6th and 7th digits if applicable, of an
		•	nal is implied following the third character.
Beginning Position:	400	Data Source:	Claim
Length:		Туре:	Alphanumeric
Field 98:	POA_E_CODE_8	Cada 9 andarro	as an and at the time the notion time a durities day
Description:	the hospital	_Code_8 code wa	as present at the time the patient was admitted to
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	407	Data Source:	Claim
Length:	1		Alphanumeric
Field 99:	E_CODE_9	Туре:	Alphanumenc
Description:		including the At	h, 5th, 6th and 7th digits if applicable, of an
Description:			nal is implied following the third character.
Beginning Position:	408	Data Source:	Claim
Length:	408 7	Type:	Alphanumeric
Field 100:	POA E CODE 9	Type.	Alphallulleric
Description:		Code 9 code w	as present at the time the patient was admitted to
Description.	the hospital		as present at the time the patient was admitted to
Coding Scheme:	Same as Field POA_PRINC	DIAG CODE	
Beginning Position:	415	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 101:	E CODE 10	i ype.	1 iphaitamene
Description:		including the 4t	h, 5th, 6th and 7th digits if applicable, of an
Description			nal is implied following the third character.
Beginning Position:	416	Data Source:	Claim
Length:	7	Type:	Alphanumeric
		JI	
Field 102:	POA E CODE 10		
Field 102: Description:	POA_E_CODE_10 Code identifying whether E	Code 10 code v	was present at the time the patient was admitted to
Field 102: Description:	Code identifying whether E	_Code_10 code v	was present at the time the patient was admitted to
Description:			was present at the time the patient was admitted to
	Code identifying whether E the hospital		was present at the time the patient was admitted to Claim
Description: Coding Scheme:	Code identifying whether E the hospital Same as Field POA_PRINC	C_DIAG_CODE	
Description: Coding Scheme: Beginning Position:	Code identifying whether E the hospital Same as Field POA_PRINC 423	C_DIAG_CODE Data Source: Type:	Claim
Description: Coding Scheme: Beginning Position: Length:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_C	C_DIAG_CODE Data Source: Type: ODE	Claim
Description: Coding Scheme: Beginning Position: Length: Field 103:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_C	C_DIAG_CODE Data Source: Type: ODE	Claim Alphanumeric
Description: Coding Scheme: Beginning Position: Length: Field 103:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_C Code for the principal surgio	C_DIAG_CODE Data Source: Type: ODE	Claim Alphanumeric
Description: Coding Scheme: Beginning Position: Length: Field 103: Description:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_C Code for the principal surgio bill. ICD-10-PCS code.	C_DIAG_CODE Data Source: <u>Type:</u> ODE cal or other proce	Claim Alphanumeric edure performed during the period covered by the
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CO Code for the principal surgio bill. ICD-10-PCS code. 424	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type:	Claim Alphanumeric edure performed during the period covered by the Claim
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_C Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure	Claim Alphanumeric edure performed during the period covered by the Claim
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CC Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure te.	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date <i>minus</i>
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CO Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or Admission/Start of Care Da 431	C_DIAG_CODE Data Source: <u>Type:</u> ODE cal or other proce Data Source: <u>Type:</u> AY other procedure te. Data Source:	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date <i>minus</i> Calculated
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position: Length:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CO Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or Admission/Start of Care Da 431 4	C_DIAG_CODE Data Source: <u>Type:</u> ODE cal or other proce Data Source: <u>Type:</u> AY other procedure te. Data Source: <u>Type:</u>	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date <i>minus</i>
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position: Length: Field 105:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CO Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or Admission/Start of Care Da 431 4 OTH_SURG_PROC_CO	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure te. Data Source: Type: DE_1	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date minus Calculated Alphanumeric
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position: Length:	Code identifying whether E, the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CO Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D. Day of principal surgical or Admission/Start of Care Da 431 4 OTH_SURG_PROC_COI Code for surgical or other p	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure te. Data Source: Type: DE_1 rocedure other th	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date <i>minus</i> Calculated Alphanumeric an the principal procedure performed during the
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position: Length: Field 105: Description:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CC Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or Admission/Start of Care Da 431 4 OTH_SURG_PROC_COI Code for surgical or other p period covered by the bill. I	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure te. Data Source: Type: DE_1 rocedure other th CD-10-PCS code	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date minus Calculated Alphanumeric an the principal procedure performed during the e.
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position: Length: Field 105: Description: Beginning Position:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CC Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or Admission/Start of Care Da 431 4 OTH_SURG_PROC_COI Code for surgical or other p period covered by the bill. I 435	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure te. Data Source: Type: DE_1 rocedure other th CD-10-PCS code Data Source:	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date minus Calculated Alphanumeric ean the principal procedure performed during the c. Claim
Description: Coding Scheme: Beginning Position: Length: Field 103: Description: Beginning Position: Length: Field 104: Description: Beginning Position: Length: Field 105: Description:	Code identifying whether E the hospital Same as Field POA_PRINC 423 1 PRINC_SURG_PROC_CC Code for the principal surgio bill. ICD-10-PCS code. 424 7 PRINC_SURG_PROC_D Day of principal surgical or Admission/Start of Care Da 431 4 OTH_SURG_PROC_COI Code for surgical or other p period covered by the bill. I	C_DIAG_CODE Data Source: Type: ODE cal or other proce Data Source: Type: AY other procedure te. Data Source: Type: DE_1 rocedure other th CD-10-PCS code Data Source: Type:	Claim Alphanumeric edure performed during the period covered by the Claim Alphanumeric equals Principal Surgical Procedure Date minus Calculated Alphanumeric an the principal procedure performed during the e.

Description:			als Other Surgical Procedure Date minus
Beginning Position:	Admission/Start of Care Da 442	Data Source:	Calculated
Length:	442	Type:	Alphanumeric
Field 107:	OTH_SURG_PROC_CO		Alphalumene
Description:			an the principal procedure performed during the
Description.	period covered by the bill. I		
Beginning Position:	446	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 108:	OTH_SURG_PROC_DAY		Alphalumene
Description:			als Other Surgical Procedure Date minus
Description.	Admission/Start of Care Da		ais Other Surgical Procedure Date minus
Beginning Position:	453	Data Source:	Calculated
Length:	455	Type:	Alphanumeric
Field 109:	OTH_SURG_PROC_CO	~ ~	Alphanumenc
Description:			an the principal procedure performed during the
Description.	period covered by the bill. I		
Paginning Desition.	1 5	Data Source:	claim
Beginning Position:	457 7		
Length: Field 110:	OTH SURG PROC DAY	Type:	Alphanumeric
		—	als Other Surgical Decoders Date
Description:	Day of other surgical or oth Admission/Start of Care Da		als Other Surgical Procedure Date minus
п · · п · /·			
Beginning Position:	464	Data Source:	Calculated
Length:	4	Туре:	Alphanumeric
Field 111:	OTH_SURG_PROC_CO		
Description:			an the principal procedure performed during the
	period covered by the bill. I		
Beginning Position:	468	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 112:	OTH_SURG_PROC_DAY	_	
Description:			als Other Surgical Procedure Date minus
	Admission/Start of Care Da		
Beginning Position:	475	Data Source:	Calculated
Length:	4	Туре:	Alphanumeric
Field 113:	OTH_SURG_PROC_CO	DE_5	
Description:	Code for surgical or other p period covered by the bill. I		an the principal procedure performed during the e.
Beginning Position:	479	Data Source:	Claim
Length:	7	Туре:	Alphanumeric
Field 114:	OTH_SURG_PROC_DAY	Y_5	
Description:	Day of other surgical or oth	er procedure equ	als Other Surgical Procedure Date minus
	Admission/Start of Care Da	ate	
Beginning Position:	486	Data Source:	Calculated
Length:	4	Туре:	Alphanumeric
Field 115:	OTH_SURG_PROC_CO	DE 6	*
Description:			an the principal procedure performed during the
	period covered by the bill.		
Beginning Position:	490	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 116:	OTH_SURG_PROC_DAY		
Description:		_	als Other Surgical Procedure Date minus
besti ipuoli.	Admission/Start of Care Da		uis oner surgicar i roccure Date minus
	497	Data Source:	Calculated
Roginning Desitions		Data Source:	Calculated
0 0			
Beginning Position: Length: Field 117:	4 OTH_SURG_PROC_CO	Туре:	Alphanumeric

DSHS/THCIC

period covered by the bill. ICD-10-PCS code. The interval of the	Description:	Code for surgical or other pr	rocedure other th	an the principal procedure performed during the
Beginning Position: 501 Data Source: Claim Field 118: OTH_SURG_PROC_DAY_P Alphanumeric Beginning Position: 508 Data Source: Catulated Length: 4 Type: Alphanumeric Field 119: OTH_SURG_PROC_CODE_8 Description: Source: Catulated Beginning Position: 512 Data Source: Claim Field 120: OTH_SURG_PROC_COMP_8 Description: Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 120: OTH_SURG_PROC_CODE_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Claim Field 121: OTH_SURG_PROC_DAY_8 Description: S23 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure other than the principal procedure performed during the period covered by the bil	1			
Length: 7 Type: Alphanumeric Field 118: OTH_SURG_PROC_DAY_7 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 508 Data Source: Calculated Length: 4 Type: Alphanumeric Field 119: OTH_SURG_PROC_CODE_8 Data Source: Claim Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Field 121: OTH_SURG_PROC_DAY 9 Description: Code for surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Alphanumeric Field 121: OTH_SURG_PROC_DOE 9 Description: Code for surgical or other procedure equals Other Surgical Procedure Date minus	Beginning Position:			
Field 118: OTH SUBG_PROC DAY_7 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 508 Data Source: Calculated Length: 4 Type: Alphanumeric Field 119: OTH_SUBG_PROC_CODE_8 Data Source: Claim Description: 512 Data Source: Claim Field 120: OTH_SUBG_PROC_DAY_8 Data Source: Claculated Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 7 Type: Alphanumeric Field 121: OTH_SUBG_PROC_CODE_9 Description: Code for surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Claim Beginning Position: 530 Data Source: Claim Claim Admission/Start of Care Date. Beginning Position: 530 Data Source: Claim Claim Claim Beginning Position: 530 Data Source:	0 0			
Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 508 Data Source: Calculated Image: 4 Type: Alphanumeric Field 119: OTH_SURG_PROC_CODE_8 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Field 120: OTH_SURG_PROC_DAY_8 Alphanumeric Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Alphanumeric Beginning Position: 523 Data Source: Claim Beginning Position: 523 Data Source: Claim Beginning Position: 523 Data Source: Claim Beginning Position: 530 Data Source: Claim Beginning Position: AdmissionStart of Care Date. Adphanumeric Beginning Position: Dato fors surgical or other procedure equals		OTH SURG PROC DAY		F to the second s
Admission/Start of Care Data Beginning Position: 508 Data Source: Calculated Length: 4 Type: Alphanumeric Field 119: OTH_SURG_PROC_CODE_S Description: Solde for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: Ott SURGEQ PROC_DAY_S Description: Data Source: Calculated Beginning Position: 519 Data Source: Calculated Length: Field 121: OTH_SURG_PROC_CODE_S Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH SURG_PROC_ODE_10 Data Source: Claim Beginning Position: 530 Data Source: Claim Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure equals Other Surgical Procedure Date m				als Other Surgical Procedure Date minus
Beginning Position: 508 Data Source: Calculated Length: 4 Type: Alphanumeric Field 119: OTH_SURG_PROC_CODE_8 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claima Field 122: OTH_SURG_PROC_CODE_9 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Data Source: Calculated Length: 534 Data Source	Description			and Saler Surgical Procedure Date mining
Longth: 4 Type: Alphanumeric Field 119: OTH_SURG_PROC_CODE_S Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Data Source: Claim Description: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Data Source: Description:<	Reginning Position.			Calculated
Field 119: OTH_SURG_PROC_CODE_8 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAV_8 Daty of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAX 9 Description: Day of other surgical or other procedure other than the principal procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH SURG_PROC_DAX 10 Data Source: Cla	0 0			
Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_ODE_9 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 530 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_ODE_10 Data Source: Claculated Description: S30 Data Source: Claculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_DAY_10 Data Source: Claculated Length: 7 Type: Alphanumeric Alphanumeric				Alphanumene
period covered by the bill. ICD-10-PCS code. Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Calculated Length: 4 Length: 7 Type: Alphanumeric Field 123: OTH_SURG_PROC_DOX_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure performed				on the principal procedure performed during the
Beginning Position: 512 Data Source: Claim Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Alphanumeric Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Description: Code for surgical or other procedure other than the principal procedure parformed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Claim Itength: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_DAY_10 Data Source: Claim Description: Day of other surgical or other procedure other surgical Procedure Date minus Admission/Start of Care Date. Beginning Position:	Description:			
Length: 7 Type: Alphanumeric Field 120: OTH_SURG_PROC_DAY_8 Other Surgical Procedure Date minus Admission/Start of Care Date Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY.9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124:	Desimulus Desitions	1 0		
Field 120: OTH_SURG_PROC_DAY_8 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Description: Day of other surgical or other procedure other than the principal procedure Date minus Admission/Start of Care Date. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_CODE_11 Description: <t< th=""><th></th><th></th><th></th><th></th></t<>				
Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Data Source: Claim Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_ODE 10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Description: Day of other surgical or other procedure equals Other Surgic		•	~ ~	Alphanumeric
Admission/Start of Care Date Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Edit 124: OTH_SURG_PROC_DAY_10 Description: Day of other surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Galia Source: Cl				
Beginning Position: 519 Data Source: Calculated Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE 9 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_CODE_11 Description: Day of other surgical or other procedure equals Other Surgical Procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Clai	Description:			als Other Surgical Procedure Date minus
Length: 4 Type: Alphanumeric Field 121: OTH_SURG_PROC_CODE_9 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE 10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_CODE_10 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 541 Data Source: Claim Field 125: OTH_SURG_PROC_CODE_11 Description: <t< th=""><th></th><th></th><th></th><th></th></t<>				
Field 121: OTH_SURG_PROC_CODE_9 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Tength: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 541 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Desori other procedure other than the principal procedure p	0 0			
Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 523 Data Source: Claim Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Field 124: OTH_SURG_PROC_DAY_0 Data Source: Claim Claim Description: 534 Data Source: Claim Claim Length: 7 Type: Alphanumeric Pield 124: Data Source: Claim Description: Day of other surgical or other procedure other than the principal procedure Date minus Admission/Start of Care Date. Reginning Sosition: S41 Data Source: Claim Field 125: OTH_SURG_PROC_CODE_11 Dode for surgical or other procedure other than t				Alphanumeric
period covered by the bill. ICD-10-PCS code.Beginning Position:523Data Source:ClaimField 122:OTH_SURG_PROC_DAY_9Description:Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:530Data Source:CalculatedLength:4Type:AlphanumericField 123:OTH_SURG_PROC_CODE_10Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:534Data Source:ClaimCode for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:534Data Source:ClaimField 124:OTH_SURG_PROC_DAY_10Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.AlphanumericBeginning Position:541Data Source:CalculatedLength:4Type:AlphanumericField 125:OTH_SURG_PROC_COEL_11Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimField 126:OTH_SURG_PROC_COEL_11Data Source:ClaimDescription:Code for surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552	Field 121:			
period covered by the bill. ICD-10-PCS code.Beginning Position:523Data Source:ClaimField 122:OTH_SURG_PROC_DAY_9Description:Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:530Data Source:CalculatedLength:4Type:AlphanumericField 123:OTH_SURG_PROC_CODE_10Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:534Data Source:ClaimCode for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:534Data Source:ClaimField 124:OTH_SURG_PROC_DAY_10Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.AlphanumericBeginning Position:541Data Source:CalculatedLength:4Type:AlphanumericField 125:OTH_SURG_PROC_COEL_11Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimField 126:OTH_SURG_PROC_COEL_11Data Source:ClaimDescription:Code for surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552	Description:	Code for surgical or other pr	rocedure other th	an the principal procedure performed during the
Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 541 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SU		period covered by the bill. I	CD-10-PCS code	2.
Length: 7 Type: Alphanumeric Field 122: OTH_SURG_PROC_DAY_9 Joay of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Joan Source: Claim Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Admission/Start of Care Date. Beginning Position: 541 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Joan Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SURG_PROC_DAY_11 Joan Source: Claim Length:	Beginning Position:	523	Data Source:	Claim
Field 122: OTH_SURG_PROC_DAY_9 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Alphanumeric Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Field 125: OTH_SURG_PROC_CODE_11 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim <td< th=""><th>0 0</th><th>7</th><th>Type:</th><th>Alphanumeric</th></td<>	0 0	7	Type:	Alphanumeric
Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 530 Data Source: Calculated Itempth: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Alphanumeric Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Alphanumeric Beginning Position: 534 Data Source: Claim Itemgth: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Data Source: Calculated Description: Day of other surgical or other procedure other that the principal Procedure Date minus Admission/Start of Care Date. Adphanumeric Beginning Position: 541 Data Source: Calculated Length: 7 Type: Alphanumeric Field 125: OTH_SURG_PROC_DOE_11 Engining Procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Itength: 7 Type:		OTH SURG PROC DAY	79	
Admission/Start of Care Date. Jata Source: Calculated Beginning Position: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Code for surgical or other procedure other tham the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Image: Date Source: Image: Date Source:<				als Other Surgical Procedure Date minus
Beginning Position: 530 Data Source: Calculated Length: 4 Type: Alphanumeric Field 123: OTH_SURG_PROC_CODE_10 Image: Contemposed on the procedure on the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Data Source: Claiculated Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Claiulated Beginning Position: 541 Data Source: Claiulated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SURG_PROC_DAY_11 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 552	I · · ·			6
Length:4Type:AlphanumericField 123:OTH_SURG_PROC_CODE_10Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:534Data Source:ClaimLength:7Type:AlphanumericField 124:OTH_SURG_PROC_DAY_10Jata Source:CalculatedDescription:Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.CalculatedBeginning Position:541Data Source:CalculatedLength:4Type:AlphanumericField 125:OTH_SURG_PROC_CODE_11Data Source:CalculatedDescription:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimLength:7Type:Alphanumeric545Pata Source:ClaimLength:7Type:AlphanumericField 126:OTH_SURG_PROC_DAY_11Description:Day of other surgical or other procedure other surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:Stat 126:OTH_SURG_PROC_DAY_11Description:Day of other surgical or other procedure equalsStat 126:OTH_SURG_PROC_CODE_12Data Source:Stat 127:Data Source:Alphanumeric	Reginning Position.			Calculated
Field 123: OTH_SURG_PROC_CODE_10 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 541 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: S45 Data Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SURG_PROC_DAY_11 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: Day of other surgical or other procedure is procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.				
Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Jata Source: Calculated Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Alphanumeric Beginning Position: 541 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Decoredure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SURG_PROC_DAY_11 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Data Source:				Tiphululiono
period covered by the bill. ICD-10-PCS code.Beginning Position:534Data Source:ClaimLength:7Type:AlphanumericField 124:OTH_SURG_PROC_DAY_10Jata Source:CalculatedDay of other surgical or other procedure <i>equals</i> Other Surgical Procedure Date <i>minus</i> Admission/Start of Care Date.Data Source:CalculatedBeginning Position:541Data Source:CalculatedField 125:OTH_SURG_PROC_CODE_11Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimField 126:OTH_SURG_PROC_DAY_11Description:Day of other surgical or other procedure <i>equals</i> Other Surgical Procedure Date <i>minus</i> Admission/Start of Care Date.Beginning Position:552Data Source:Claim ClaiuField 127:OTH_SURG_PROC_ODE_12CalculatedLength:4Type:AlphanumericField 127:OTH_SURG_PROC_ODE_12CalculatedBeginning Position:552Data Source:CalculatedIcoget 127:Other surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:552Data Source:CalculatedLength:4Type:AlphanumericField 127:Other surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position: <th></th> <th></th> <th></th> <th>an the principal procedure performed during the</th>				an the principal procedure performed during the
Beginning Position: 534 Data Source: Claim Length: 7 Type: Alphanumeric Field 124: OTH_SURG_PROC_DAY_10 Joay of other surgical or other procedure equals or other Surgical Procedure Date minus Admission/Start of Care Date. Source: Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 541 Data Source: Calculated Itength: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Field 125: OTH_SURG_PROC_CODE_11 Description: Code for surgical or other procedure other that the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Field 126: OTH_SURG_PROC_DAY_11 Joay of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_112 Eacomericon other p	Description.			
Length:7Type:AlphanumericField 124:OTH_SURG_PROC_DAY_10Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:541Data Source:CalculatedItength:4Type:AlphanumericField 125:OTH_SURG_PROC_CODE_11Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimField 126:OTH_SURG_PROC_DAY_11Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:CalculatedItength:4Type:AlphanumericField 127:OTH_SURG_PROC_CODE_12Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:CalculatedItength:4Type:AlphanumericField 127:OTH_SURG_PROC_CODE_12Data Source:CalculatedDescription:556Data Source:CalculatedBeginning Position:556Data Source:CalculatedBeginning Position:556Data Source:CalculatedBeginning Position:556Data Source:CalculatedBeginning Position:556Data Source:CalculatedBeginning Position:556Data Source:CalculatedBeginning Position:556	Reginning Position.			
Field 124:OTH_SURG_PROC_DAY_10Description:Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:541Data Source:CalculatedType:AlphanumericField 125:OTH_SURG_PROC_CODE_11Description:Code for surgical or other procedure other then the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimType:AlphanumericField 126:OTH_SURG_PROC_DAY_11Description:Day of other surgical or other procedure equalsStart of Care Date.Data Source:Admission/Start of Care Date.CalculatedAdmission/Start of Care Date.Source:Beginning Position:552Data Source:CalculatedType:AlphanumericField 127:OTH_SURG_PROC_COVE_12Description:Code for surgical or other procedure other then the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Field 127:OTH_SURG_PROC_COVE_12Description:Code for surgical or other procedure other then the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Cild 127:Other Surgical or other procedure other then the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Cild 127:Source:ClaimDescript	0 0			
Description:Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:541Data Source:CalculatedLength:4Type:AlphanumericField 125:OTH_SURG_PROC_CODE_11Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimType:AlphanumericField 126:OTH_SURG_PROC_DAY_11AlphanumericDescription:52Data Source:CalculatedAdmission/Start of Care Date.Code for surgical or other procedure equalsOther Surgical Procedure Date minusAdmission/Start of Care Date.CalculatedIntegrition:OTH_SURG_PROC_DAY_11Surgical Procedure Date minusBeginning Position:52Data Source:CalculatedIntegrition:OTH_SURG_PROC_CODE_12CalculatedBeginning Position:52Data Source:CalculatedField 127:OTH_SURG_PROC_CODE_12Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimGuestion:556Data Source:ClaimBeginning Position:556Data Source:ClaimBeginning Position:556Data Source:ClaimIntegrition:556Data Source:Claim		•		Alphanumene
Admission/Start of Care Date. Beginning Position: 541 Data Source: Calculated Length: 4 Type: Alphanumeric Field 125: OTH_SURG_PROC_CODE_11 Alphanumeric Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 545 Data Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SURG_PROC_DAY_11 Experiments Data Source: Calculated Beginning Position: 552 Data Source: Calculated Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Description: 552 Data Source: Calculated Ength: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Ength: 7 Type: Alphanumeric				ala Othan Sumaiaal Propaduma Data minus
Beginning Position:541Data Source:CalculatedLength:4Type:AlphanumericField 125:OTH_SURG_PROC_CVE_11Code for surgical or other procedure other the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimField 126:OTH_SURG_PROC_DAY_11AlphanumericDescription:Day of other surgical or other procedure equalsOther Surgical Procedure Date minusAdmission/Start of Care DateData Source:CalculatedLength:4Type:AlphanumericField 127:OTH_SURG_PROC_COE_12CalculatedDescription:6/04 for surgical or other procedure other the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:552Data Source:Field 127:OTH_SURG_PROC_COE_12Description:Code for surgical or other procedure other the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Code for surgical or other procedure other the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Alphanumeric7Type:Alphanumeric1	Description:			als Other Surgical Procedure Date minus
Length:4Type:AlphanumericField 125:OTH_SURG_PROC_CODE_11Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimItength:7Type:AlphanumericField 126:OTH_SURG_PROC_DAY_11Admission/Start of Care Date.Beginning Position:Day of other surgical or other procedure equalsOther Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:CalculatedItength:4Type:AlphanumericField 127:OTH_SURG_PROC_CODE_12Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimGode for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimClaimLength:7Type:Alphanumeric	D			
Field 125:OTH_SURG_PROC_CODE_11Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimLength:7Type:AlphanumericField 126:OTH_SURG_PROC_DAY_11Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:CalculatedItength:4Type:AlphanumericField 127:OTH_SURG_PROC_CODE_12Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:CalculatedField 127:OTH_SURG_PROC_CODE_12Edit Source:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimCode for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimCode for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimCode for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Code for surgical				
Description:Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:545Data Source:ClaimItength:7Type:AlphanumericField 126:OTH_SURG_PROC_DAY_11Jay of other surgical or other procedure equalsOther Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:CalculatedItength:4Type:AlphanumericField 127:OTH_SURG_PROC_COE_12Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimField 127:OTH_SURG_PROC_COE_12Tencipal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimItength:7Type:Alphanumeric				Alphanumeric
Beginning Position: 545 Data Source: Claim Length: 7 Type: Alphanumeric Field 126: OTH_SURG_PROC_DAY_11 Alphanumeric Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric				
Beginning Position:545Data Source:ClaimLength:7Type:AlphanumericField 126:OTH_SURG_PROC_DAY_11Jay of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:Stepsthin:4Type:AlphanumericField 127:OTH_SURG_PROC_COJE_12Description:Code for surgical or other procedure other the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Code for Surgical or other procedure other the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:Alphanumeric7Type:Alphanumeric	Description:			
Length:7Type:AlphanumericField 126:OTH_SURG_PROC_DAY_11Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date.Beginning Position:552Data Source:CalculatedLength:4Type:AlphanumericField 127:OTH_SURG_PROC_CODE_12Code for surgical or other procedure other that the principal procedure performed during the period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimItength:7Type:Alphanumeric				
Field 126: OTH_SURG_PROC_DAY_11 Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric				
Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Egginning Position: Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric				Alphanumeric
Admission/Start of Care Date. Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric				
Beginning Position: 552 Data Source: Calculated Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Alphanumeric Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric	Description:			als Other Surgical Procedure Date minus
Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric		Admission/Start of Care Da	te.	
Length: 4 Type: Alphanumeric Field 127: OTH_SURG_PROC_CODE_12 Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric	Beginning Position:	552	Data Source:	Calculated
Field 127: OTH_SURG_PROC_CODE_12 Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric	Length:	4	Туре:	Alphanumeric
Description: Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. Beginning Position: 556 Data Source: Claim Length: 7 Type: Alphanumeric		OTH_SURG_PROC COI		
period covered by the bill. ICD-10-PCS code.Beginning Position:556Data Source:ClaimLength:7Type:Alphanumeric				an the principal procedure performed during the
Beginning Position:556Data Source:ClaimLength:7Type:Alphanumeric	I COMPANY			
Length: 7 Type: Alphanumeric	Beginning Position.			
	0			
		•		· inplantation
	- IVIU 140+	JII_JUKO_IKUU_DAI		

DSHS/THCIC

Description:			als Other Surgical Procedure Date minus	
Doginating Desitions	Admission/Start of Care Da 563	Data Source:	Calculated	
Beginning Position:	505 4			
Length: Field 129:	OTH_SURG_PROC_CO	Type: DE 13	Alphanumeric	
Description:	Code for surgical or other procedure other than the principal procedure performed during the			
Description:	period covered by the bill. ICD-10-PCS code.			
Beginning Position:	567	Data Source:	claim	
Length:	7	Type:	Alphanumeric	
Field 130:			Alphanumenc	
Description:	OTH_SURG_PROC_DAY_13 Day of other surgical or other procedure <i>equals</i> Other Surgical Procedure Date <i>minus</i>			
Description.	Admission/Start of Care Da		uis Other Surgical Procedure Date minus	
Beginning Position:	574	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 131:		11	Aphanumene	
Description:			an the principal procedure performed during the	
Description.	period covered by the bill. I			
Beginning Position:	578	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 132:	OTH_SURG_PROC_DAY		Alphandmene	
Description:			als Other Surgical Procedure Date minus	
Description.	Admission/Start of Care Da		uis Other Surgical Procedure Date minus	
Beginning Position:	585	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 133:	OTH_SURG_PROC_CO		Alphanumenc	
Description:			an the principal procedure performed during the	
Description.	period covered by the bill. I			
Beginning Position:	589	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 134:	OTH_SURG_PROC_DAY		Alphalumene	
Description:	Day of other surgical or other procedure <i>equals</i> Other Surgical Procedure Date <i>minus</i>			
Description.	Admission/Start of Care Da		uis other Surgicul Hocedule Date minus	
Beginning Position:	596	Data Source:	Calculated	
Length:	4	Туре:	Alphanumeric	
Field 135:	OTH_SURG_PROC_CO			
Description:			an the principal procedure performed during the	
2 courpriont	period covered by the bill. I			
Beginning Position:	600	Data Source:	Claim	
Length:	7	Туре:	Alphanumeric	
Field 136:	OTH_SURG_PROC_DAY		•	
Description:			als Other Surgical Procedure Date minus	
•	Admission/Start of Care Da			
Beginning Position:	607	Data Source:	Calculated	
Length:	4	Туре:	Alphanumeric	
Field 137:	OTH_SURG_PROC_CO		*	
Description:			an the principal procedure performed during the	
•	period covered by the bill.			
Beginning Position:	611	Data Source:	Claim	
Length:	7	Туре:	Alphanumeric	
Field 138:	OTH_SURG_PROC_DAY			
Description:			als Other Surgical Procedure Date minus	
-	Admission/Start of Care Da		-	
Beginning Position:	618	Data Source:	Calculated	
Length:	4	Туре:	Alphanumeric	
Field 139:	OTH_SURG_PROC_CO			
Field 139:	OTH_SURG_PROC_CO	DE_18		

Description:	Code for surgical or other pr	ocedure other th	an the principal procedure performed during the	
	period covered by the bill. I	CD-10-PCS code	<u>.</u>	
Beginning Position:	622	Data Source:	Claim	
Length:	7	Туре:	Alphanumeric	
Field 140:	OTH_SURG_PROC_DAY_18			
Description:	Day of other surgical or other procedure equals Other Surgical Procedure Date minus			
-	Admission/Start of Care Dat	te.		
Beginning Position:	629	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 141:	OTH_SURG_PROC_COL	DE 19	·	
Description:			an the principal procedure performed during the	
	period covered by the bill.			
Beginning Position:	633	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 142:	OTH_SURG_PROC_DAY	V I	1	
Description:			als Other Surgical Procedure Date minus	
- ···· r ·····	Admission/Start of Care Dat			
Beginning Position:	640	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 143:	OTH_SURG_PROC_COL			
Description:			an the principal procedure performed during the	
Description.	period covered by the bill. I			
Beginning Position:	644	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 144:	OTH_SURG_PROC_DAY		Alphanumene	
Description:			als Other Surgical Procedure Date minus	
Description.	Admission/Start of Care Dat		uis Other Surgical Procedure Date minus	
Beginning Position:	651	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 145:	OTH_SURG_PROC_COL		Alphanumene	
Description:			an the principal procedure performed during the	
Description.	period covered by the bill. I			
Beginning Position:	655	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 146:	OTH_SURG_PROC_DAY		Alphanumene	
Description:			als Other Surgical Procedure Date minus	
Description.	Admission/Start of Care Dat		uis Other Surgical Procedure Date minus	
Beginning Position:	662	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 147:	 OTH_SURG_PROC_COL		Alphanumenc	
Description:			an the principal procedure performed during the	
Description:	period covered by the bill. I			
Designing Desition.	1 0	Data Source:	claim	
Beginning Position:	666 7			
Length: Field 148:	•	Type:	Alphanumeric	
	OTH_SURG_PROC_DAY			
	Dary of other survival on othe		J. Other Survey of Dress drive Data minut	
Description:			als Other Surgical Procedure Date minus	
Description:	Admission/Start of Care Dat	te.	-	
Description: Beginning Position:	Admission/Start of Care Dat 673	te. Data Source:	Calculated	
Description: Beginning Position: Length:	Admission/Start of Care Dat 673 4	te. Data Source: Type:	-	
Description: Beginning Position: Length: Field 149:	Admission/Start of Care Dat 673 4 OTH_SURG_PROC_COL	te. Data Source: Type: DE_23	Calculated Alphanumeric	
Description: Beginning Position: Length:	Admission/Start of Care Dat 673 4 OTH_SURG_PROC_COL Code for surgical or other pr	Data Source: <u>Type:</u> DE_23 rocedure other th	Calculated Alphanumeric an the principal procedure performed during the	
Description: Beginning Position: Length: Field 149: Description:	Admission/Start of Care Dat 673 4 OTH_SURG_PROC_COL Code for surgical or other pr period covered by the bill. It	Data Source: Type: DE_23 rocedure other th CD-10-PCS code	Calculated Alphanumeric an the principal procedure performed during the e.	
Description: Beginning Position: Length: Field 149: Description: Beginning Position:	Admission/Start of Care Dat 673 4 OTH_SURG_PROC_COL Code for surgical or other pr period covered by the bill. It 677	Data Source: Type: DE_23 rocedure other th CD-10-PCS code Data Source:	Calculated Alphanumeric an the principal procedure performed during the c. Claim	
Description: Beginning Position: Length: Field 149: Description: Beginning Position: Length:	Admission/Start of Care Dat 673 4 OTH_SURG_PROC_COL Code for surgical or other pr period covered by the bill. IC 677 7	Data Source: Type: DE_23 rocedure other th CD-10-PCS code Data Source: Type:	Calculated Alphanumeric an the principal procedure performed during the e.	
Description: Beginning Position: Length: Field 149: Description: Beginning Position:	Admission/Start of Care Dat 673 4 OTH_SURG_PROC_COL Code for surgical or other pr period covered by the bill. It 677	Data Source: Type: DE_23 rocedure other th CD-10-PCS code Data Source: Type:	Calculated Alphanumeric an the principal procedure performed during the c. Claim	

DSHS/THCIC

n · · 	Admission/Start			
Beginning Position:	684	Data Source:	Calculated	
Length:	4 0711 01100 0	Type:	Alphanumeric	
Field 151:	OTH_SURG_PROC_CODE_24 Code for surgical or other procedure other than the principal procedure performed during th			
Description:				
D D		by the bill. ICD-10-PCS code		
Beginning Position:	688 7	Data Source:	Claim	
Length:	7 OTH SUBC P	Type:	Alphanumeric	
Field 152:		PROC_DAY_24	ala Other Surgical Presedure Data minur	
Description:	Admission/Start		als Other Surgical Procedure Date minus	
Beginning Position:	695	Data Source:	Calculated	
Length:	4		Alphanumeric	
Field 153:		Type: PHYSICIAN_UNIF_ID	Alphanumenc	
			que identifier assigned to the licensed physicia	
Description:			ces rendered, with primary responsibility for t	
			an is an individual licensed to practice medicir	
			an individual other than a physician who admi	
			tic or therapeutic procedures to inpatients,	
			ets, nurse practitioners, nurse midwives, and	
		brized by the hospital to admi		
Suppression:			epresented in a DRG for a hospital is less than	
ouppi coston.	minimum cell si		epresented in a Dive for a nospital is less tildli	
Coding Scheme:		Cell size less than 5		
Sound Scheme.		Femporary license or license number	r could not be matched	
Beginning Position:	699	Data Source:	Assigned	
Length:	10	Type:	Alphanumeric	
Field 154:		PHYSICIAN_UNIF_ID	/ inplumente	
Description:			fier (if applicable). Unique identifier assigned	
Description.			an the attending physician. Physician is an	
			er the Medical Practice Act. Can include an	
			patients to hospitals or who provides diagnost	
			g psychologists, chiropractors, dentists, nurse	
			s authorized by the hospital to admit or treat	
	patients.	ise mawrees, and pouralists	, autorized by the hospital to dufint of treat	
Suppression:		n the number of physicians r	enresented in a DRG for a hospital is less than	
Septiment.	Suppressed when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.			
Coding Scheme:		Cell size less than 5		
coung seneme.		Femporary license or license number	r could not be matched	
Beginning Position:	709	Data Source:	Assigned	
Length:	10	Type:	Alphanumeric	
Field 155:	ENCOUNTER		. apaulumene	
Description:		mber of claims used to create	the encounter	
Beginning Position:	719	Data Source:	Calculated	
Length:	2	Type:	Alphanumeric	
Field 156:	PROVIDER_N		/ upnunumene	
Description:		rovided by the hospital.		
Suppression:			vider ID equals '999999') are assigned the nar	
Sabhr com			ital has fewer than 5 discharges of a particular	
		g 'unknown', Hospital Name		
Beginning Position:	721	Data Source:	Provider	
Length:	55	Type:	Alphanumeric	
Field 157:	EMERGENCY		<i>i</i> mpitaliumene	
Description:		rAG ergency department visit.		
Coding Scheme:		hergency related		
County Scheme:	1 visit was ell	in pointy related		
DSHS/THCIC WWW.DSHS.TEXAS		——————————————————————————————————————	DSHS Document # E25-14 Last Updated: July, 20	

	Ν	Visit was not emergency related	
Beginning Position:	776	Data Source:	Assigned
Length:	1	Туре:	Alphanumeric

BASE DATA #2 FILE

Field 1:	DECODD ID			
	RECORD_ID			
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1 st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).			
Doginating Dogitions				
Beginning Position:	1	Data Source:	Assigned	
Length:		Туре:	Alphanumeric	
Field 2:	PRIVATE_AMOUNT			
Description:	Accommodation Charge, Private Room Charge Amount. Calculated using MEDPAR			
	algorithm. Sum of charges associated with revenue codes 0100-0219, revenue center 011X,			
Designing Desitions	014X 13	Data Source:	Calculated	
Beginning Position:	13		Numeric	
Length: Field 3:		Type:	Numeric	
	SEMI_PRIVATE_AMOU		Change Amount Coloulated using MEDDAD	
Description:			n Charge Amount. Calculated using MEDPAR evenue codes 0100-0219, revenue center 010X,	
	012X-014X, 016X-019X	associated with re	evenue codes 0100-0219, revenue center 010X,	
Designing Desitions	25	Data Source:	Calculated	
Beginning Position:	23 12		Numeric	
Length: Field 4:	WARD AMOUNT	Туре:	Numeric	
	—	land Change Ame	unt Coloulated using MEDDAD algorithm Sum of	
Description:			ount. Calculated using MEDPAR algorithm. Sum of -0219, revenue center 015X.	
Beginning Position:	37	Data Source:	Calculated	
Length:	12		Numeric	
Field 5:				
	ICU_AMOUNT	tanaiwa Cana Uni	t Change Amount Coloulated using MEDDAD	
Description:			t Charge Amount. Calculated using MEDPAR evenue codes 0100-0219, revenue center 020X.	
Beginning Position:	49	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 6:	CCU_AMOUNT	турс.	Numerie	
Description:		oronary Care Uni	it Charge Amount. Calculated using MEDPAR	
Description			evenue codes 0100-0219, revenue center 021X.	
Beginning Position:	61	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 7:	OTHER_AMOUNT	rype.	Tumone	
Description:)ther Charge Am	ount. Calculated using MEDPAR algorithm. Sum	
Description			her than 0100-0219, revenue center 0002-0099,	
			X-070X, 076X-078X, 090X-095X, 099X.	
Beginning Position:	73	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 8:	PHARM_AMOUNT			
Description:		Pharmacy Charge	Amount. Calculated using MEDPAR algorithm.	
r			es other than 0100-0219, revenue center 025X,	
	026X, and 063X.			
Beginning Position:	85	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 9:	MEDSURG_AMOUNT			
Description:		Medical/Surgical	Supply Charge Amount. Calculated using	
			ated with revenue codes other than 0100-0219,	
	revenue center 027X, 062X	U	······································	
Beginning Position:	97	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 10:	DME_AMOUNT	J 1	-	

Description:			Equipment Charge Amount. Calculated using ted with revenue codes other than 0100-0219,	
	revenue centers 0290-0292, 0294-			
Beginning Position:		a Source:	Calculated	
Length:	12 Typ	e:	Numeric	
Field 11:	USED_DME_AMOUNT			
Description:	Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 0293.			
Beginning Position:		a Source:	Calculated	
Length:	12 Typ		Numeric	
Field 12:	PT AMOUNT			
Description:			Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center	
Beginning Position:	133 Dat	a Source:	Calculated	
Length:	12 Typ	e:	Numeric	
Field 13:	OT_AMOUNT			
Description:	Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 043X.			
Beginning Position:		a Source:	Calculated	
Length:	12 Typ	e:	Numeric	
Field 14:	SPEECH_AMOUNT			
Description:			Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center	
Beginning Position:		a Source:	Calculated	
Length:	12 Typ		Numeric	
Field 15:	IT_AMOUNT			
Description:	Ancillary Service Charge, Inhalat		Charge Amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center	
Beginning Position:		a Source:	Calculated	
Length:	12 Typ		Numeric	
Field 16:	BLOOD_AMOUNT		Tumono	
Description:	Ancillary Service Charge for blood provided during the patient's stay. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,			
Beginning Position:	MEDPAR algorithm. Sum of char revenue center 038X.			
	MEDPAR algorithm. Sum of char revenue center 038X.	rges associa a Source:	ted with revenue codes other than 0100-0219,	
Beginning Position: Length: Field 17:	MEDPAR algorithm. Sum of char revenue center 038X. 181 Data	rges associa a Source:	ted with revenue codes other than 0100-0219, Calculated	
Length: Field 17: Description:	MEDPAR algorithm. Sum of char revenue center 038X. 181 Data 12 Typ BLOOD_ADMIN_AMOUNT Ancillary Service Charge for bloc Calculated using MEDPAR algor than 0100-0219, revenue center 0	rges associa a Source: e: od storage an ithm. Sum c	ted with revenue codes other than 0100-0219, Calculated Numeric nd processing related to the patient's stay. of charges associated with revenue codes other	
Length: Field 17: Description: Beginning Position:	MEDPAR algorithm. Sum of char revenue center 038X. 181 Data 12 Typ BLOOD_ADMIN_AMOUNT Ancillary Service Charge for bloc Calculated using MEDPAR algor than 0100-0219, revenue center 0 193 Data	rges associa a Source: e: od storage ar ithm. Sum c 39X. a Source:	ted with revenue codes other than 0100-0219, Calculated Numeric nd processing related to the patient's stay. of charges associated with revenue codes other Calculated	
Length: Field 17: Description: Beginning Position: Length:	MEDPAR algorithm. Sum of char revenue center 038X. 181 Data 12 Typ BLOOD_ADMIN_AMOUNT Ancillary Service Charge for bloc Calculated using MEDPAR algor than 0100-0219, revenue center 0 193 Data 12 Typ	rges associa a Source: e: od storage ar ithm. Sum c 39X. a Source:	ted with revenue codes other than 0100-0219, Calculated Numeric nd processing related to the patient's stay. of charges associated with revenue codes other	
Length: Field 17: Description: Beginning Position: Length:	MEDPAR algorithm. Sum of char revenue center 038X. 181 Data 12 Typ BLOOD_ADMIN_AMOUNT Ancillary Service Charge for bloc Calculated using MEDPAR algor than 0100-0219, revenue center 0 193 Data	rges associa a Source: e: od storage ar ithm. Sum c 39X. a Source:	ted with revenue codes other than 0100-0219, Calculated Numeric nd processing related to the patient's stay. of charges associated with revenue codes other Calculated	
Length: Field 17: Description: Beginning Position: Length: Field 18: Description:	MEDPAR algorithm. Sum of char revenue center 038X.181Data12TypBLOOD_ADMIN_AMOUNTAncillary Service Charge for blocCalculated using MEDPAR algor than 0100-0219, revenue center 0193Data12TypOR_AMOUNTAncillary Service Charge, Operat algorithm. Sum of charges associa 036X, 071X-072X.	rges associa a Source: ee: od storage an ithm. Sum of 39X. a Source: ee: ing Room C ated with re	ted with revenue codes other than 0100-0219, Calculated Numeric ad processing related to the patient's stay. of charges associated with revenue codes other Calculated Numeric Charge amount. Calculated using MEDPAR venue codes other than 0100-0219, revenue center	
Length:	MEDPAR algorithm. Sum of char revenue center 038X.181Data12TypBLOOD_ADMIN_AMOUNTAncillary Service Charge for blocCalculated using MEDPAR algor than 0100-0219, revenue center 0193Data12TypOR_AMOUNTAncillary Service Charge, Operat algorithm. Sum of charges associa 036X, 071X-072X.	rges associa a Source: ee: od storage an ithm. Sum of 39X. a Source: he: ing Room C	ted with revenue codes other than 0100-0219, Calculated Numeric ad processing related to the patient's stay. of charges associated with revenue codes other Calculated Numeric	

Description:		1, 0	e Amount. Calculated using MEDPAR algorithm.	
			es other than 0100-0219, revenue center 079X.	
Beginning Position:	217	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 20:	CARD_AMOUNT			
Description:			e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 048X,	
Beginning Position:	229	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 21:	ANES_AMOUNT			
Description:	Ancillary Service Charge, A	nesthesia Charge	e Amount. Calculated using MEDPAR algorithm.	
-			es other than 0100-0219, revenue center 037X.	
Beginning Position:	241	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 22:	LAB AMOUNT	* *		
Description:	Ancillary Service Charge, Laboratory Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 030X-031X, 074X-075X.			
Beginning Position:	253	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 23:	RAD_AMOUNT			
Description:		adiology Charge	Amount. Calculated using MEDPAR algorithm.	
			es other than 0100-0219, revenue center 028X,	
Beginning Position:	265	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 24: Description:	MRI_AMOUNT Ancillary Service Charge, MRI Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 061X.			
Beginning Position:	277	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 25:	OP_AMOUNT			
Description:	Ancillary Service Charge, Outpatient Services Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 049X-050X.			
Beginning Position:	289	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 26:	ER_AMOUNT			
Description:	Ancillary Service Charge, Emergency Room Charge Amount. Calculated using MEDPAR			
-	algorithm. Sum of charges a 045X.		evenue codes other than 0100-0219, revenue center	
Beginning Position:	301	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 27:	AMBULANCE_AMOUNT	[
Description:	Ancillary Service Charge, Ambulance Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 054X.			
Beginning Position:	313	Data Source:	Calculated	
Length:	12	Туре:	Numeric	
Field 28:	PRO_FEE_AMOUNT			
Description:	Ancillary Service Charge, P		Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Poginning Desition	325	Data Source:	Calculated	
	- /	Data Durte.	Curculated	
Beginning Position: Length:	12	Туре:	Numeric	

Field 29:	ORGAN_AMOUNT					
Description:	Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR					
			venue co	des other than 0100-0219, revenue cente		
		, 089X.				
Beginning Position:	337	Data Source:	Calculated			
Length:	12	Туре:	Numeri	c		
Field 30:		D_AMOUNT				
Description:	Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using					
		PAR algorithm. Sum of charges associa	ted with	revenue codes other than 0100-0219,		
		ue center 080X, 082X-085X, 088X				
Beginning Position:	349	Data Source:	Calcula			
Length:	12	Туре:	Numeri	с		
Field 31:		NIC_AMOUNT				
Description:				t. Calculated using MEDPAR algorithm		
		of charges associated with revenue code				
Beginning Position:	361	Data Source:	Calcula	ted		
Length:	12	Туре:	Numeri	c		
Field 32:		CUR_CODE_1				
Description:		describing a significant event relating t				
Coding Scheme:	1	Auto accident	40	Scheduled date of admission		
	2	No Fault Insurance Involved - Including Auto Accident/Other	41	Date of first test of pre-admission testing		
	3	Accident/ Tort Liability	42	Date of discharge (hospice only)		
	4	Accident/ Employment Related	43	Scheduled date of canceled surgery		
	5	Other accident	44	Date treatment started - OT		
	6 9	Crime Victim Start of Infertility Treatment Cycle	45 46	Date treatment started - ST Date treatment started - Cardiac rehabilitation		
	10	Last Menstrual Period	40	Date cost outlier status begins		
	11	Onset of Symptoms/ Illness	A1	Birthdate - Insured A		
	12	Date of Onset for a Chronically Dependent	A2	Effective Date - Insured A Policy		
	16	Individual Date of Last Therapy	A3	Payer A benefits exhausted		
	10	Date Outpatient OT Plan Established or Last Reviewed	A3 A4	Split Bill Date		
	18	Date of Retirement - Patient/Beneficiary	B1	Birthdate - Insured B		
	19	Date of Retirement - Spouse	B2	Effective date - Insured B Policy		
	20	Date Guarantee of Payment Began	B3	Payer B benefits exhausted		
	21	Date UR Notice Received	C1	Birthdate - Insured C		
	22	Date Active Care Ended	C2	Effective date - Insured C Policy		
	24	Date Insurance Denied	C3	Payer C benefits exhausted		
	25	Date Benefits Terminated by Primary Payer	DR	Katrina disaster related		
	26	Date SNF Bed Became Available	E1	Birthdate - Insured D		
	27	Date Home Health Plan Established or Last	E2	Effective date - Insured D Policy		
	28	Reviewed Date Comprehensive Outpatient Rehabilitation Plan Established or Last Reviewed	E3	Payer D benefits exhausted		
	29	Date Outpatient PT Plan established or last reviewed	F1	Birthdate - Insured E		
	30	Date Outpatient ST Plan established or last reviewed	F2	Effective date - Insured E Policy		
	31	Date beneficiary notified of intent to bill (accommodations)	F3	Payer E benefits exhausted		
	32	Date beneficiary notified of intent to bill (procedures or treatments)	G1	Birthdate - Insured F		
	37	Date of inpatient hospital discharge for non- covered transplant patients	G2	Effective date - Insured F Policy		
	38	Date treatment started for home IV therapy	G3	Payer F benefits exhausted		
	39	Date discharged on a continuous course if IV				
Beginning Position:	373	therapy Data Source:	Claim			
Length:	2	Type:	Alphan	umeric		
Longun,	4	CUR_DAY_1	- inpitali			

Description:	Occurrence Day aguals Occu	rranca Data min	us Admission/Start of Care Date.
Beginning Position:	v 1	Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 34:	OCCUR_CODE_2	Type.	Aphanumene
Description:	Code describing a significant	t event relating t	o the claim
Coding Scheme:	Same as Field OCCUR_COE		o the claim.
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 35:	OCCUR_DAY_2	Type.	Alphanumene
Description:		irrence Date <i>mir</i>	nus Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 36:	OCCUR_CODE_3	Type:	Tiphanamerie
Description:	Code describing a significant	t event relating t	o the claim
Coding Scheme:	Same as Field OCCUR_COL		o the claim.
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 37:	OCCUR_DAY_3	Type.	Anphanumerie
Description:		irrence Date min	nus Admission/Start of Care Date.
Beginning Position:		Data Source:	Calculated
Length:		Type:	Alphanumeric
Field 38:	OCCUR_CODE_4	Type.	Alphanumene
Description:	Code describing a significant	t event relating t	o the claim
Coding Scheme:	Same as Field OCCUR_COE		o the claim.
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 39:	OCCUR_DAY_4	Type.	Alphanumene
Description:		irrence Date <i>mir</i>	nus Admission/Start of Care Date.
Beginning Position:	• •	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
		rype.	Alphanameric
Field 40:	OCCUR_CODE_5	- B	•
Field 40: Description:	OCCUR_CODE_5 Code describing a significant	t event relating t	•
Field 40: Description: Coding Scheme:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE	t event relating t DE_1.	o the claim.
Field 40: Description: Coding Scheme: Beginning Position:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397	t event relating t DE_1. Data Source:	o the claim. Claim
Field 40: Description: Coding Scheme: Beginning Position: Length:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2	t event relating t DE_1.	o the claim.
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5	t event relating t DE_1. Data Source: Type:	o the claim. Claim Alphanumeric
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41: Description:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occur	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i>	o the claim. Claim Alphanumeric nus Admission/Start of Care Date.
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41: Description: Beginning Position:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i> Data Source:	o the claim. Claim Alphanumeric aus Admission/Start of Care Date. Calculated
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41: Description: Beginning Position: Length:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i>	o the claim. Claim Alphanumeric nus Admission/Start of Care Date.
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41: Description: Beginning Position: Length: Field 42:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6	t event relating t DE_1. Data Source: Type: urrence Date <i>min</i> Data Source: Type:	o the claim. Claim Alphanumeric us Admission/Start of Care Date. Calculated Alphanumeric
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41: Description: Beginning Position: Length: Field 42: Description:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i> Data Source: Type: t event relating t	o the claim. Claim Alphanumeric us Admission/Start of Care Date. Calculated Alphanumeric
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i> Data Source: Type: t event relating t DE_1.	o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim.
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i> Data Source: Type: t event relating t DE_1. Data Source:	o the claim. Claim <u>Alphanumeric</u> <i>nus</i> Admission/Start of Care Date. Calculated <u>Alphanumeric</u> o the claim. Claim
Field 40: Description: Coding Scheme: Beginning Position: Length: Field 41: Description: Beginning Position: Length: Field 42: Description: Coding Scheme: Beginning Position: Length:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2	t event relating t DE_1. Data Source: Type: urrence Date <i>mir</i> Data Source: Type: t event relating t DE_1.	o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim.
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6	t event relating t DE_1. Data Source: Type: urrence Date <i>min</i> Data Source: Type: t event relating t DE_1. Data Source: Type:	o the claim. Claim <u>Alphanumeric</u> <i>uus</i> Admission/Start of Care Date. Calculated <u>Alphanumeric</u> o the claim. <u>Claim</u> <u>Alphanumeric</u>
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu	t event relating t DE_1. Data Source: Type: urrence Date <i>min</i> Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date <i>min</i>	o the claim. Claim Alphanumeric mus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric mus Admission/Start of Care Date.
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405	t event relating t DE_1. Data Source: Type: Inrence Date <i>min</i> Data Source: Type: t event relating t DE_1. Data Source: Type: Inrence Date <i>min</i> Data Source:	o the claim. Claim Alphanumeric us Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric us Admission/Start of Care Date. Calculated
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4	t event relating t DE_1. Data Source: Type: urrence Date <i>min</i> Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date <i>min</i>	o the claim. Claim Alphanumeric mus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric mus Admission/Start of Care Date.
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Head the second s	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4 OCCUR_CODE_7	t event relating t DE_1. Data Source: Type: urrence Date <i>min</i> Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date <i>min</i> Data Source: Type:	o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 44:Description:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4 OCCUR_CODE_7 Code describing a significant	t event relating t DE_1. Data Source: Type: mrence Date <i>min</i> Data Source: Type: t event relating t DE_1. Data Source: Type: mrence Date <i>min</i> Data Source: Type: t event relating t	o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 44:Description:Coding Scheme:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4 OCCUR_CODE_7 Code describing a significant Same as Field OCCUR_COE	t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1.	o the claim. Claim <u>Alphanumeric</u> nus Admission/Start of Care Date. Calculated <u>Alphanumeric</u> o the claim. Claim <u>Alphanumeric</u> nus Admission/Start of Care Date. Calculated <u>Alphanumeric</u> o the claim.
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 44:Description:Coding Scheme:Beginning Position:Coding Scheme:Beginning Position:Coding Scheme:Beginning Position:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4 OCCUR_CODE_7 Code describing a significant Same as Field OCCUR_COE 409	t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1. Data Source: Type:	o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 44:Description:Coding Scheme:Beginning Position:Length:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4 OCCUR_CODE_7 Code describing a significant Same as Field OCCUR_COE 409 2	t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1.	o the claim. Claim <u>Alphanumeric</u> nus Admission/Start of Care Date. Calculated <u>Alphanumeric</u> o the claim. Claim <u>Alphanumeric</u> nus Admission/Start of Care Date. Calculated <u>Alphanumeric</u> o the claim.
Field 40:Description:Coding Scheme:Beginning Position:Length:Field 41:Description:Beginning Position:Length:Field 42:Description:Coding Scheme:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 43:Description:Beginning Position:Length:Field 44:Description:Coding Scheme:Beginning Position:Coding Scheme:Beginning Position:	OCCUR_CODE_5 Code describing a significant Same as Field OCCUR_COE 397 2 OCCUR_DAY_5 Occurrence Day <i>equals</i> Occu 399 4 OCCUR_CODE_6 Code describing a significant Same as Field OCCUR_COE 403 2 OCCUR_DAY_6 Occurrence Day <i>equals</i> Occu 405 4 OCCUR_CODE_7 Code describing a significant Same as Field OCCUR_COE 409 2 OCCUR_DAY_7	t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1. Data Source: Type: urrence Date min Data Source: Type: t event relating t DE_1. Data Source: Type: t event relating t	o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim Alphanumeric uus Admission/Start of Care Date. Calculated Alphanumeric o the claim. Claim

DSHS/THCIC

D	411	D. 4. C				
Beginning Position:	411	Data Source:	Calculated			
Length:	4	Туре:	Alphanumeric			
Field 46:	OCCUR_CODE_8					
Description:	Code describing a significa		to the claim.			
Coding Scheme:	Same as Field OCCUR_CO					
Beginning Position:	415	Data Source:	Claim			
Length:	2	Туре:	Alphanumeric			
Field 47:	OCCUR_DAY_8					
Description:	Occurrence Day equals Oc	currence Date min	nus Admission/Start of Care Date.			
Beginning Position:	417	Data Source:	Calculated			
Length:	4	Туре:	Alphanumeric			
Field 48:	OCCUR_CODE_9					
Description:	Code describing a significa	nt event relating	to the claim.			
Coding Scheme:	Same as Field OCCUR_CO					
Beginning Position:	421	Data Source:	Claim			
Length:	2	Туре:	Alphanumeric			
Field 49:	OCCUR DAY 9		F to be the			
Description:		currence Date min	nus Admission/Start of Care Date.			
Beginning Position:	423	Data Source:	Calculated			
Length:	4	Type:	Alphanumeric			
Field 50:	OCCUR CODE 10	-Jr**				
Description:	Code describing a significa	nt event relating	to the claim			
Coding Scheme:	Same as Field OCCUR CO		to the entitle.			
Beginning Position:	427	Data Source:	Claim			
Length:	2	Type:	Alphanumeric			
Field 51:	OCCUR_DAY_10	Type.	Alphalumenc			
Description:		ourranaa Data mi	nus Admission/Start of Care Date.			
Beginning Position:	429	Data Source:	Calculated			
Length:	429	Type:				
Field 52:	OCCUR_CODE_11	Type.	Alphanumeric			
Description:	Code describing a significa	nt avant relating	to the claim			
Coding Scheme:	Same as Field OCCUR_CO		to the claim.			
Beginning Position:	433	Data Source:	Claim			
Length:	2	Type:	Alphanumeric			
Field 53:	OCCUR_DAY_11	rype.	Alphandmene			
Description:		ourranaa Data mi	aug Admission/Start of Care Data			
-			nus Admission/Start of Care Date.			
Beginning Position:	435	Data Source:	Calculated			
Length:	4	Туре:	Alphanumeric			
Field 54:	OCCUR_CODE_12	nt avant malatine	to the claim			
Description:	Code describing a significa		to the challin.			
Coding Scheme:	Same as Field OCCUR_CO		Claim			
Beginning Position:	439	Data Source:	Claim			
Length:	2 0000110 DAY 12	Туре:	Alphanumeric			
Field 55:	OCCUR_DAY_12					
Description:	• •		nus Admission/Start of Care Date.			
Beginning Position:	441	Data Source:	Calculated			
Length:	4	Туре:	Alphanumeric			
Field 56:	OCCUR_SPAN_CODE_1					
Description:			to the claim that may affect payer processing.			
Coding Scheme:	70 Qualifying stay dates (for 71 Prior stay dates	SNF use only)	78 SNF prior stay dates 80 Brior Same SNF prior stay dates for Bayment			
	71 Prior stay dates		80 Prior Same SNF prior stay dates for Payment Ban Purposes			
	72 First/Last Visit		81 Antepartum Days at Reduced Level of Care			
	73 Benefit eligibility period	_	M0 QIO/UR approved stay dates			
	74 Noncovered level of care/	Leave of absence	M1 Provider liability - no utilization			
	75 SNF level of care76 Patient Liability Period		M2 Inpatient respite dates M3 ICF level of care			
	, o i anoni Enaointy i chou					
DSHS/THCIC		— Dogo 20	DSHS Document # E25-14163			
WWW.DSHS.TEXAS	S.GOV/THCIC	— Page 39 —	Last Updated: July, 2025			
			- · · ·			

	77 Provider Liability - Utiliza	ation Charged	M4 Residential level of care		
Beginning Position:	445	Data Source:	Claim		
Length:	2	Туре:	Alphanumeric		
Field 57:	OCCUR_SPAN_FROM_1	1			
Description:	Occurrence Span From equ	als Beginning Da	te of Event minus Admission/Start of Care Date.		
Beginning Position:	447	Data Source:	Calculated		
Length:	6	Type:	Alphanumeric		
Field 58:	OCCUR_SPAN_THRU_1		k		
Description:			f Event minus Admission/Start of Care Date.		
Beginning Position:	453	Data Source:	Calculated		
Length:	6	Type:	Alphanumeric		
Field 59:	OCCUR_SPAN_CODE_2		7 Ilphulullerie		
Description:			o the claim that may affect payer processing.		
Coding Scheme:	Same as Field OCCUR_SP.		o the claim that may affect payer processing.		
Beginning Position:	459	Data Source:	Claim		
Length:	2				
Field 60:	OCCUR_SPAN_FROM_2	<u>Type:</u>	Alphanumeric		
			to of Event winus Admission/Start of Care Data		
Description:	1 1		te of Event <i>minus</i> Admission/Start of Care Date.		
Beginning Position:	461	Data Source:	Calculated		
Length:	6	Туре:	Alphanumeric		
Field 61:	OCCUR_SPAN_THRU_2				
Description:			f Event minus Admission/Start of Care Date.		
Beginning Position:	467	Data Source:	Calculated		
Length:	6	Туре:	Alphanumeric		
Field 62:	OCCUR_SPAN_CODE_3				
Description:			o the claim that may affect payer processing.		
Coding Scheme:	Same as Field OCCUR_SP.	AN_CODE_1.			
Beginning Position:	473	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 63:	OCCUR_SPAN_FROM_3	3			
Description:	Occurrence Span From equ	als Beginning Da	te of Event minus Admission/Start of Care Date.		
Beginning Position:	475	Data Source:	Calculated		
Length:	6	Type:	Alphanumeric		
Field 64:	OCCUR_SPAN_THRU_3	3			
Description:	Occurrence Span Thru equa	als Ending Date of	f Event minus Admission/Start of Care Date.		
Beginning Position:	481	Data Source:	Calculated		
Length:	6	Туре:	Alphanumeric		
Field 65:	OCCUR_SPAN_CODE_4		•		
Description:			o the claim that may affect payer processing.		
Coding Scheme:	Same as Field OCCUR_SP.				
Beginning Position:	487	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 66:	OCCUR_SPAN_FROM_4	U 1			
Description:			te of Event minus Admission/Start of Care Date.		
Beginning Position:	Securione span rion equ	• •			
Desmining I usitivili.		Data Source			
Length•	489	Data Source: Type:			
	489 6	Туре:	Alphanumeric		
Field 67:	489 6 OCCUR_SPAN_THRU_4	Type:	Alphanumeric		
Field 67: Description:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru <i>equa</i>	Type: I als Ending Date of	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date.		
Field 67: Description: Beginning Position:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495	Type: <i>als</i> Ending Date of Data Source:	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated		
Field 67: Description: Beginning Position: Length:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru <i>equa</i> 495 6	Type: I als Ending Date of	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date.		
Field 67: Description: Beginning Position: Length: Field 68:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495 6 CONDITION_CODE_1	Type: als Ending Date of Data Source: Type:	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric		
Field 67: Description: Beginning Position: Length: Field 68: Description:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495 6 CONDITION_CODE_1 Code describing a condition	Type: als Ending Date of Data Source: Type:	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric aim.		
Field 67: Description: Beginning Position: Length: Field 68: Description:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related	Type: als Ending Date of Data Source: Type: n relating to the cl	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program		
Field 67: Description: Beginning Position: Length: Field 68: Description:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment	Type: <i>als</i> Ending Date of Data Source: Type: n relating to the cl related	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP		
Field 67: Description: Beginning Position: Length: Field 68: Description:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment	Type: <i>als</i> Ending Date of Data Source: Type: n relating to the cl related	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP		
Field 67: Description: Beginning Position: Length: Field 68: Description:	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equa 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment 03 Patient covered by insurar	Type: <i>als</i> Ending Date of Data Source: Type: n relating to the cl related	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program		
Length: Field 67: Description: Beginning Position: Length: Field 68: Description: Coding Scheme: DSHS/THCIC	489 6 OCCUR_SPAN_THRU_4 Occurrence Span Thru equal 495 6 CONDITION_CODE_1 Code describing a condition 01 Military service related 02 Condition is employment 03 Patient covered by insurar 04 Information only bill.	Type: <i>als</i> Ending Date of Data Source: Type: n relating to the cl related	Alphanumeric f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program A3 Special Federal Funding		

06	ESRD patient in first 18 months of entitlement covered by EGHP	A5
07	Treatment of non-terminal condition for hospice patient	A6
08	Beneficiary would not provide information concerning other insurance coverage	A9
09	Neither patient or spouse is employed	AA
10	Patient and/or spouse is employed but no EGHP exists	AB
11	Disabled beneficiary but no LGHP coverage exists	AC
17	Patient is homeless	AD
18	Maiden name retained	AE
19	Child retains mother's name	AF
20	Beneficiary requested billing	AG
21	Billing for denial notice	AH
22	Patient on multiple drug regimen	AI
23	Home care giver available	AJ
24	Home IV patient also receiving HHA services	A 17
25	Patient is non-US resident VA eligible patient chooses to receive services in	AK
26	a Medicare certified facility	AL
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AM
28	Patient and/or spouse's EGHP is secondary to Medicare	AN
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	B0
30	Non-research services provided to patients enrolled in a qualified clinical trial	B1
31	Patient is student (full time - day)	B4
32	Patient is student (cooperative/work study program)	BP
33	Patient is student (full time - night)	C1
34	Patient is student (part-time)	C2
36	General care patient in a special unit	C3
37	Ward accommodation at patient request	C4
38	Semi-private room not available	C5
39	Private room medically necessary	C6
40	Same day transfer	C7
41	Partial hospitalization	D0
42	Continuing care not related to inpatient	D0
43	admission Continuing care not provided within prescribed postdischarge window	D3
44	Inpatient admission changed to outpatient	D4
45	Ambiguous Gender Category	D5
46	Non-availability statement on file	D6
47	Transfer from another Home Health Agency	D7
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D8
49	Product replacement within product lifecycle	D9
50	Product Replacement for Known Recall of a Product	DR
51	Attestation of Unrelated Outpatient Nondiagnostic Services	E0
52	Out of Hospice Service Area	G0
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	H0

A5	Disability
A6	Vaccines/Medicare 100% payment
A9	Second opinion surgery
AA	Abortion performed due to rape
AB	Abortion performed due to incest
AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality Abortion performed due to life endangering
AD	physical condition Abortion performed due to physical health of
AE	mother that is not life endangering Abortion performed due to
AF AG	emotional/psychological health of mother Abortion performed due to social or economic
	reasons
AH AI	Elective abortion Sterilization
AJ	Payer responsible for co-payment
AK	Air ambulance required
AL	Specialized treatment/bed unavailable
AM	Non-emergency medically necessary stretcher transport required
AN	Pre-admission screening not required
B0	Medicare coordinated care demonstration claim
B1	Beneficiary is ineligible for demonstration
B4	program Admission unrelated to discharge on same day
BP	Gulf Oil Spill of 2010
	•
C1 C2	Approved as billed Automatic approval as billed based on focused review
C3	Partial approval
C4	Admission/services denied
C5	Postpayment review applicable
C6	Admission Preauthorization
C7	Extended Authorization
D0	Changes to Service Dates
D1	Changes to Charges
D3	Second or Subsequent Interim PPS Bill
D4	Change in clinical codes (ICD) for diagnosis and/or procedure codes.
D5	Cancel to correct Insured's ID or Provider ID
D6	Cancel Only to Repay a Duplicate or OIG
	Overpayment
D7	Change to Make Medicare the Secondary Payer
D8	Change to Make Medicare the Primary Payer
D9	Any Other Change
DR	Disaster related
E0	Changes in Patient Status
G0	Distinct Medical Visit
H0	Delayed Filing, Statement of Intent Submitted

Delayed Filing, Statement of Intent Submitted

	54	No Skilled Home Health V Policy Exception Documer		H2	Discharge by a Hospice Provider for Cause
	55	Health Agency SNF bed not available		H3	Reoccurrence of GI Bleed Comorbid Category
	56	Medical appropriateness		H4	Reoccurrence of Pneumonia Comorbid Category
	57	SNF readmission		H5	Reoccurrence of Pericarditis Comorbid Category
	58	Terminated Medicare+Cho enrollee	ice organization	P1	Do not Resuscitate Order (DNR)
	59	Non-primary ESRD facility	y	P7	Direct Inpatient Admission from Emergency Room
	60	Day outlier		R1	Request for reopening Reason Code - Mathematical or Computational Mistake
	61	Cost outlier		R2	Request for reopening Reason Code -Inaccurate Data Entry
	66	Provider does not wish cos	t outlier payment	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	67	Beneficiary elects not to us (LTR) days	e life time reserve	R4	Request for reopening Reason Code - Computer Errors
	68	Beneficiary elects to use lif days	fe time reserve (LTR)	R5	Request for reopening Reason Code - Incorrectly Identified Duplicate Claim
	69	IME/DGME/N&AH Paym	ent Only	R6	Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions
	70	Self-administered anemia r	nanagement drug	R7	not Specified in R1-R5 above Request for reopening Reason Code -
	71	Full care in unit		R8	Corrections other than clerical errors Request for reopening Reason Code - New and Material Evidence
	72	Self care in unit		R9	Request for reopening Reason Code - Faulty Evidence
	73	Self care training		WO	United Mine Workers of America (UMWA) Demonstration Indicator
	74	Home		W2	Duplicate of Original Bill
	75	Home - 100% reimburseme	ent	W3	Level I Appeal
	76	Back-up in facility dialysis		W4	Level II Appeal
	77	Provider accepts or is oblig	ated/required due to a		
	78	contractual arrangement or payment by a primary paye New coverage not impleme	er as payment	W 5	Level III Appeal
	79	CORF services provided of	•		
	80	Home dialysis - nursing fac			
	81	C-section/Inductions <39 v Necessity	•		
	82	C-section/Inductions <39 v	veeks-Elective		
	83 C-section/Inductions 39 weeks		eks or greater		
	84	Dialysis for Acute Kidney	Injury (AKI)		
	85	Delayed Recertification of Illness	Hospice Terminal		
	86	Additional Hemodialysis T Justification	reatment with Medica	1	
Beginning Position:	501		Data Source:	Claim	
Length:	2		Туре:	Alphanu	imeric
Field 69:	CON	DITION_CODE_2		-	
Description:		describing a condition	relating to the cla	im.	
Coding Scheme:		as Field CONDITION			
Beginning Position:	503			Claim	
Length:	2		Туре:	Alphanu	Imeric
Field 70:		DITION CODE 3	**		
Description:		describing a condition	relating to the cla	im.	
Coding Scheme:		as Field CONDITION			
Beginning Position:	505			Claim	
Length:	2		Туре:	Alphanu	Imeric
Field 71:		DITION_CODE_4	v .	1	
Description:		describing a condition	relating to the cla	im.	
DSHS/THCIC			n		DSHS Document # E25-14163
WWW DOLO TEVA	COV	TUCIC	— Page 42 —		Lost Undeted: July 2025

Coding Scheme:	Same	e as Field CONDITION_	CODE 1.		
Beginning Position:	507		Data Source:	Claim	
Length:	2		Туре:	Alphanu	meric
Field 72:	CON	DITION_CODE_5	••	•	
Description:		describing a condition r	relating to the cla	aim.	
Coding Scheme:		e as Field CONDITION			
Beginning Position:	509		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 73:		DITION_CODE_6	-jpe:	Tipilalia	
Description:	Code describing a condition relating to the claim.				
Coding Scheme:		Same as Field CONDITION_CODE_1.			
Beginning Position:	511		Data Source:	Claim	
0 0				Claim	
Length:	$\frac{2}{2}$		Туре:	Alphanu	imeric
Field 74:		DITION_CODE_7			
Description:		describing a condition r		aim.	
Coding Scheme:		e as Field CONDITION_			
Beginning Position:	513		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 75:	CON	DITION_CODE_8			
Description:		describing a condition r	relating to the cla	aim.	
Coding Scheme:		as Field CONDITION	0		
Beginning Position:	515		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 76:		UE_CODE_1	Type.	7 npnana	
			that may affaat		anaina
Description:	01	e describing information Most common semi-private		58 payer pro	Arterial blood gas
Coding Scheme:	01	Hospital has no semi-private		58 59	Oxygen saturation
	02	Inpatient professional comp			HHA branch MSA
		are combined billed	0		
	05	Professional component incl also billed separately to carr		61	Place of Residence where service is furnished (HHA and hospice)
	06	Blood deductible		66	Medicaid spend down amount
	08	Life time reserve amount in	the first calendar	67	Peritoneal dialysis
		year			·
	09	Coinsurance amount in the f		68	EPO-drug
	10	Lifetime reserve amount in t	the second calendar	69	State charity care percentage
	11	year	a a and a a landon yaan	80	Covered Dava
	11 12	Coinsurance amount in the s Working aged beneficiary/sp	•		Covered Days Non-covered Days
	12	group health plan	pouse with employed	01	Non covered Days
	13	ESRD beneficiary in a Medi		82	Co-insurance Days
	14	period with an employer gro No fault, including auto/othe		83	Lifetime Reserve Days
				84	·
	15	Worker's compensation			Shorter Duration Hemodialysis
	16	Public health service (PHS) agency	or other federal	A0	Special zip code reporting
	21	Catastrophic		A1	Deductible payer A
	22	Surplus		A2	Coinsurance payer A
	23	Recurring monthly income		A3	Estimated responsibility payer A
	24	Medicaid Rate Code		A4	Covered self-administrable drugs - emergency
	25	Offset to the patient - payme	ent amount -	A5	Covered self-administrable drugs - administrable
	26	prescription drugs Offset to the patient - payme			in form and situation furnished to patient Covered self-administrable drugs - diagnostic
		and ear services	-		study and other
	27	Offset to the patient - payme and eye services	ent amount - vision	A7	Co-payment payer A
	28	Offset to the patient - payme services	ent amount - dental	A8	Patient weight
	29	Offset to the patient - payme	ent amount -	A9	Patient height
	30	chiropractic services Preadmission testing		AA	Regulatory surcharges, assessments, allowances or health care related taxes - payer A
					DSHS Document # E25 1416

Pield 79: Description: Beginning Position: Length: Field 80: Description: Coding Scheme: Beginning Position: Length: Field 81: Description: Description:	530 9 VAL Code Same 539 2 VAL	UE_CODE_3 describing information as Field Value_CODE UE_AMOUNT_3 rr amount that may be a	E_1. Data Source: Type:	Claim Alphanu Dayer proo Claim Alphanu	cessing.
Description: Beginning Position: Length: Field 80: Description: Coding Scheme: Beginning Position: Length: Field 81:	530 9 VAL Code Same 539 2 VAL	describing information as Field Value_CODE UE_AMOUNT_3	Type: that may affect p E_1. Data Source: Type:	Alphanu payer proc Claim	cessing.
Description: Beginning Position: Length: Field 80: Description: Coding Scheme: Beginning Position: Length: Field 81:	530 9 VAL Code Same 539 2 VAL	describing information as Field Value_CODE UE_AMOUNT_3	Type: that may affect p E_1. Data Source: Type:	Alphanu payer proc Claim	cessing.
Description: Beginning Position: Length: Field 80: Description: Coding Scheme: Beginning Position: Length:	530 9 VAL Code Same 539 2	describing information as Field Value_CODE	Type: that may affect p 5-1. Data Source:	Alphanu payer proc Claim	cessing.
Description: Beginning Position: Length: Field 80: Description: Coding Scheme: Beginning Position:	530 9 VAL Code Same 539	describing information	Type: that may affect p 5-1. Data Source:	Alphanu payer proc	
Description: Beginning Position: Length: Field 80: Description:	530 9 VAL Code	describing information	Type: In that may affect p	Alphanu	
Description: Beginning Position: Length: Field 80:	530 9 VAL		Туре:	Alphanu	
Description: Beginning Position: Length:	530 9	UE CODE 3			meric
Description: Beginning Position:	530				meric
Description: Beginning Position:	530				morie
Description:			Data Comman	Claim	
		u amount mat may be a			
niem /9"		UE_AMOUNT_2 ar amount that may be a	offected		
Length: Field 79:	2 VAT		Туре:	Alphanu	menc
Beginning Position:	528		Data Source:	Claim	maria
Coding Scheme:		e as Field Value_CODE		Claim	
Description:		describing information		bayer proc	cessing.
Field 78:		UE_CODE_2	that many ffree		and in a
Length:	9 VAT		Туре:	Alphanu	meric
Beginning Position:	519		Data Source:	Claim	
Description:		r amount that may be a			
Field 77:		UE_AMOUNT_1			
Length:	2		Туре:	Alphanu	meric
Beginning Position:	517		Data Source:	Claim	
	57	Home health aide - home v			
	56	Skilled nurse - home visit l			
	55	Eligibility threshold for ch	•	Y5	Part B Deductible
	54	Newborn birth weight in g	rams	Y4	Conventional Provider Payment
	53	Cardiac rehab visits		Y3	Part B Coinsurance
	52	Speech Therapy visits		Y2	Part B Demonstration Payment
	51	Occupational Therapy visi	ts	Y1	Part A Demonstration Payment
	50	Physical Therapy visits		G8	Facility where Inpatient Hospice Service is Delivered
	49	Hematocrit reading		FD	Credit Received from the Manufacturer for a Medical Device
	48	Hemoglobin reading		FC	Patient Paid Amount
	47	Any liability insurance		D5	Last Kt/V Reading
	46	Number of grace days		D4 D5	Clinical Trial Number Assigned by NLM/NIH
	45	Accident hour		D3	Patient estimated responsibility
		payer when this amount is higher than payment receiv	less than charges but		education) - payer C
	44	Amount provider agreed to	accept from primary	CB	or health care related taxes - payer C Other assessments or allowances (e.g., medical
	43	Disabled beneficiary under	r age 65 with LGHP	CA	Regulatory surcharges, assessments, allowances
	42	VA		C7	Co-payment payer C
	40	Black lung		C2 C3	Estimated responsibility payer C
	40	New coverage not impleme	ented by HMO	C1 C2	Coinsurance payer C
	38 39	Blood deductible units Units of blood replaced		BB C1	Other assessments or allowances (e.g., medical education) - payer B Deductible payer C
	37	Units of blood furnished		BA	Regulatory surcharges, assessments, allowances or health care related taxes - payer B
	35	Offset to the patient - payn insurance premiums	nent amount - nealth		Co-payment payer B
		medical services		В3 В7	Estimated responsibility payer B
	34	services Offset to the patient - payn	•		
	32 33	Multiple patient ambulance Offset to the patient - payn	-	B1 c B2	Coinsurance payer B
	20	Multiple petient embulence	a tuanan ant	D1	education) - payer A Deductible payer B
	31	Patient Liability Amount		AB	Other assessments or allowances (e.g., medical

Beginning Position:	541	Data Source:	Claim	
Length:	9	Type:	Alphanumeric	
Field 82:	VALUE_CODE_4	турс.	Alphanumene	
Description:	Code describing informatio	n that may affact	pover processing	
Coding Scheme:	Same as Field Value_COD		payer processing.	
			Claim	
Beginning Position:	550	Data Source:	Claim	
Length:		Туре:	Alphanumeric	
Field 83:	VALUE_AMOUNT_4	CC (1		
Description:	Dollar amount that may be		C1 ·	
Beginning Position:	552	Data Source:	Claim	
Length:	9 	Туре:	Alphanumeric	
Field 84:	VALUE_CODE_5	.1		
Description:	Code describing informatio		payer processing.	
Coding Scheme:	Same as Field Value_COD		Claim	
Beginning Position:	561	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 85:	VALUE_AMOUNT_5	CC 1		
Description:	Dollar amount that may be		Clui	
Beginning Position:	563	Data Source:	Claim	
Length:	9	Туре:	Alphanumeric	
Field 86:	VALUE_CODE_6			
Description:	Code describing informatio		payer processing.	
Coding Scheme:	Same as Field Value_COD			
Beginning Position:	572	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 87:	VALUE_AMOUNT_6			
Description:	Dollar amount that may be			
Beginning Position:	574	Data Source:	Claim	
Length:	9	Туре:	Alphanumeric	
Field 88:	VALUE_CODE_7			
Description:	Code describing informatio		payer processing.	
Coding Scheme:	Same as Field Value_COD			
Beginning Position:	583	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 89:	VALUE_AMOUNT_7			
Description:	Dollar amount that may be	affected.		
Beginning Position:	585	Data Source:	Claim	
Length:	9	Туре:	Alphanumeric	
Field 90:	VALUE_CODE_8			
Description:	Code describing informatio		payer processing.	
Coding Scheme:	Same as Field Value_COD			
Beginning Position:	594	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 91:	VALUE_AMOUNT_8			
Description:	Dollar amount that may be			
Beginning Position:	596	Data Source:	Claim	
Length:	9	Туре:	Alphanumeric	
Field 92:	VALUE_CODE_9			
Description:	Code describing informatio	n that may affect	payer processing.	
Coding Scheme:	Same as Field Value_COD		1 7 1 1 1 1 1 0	
Beginning Position:	605	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 93:	VALUE_AMOUNT_9	J 1		
Description:	Dollar amount that may be	affected.		
-	Ĵ			
DSHS/THCIC		D (7		DSHS Document # E25-14163
WWW DSUS TEXAS	COV/THCIC	— Page 45 —		Last Undeted: July 2025

Beginning Position:	607	Data Source:	Claim		
Length:	9	Туре:	Alphanumeric		
Field 94:	VALUE_CODE_10				
Description:	Code describing informatio	Code describing information that may affect payer processing.			
Coding Scheme:	Same as Field Value_COD	E_1.			
Beginning Position:	616	Data Source:	Claim		
Length:	2	Туре:	Alphanumeric		
Field 95:	VALUE_AMOUNT_10				
Description:	Dollar amount that may be	affected.			
Beginning Position:	618	Data Source:	Claim		
Length:	9	Туре:	Alphanumeric		
Field 96:	VALUE_CODE_11				
Description:	Code describing informatio	n that may affect	payer processing.		
Coding Scheme:	Same as Field Value_COD	E_1.			
Beginning Position:	627	Data Source:	Claim		
Length:	2	Туре:	Alphanumeric		
Field 97:	VALUE_AMOUNT_11				
Description:	Dollar amount that may be	affected.			
Beginning Position:	629	Data Source:	Claim		
Length:	9	Туре:	Alphanumeric		
Field 98:	VALUE_CODE_12				
Description:	Code describing informatio		payer processing.		
Coding Scheme:	Same as Field Value_COD				
Beginning Position:	638	Data Source:	Claim		
Length:	2	Туре:	Alphanumeric		
Field 99:	VALUE_AMOUNT_12				
Description:	Dollar amount that may be				
Beginning Position:	640	Data Source:	Claim		
Length:	9	Туре:	Alphanumeric		

CHARGES DATA FILE

Field 1:	RECORD_ID					
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1 st quarter 2002. Does NOT match the RECORD ID in THCIC Research Data Files (RDF's).					
Beginning Position:	1 Data Source: Assigned					
Length:	12	Type:	Alphan			
Field 2:		ENUE CODE	7 tipitui			
Description:	Code corresponding to each specific accommodation, ancillary service or billing calculation					
Deseription.	related to the services being billed.					
Coding Scheme:	0100	All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area		
	0101	All-inclusive room charges	0528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)		
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other		
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general		
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy		
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other		
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general		
	0115 0116	Room charges for private rooms - hospice Room charges for private rooms - detoxification	0541 0542	Ambulance service - supplies Ambulance service - medical transport		
	0116	Room charges for private rooms - detoxification Room charges for private rooms - oncology	0542	Ambulance service - medical transport Ambulance service - heart mobile		
	0118	Room charges for private rooms - rehabilitation	0544	Ambulance service - oxygen		
	0119	Room charges for private rooms - other	0545	Ambulance service - air ambulance		
	0120	Room charges for semi-private rooms - general	0546	Ambulance service - neonatal		
	0121	Room charges for semi-private rooms - medical/surgical/GYN	0547	Ambulance service - pharmacy		
	0122	Room charges for semi-private rooms - obstetrics	0548	Ambulance service - telephone transmission EKG		
	0123 0124	Room charges for semi-private rooms - pediatric Room charges for semi-private rooms -	0549 0550	Ambulance service - other Skilled nursing - general		
		psychiatric		Skilled hurshig general		
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge		
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge		
	0127 0128	Room charges for semi-private rooms - oncology Room charges for semi-private rooms -	0559	Skilled nursing - other		
		rehabilitation	0560	Medical social services - general		
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge		
	0130 0131	Room charges for semi-private - 3/4 beds - rooms - general Room charges for semi-private - 3/4 beds -	0562 0569	Medical social services - hourly charge Medical social services - other		
	0131	rooms - medical/surgical/GYN Room charges for semi-private - 3/4 beds -	0509	Home health aide - general		
	0133	rooms - obstetrics Room charges for semi-private - 3/4 beds -	0571	Home health aide - visit charge		
	0134	rooms - pediatric Room charges for semi-private - 3/4 beds -	0572	Home health aide - hourly charge		
	0135	rooms - psychiatric Room charges for semi-private - 3/4 beds -	0579	Home health aide - other		
	0136	rooms - hospice Room charges for semi-private - 3/4 beds -	0580	Other visits (home health) - general		
	0137	rooms - detoxification Room charges for semi-private - 3/4 beds - rooms - oncology	0581	Other visits (home health) - visit charge		
	0138	Room charges for semi-private - 3/4 beds - rooms - rehabilitation	0582	Other visits (home health) - hourly charge		
	0139	Room charges for semi-private - 3/4 beds - rooms - other	0583	Other visits (home health) - assessment		
	0140	Room charges for private (deluxe) rooms - general	0589	Other visits (home health) - other		

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms - obstetrics	0600	Oxygen (home health) - general
0143	Room charges for private (deluxe) rooms - pediatric	0601	Oxygen (home health) - stat/equip/supply or contents
0144	Room charges for private (deluxe) rooms -	0602	Oxygen (home health) - stat/equip/supply under
0145	psychiatric Room charges for private (deluxe) rooms -	0603	1 liter per minute Oxygen (home health) - stat/equip/supply over 4
0146	hospice Room charges for private (deluxe) rooms - detoxification	0604	liters per minute Oxygen (home health) - portable add-in
0147	Room charges for private (deluxe) rooms - oncology	0609	Oxygen (home health) - other
0148	Room charges for private (deluxe) rooms - rehabilitation	0610	Magnetic Resonance Technology (MRT) - MRI - general
0149	Room charges for private (deluxe) rooms - other	0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150	Room charges for ward rooms - general	0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	Room charges for ward rooms - obstetrics	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160	Room charges for other rooms - general	0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10.000 units
0169	Room charges for other rooms - other	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	Room charges for nursery - general	0636	Drugs requiring specific identification - requiring detailed coding
0171	Room charges for nursery - newborn level I	0637	Drugs requiring specific identification - self- administrable
0172	Room charges for nursery - newborn level II	0640	Home IV therapy services - general
0173	Room charges for nursery - newborn level III	0641	Home IV therapy services - nonroutine nursing, central line
0174	Room charges for nursery - newborn level IV	0642	Home IV therapy services - IV site care, central line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services - nonroutine nursing, peripheral line
0182	Room charges for LOA - patient convenience- charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	Room charges for LOA - therapeutic leave	0646	Home IV therapy services - training, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	Room charges for LOA - other	0648	Home IV therapy services - training, disabled patient, peripheral
0190	Room charges for subacute care - general	0649	Home IV therapy services - other

01	1 Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
01	2 Room charges for subacute care - Level II	0651	Hospice services - routine home care
01	e	0652	Hospice services - continuous home care
01	e	0655	Hospice services - inpatient respite care
01	(intensive care) 9 Room charges for subacute care - other	0656	Hospice services - general inpatient care (nonrespite)
02	0 Room charges for intensive care - general	0657	Hospice services - physician services
02	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
02	2 Room charges for intensive care - medical	0659	Hospice services - other
02	Room charges for intensive care - pediatric	0660	Respite care - general
02	4 Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
02	intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
02	U	0663	Respite care - daily charge
02	8 Room charges for intensive care - trauma	0669	Respite care - other
02	U	0670	Outpatient special residence - general
02	0 , 0	0671	Outpatient special residence - hospital based
02	infarction	0672	Outpatient special residence - contracted
02	care	0679	Outpatient special residence - other
02 02	transplant	0681 0682	Trauma response - level I
	coronary care unit (CCU)		Trauma response - level II
02	0 ,	0683	Trauma response - level III
02	1 0 0	0684	Trauma response - level IV
02		0689	Trauma response - other
02		0690	Pre-hospice/Palliative Care Services - general
02:		0691 0692	Pre-hospice/Palliative Care Services – visit charge Pre-hospice/Palliative Care Services – hourly
02.	necessary	0092	charge
02	9 Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
02	0 Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
02		0695	Pre-hospice/Palliative Care Services – inpatient care
02	Ũ	0696	Pre-hospice/Palliative Care Services – physician services
02	transitional care)	0699	Pre-hospice/Palliative Care Services - other
02	transitional care)	0700	Cast Room services - general
02	6 1	0710	Recovery Room services - general
02	0	0720	Labor/Delivery Room services - general
02	, ,	0721	Labor/Delivery Room services - labor
02-02	· · · · · · · · · · · · · · · · · · ·	0722	Labor/Delivery Room services - delivery
02-02	<i>,</i> 1	0723	Labor/Delivery Room services - circumcision
02-02		0724	Labor/Delivery Room services - birthing center
02-02-	·	0729	Labor/Delivery Room services - other
02		0730	EKG/ECG services - general
02		0731	EKG/ECG services - holter monitor
02		0732	EKG/ECG services - telemetry
02: 02:	, 0	0739 0740	EKG/ECG services - other EEG services - general
	services		-
02	5 Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine
0262	IV Therapy - pharmacy services	0780	administration Telemedicine services - general
0263	IV Therapy - drug/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal
0271	Medical surgical supplies and devices -	0803	(non-CAPD) Inpatient renal dialysis services - continuous
0272	nonsterile Medical surgical supplies and devices - sterile	0804	ambulatory peritoneal dialysis (CAPD) Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take-	0809	Inpatient renal dialysis services - other
0274	home Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other implants	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells- allogeneic
0280	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home – home supplies
0304	Laboratory - nonroutine dialysis	0833	Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hematology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other rate
0311	Laboratory pathological - cytology	0842	CAPD - outpatient or home – home supplies
0312	Laboratory pathological - histology	0843	CAPD - outpatient or home – home equipment
			DELIC De annu ent # E25-14162

0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy administration - general	0855	CCPD - outpatient or home - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
0344	radiopharmaceuticals Nuclear medicine - therapeutic	0902	electroshock Behavior health treatments/services - milieu
0349	radiopharmaceuticals Nuclear medicine - other	0903	therapy Behavioral health treatments/services - play
0350	CT scan - general	0904	therapy Behavior health treatments/services - activity
0351	CT scan - head	0905	therapy Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant other than kidney	0913	Behavior health treatment/services - partial hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual therapy
0369	Operating room services - other	0915	Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic services	0918	Behavior health treatment/services - testing
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular lab
0381	Blood - packed red cells	0922	Other diagnostic services - electromyogram
0382	Blood - whole blood	0923	Other diagnostic services - pap smear
0383	Blood - plasma	0924	Other diagnostic services - allergy test
0384	Blood - platelets	0925	Other diagnostic services - pregnancy test
0385	Blood - leukocytes	0929	Other diagnostic services - other
0386	Blood - other components	0931	Medical rehabilitation day program - half day
			·

0207	Dial sheed and a first of the state	0022	Madical ashabilitation 1 C 21 1
0387 0389	Blood - other derivatives (cryoprecipitate) Blood - other	0932 0940	Medical rehabilitation day program - full day Other therapeutic services - general
0390	Blood and blood component administration,	0940	Other therapeutic services - general Other therapeutic services - recreational therap
0391	storage and processing - general Blood and blood component administration,	0942	Other therapeutic services - education/training
0392	storage and processing - administration Blood and blood component administration,	0943	Other therapeutic services - cardiac
0399	storage and processing – processing and storage Blood and blood component administration,	0944	rehabilitation Other therapeutic services - drug rehabilitation
	storage and processing - other		· ·
0400	Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0412	Respiratory services - inhalation	0953	Other therapeutic services – chemical
			dependency (drug and alcohol)
0413	Respiratory services - hyperbaric oxygen therapy	0960	Professional fees - general
0419	Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0423	Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0431	Occupational therapy - visit charge	0974	Professional fees - radiology - nuclear medicin
0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
0439	Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest trag
0469	Pulmonary function - other	0992	Patient convenience items - private linen servio
0470	Audiology - general	0993	Patient convenience items - telephone/telegrap
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room rentals
0479	Audiology - other	0996	Patient convenience items - late discharge charge
0480	Cardiology - general	0997	Patient convenience items - admission kits
0481	Cardiology - cardiac cath lab	0998	Patient convenience items - beauty shop/barber

	0482	Cardiology - stress test	0999	Patient convenience items - other
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general
	0489	Cardiology - other	1001	Behavior health accommodations - residential treatment - psychiatric
	0490	Ambulatory surgical care - general	1002	Behavior health accommodations - residential treatment - chemical dependency
	0499	Ambulatory surgical care - other	1003	Behavior health accommodations - supervised living
	0500	Outpatient services - general	1004	Behavior health accommodations - halfway house
	0509	Outpatient services - other	1005	Behavior health accommodations - group home
	0510	Clinic - general	2100	Alternative therapy services - general
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture
	0512	Clinic - dental	2102	Alternative therapy services - acupressure
	0513	Clinic - psychiatric	2103	Alternative therapy services - massage
	0514	Clinic - OB/GYN	2104	Alternative therapy services - reflexology
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly
	0521	Freestanding Clinic - Clinic Visit by Member to	3102	Adult day care, medical and social - daily
	0522	RHC/FQHC Freestanding Clinic - Home Visit by RHC/FQHC Practitioner	3104	Adult day care, social - daily
	0523	Freestanding Clinic - family practice	3105	Adult foster care - daily
	0524	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A	3109	Adult foster care - other
	0525	Stay at SNF Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other		
		Residential Facility		
	0526	Residential Facility Freestanding Clinic - urgent care		
Reginning Position.	0526 13	Freestanding Clinic - urgent care	Claim	
	13	Freestanding Clinic - urgent care Data Source:	Claim Alphan	umeric
Length:	13 4	Freestanding Clinic - urgent care Data Source: Type:		umeric
Length: Field 3:	13 4 HCP0	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER	Alphan	
Length: Field 3:	13 4 HCP0 Code	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip	Alphan	
Length: Field 3: Description:	13 4 HCPC Code HCPC	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE	Alphan tive nun	
Length: Field 3: Description: Beginning Position:	13 4 HCP0 Code HCP0 17	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source:	Alphan tive nun Claim	iber used in
Length: Field 3: Description: Beginning Position: Length:	13 4 HCPC Code HCPC 17 2	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type:	Alphan tive nun	iber used in
Length: Field 3: Description: Beginning Position: Length: Field 4	13 4 HCPO Code HCPO 17 2 HCPO	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE	Alphan tive nun Claim Alphan	ıber used in umeric
Length: Field 3: Description: Beginning Position: Length: Field 4	13 4 Code HCPC 17 2 HCPC HCFA	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He	Alphan tive nun Claim Alphan	ıber used in umeric
Length: Field 3: Description: Beginning Position: Length: Field 4 Description:	13 4 Code HCPC 17 2 HCPC HCFA accom	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He modations.	Alphan tive nun Claim Alphan CPCS) c	umeric ode applicable to ancillary services or
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme:	13 4 HCPC Code HCPC 17 2 HCPA accom See htt	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He modations. ttp://www.cms.hhs.gov/HCPCSReleaseCode	Alphan tive nun Claim Alphan CPCS) c	umeric ode applicable to ancillary services or
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position:	13 4 HCPC Code HCPC 17 2 HCPC HCFA accom See ha 19	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE CS_PROCEDURE_CODE CS_PROCEDURE_CODE Common Procedure Coding System (He modations. tp://www.cms.hhs.gov/HCPCSReleaseCo Data Source:	Alphan tive nun Claim Alphan CPCS) c odeSets/2 Claim	aber used in numeric ode applicable to ancillary services or ANHCPCS/list.asp for complete list.
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length:	13 4 HCPC Code HCPC 17 2 HCPC HCFA accom See hu 19 5	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He imodations. ttp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type:	Alphan tive nun Claim Alphan CPCS) c odeSets/2 Claim	umeric ode applicable to ancillary services or
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5:	13 4 Code HCPC 17 2 HCPC HCFA accom See <i>hu</i> 19 5 MOD	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He amodations. ttp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type: IFIER_1	Alphan tive num Claim Alphan CPCS) c odeSets/A Claim Alphan	aber used in aumeric ode applicable to ancillary services or ANHCPCS/list.asp for complete list. aumeric
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	13 4 Code HCPC 17 2 HCPC HCFA accom See hu 19 5 MOD Identi	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He amodations. ttp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type: IFIER_1 fies special circumstances related to the p	Alphan tive nun Claim Alphan CPCS) c odeSets// Claim Alphan	aber used in <u>umeric</u> ode applicable to ancillary services or <u>ANHCPCS/list.asp</u> for complete list. <u>umeric</u> nce of the service
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	13 4 Code HCPC 17 2 HCPC HCFA accom See <i>hu</i> 19 5 MOD	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He amodations. ttp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type: IFIER_1	Alphan tive num Claim Alphan CPCS) c odeSets/A Claim Alphan	aber used in <u>umeric</u> ode applicable to ancillary services or ANHCPCS/list.asp for complete list. <u>umeric</u> nce of the service A patient with severe systemic disease that is a
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	13 4 Code HCPC 17 2 HCPC HCFA accom See hu 19 5 MOD Identi	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He amodations. ttp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type: IFIER_1 fies special circumstances related to the p	Alphan tive nun Claim Alphan CPCS) c odeSets// Claim Alphan	aber used in aumeric adde applicable to ancillary services or <i>ANHCPCS/list.asp</i> for complete list. aumeric ance of the service A patient with severe systemic disease that is a constant threat to life A moribund patient who is not expected to
Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description:	13 4 HCPC Code HCPC 17 2 HCPC HCFA accom See ha 19 5 MOD Identi 22	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He modations. tp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type: IFIER_1 fies special circumstances related to the p Increased procedural services Unusual Anesthesia Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health	Alphan tive nun Claim Alphan CPCS) c odeSets/A Claim Alphan performa P4 P5	aber used in <u>uumeric</u> ode applicable to ancillary services or <u>ANHCPCS/list.asp</u> for complete list. <u>uumeric</u> nce of the service A patient with severe systemic disease that is a constant threat to life
Beginning Position: Length: Field 3: Description: Beginning Position: Length: Field 4 Description: Coding Scheme: Beginning Position: Length: Field 5: Description: Coding Scheme:	13 4 HCPC Code HCPC 17 2 HCPC HCFA accom See <i>In</i> 19 5 MOD Identi 22 23	Freestanding Clinic - urgent care Data Source: Type: CS_QUALIFIER identifying the type/source of the descrip CS_PROCEDURE_CODE Data Source: Type: CS_PROCEDURE_CODE A Common Procedure Coding System (He modations. ttp://www.cms.hhs.gov/HCPCSReleaseCo Data Source: Type: IFIER_1 fies special circumstances related to the p Increased procedural services Unusual Anesthesia Unrelated Evaluation and Management Service by	Alphan tive nun Claim Alphan CPCS) c odeSets/A Claim Alphan P4 P5 P6	ber used in <u>umeric</u> ode applicable to ancillary services or <i>ANHCPCS/list.asp</i> for complete list. <u>umeric</u> nce of the service A patient with severe systemic disease that is a constant threat to life A moribund patient who is not expected to survive without the operation A declared brain-dead patient whose organs are

	27	Multiple Outpatient Hospital E/M Encounters on	E3	Upper right eyelid
	22	the Same Date		· · · · ·
	32	Mandated Services	E4	Lower right eyelid
	33	Preventive Service	F1 F2	Left hand, second digit
	47 50	Anesthesia by Surgeon Bilateral Procedure	F2 F3	Left hand, third digit Left hand, fourth digit
	50 51	Multiple Procedures	F3 F4	Left hand, fifth digit
	52	Reduced Services	F5	Right hand, thumb
	53	Discontinued Procedure		Right hand, second digit
			F6	-
	54	Surgical Care Only	F7	Right hand, third digit
	55	Postoperative Management Only	F8	Right hand, fourth digit
	56	Preoperative Management Only	F9	Right hand, fifth digit
	57	Decision for Surgery	FA	Left hand, thumb
	58	Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	GG	Performance and payment of a screening mammography and diagnostic mammography or same patient, same day.
	59	Distinct Procedural Service	GH	Diagnostic mammogram converted from screening mammogram on same day
	62	Two Surgeons	LC	Left circumflex coronary artery
	63	Procedure Performed on Infants less than 4kg	LD	Left anterior descending coronary artery
	66	Surgical Team	LM	Left main coronary artery
	73	Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure prior to the Administration of Anesthesia	LT	Left side of the body procedure
	74	Discontinued Outpatient Hospital/Ambulatory	Q	Ambulance service provided under arrangement
		Surgery Center (ASC) Procedure after Administration of Anesthesia	M	by a provider of services
	76	Repeat Procedure by Same Physician or Other Qualified Health Care Professional	QN	Ambulance service furnished directly by a provider of services
	77	Repeat Procedure by Another Physician or Other Qualified Health Care Professional	RC	Right coronary artery
	78	Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period	RI	Ramus intermedius coronary artery
	79	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period	RT	Right side of the body procedure
	80	Assistant Surgeon	T1	Left foot, second digit
	81	Minimum Assistant Surgeon	T2	Left foot, third digit
	82	Repeat procedure by same physician	T3	Left foot, fourth digit
				-
	90	Reference (Outside) Laboratory	T4	Left foot, fifth digit
	91	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
	92	Alternative Laboratory Platform Testing	T6	Right foot, second digit
	95	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System	Τ7	Right foot, third digit
	99	Multiple Modifiers	T8	Right foot, fourth digit
	1P	Performance Measure Exclusion Modifier due to Medical Reasons	T9	Right foot, fifth digit
	2P	Performance Measure Exclusion Modifier due to Patient Reasons	TA	Left foot, great toe
	3P	Performance Measure Exclusion Modifier due to System Reasons	XE	Separate Encounter
	8P	Performance Measure Reporting Modifier- Action not performed, reason not otherwise specified	XS	Separate Structure
	P1	A normal healthy patient	XP	Separate Practitioner
	P2	A patient with mild systemic disease	XU	Unusual Non-Overlapping Service
	P3	A patient with initia systemic disease	ΛU	Chastal from Overlapping Service
Deginning Desitions	24	Data Source:	Claim	
Beginning Position:				
Length:	2	Туре:	Alphan	umenc
Field 6:		DIFIER_2		
Description:	Ident	ifies special circumstances related to the p	erforma	nce of the service.

DSHS/THCIC

Coding Scheme:	Same as Field MODIFIER	1		
Beginning Position:	26	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 7:	MODIFIER 3			
Description:	Identifies special circumsta	nces related to the	performance of the service.	
Coding Scheme:	Same as Field MODIFIER		r	
Beginning Position:	28	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 8:	MODIFIER_4		•	
Description:	Identifies special circumstar	nces related to the	performance of the service.	
Coding Scheme:	Same as Field MODIFIER_	1	-	
Beginning Position:	30	Data Source:	Claim	
Length:	2	Туре:	Alphanumeric	
Field 9:	UNIT_MEASUREMENT	_CODE		
Description:	Code specifying the units in which a value is being expressed.			
Coding Scheme:	DA Days			
	F2 International unit UN Unit			
Beginning Position:	32	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 10:	UNITS_OF_SERVICE	Type		
Description:	Numeric value of quantity			
Beginning Position:	34	Data Source:	Claim	
Length:	7	Type:	Numeric	
Field 11:	UNIT RATE			
Description:	Rate per unit			
Beginning Position:	41	Data Source:	Claim	
Length:	12	Туре:	Numeric	
Field 12:	CHRGS_LINE_ITEM			
Description:	Total amount of the charge			
Beginning Position:	53	Data Source:	Assigned	
Length:	14	Туре:	Numeric	
Field 13:	CHRGS_NON_COV			
Description:	Total non-covered amount of	of the charge		
Beginning Position:	67	Data Source:	Assigned	
Length:	14	Туре:	Numeric	

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the inpatient service.

Field 1:	THCIC_ID	
Description:	Provider ID. Unique identifier assigned to the	ne provider by DSHS.
Beginning Position:	1 Data Source:	Assigned
Length:	6 Type:	Alphanumeric
Field 2:	FACILITY_TYPE	
Description:	Types of healthcare facilities.	
Beginning Position:	7 Data Source:	Provider
Length:	4 Type:	Alphanumeric
Field 3:	FAC_TEACHING_IND	*
Description:	Teaching Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '999999').
Coding Scheme:	A Member, Council of Teaching Hospitals	
D'' D'	X Other teaching facility	
Beginning Position:	11 Data Source:	Provider
Length:	1 Type:	Alphanumeric
Field 4:	FAC_PSYCH_IND	
Description:	Psychiatric Facility Indicator.	discharges (Provider ID equals (000000))
Suppression:	Suppressed for hospitals with fewer than 50 12 Data Source:	Provider
Beginning Position: Length:	12Data Source:1Type:	Alphanumeric
Field 5:	FAC_REHAB_IND	Alphallullelle
Description:	Rehabilitation Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '000000')
Beginning Position:	13 Data Source:	Provider
Length:	1 Type:	Alphanumeric
Field 6:	FAC_ACUTE_CARE_IND	Alphanumenc
Description:	Acute Care Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '990000')
Beginning Position:	14 Data Source:	Provider
Length:	1 Type:	Alphanumeric
Field 7:	FAC_SNF_IND	7 ilpitanamene
Description:		facility type indicator provided by the hospital
Suppression:	Suppressed for hospitals with fewer than 50	
Beginning Position:	15 Data Source:	Provider
Length:	1 Type:	Alphanumeric
Field 8:	FAC_LONG_TERM_AC_IND	
Description:	Long Term Acute Care Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '999999')
Beginning Position:	16 Data Source:	Provider
Length:	1 Type:	Alphanumeric
Field 9:	FAC_OTHER_LTC_IND	r
Description:	Other Long Term Care Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '999999').
Beginning Position:	17 Data Source:	Provider
Length:	1 Type:	Alphanumeric
Field 10:	FAC_PEDS_IND	*
Description:	Pediatric Facility Indicator.	
Suppression:	Suppressed for hospitals with fewer than 50	discharges (Provider ID equals '999999').
Coding Scheme:	C Member, National Association of Children's Hospita	ils and Related Institutions (NACHRI)

Beginning Position:	18	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 11	PROVIDER_NAM	Æ	
Description:	Hospital name prov	ided by the hospital.	
Beginning Position:	19	Data Source:	Provider
Length:	55	Туре:	Alphanumeric
Field 12:	POA_PROVIDER	_INDICATOR	
Description:	Indicator identifying	g whether facility is re	quired to submit Diagnosis Present on Admission
-	(POA) codes. 25 T	AC §421.9(e) identifie	es the following facility types as exempt from
	reporting POA to th	e department: Critical	Access Hospitals, Inpatient Rehabilitation
	Hospitals, Inpatient	Psychiatric Hospitals.	Cancer Hospitals, Children's or Pediatric Hospitals
	and Long Term Car	e Hospitals.	
Coding Scheme:		s sections that would be exe	mpted from reporting POA for those patients)
8	R Required		
	X Exempt Invalid		
Beginning Position:	74	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 13:	CERT_STATUS	-) -	
Description:		de to indicate the certi	fication of data and submission of comments by the
		able 3 rd quarter 1999.	······································
Coding Scheme:	1 Certified, without		
o o uning o ontonio o	2 Certified, with co	mment	
		mment, comment not receiv	red by deadline
	4 Hospital elected n	2	
	5 Hospital closed, d 6 Hospital out of co	lata not certified ompliance, did not certify da	to
	1	1	
		1 2	al or man-made disaster (Starting 4Q2016)
Beginning Position:	75	Data Source:	Assigned
Length:	1	Туре:	Alphanumeric

GROUPER FILE

Field 1:	RECORD_ID		
Description:		Inique numb	er assigned to identify the record. First available
Description.			ORD ID in THCIC Research Data Files (RDF's).
Beginning Position:	1	ita Source:	Assigned
Length:		pe:	Alphanumeric
Field 2:	FROZEN_MS_DRG	pc.	Alphalumene
		aid Samiaaa	(CMS) Diagnosis Palatad Group (DPC) as
Description:			(CMS) Diagnosis Related Group (DRG), as
Desinuine Desition.	assigned for hospital payment fo		
Beginning Position:		ta Source:	Assigned
Length:	<u>3</u> Ty	pe:	Alphanumeric
Field 3:	FROZEN_MS_MDC		
Description:			ed by Centers for Medicare and Medicaid Services
			ninistration (HCFA)) for hospital payment for
	Medicare beneficiaries. First ava		
Beginning Position:		ta Source:	Assigned
Length:	2 Ty		Alphanumeric
Field 4:	FROZEN_MS_GROUPER_V		
Description:			rouper (formerly CMS DRG Grouper and
	previously reported as HCFA_G	ROUPER_V	ERSION_NBR) version used to assign MS DRG
	and, MS MDC codes		
Beginning Position:	18 Da	ta Source:	Assigned
Length:	5 Ty	pe:	Alphanumeric
Field 5:	FROZEN_MS_GROUPER_E	RROR COL	DE
Description:	Error codes identify potential var		
Coding Scheme:	00	10	0
coung benefite.	No errors. DRG successfully assig	gned.	exempt
	01 Diagnosis code cannot be used as	principal 20	
	diagnosis	DDG 21	U DisableHee is invalid and at least one HAC POA is
	02 Record does not meet criteria for a	any DRG ²¹	DisableHac is invalid and at least one HAC POA is invalid or exempt
	03 Invalid Age	22	
	04 Invalid Sex	23	DisableHac is invalid and at least one HAC POA is
			exempt
	05 Invalid Discharge Status	24	DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
	10	25	
	10 Illogical Principal Diagnosis (CM	IS only)	have different HAC POA values that are not Y or W
	11 Invalid Principal Diagnosis		
Beginning Position:	23 Da	ta Source:	Assigned
Length:	2 Ty	pe:	Alphanumeric
Field 6:	FROZEN_APR_DRG		
Description:	All Patient Refined (APR) Diagr	nosis Related	Group (DRG) as assigned by 3M APR-DRG
_	Grouper		
Beginning Position:	25 Da	ta Source:	Assigned
Length:	3 Ty	pe:	Alphanumeric
Field 7:	FROZEN_RISK_MORTALIT		•
Description:			the All Patient Refined (APR) Diagnosis Related
			uper. Indicates the likelihood of dying.
Coding Scheme:	1 Minor		
8	2 Moderate		
	3 Major		
	4 Extreme		
Beginning Position:		ta Source:	Assigned
Length:	<u>1</u> Ty		Alphanumeric
Field 8:	FROZEN_ILLNESS_SEVERI	TY	
DSHS/THCIC	I	Page 58 —	DSHS Document # E25-14163
WWW.DSHS.TEXAS	S.GOV/THCIC		Last Updated: July, 2025

Description:			m the All Patient Refined (APR) Diagnosis Relate ouper. Indicates the extent of physiologic
	decompensation.		ouper. Indicates the extent of physiologic
Coding Scheme:	1 Minor		
county benefic.	2 Moderate		
	3 Major		
	4 Extreme		
Beginning Position:	0 No class specified 29	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 9:	FROZEN_APR_MDC		•
Description:		ry (MDC) as assign	ned by 3M [™] APR-DRG Grouper.
Beginning Position:	30	Data Source:	Assigned
Length:	2	Туре:	Alphanumeric
Field 10:	FROZEN_APR_GROU	PER_VERSION_	NBR
Description:	3M [™] All Patient Refine	d Diagnosis Relate	d Grouper version used to assign APR DRG code
_	APR MDC codes, Risk o	f Mortality ranking	s and, Severity of Illness rankings
Beginning Position:	32	Data Source:	Assigned
Length:	5	Туре:	Alphanumeric
Field 11:	FROZEN_APR_GROU	PER_ERROR_C	ODE
Description:			h APR DRG code assignment
Coding Scheme:	00 No errors. DRG successf	fully assigned. 12	Gestational age/birth weight conflict (APR only)
- same seneme	01 Diagnosis code cannot b		DisableHac = 0 and at least one HAC POA is invalid or
	principal diagnosis	itania fan	exempt Dischlattag is invalid and at least one UAC POA is N or
	02 Record does not meet cri DRG	iteria for any 20	DisableHac is invalid and at least one HAC POA is N or
	03 Invalid Age	21	DisableHac is invalid and at least one HAC POA is inva or exempt
	04 Invalid Sex	22	DisableHac = 0 and at least one HAC POA is exempt
	05 Invalid Discharge Status		DisableHac is invalid and at least one HAC POA is exen
	06 Invalid birthweight (AP	& APR only) 24	DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
	09 Invalid discharge age in	days (AP & 25	DisableHac is invalid and there are multiple HACs that
	APR only) 11 Invalid Principal Diagno	2	have different HAC POA values that are not Y or W
Beginning Position:	37	Data Source:	Assigned
Length:	2	Туре:	Alphanumeric
Field 12:	MS_DRG		•
Description:	Centers for Medicare and	I Medicaid Services	s (CMS) Diagnosis Related Group (DRG), as
-	assigned for hospital pays		
Beginning Position:	39	Data Source:	Assigned
Length:	3	Туре:	Alphanumeric
Field 13:	MS_MDC		
Description:			ned by Centers for Medicare and Medicaid Service
			ministration (HCFA)) for hospital payment for
	Medicare beneficiaries. F		
Beginning Position:	42	Data Source:	Assigned
Length:	2	Туре:	Alphanumeric
Field 14:	MS_GROUPER_VERS		
Description:	CMS Medicare Severity		Grouper (formerly CMS DRG Grouper and
Description:		CEA CROUDER I	VERSION_NBR) version used to assign MS DRC
Description:	previously reported as HO	CFA_GROUPER_	
-	previously reported as H0 and, MS MDC codes		_
Beginning Position:	previously reported as H and, MS MDC codes 44	Data Source:	Assigned
Beginning Position: Length:	previously reported as H0 and, MS MDC codes 44 5	Data Source: Type:	_
Beginning Position: Length: Field 15:	previously reported as HG and, MS MDC codes 44 5 MS_GROUPER_ERRO	Data Source: Type: DR_CODE	Assigned Alphanumeric
Beginning Position: Length: Field 15: Description:	previously reported as HG and, MS MDC codes 44 5 MS_GROUPER_ERRO Error codes identify poten	Data Source: Type: DR_CODE	Assigned Alphanumeric n MS DRG code assignment
Beginning Position: Length: Field 15: Description:	previously reported as HG and, MS MDC codes 44 5 MS_GROUPER_ERRO Error codes identify poten	Data Source: Type: DR_CODE ntial variations with	Assigned Alphanumeric n MS DRG code assignment 19 DisableHac = 0 and at least one HAC POA is invalid on
Beginning Position: Length: Field 15: Description: Coding Scheme:	previously reported as HG and, MS MDC codes 44 5 MS_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successf	Data Source: Type: DR_CODE ntial variations with fully assigned.	Assigned Alphanumeric n MS DRG code assignment DisableHac = 0 and at least one HAC POA is invalid or exempt
Beginning Position: Length: Field 15: Description:	previously reported as HG and, MS MDC codes 44 5 MS_GROUPER_ERRO Error codes identify poten ⁰⁰ No errors. DRG successf 01 Diagnosis code cannot b	Data Source: Type: DR_CODE ntial variations with fully assigned.	Assigned Alphanumeric n MS DRG code assignment 19 DisableHac = 0 and at least one HAC POA is invalid or
Beginning Position: Length: Field 15: Description:	previously reported as HG and, MS MDC codes 44 5 MS_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successf	Data Source: Type: DR_CODE ntial variations with fully assigned.	Assigned Alphanumeric n MS DRG code assignment DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N o

	02 Record does not meet crite	eria for any DRG	21	DisableHac is invalid and at least one HAC POA is invalid or exempt
	03 Invalid Age		22	invalid or exempt DisableHac = 0 and at least one HAC POA is exempt
	04 Invalid Sex		23	DisableHac is invalid and at least one HAC POA is exempt
	05 Invalid Discharge Status		24	DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
	10 Illogical Principal Diagnos11 Invalid Principal Diagnosi	-	25	DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W
Beginning Position:	49	Data Source	:	Assigned
Length:	2	Type:		Alphanumeric
Field 16:	 APR_DRG	-,p==		
Description:		Diagnosis Rela	ted (Group (DRG) as assigned by 3M APR-DRG
Beginning Position:	51	Data Source	:	Assigned
Length:	3	Туре:		Alphanumeric
Field 17:	RISK_MORTALITY	rype.		
Description:		ortality score fro	m th	ne All Patient Refined (APR) Diagnosis Relate
Description:				per. Indicates the likelihood of dying.
Coding Scheme:	1 Minor 2 Moderate 3 Major			
Desimulas Desitions	4 Extreme	Data Common		Assistant
Beginning Position:	54	Data Source		Assigned
Length:		Туре:		Alphanumeric
Field 18: Description:	ILLNESS_SEVERITY			the All Patient Refined (APR) Diagnosis Rela
Coding Scheme:	decompensation. 1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified			
-	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified	Data Source		Assigned
Beginning Position:	1 Minor 2 Moderate 3 Major 4 Extreme	Data Source Type:		Assigned Alphanumeric
Beginning Position: Length:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1	Data Source Type:		Assigned Alphanumeric
Beginning Position: Length: Field 19:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC	Туре:		Alphanumeric
Beginning Position: Length: Field 19: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category	Type: y (MDC) as assi	gnec	Alphanumeric 1 by 3M™ APR-DRG Grouper.
Beginning Position: Length: Field 19: Description: Beginning Position:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56	Type: y (MDC) as assi Data Source	gnec	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned
Beginning Position: Length: Field 19: Description: Beginning Position: Length:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2	Type: y (MDC) as assi Data Source Type:	gnec	Alphanumeric 1 by 3M™ APR-DRG Grouper.
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS	Type: y (MDC) as assi Data Source Type: SION_NBR	gnec	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric
Beginning Position: Length: Field 19: Description: Beginning Position: Length:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela	gnec :	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin	gnec ted (Alphanumeric I by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankir Data Source	gnec ted C ngs a	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type:	gnec ted C ngs a	Alphanumeric I by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRC	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE	gnec ted (ngs a	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned Alphanumeric
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRC	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE	gnec ted (ngs a	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Error codes identify potentiation	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE ntial variations w	gnec ted (ngs a	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Codes identify potention 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: OR_CODE ntial variations w ly assigned. 1 used as 1	gnec ted (ngs a vith 1 2 9	Alphanumeric d by 3M [™] APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Error codes identify potent 00 No errors. DRG successfut 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet critte DRG	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: OR_CODE ntial variations w Ily assigned. 1 used as 1 eria for any 2	gnec ted (ngs z yith 2 9 20	Alphanumeric d by 3M [™] APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N o
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRC Error codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crited	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: OR_CODE ntial variations w Ily assigned. 1 used as 1 eria for any 2	gnec ted (ngs a vith 1 2 9	Alphanumeric d by 3M [™] APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N of DisableHac is invalid and at least one HAC POA is invalid or exempt
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE ntial variations w Ily assigned. 1 used as 1 eria for any 2 2	gnec tted (ngs a i: 2 9 10 11 2	Alphanumeric d by 3M [™] APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N o DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac = 0 and at least one HAC POA is exempt
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE ntial variations w lly assigned. 1 used as 1 eria for any 2 2 2	gnec ted C ngs a with A 2 9 00 11 2 3	Alphanumeric d by 3M [™] APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N o DisableHac is invalid and at least one HAC POA is inva- or exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Error codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet critte DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid birthweight (AP &	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE tital variations w lly assigned. 1 used as 1 eria for any 2 <	gnec ted (ngs a ::	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG cod and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid on exempt DisableHac is invalid and at least one HAC POA is inv or exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one HAC POA is exempt DisableHac = 0 and these one multiple HACs that have different HAC POA values that are not Y, W, N, U
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Error codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid birthweight (AP &	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: DR_CODE tital variations w lly assigned. 1 used as 1 eria for any 2 <	gnec ted C ngs a with A 2 9 00 11 2 3	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N or exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Error codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 03 Invalid Sex 05 Invalid Discharge Status 06 Invalid birthweight (AP & 09 Invalid discharge age in data	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: OR_CODE ntial variations w ly assigned. 1 used as 1 eria for any 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 2 2 2 2 3 3 4 4 4 3 4 2 3 4 4 4 4 </td <td>gnec ted (ngs a ::</td> <td>Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and, Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N o DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that</td>	gnec ted (ngs a ::	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and, Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N o DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that
Beginning Position: Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	1 Minor 2 Moderate 3 Major 4 Extreme 0 No class specified 55 1 APR_MDC Major Diagnostic Category 56 2 APR_GROUPER_VERS 3M™ All Patient Refined APR MDC codes, Risk of 58 5 APR_GROUPER_ERRO Error codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid discharge age in da APR only)	Type: y (MDC) as assi Data Source Type: SION_NBR Diagnosis Rela Mortality rankin Data Source Type: OR_CODE ntial variations w ly assigned. 1 used as 1 eria for any 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 2 2 2 2 3 3 4 4 4 3 4 2 3 4 4 4 4 </td <td>gnec ted (ngs a ::</td> <td>Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N or or exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that</td>	gnec ted (ngs a ::	Alphanumeric d by 3M™ APR-DRG Grouper. Assigned Alphanumeric Grouper version used to assign APR DRG code and,Severity of Illness rankings Assigned Alphanumeric APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N or or exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that

Beginning Position:	63	Data Source:	Assigned
Length:	2	Туре:	Alphanumeric



Texas Hospital Inpatient Discharge Public Use Data File DATA FIELDS

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	DISCHARGE	13	6	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	TYPE_OF_ADMISSION	25	1	Alphanumeric
5	SOURCE_OF_ADMISSION	26	1	Alphanumeric
6	SPEC_UNIT_1	27	1	Alphanumeric
7	SPEC_UNIT_2	28	1	Alphanumeric
8	SPEC_UNIT_3	29	1	Alphanumeric
9	SPEC_UNIT_4	30	1	Alphanumeric
10	SPEC_UNIT_5	31	1	Alphanumeric
11	PAT_STATE	32	2	Alphanumeric
12	PAT_ZIP	34	5	Alphanumeric
13	PAT_COUNTRY	39	2	Alphanumeric
14	PAT_COUNTY	41	3	Alphanumeric
15	PUBLIC_HEALTH_REGION	44	2	Alphanumeric
16	PAT_STATUS	46	2	Alphanumeric
17	SEX_CODE	48	1	Alphanumeric
18	RACE	49	1	Alphanumeric
19	ETHNICITY	50	1	Alphanumeric
20	ADMIT_WEEKDAY	51	1	Alphanumeric
21	LENGTH_OF_STAY	52	4	Alphanumeric
22	PAT_AGE	56	2	Alphanumeric
23	FIRST_PAYMENT_SRC	58	2	Alphanumeric

BASE DATA #1 FILE

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
24	SECONDARY_PAYMENT_SRC	60	2	Alphanumeric
25	TYPE_OF_BILL	62	3	Alphanumeric
26	TOTAL_CHARGES	65	12	Numeric
27	TOTAL_NON_COV_CHARGES	77	12	Numeric
28	TOTAL_CHARGES_ACCOMM	89	12	Numeric
29	TOTAL_NON_COV_CHARGES_ACCOMM	101	12	Numeric
30	TOTAL_CHARGES_ANCIL	113	12	Numeric
31	TOTAL_NON_COV_CHARGES_ANCIL	125	12	Numeric
32	ADMITTING_DIAGNOSIS	137	7	Alphanumeric
33	PRINC_DIAG_CODE	144	7	Alphanumeric
34	POA_PRINC_DIAG_CODE	151	1	Alphanumeric
35	OTH_DIAG_CODE_1	152	7	Alphanumeric
36	POA_OTH_DIAG_CODE_1	159	1	Alphanumeric
37	OTH_DIAG_CODE_2	160	7	Alphanumeric
38	POA_OTH_DIAG_CODE_2	167	1	Alphanumeric
39	OTH_DIAG_CODE_3	168	7	Alphanumeric
40	POA_OTH_DIAG_CODE_3	175	1	Alphanumeric
41	OTH_DIAG_CODE_4	176	7	Alphanumeric
42	POA_OTH_DIAG_CODE_4	183	1	Alphanumeric
43	OTH_DIAG_CODE_5	184	7	Alphanumeric
44	POA_OTH_DIAG_CODE_5	191	1	Alphanumeric
45	OTH_DIAG_CODE_6	192	7	Alphanumeric
46	POA_OTH_DIAG_CODE_6	199	1	Alphanumeric
47	OTH_DIAG_CODE_7	200	7	Alphanumeric
48	POA_OTH_DIAG_CODE_7	207	1	Alphanumeric
49	OTH_DIAG_CODE_8	208	7	Alphanumeric
50	POA_OTH_DIAG_CODE_8	215	1	Alphanumeric
51	OTH_DIAG_CODE_9	216	7	Alphanumeric
52	POA_OTH_DIAG_CODE_9	223	1	Alphanumeric
53	OTH_DIAG_CODE_10	224	7	Alphanumeric
54	POA_OTH_DIAG_CODE_10	231	1	Alphanumeric
55	OTH_DIAG_CODE_11	232	7	Alphanumeric
56	POA_OTH_DIAG_CODE_11	239	1	Alphanumeric
57	OTH_DIAG_CODE_12	240	7	Alphanumeric
58	POA_OTH_DIAG_CODE_12	247	1	Alphanumeric
59	OTH_DIAG_CODE_13	248	7	Alphanumeric
60	POA_OTH_DIAG_CODE_13	255	1	Alphanumeric
61	OTH_DIAG_CODE_14	256	7	Alphanumeric
62	POA_OTH_DIAG_CODE_14	263	1	Alphanumeric
63	OTH_DIAG_CODE_15	264	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
64	POA_OTH_DIAG_CODE_15	271	1	Alphanumeric
65	OTH_DIAG_CODE_16	272	7	Alphanumeric
66	POA_OTH_DIAG_CODE_16	279	1	Alphanumeric
67	OTH_DIAG_CODE_17	280	7	Alphanumeric
68	POA_OTH_DIAG_CODE_17	287	1	Alphanumeric
69	OTH_DIAG_CODE_18	288	7	Alphanumeric
70	POA_OTH_DIAG_CODE_18	295	1	Alphanumeric
71	OTH_DIAG_CODE_19	296	7	Alphanumeric
72	POA_OTH_DIAG_CODE_19	303	1	Alphanumeric
73	OTH_DIAG_CODE_20	304	7	Alphanumeric
74	POA_OTH_DIAG_CODE_20	311	1	Alphanumeric
75	OTH_DIAG_CODE_21	312	7	Alphanumeric
76	POA_OTH_DIAG_CODE_21	319	1	Alphanumeric
77	OTH_DIAG_CODE_22	320	7	Alphanumeric
78	POA_OTH_DIAG_CODE_22	327	1	Alphanumeric
79	OTH_DIAG_CODE_23	328	7	Alphanumeric
80	POA_OTH_DIAG_CODE_23	335	1	Alphanumeric
81	OTH_DIAG_CODE_24	336	7	Alphanumeric
82	POA_OTH_DIAG_CODE_24	343	1	Alphanumeric
83	E_CODE_1	344	7	Alphanumeric
84	POA_E_CODE_1	351	1	Alphanumeric
85	E_CODE_2	352	7	Alphanumeric
86	POA_E_CODE_2	359	1	Alphanumeric
87	E_CODE_3	360	7	Alphanumeric
88	POA_E_CODE_3	367	1	Alphanumeric
89	E_CODE_4	368	7	Alphanumeric
90	POA_E_CODE_4	375	1	Alphanumeric
91	E_CODE_5	376	7	Alphanumeric
92	POA_E_CODE_5	383	1	Alphanumeric
93	E_CODE_6	384	7	Alphanumeric
94	POA_E_CODE_6	391	1	Alphanumeric
95	E_CODE_7	392	7	Alphanumeric
96	POA_E_CODE_7	399	1	Alphanumeric
97	E_CODE_8	400	7	Alphanumeric
98	POA_E_CODE_8	407	1	Alphanumeric
99	E_CODE_9	408	7	Alphanumeric
100	POA_E_CODE_9	415	1	Alphanumeric
101	E_CODE_10	416	7	Alphanumeric
102	POA_E_CODE_10	423	1	Alphanumeric
103	PRINC_SURG_PROC_CODE	424	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
104	PRINC_SURG_PROC_DAY	431	4	Alphanumeric
105	OTH_SURG_PROC_CODE_1	435	7	Alphanumeric
106	OTH_SURG_PROC_DAY_1	442	4	Alphanumeric
107	OTH_SURG_PROC_CODE_2	446	7	Alphanumeric
108	OTH_SURG_PROC_DAY_2	453	4	Alphanumeric
109	OTH_SURG_PROC_CODE_3	457	7	Alphanumeric
110	OTH_SURG_PROC_DAY_3	464	4	Alphanumeric
111	OTH_SURG_PROC_CODE_4	468	7	Alphanumeric
112	OTH_SURG_PROC_DAY_4	475	4	Alphanumeric
113	OTH_SURG_PROC_CODE_5	479	7	Alphanumeric
114	OTH_SURG_PROC_DAY_5	486	4	Alphanumeric
115	OTH_SURG_PROC_CODE_6	490	7	Alphanumeric
116	OTH_SURG_PROC_DAY_6	497	4	Alphanumeric
117	OTH_SURG_PROC_CODE_7	501	7	Alphanumeric
118	OTH_SURG_PROC_DAY_7	508	4	Alphanumeric
119	OTH_SURG_PROC_CODE_8	512	7	Alphanumeric
120	OTH_SURG_PROC_DAY_8	519	4	Alphanumeric
121	OTH_SURG_PROC_CODE_9	523	7	Alphanumeric
122	OTH_SURG_PROC_DAY_9	530	4	Alphanumeric
123	OTH_SURG_PROC_CODE_10	534	7	Alphanumeric
124	OTH_SURG_PROC_DAY_10	541	4	Alphanumeric
125	OTH_SURG_PROC_CODE_11	545	7	Alphanumeric
126	OTH_SURG_PROC_DAY_11	552	4	Alphanumeric
127	OTH_SURG_PROC_CODE_12	556	7	Alphanumeric
128	OTH_SURG_PROC_DAY_12	563	4	Alphanumeric
129	OTH_SURG_PROC_CODE_13	567	7	Alphanumeric
130	OTH_SURG_PROC_DAY_13	574	4	Alphanumeric
131	OTH_SURG_PROC_CODE_14	578	7	Alphanumeric
132	OTH_SURG_PROC_DAY_14	585	4	Alphanumeric
133	OTH_SURG_PROC_CODE_15	589	7	Alphanumeric
134	OTH_SURG_PROC_DAY_15	596	4	Alphanumeric
135	OTH_SURG_PROC_CODE_16	600	7	Alphanumeric
136	OTH_SURG_PROC_DAY_16	607	4	Alphanumeric
137	OTH_SURG_PROC_CODE_17	611	7	Alphanumeric
138	OTH_SURG_PROC_DAY_17	618	4	Alphanumeric
139	OTH_SURG_PROC_CODE_18	622	7	Alphanumeric
140	OTH_SURG_PROC_DAY_18	629	4	Alphanumeric
141	OTH_SURG_PROC_CODE_19	633	7	Alphanumeric
142	OTH_SURG_PROC_DAY_19	640	4	Alphanumeric
143	OTH_SURG_PROC_CODE_20	644	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
144	OTH_SURG_PROC_DAY_20	651	4	Alphanumeric
145	OTH_SURG_PROC_CODE_21	655	7	Alphanumeric
146	OTH_SURG_PROC_DAY_21	662	4	Alphanumeric
147	OTH_SURG_PROC_CODE_22	666	7	Alphanumeric
148	OTH_SURG_PROC_DAY_22	673	4	Alphanumeric
149	OTH_SURG_PROC_CODE_23	677	7	Alphanumeric
150	OTH_SURG_PROC_DAY_23	684	4	Alphanumeric
151	OTH_SURG_PROC_CODE_24	688	7	Alphanumeric
152	OTH_SURG_PROC_DAY_24	695	4	Alphanumeric
153	ATTENDING_PHYSICIAN_UNIF_ID	699	10	Alphanumeric
154	OPERATING_PHYSICIAN_UNIF_ID	709	10	Alphanumeric
155	ENCOUNTER_INDICATOR	719	2	Alphanumeric
156	PROVIDER_NAME	721	55	Alphanumeric
157	EMERGENCY_DEPT_FLAG	776	1	Alphanumeric
	Record_Length		776	

BASE DATA #2 FILE

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
	RECORD_ID Does NOT match the RECORD_ID			
1	in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	PRIVATE_AMOUNT	13	12	Numeric
3	SEMI_PRIVATE_AMOUNT	25	12	Numeric
4	WARD_AMOUNT	37	12	Numeric
5	ICU_AMOUNT	49	12	Numeric
6	CCU_AMOUNT	61	12	Numeric
7	OTHER_AMOUNT	73	12	Numeric
8	PHARM_AMOUNT	85	12	Numeric
9	MEDSURG_AMOUNT	97	12	Numeric
10	DME_AMOUNT	109	12	Numeric
11	USED_DME_AMOUNT	121	12	Numeric
12	PT_AMOUNT	133	12	Numeric
13	OT_AMOUNT	145	12	Numeric
14	SPEECH_AMOUNT	157	12	Numeric
15	IT_AMOUNT	169	12	Numeric
16	BLOOD_AMOUNT	181	12	Numeric
17	BLOOD_ADM_AMOUNT	193	12	Numeric
18	OR_AMOUNT	205	12	Numeric
19	LITH_AMOUNT	217	12	Numeric
20	CARD_AMOUNT	229	12	Numeric
21	ANES_AMOUNT	241	12	Numeric
22	LAB_AMOUNT	253	12	Numeric
23	RAD_AMOUNT	265	12	Numeric
24	MRI_AMOUNT	277	12	Numeric
25	OP_AMOUNT	289	12	Numeric
26	ER_AMOUNT	301	12	Numeric
27	AMBULANCE_AMOUNT	313	12	Numeric
28	PRO_FEE_AMOUNT	325	12	Numeric
29	ORGAN_AMOUNT	337	12	Numeric
30	ESRD_AMOUNT	349	12	Numeric
31	 CLINIC_AMOUNT	361	12	Numeric
32	OCCUR_CODE_1	373	2	Alphanumeric
33	OCCUR_DAY_1	375	4	Alphanumeric
34	OCCUR_CODE_2	379	2	Alphanumeric
35	OCCUR_DAY_2	381	4	Alphanumeric
36	OCCUR_CODE_3	385	2	Alphanumeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
37	OCCUR_DAY_3	387	4	Alphanumeric
38	OCCUR_CODE_4	391	2	Alphanumeric
39	OCCUR_DAY_4	393	4	Alphanumeric
40	OCCUR_CODE_5	397	2	Alphanumeric
41	OCCUR_DAY_5	399	4	Alphanumeric
42	OCCUR_CODE_6	403	2	Alphanumeric
43	OCCUR_DAY_6	405	4	Alphanumeric
44	OCCUR_CODE_7	409	2	Alphanumeric
45	OCCUR_DAY_7	411	4	Alphanumeric
46	OCCUR_CODE_8	415	2	Alphanumeric
47	OCCUR_DAY_8	417	4	Alphanumeric
48	OCCUR_CODE_9	421	2	Alphanumeric
49	OCCUR_DAY_9	423	4	Alphanumeric
50	OCCUR_CODE_10	427	2	Alphanumeric
51	OCCUR_DAY_10	429	4	Alphanumeric
52	OCCUR_CODE_11	433	2	Alphanumeric
53	OCCUR_DAY_11	435	4	Alphanumeric
54	OCCUR_CODE_12	439	2	Alphanumeric
55	OCCUR_DAY_12	441	4	Alphanumeric
56	OCCUR_SPAN_CODE_1	445	2	Alphanumeric
57	OCCUR_SPAN_FROM_1	447	6	Alphanumeric
58	OCCUR_SPAN_THRU_1	453	6	Alphanumeric
59	OCCUR_SPAN_CODE_2	459	2	Alphanumeric
60	OCCUR_SPAN_FROM_2	461	6	Alphanumeric
61	OCCUR_SPAN_THRU_2	467	6	Alphanumeric
62	OCCUR_SPAN_CODE_3	473	2	Alphanumeric
63	OCCUR_SPAN_FROM_3	475	6	Alphanumeric
64	OCCUR_SPAN_THRU_3	481	6	Alphanumeric
65	OCCUR_SPAN_CODE_4	487	2	Alphanumeric
66	OCCUR_SPAN_FROM_4	489	6	Alphanumeric
67	OCCUR_SPAN_THRU_4	495	6	Alphanumeric
68	CONDITION_CODE_1	501	2	Alphanumeric
69	CONDITION_CODE_2	503	2	Alphanumeric
70	CONDITION_CODE_3	505	2	Alphanumeric
71	CONDITION_CODE_4	507	2	Alphanumeric
72	CONDITION_CODE_5	509	2	Alphanumeric
73	CONDITION_CODE_6	511	2	Alphanumeric
74	CONDITION_CODE_7	513	2	Alphanumeric
75	CONDITION_CODE_8	515	2	Alphanumeric
76	VALUE_CODE_1	517	2	Alphanumeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
77	VALUE_AMOUNT_1	519	9	Numeric
78	VALUE_CODE_2	528	2	Alphanumeric
79	VALUE_AMOUNT_2	530	9	Numeric
80	VALUE_CODE_3	539	2	Alphanumeric
81	VALUE_AMOUNT_3	541	9	Numeric
82	VALUE_CODE_4	550	2	Alphanumeric
83	VALUE_AMOUNT_4	552	9	Numeric
84	VALUE_CODE_5	561	2	Alphanumeric
85	VALUE_AMOUNT_5	563	9	Numeric
86	VALUE_CODE_6	572	2	Alphanumeric
87	VALUE_AMOUNT_6	574	9	Numeric
88	VALUE_CODE_7	583	2	Alphanumeric
89	VALUE_AMOUNT_7	585	9	Numeric
90	VALUE_CODE_8	594	2	Alphanumeric
91	VALUE_AMOUNT_8	596	9	Numeric
92	VALUE_CODE_9	605	2	Alphanumeric
93	VALUE_AMOUNT_9	607	9	Numeric
94	VALUE_CODE_10	616	2	Alphanumeric
95	VALUE_AMOUNT_10	618	9	Numeric
96	VALUE_CODE_11	627	2	Alphanumeric
97	VALUE_AMOUNT_11	629	9	Numeric
98	VALUE_CODE_12	638	2	Alphanumeric
99	VALUE_AMOUNT_12	640	9	Numeric
	Record_Length		648	

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

FACILITY TYPE INDICATOR FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	FACILITY_TYPE	7	4	Alphanumeric
3	FAC_TEACHING_IND	11	1	Alphanumeric
4	FAC_PSYCH_IND	12	1	Alphanumeric
5	FAC_REHAB_IND	13	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	14	1	Alphanumeric
7	FAC_SNF_IND	15	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	16	1	Alphanumeric
9	FAC_OTHER_LTC_IND	17	1	Alphanumeric
10	FAC_PEDS_IND	18	1	Alphanumeric
11	PROVIDER_NAME	19	55	Alphanumeric
12	POA_PROVIDER_INDICATOR	74	1	Alphanumeric
13	CERT_STATUS	75	1	Alphanumeric
	Record_Length		75	

Number Field Name Position Length Field Type 1 RECORD ID 1 12 Alphanumeric 2 13 3 FROZEN MS DRG Alphanumeric 3 FROZEN_MS_MDC 16 2 Alphanumeric 4 FROZEN_MS_GROUPER_VERSION_NBR 18 5 Alphanumeric 5 FROZEN_MS_GROUPER_ERROR_CODE 23 2 Alphanumeric 6 FROZEN_APR_DRG 25 3 Alphanumeric 7 FROZEN RISK MORTALITY 28 1 Alphanumeric 8 1 FROZEN ILLNESS SEVERITY 29 Alphanumeric 9 FROZEN_APR_MDC 30 2 Alphanumeric 10 FROZEN_APR_GROUPER_VERSION_NBR 32 5 Alphanumeric FROZEN_APR_GROUPER_ERROR_CODE 37 2 Alphanumeric 11 12 MS_DRG 39 3 Alphanumeric 2 13 MS MDC 42 Alphanumeric 14 MS_GROUPER_VERSION_NBR 44 5 Alphanumeric 15 MS_GROUPER_ERROR_CODE 49 2 Alphanumeric 3 16 51 Alphanumeric APR DRG 17 1 **RISK MORTALITY** 54 Alphanumeric ILLNESS_SEVERITY 55 Alphanumeric 18 1 19 2 APR_MDC 56 Alphanumeric 20 APR_GROUPER_VERSION_NBR 5 Alphanumeric 58 21 APR_GROUPER_ERROR_CODE 63 2 Alphanumeric 64 **Record_Length**

GROUPER FILE