TEXAS DEPARTMENT OF STATE HEALTH SERVICES CENTER FOR HEALTH STATISTICS



Health Care Information

USER MANUAL

TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

Base Data #1 File, Base Data #2 File Charges File, and Facility Type Indicator File

2012

TABLE OF CONTENTS 1
BACKGROUND
PUBLIC USE DATA FILE (PUDF) 2
DATA PROCESSING AND QUALITY 3
PATIENT/PHYSICIAN CONFIDENTIALITY 4
RESTRICTIONS ON DATA USE
DATA LIMITATIONS
HOSPITAL COMMENTS
CITATION
DATA DICTIONARY Base Data #1 File
DATA FIELD Tables
REPORTING STATUS OF TEXAS HOSPITALS

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004 and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

PUBLIC USE DATA FILE (PUDF)

Section 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files for 2012 due to the addition of the 25 diagnosis present on admission indicator codes (POA) and the 10 POA indicators for the external cause of injury codes. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 10 variables including the THCIC ID and facility name and variables indicating whether the facility is a teaching facility or pediatric hospital or other specialty facility.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2012 PUDF is available in four fixed length format text files, Base Data #1 (logical record length of 950 bytes), Base Data #2 (logical record length of 700 bytes), Charges (logical record length of 80 bytes), and Facility Type Data (logical record length of 69 bytes) files. The files are also available in tab-delimited format. The size of the files is as follows:

First quarter, 568 hospitals:					
Base Data #1	745,203 records	Fixed field format	693 MB	Tab-delimited	312 MB
Base Data #2	745,203 records	Fixed field format	511 MB	Tab-delimited	197 MB
Charges	11,568,053 records	Fixed field format	926 MB	Tab-delimited	539 MB
Facility Type Data	568 records	Fixed field format	40 KB	Tab-delimited	28 KB
Second quarter, 570 hospitals:					
Base Data #1	725,194 records	Fixed field format	674 MB	Tab-delimited	305 MB
Base Data #2	725,194 records	Fixed field format	497 MB	Tab-delimited	192 MB
Charges	11,386,168 records	Fixed field format	912 MB	Tab-delimited	529 MB
Facility Type Data	570 records	Fixed field format	40 KB	Tab-delimited	28 KB

Third quarter, 573 hospitals:					
Base Data #1	751,939 records	Fixed field format	699 MB	Tab-delimited	316 MB
Base Data #2	751,939 records	Fixed field format	516 MB	Tab-delimited	199 MB
Charges	11,605,802 records	Fixed field format	929 MB	Tab-delimited	539 MB
Facility Type Data	573 records	Fixed field format	40 KB	Tab-delimited	28 KB
Fourth quarter, 573 hospitals:					
Base Data #1	743,625 records	Fixed field format	691 MB	Tab-delimited	319 MB
Base Data #2	743,625 records	Fixed field format	510 MB	Tab-delimited	197 MB
Charges	11,593,617 records	Fixed field format	928 MB	Tab-delimited	538 MB
Facility Type Data	573 records	Fixed field format	40 KB	Tab-delimited	28 KB

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals using the THCIC 837 format. The following data elements are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004:

BASE DATA #1 FILE (Separated Base File 2011)	
FAC LONG TERM AC IND	Added 2004
PAT_COUNTRY	Added 2004 Added 2004
FIRST_PAYMENT_SRC	Replaces PAYMENT_SOURCE_1 and
TRS1_IATMENT_SRC	SOURCE_PAYMENT_CODE_1
SECOND PAYMENT SRC	Replaces PAYMENT SOURCE 2 and
SECOND_IATMENT_SRC	SOURCE PAYMENT CODE 2
REVENUE CODE 23	No longer available
TOTAL_CHARGES	Replaces TOTAL_CHARGES_23
TOTAL_CHARGES_ACCOMM	Replaces CLAIM_CHARGES_ACCOMM
TOTAL_NON_COV_CHARGES_ACCOMM	Replaces CLAIM_COV_CHARGES_ACCOMM
TOTAL_CHARGES_ANCIL	Replaces CLAIM_CHARGES_ANCIL
TOTAL_NON_COV_CHARGES_ANCIL	Replaces CLAIM_COV_CHARGES_ANCIL
EXTERNAL_CAUSE_OF_INJURY_1	Replaces EXTNAL_CAUSE_OF_INJURY
EXTERNAL_CAUSE_OF_INJURY_2 to	Added 2004
EXTERNAL_CAUSE_OF_INJURY_10	riddod 2001
OTH_DIAG_CODE_9 to OTH_DIAG_CODE_25	Added 2004
OTH_SURG_PROC_CODE_6 to OTH_SURG_PROC_CODE_25	Added 2004
OTH SURG PROC DAY 6 to OTH SURG PROC DAY 25	Added 2004
OTH ICD9 CODE 6 to OTH ICD9 CODE 25	Added 2004
MS MDC name changed from CMS MDC (2011)	Added 2004
INBOUND INDICATOR	Available 2004 only
POA PRINC DIAG CODE	Added 2011
POA OTH DIAG CODE 1 to POA OTH DIAG CODE 24	Added 2011
POA_E_CODE_1 to POA_E_CODE_10	Added 2011
MS GROUPER ERROR CODE	Added 2011
APR GROUPER ERROR CODE	Added 2011
BASE DATA #2 FILE (added 2011) Moved calculated charge amount	
CONDITION CODE 1 to CONDITION CODE 8	Added 2004
OCCUR_CODE_1 to OCCUR_CODE_12	Added 2004
OCCUR DAY 1 to OCCUR DAY 12	Added 2004
OCCUR_SPAN_CODE_1 to OCCUR_SPAN_CODE_4	Added 2004
OCCUR SPAN FROM 1 to OCCUR SPAN FROM 4	Added 2004
OCCUR_SPAN_THRU_1 to OCCUR_SPAN_THRU_4	Added 2004
VALUE_CODE_1 to VALUE_CODE_12	Added 2004
VALUE AMOUNT 1 to VALUE AMOUNT 12	Added 2004
CHARGES FILE	
REVENUE_CODE	Added 2004
HCPCS_QUALIFIER	Added 2004
HCPCS_PROCEDURE_CODE	Added 2004
MODIFIER_1 to MODIFIER_4	Added 2004
UNIT_MEASUREMENT_CODE	Added 2004
UNITS_OF_SERVICE	Added 2004
UNIT_RATE	Added 2004
CHRGS_LINE_ITEM	Added 2004

CHRGS_NON_COV Added 2004

DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). The THSC also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the THSC. In addition, under Section 108.013(e) and (f) of the THSC, patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-9-CM code indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.

- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.
- If a hospital has fewer than fifty discharges in a quarter, the provider ID is changed to '999999['].

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;

DSHS Document #

- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by this Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file: Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 and THCIC 837 formats. Because these are billing forms, the data collected are administrative data and not clinical data.
- Records with MDC codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.

- Hospital charges data are available third quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available third quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-9-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-9-CM code that indicates drug or alcohol use or an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.
- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-9-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available first quarter 2000 except for cases less than the minimum cell size of five.
- Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.
- Race and ethnicity data are generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.
- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as casemix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes

(POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.

- Updates to any PUDF CD's are available through the THCIC website, http://www.dshs.state.tx.us/thcic/, which should be checked periodically as notifications of an update will not be sent.
- DSHS collects data from all hospitals in the state not specifically exempted by statute. This
 hospital mix should be considered when drawing conclusions about the data or making
 comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and normal clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

HOSPITAL COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in 'Reporting Status of Texas Hospitals'.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].



Texas Hospital Inpatient Discharge Public Use Data File

Data Dictionary

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field Unique, abbreviated name of the data element

Description Brief explanation of the data element. Descriptions of data elements from the UB-92 are

taken from specifications manuals.

Data Source Provided by the hospital on the claim form (Claim)

Assigned by DSHS (Assigned) Calculated by DSHS (Calculated)

Note: For those data elements that have been temporarily suppressed, the quarter of data

for which the data element will be released is noted following the Data Source.

Type Alphanumeric or numeric

Coding scheme Valid codes for a data field. Values taken from specifications manuals.

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

BASE DATA #1 FILE

Field 1:	RECORD_ID		
Description:			ber assigned to identify the record. First available
	1 st quarter 2002. Does N	NOT match the REC	CORD_ID in THCIC Research Data Files
	(RDF's).		
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	DISCHARGE		
Description:	Discharge Quarter. Year	and quarter of disc	charge. yyyyQn.
Beginning Position:	13	Data Source:	Assigned
Length:	6	Type:	Alphanumeric
Field 3:	THCIC_ID		
Description:	Provider ID. Unique ide	ntifier assigned to t	he provider by DSHS.
Suppression:	Hospitals with fewer tha	n 50 discharges ha	ve been aggregated into the Provider ID '999999'.
	If a hospital has fewer th	nan 5 discharges of	a particular gender, including 'unknown',
	Provider ID is '999998'.		
Beginning Position:	19	Data Source:	Assigned
Length:	6	Type:	Alphanumeric
Field 4:	PROVIDER_NAME		
Description:	Hospital name provided	by the hospital.	
Suppression:	Hospitals with fewer tha	n 50 discharges (Pr	rovider ID equals '999999') are assigned the
• •			f a hospital has fewer than 5 discharges of a
	particular gender, includ		
Beginning Position:	13	Data Source:	Provider
Length:	55	Type:	Alphanumeric

Field 5:	TYPE_OF_ADMISSION		
Description:	Code indicating the type of admission		
Coding Scheme:	1 Emergency		
Coung Scheme.	2 Urgent		
	3 Elective		
	4 Newborn		
	5 Trauma Center		
	9 Information not available Invalid		
Beginning Position:	80 Data Source:	Claim	
Length:	1 Type:	Alphanumeric	
Field 6:	SOURCE_OF_ADMISSION		
Description:	Code indicating source of the admission.		
Coding Scheme:	1 Non-Healthcare Facility Point of Origin (Be	eginning July 1, 2010)	
coung seneme.	2 Clinic referral		
	4 Transfer from a hospital		
	5 Transfer from a skilled nursing facility, into	rmediate care facility or assist	ed living facility
	6 Transfer from another health care facility 8 Court/Law Enforcement		
	9 Information not available		
	0 Transfer from psychiatric, substance abuse,	rehab hospital	
	B Transfer from another home health agency		
	D Transfer from One distinct Unit of the Hosp Separte Claim to the Payer	oital to another Distinct Unit of	the Same Hospital Resulting in
	E Transfer from Amubulatory Surgery Center		
	F Transfer from a Hospice Facility		
	` Invalid		
	If Type of Admission=4 (Newborn)		
	5 Born inside this hospital6 Born outside this hospital		
Beginning Position:	81 Data Source:	Claim	
Length:	1 Type:	Alphanumeric	
Field 7:	SPEC_UNIT_1	7 Hphanametre	
Description:	Specialty Units in which most days during	stay occurred based on	number of days by Type of
Description.	Specially Chies in which most days during	suly occurred bused on	
	Bill or Revenue Code. In order by number	r of days in the unit. SPF	
	Bill or Revenue Code. In order by number SPEC UNIT 5 are combined in one field	•	C_UNIT_1 through
	SPEC_UNIT_5 are combined in one field	•	C_UNIT_1 through
Coding Scheme:	•	•	C_UNIT_1 through
Coding Scheme:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit	in the Tab Delimited fil P Y	CC_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit
Coding Scheme:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit	in the Tab Delimited fil P Y R	CC_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit
Coding Scheme:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit	in the Tab Delimited fil P Y R U	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit
Coding Scheme:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery	P Y R U S	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Coding Scheme:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit	in the Tab Delimited fil P Y R U	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit
Coding Scheme: Beginning Position:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit	P Y R U S	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
_	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit	P Y R U S Blank	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Beginning Position:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit Oncology Unit 82 Data Source:	P Y R U S Blank Calculated	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Beginning Position: Length:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during	P Y R U S Blank Calculated Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Beginning Position: Length: Field 8:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Beginning Position: Length: Field 8:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field.	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care
Beginning Position: Length: Field 8: Description:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Concology Unit S2 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file.	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed
Beginning Position: Length: Field 8:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit
Beginning Position: Length: Field 8: Description:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit
Beginning Position: Length: Field 8: Description:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil P Y R	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit
Beginning Position: Length: Field 8: Description:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit
Beginning Position: Length: Field 8: Description:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Concology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit Nursery B Obstetric Unit	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil P Y R U	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit
Beginning Position: Length: Field 8: Description: Coding Scheme:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Concology Unit 82 Data Source: 1 Type: SPEC_UNIT_2 Specialty Units in which most days durin Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit Intensive Care Unit Hospice Unit Nursery B Obstetric Unit Oncology Unit	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil P Y R U S	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Beginning Position: Length: Field 8: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit Nursery B Obstetric Unit Oncology Unit 82 Data Source: Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit Nursery B Obstetric Unit Oncology Unit Nursery B Obstetric Unit Oncology Unit S3 Data Source:	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil P Y R U S Blank U S Blank	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Beginning Position: Length: Field 8: Description: Coding Scheme: Beginning Position: Length:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit 82 Data Source: I Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit Nursery B Obstetric Unit Oncology Unit S3 Data Source: Type:	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil P Y R U S	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit
Beginning Position: Length: Field 8: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit Nursery B Obstetric Unit Oncology Unit 82 Data Source: Type: SPEC_UNIT_2 Specialty Units in which most days during Bill or Revenue Code. In order by number SPEC_UNIT_5 are combined in one field individually in the fixed length file. C Coronary Care Unit Detoxification Unit I Intensive Care Unit H Hospice Unit Nursery B Obstetric Unit Oncology Unit Nursery B Obstetric Unit Oncology Unit S3 Data Source:	P Y R U S Blank Calculated Alphanumeric g stay occurred based on r of days in the unit. SPE in the Tab Delimited fil P Y R U S Blank Alphanumeric	Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Acute Care number of days by Type of C_UNIT_1 through e and can be accessed Pediatric Unit Psychiatric Unit Rehabilitation Unit Sub-acute Care Unit Skilled Nursing Unit Acute Care

			of days in the unit. SPE	
	individually in the fix		n the Tab Delimited fil	e and can be accessed
Coding Scheme:	C	Coronary Care Unit	P	Pediatric Unit
couning benefite.	D	Detoxification Unit	Y	Psychiatric Unit
	I	Intensive Care Unit	R	Rehabilitation Unit
	H N	Hospice Unit	U S	Sub-acute Care Unit
	В	Nursery Obstetric Unit	Blank	Skilled Nursing Unit Acute Care
	0	Oncology Unit		
Beginning Position:	84	Data Source:		
Length:	1	Type:	Alphanumeric	
Field 10:	SPEC_UNIT_4			
Description:				number of days by Type of
			of days in the unit. SPE	
			n the Tab Delimited fil	e and can be accessed
a 11 a 1	individually in the fix		D	Dedicado Hait
Coding Scheme:	C D	Coronary Care Unit Detoxification Unit	P Y	Pediatric Unit Psychiatric Unit
	I	Intensive Care Unit	R	Rehabilitation Unit
	Н	Hospice Unit	U	Sub-acute Care Unit
	N	Nursery	S	Skilled Nursing Unit
	B O	Obstetric Unit Oncology Unit	Blank	Acute Care
Beginning Position:	85	Data Source:		
Length:	1	Type:	Alphanumeric	
Field 11:	SPEC_UNIT_5	-J P	3.55	
Description:		ich most days during	stay occurred based on	number of days by Type of
•			of days in the unit. SPE	
	SPEC_UNIT_5 are co	ombined in one field in	n the Tab Delimited fil	e and can be accessed
	individually in the fix			
Coding Scheme:	C	Coronary Care Unit	P	Pediatric Unit
	D I	Detoxification Unit Intensive Care Unit	Y R	Psychiatric Unit Rehabilitation Unit
	Н	Hospice Unit	U	Sub-acute Care Unit
	N	Nursery	S	Skilled Nursing Unit
	В	Obstetric Unit	Blank	Acute Care
Beginning Position:	0 86	Oncology Unit Data Source:		
Length:	1	Type:	Alphanumeric	
Field 12:	PAT_STATE	турс.	Aiphanumeric	
Description:		nailing address in Tex	as and contiguous stat	es. Standard 2-character
Description	Postal Service abbrev		ias and configurate state	
Coding Scheme:	AR Arkansas			
8	LA Louisiana			
	NM New Mexico OK Oklahoma			
	TX Texas			
	ZZ All other states and A	American Territories		
	FC Foreign country XX Foreign country			
Beginning Position:	87	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 13:	PAT_ZIP			
Description:	Patient's five-digit ZI	P code.		
Suppression:	_		ewer than 30 discharge	es. If state equals 'ZZ', ZIP
**				de is blank. If ICD-9-CM
				blank. If a hospital has
				fewer than 5 discharges of
	a particular gender, in		ne ZIP Code is blank.	_
Beginning Position:	89	Data Source:	Claim	

Length:	5		T	'ype:	Alphan	numeric		
Field 14:	PAT	_COUNTRY		* -	•			
Description:			resident	ial address. Lis	t maintai	ned by the Inter	rnational	Organization for
	Stan	dardization (ISO).					
Suppression:	Supp	ressed if fewer t	han 5 p	atients from on	e country	.		
Coding scheme:		www.ISO.org for			·			
Beginning Position:	94	· ·		ata Source:	Claim			
Length:	2			ype:		numeric		
Field 15:		_COUNTY		J I				
Description:		code of patient'	's count	V				
Coding scheme:	001	Anderson	129	Donley	257	Kaufman	385	Real
couning scheme.	003	Andrews	131	Duval	259	Kendall	387	Red River
	005	Angelina	133	Eastland	261	Kenedy	389	Reeves
	007 009	Aransas Archer	135 137	Ector Edwards	263 265	Kent Kerr	391 393	Refugio Roberts
	011	Armstrong	137	Ellis	267	Kimble	395	Robertson
	013	Atascosa	141	El Paso	269	King	397	Rockwall
	015	Austin	143	Erath	271	Kinney	399	Runnels
	017	Bailey	145	Falls	273	Kleberg	401	Rusk
	019 021	Bandera	147 149	Fannin Fayette	275 283	Knox La Salle	403 405	Sabine San Augustine
	021	Bastrop Baylor	149	Fisher	283 277	La Salle Lamar	405 407	San Augustine San Jacinto
	025	Bee	153	Floyd	279	Lamb	409	San Patricio
	027	Bell	155	Foard	281	Lampasas	411	San Saba
	029	Bexar	157	Fort Bend	285	Lavaca	413	Schleicher
	031 033	Blanco Borden	159 161	Franklin Freestone	287 289	Lee	415 417	Scurry
	035	Bosque	163	Frio	289	Leon Liberty	417	Shackelford Shelby
	037	Bowie	165	Gaines	293	Limestone	421	Sherman
	039	Brazoria	167	Galveston	295	Lipscomb	423	Smith
	041	Brazos	169	Garza	297	Live Oak	425	Somervell
	043	Brewster	171	Glesspie	299	Llano	427	Starr
	045 047	Briscoe Brooks	173 175	Glasscock Goliad	301 303	Loving Lubbock	429 431	Stephens Sterling
	049	Brown	177	Gonzales	305	Lynn	433	Stonewall
	051	Burleson	179	Gray	307	McCulloch	435	Sutton
	053	Burnet	181	Grayson	309	McLennan	437	Swisher
	055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
	057 059	Calhoun Callahan	185 187	Grimes Guadalupe	313 315	Madison Marion	441 443	Taylor Terrell
	061	Cameron	189	Hale	317	Martin	445	Terry
	063	Camp	191	Hall	319	Mason	447	Throckmorton
	065	Carson	193	Hamilton	321	Matagorda	449	Titus
	067	Cass	195	Hansford	323	Maverick	451	Tom Green
	069 071	Castro Chambers	197 199	Hardeman Hardin	325 327	Medina Menard	453 455	Travis Trinity
	073	Cherokee	201	Harris	327	Midland	457	Tyler
	075	Childress	203	Harrison	331	Milam	459	Upshur
	077	Clay	205	Hartley	333	Mills	461	Upton
	079	Cochran	207	Haskell	335	Mitchell	463	Uvalde Val Varda
	081 083	Coke Coleman	209 211	Hays Hemphill	337 339	Montague Montgomery	465 467	Val Verde Van Zandt
	085	Collin	213	Henderson	341	Moore	469	Van Zandt Victoria
	087	Collingsworth	215	Hidalgo	343	Morris	471	Walker
	089	Colorado	217	Hill	345	Motley	473	Waller
	091 093	Comal	219 221	Hockley	347	Nacogdoches	475	Ward
	095	Comanche Concho	223	Hood Hopkins	349 351	Navarro Newton	477 479	Washington Webb
	097	Cooke	225	Houston	353	Nolan	481	Wharton
	099	Coryell	227	Howard	355	Nueces	483	Wheeler
	101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
	103	Crane	231	Hunt	359	Oldham	487	William
	105 107	Crockett Crosby	233 235	Hutchinson Irion	361 363	Orange Palo Pinto	489 491	Willacy Williamson
	107	Culberson	237	Jack	365	Panola	491	Wilson
	111	Dallam	239	Jackson	367	Parker	495	Winkler
	113	Dallas	241	Jasper	369	Parmer	497	Wise
	115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
	117 119	Deaf Smith Delta	245 247	Jefferson Jim Hogg	373 375	Polk Potter	501 503	Yoakum Young
	121	Denton Denton	247	Jim Hogg Jim Wells	373 377	Presidio	505 505	Zapata
								r

	123	Dewitt	251	Johnson	379	Rains		507	Zavala
	125	Dickens	253	Jones	381	Randall			
	127	Dimmit	255	Karnes	383	Reagan		`	Invalid
;	96			Data Source:	Assign	ed; based	on patient	ZIP	code
	3			Type.	Alphan	umeric			

Length: Field 16:

PUBLIC HEALTH REGION

Description:

Beginning Position:

Public Health Region of patient's address.

- Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties
- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- 4 Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties
- 5 Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties
- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties
- Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- 8 Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- 9 Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties

Beginning Position: Length:

Data Source: Assigned **Type:** Alphanumeric

Field 17:

Description: Coding Scheme:

Code indicating patient status as of the ending date of service for the period of care reported

- Discharged to home or self-care (routine discharge)
- 2 Discharged to other short term general hospital
- 3 Discharged to skilled nursing facility
- 4 Discharged to intermediate care facility
- 5 Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007)
- 6 Discharged to care of home health service
- 7 Left against medical advice
- 8 Discharged to care of Home IV provider
- 9 Admitted as inpatient to this hospital
- 20 Expired

99

30 Still patient

PAT_STATUS

- 40 Expired at home
- 41 Expired in a medical facility
- 42 Expired, place unknown
- 43 Discharged/transferred to federal health care facility
- 50 Discharged to hospice-home
- 51 Discharged to hospice-medical facility
- 61 Discharged/transferred within this institution to Medicare-approved swing bed
- 62 Discharged/transferred to inpatient rehabilitation facility
- 63 Discharged/transferred to Medicare-certified long term care hospital
- 64 Discharged/transferred to Medicaid-certified nursing facility
- 65 Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital
- 66 Discharged/transferred to Critical Access Hospital (CAH)
- 71 Discharged/transferred to other outpatient service
- 72 Discharged/transferred to institution outpatient
- ` Invalid

Beginning Position: Length:	101 2	Data Source: Type:	Claim Alphanumeric
Field 18:	SEX_CODE	- J p • •	
Description:	Gender of the patient as rec	orded at date of a	dmission or start of care.
Suppression:			licates drug or alcohol use or an HIV diagnosis. If
**	* *		cular gender, including unknown, Provider ID is
			Code are blank for those patients.
Coding Scheme:	M Male		1
	F Female		
	U Unknown ` Invalid		
Beginning Position:	103	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 19:	RACE		1
Description:	Code indicating the patient'	s race.	
Suppression:			ne race that race is changed to 'Other' (code equals 5).
Coding Scheme:	1 American Indian/Eskimo/.		
O	2 Asian or Pacific Islander		
	3 Black4 White		
	5 Other		
	Invalid		
Beginning Position:	104	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 20:	ETHNICITY		
Description:	Code indicating the Hispania		
Suppression:	<u> </u>	ten patients of on	he race the ethnicity of patients of that race is
	suppressed (code is blank).		
Coding Scheme:	 Hispanic Origin Not of Hispanic Origin 		
	` Invalid		
Beginning Position:	105	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 21:	ADMIT_WEEKDAY	J 1	r
Description:	Code indicating day of wee	k patient is admit	ted
Coding Scheme:	1 Monday	•	5 Friday
	2 Tuesday		6 Saturday
	3 Wednesday4 Thursday		7 Sunday ` Invalid
Beginning Position:	106	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 22:	LENGTH_OF_STAY		•
Description:		ls Statement cove	ers period through date minus Admission/start of
-			ay. The maximum is 9999 days.
Beginning Position:	107	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 23:	PAT_AGE		
Description:	Code indicating age of patie		
Coding Scheme:	00 1-28 days	10 35-39	
	01 29-365 days 02 1-4 years	11 40-44 12 45-49	
	03 5-9	13 50-54	
	04 10-14	14 55-59	
	05 15-17	15 60-64	
	06 18-19	16 65-69	
	07 20-24 08 25-29	17 70-74 18 75-79	
	09 30-34	19 80-84	
Beginning Position:	111	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
		· J F	<u> </u>

T2-13-24.	EIDOR DAVIMENT CDO			
Field 24:	FIRST_PAYMENT_SRC		c .	
Description:	Code indicating the expected p			
Coding Scheme:	09 Self Pay Removed from 501010 Central Certification	o format, use ZZ)	HM Health M LI Liability	aintenance Organization
	11 Other Non-federal Programs		LM Liability	Medical
	12 Preferred Provider Organizati	ion (PPO)	MA Medicare	
	13 Point of Service (POS)	.t. (TDO)	MB Medicare	
	14 Exclusive Provider Organizat15 Indemnity Insurance	tion (EPO)	MC Medicaid TV Title V	
	16 Health Maintenance Organiza	ation (HMO)		leral Program
	Medicare Risk	, ,		
	AM Automobile Medical			Administration Plan
	BL Blue Cross/Blue Shield CH CHAMPUS			Compensation Health Claim Indigent or Unknown
	CI Commercial Insurance			and ZZ, combined for 2004 & 2005
	DS Disability Insurance		` Invalid	
Beginning Position:	113 I	Data Source:	Claim	
Length:	2	Гуре:	Alphanumeric	
Field 25:	SECONDARY_PAYMENT_	_SRC	=:	
Description:	Code indicating the expected s		ce of payment.	
Coding Scheme:	Same as field 24, FIRST_PAY	YMENT_SRC		
Beginning Position:	115 I	Data Source:	Claim	
Length:	2	Гуре:	Alphanumeric	
Field 26:	TYPE_OF_BILL			
Description:	Provides specific information			
	Second digit = type of care. The $\frac{1}{2}$			
Coding Scheme:	I st digit–Type of Facility	2 nd digit-Type of		3 rd digit–Sequence of claim
	1 Hospital	1 Inpatient, Part A	including Medicare	0 Non-payment/Zero claim
	2 Skilled nursing		Medicare Part B only	1 Admit through discharge claim
	3 Home health	3 Outpatier	nt	2 Interim–first claim
	4 Religious non-medical health		nt Other, Medicare	3 Interim–continuing claim
	care–Hospital 5 Religious non-medical health	Part B on 5 Intermedi	iste Care–Level I	4 Interim–last claim
	care–Extended care	5 memed	atte Care Dever 1	4 Interni last claim
	6 Intermediate care		ate Care-Level II	5 Late charge(s) only claim
	7 Clinic	7 Sub-acute	e inpatient – Level III	6 Adjustment of prior claim (Not used by Medicare)
	8 Special facility	8 Swing be	d	7 Replacement of prior claim
		28	_	8 Void/cancel of prior claim
Beginning Position:	117 I	Data Source:	Claim	
Length:	3	Гуре:	Alphanumeric	
Field 27:	TOTAL_CHARGES			
				charges, ancillary charges, non-
	covered ancillary charges. Rep			
Beginning Position:		Data Source:	Claim	
Length:		Гуре:	Numeric	
Field 28:	TOTAL_NON_COV_CHAR		, ,	11 1
Doninaina Donition.	Sum of non-covered accommo			liary charges.
Beginning Position:		Data Source:	Claim Numeric	
Length: Field 29:	TOTAL_CHARGES_ACCO	Type:	Numeric	
r iciu 49;	Sum of covered and non-cover		ation charges	
Beginning Position:		Data Source:	Claim	
Length:		Гуре:	Numeric	
Field 30:	TOTAL_NON_COV_CHAR			
_ 1014 0 00	Sum of non-covered accommo			
Beginning Position:		Data Source:	Claim	
Length:		Гуре:	Numeric	
Field 31:	TOTAL_CHARGES_ANCI			

	C C 1 1		
D	Sum of covered and nor	•	
Beginning Position:	168	Data Source:	Claim
Length: Field 32:	TOTAL NON CON	Type:	Numeric
riela 32:	TOTAL_NON_COV_		•
D	Sum of non-covered and		Claim
Beginning Position:	180	Data Source:	Claim
Length: Field 33:	DOA PROVIDER IN	Type:	Numeric
riela 33:	POA_PROVIDER_IN		red to submit Diagnosis Present on Admission
		• •	he following facility types as exempt from
			ccess Hospitals, Inpatient Rehabilitation Hospitals,
			itals ,Children's or Pediatric Hospitals and Long
	Term Care Hospitals.	ospitais, cancer 110sp	itals, emidients of reductio Hospitals and Bong
Coding Scheme:		ections that would be exen	npted from reporting POA for those patients)
coung seneme.	R Required		
	X Exempt		
D!! D!4!	_ \ Invalid	D-4- C	A
Beginning Position:	192	Data Source:	Assigned
Length: Field 34:	1	Type:	Alphanumeric
riela 54:	ADMITTING_DIAGN		and 5th digits if applicable. Decimal is implied
	following the third char		and 5th digits if applicable. Decimal is implied
Beginning Position:	193	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 35:	PRINC_DIAG_CODE		
			liagnosis, including the 4th and 5th digits if
	applicable. Decimal is i		
Beginning Position:	199	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 36:	POA_PRINC_DIAG_	CODE	
	• •	er Principal Diagnons	sis code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Y Yes N No		
	U Unknown		
	W Clinically Undetermi		
	1 Space (1 st & 2 nd Qtr 2	2012 only)	
Paginning Pagition	` Invalid 205	Data Source:	Claim
Beginning Position: Length:	1	Type:	Alphanumeric
Field 37:	OTH_DIAG_CODE_1		Alphanumene
ricia 57.			and 5th digits if applicable. Decimal is implied
	following the third char		and can argue it approved a communication
Beginning Position:	<u> </u>	Data Source:	Claim
	206	Data Source.	Ciailli
Length:	206 6	Type:	Alphanumeric
		Type:	
Length:	6 POA_OTH_DIAG_CO Code identifying wheth	Type: ODE_1 er Oth_Diag_Code_1	
Length: Field 38:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital	Type: ODE_1 er Oth_Diag_Code_1	Alphanumeric
Length:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes	Type: ODE_1 er Oth_Diag_Code_1	Alphanumeric
Length: Field 38:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes N No	Type: ODE_1 er Oth_Diag_Code_1	Alphanumeric
Length: Field 38:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes N No U Unknown W Clinically Undetermi	Type: ODE_1 er Oth_Diag_Code_1	Alphanumeric
Length: Field 38:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes N No U Unknown W Clinically Undetermi 1 Space (1st & 2nd Qtr 2	Type: ODE_1 er Oth_Diag_Code_1	Alphanumeric
Length: Field 38: Coding Scheme:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes N No U Unknown W Clinically Undetermi 1 Space (1st & 2nd Qtr 2) No Invalid	Type: DDE_1 er Oth_Diag_Code_1	Alphanumeric code was present at the time the patient was
Length: Field 38: Coding Scheme: Beginning Position:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes N No U Unknown W Clinically Undetermi 1 Space (1st & 2nd Qtr 2 Invalid	Type: DDE_1 er Oth_Diag_Code_1 ned 1012 only) Data Source:	Alphanumeric code was present at the time the patient was Claim
Length: Field 38: Coding Scheme:	POA_OTH_DIAG_CO Code identifying wheth admitted to the hospital Y Yes N No U Unknown W Clinically Undetermi 1 Space (1st & 2nd Qtr 2) No Invalid	Type: DDE_1 er Oth_Diag_Code_1 ned 2012 only) Data Source: Type:	Alphanumeric code was present at the time the patient was

			and 5th digits if applicable. Decimal is implied
	following the third character		
Beginning Position:	213	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 40:	POA_OTH_DIAG_COD		loads was mussent at the time the nations was
	admitted to the hospital	Jun_Diag_Code_2	code was present at the time the patient was
Coding Scheme:	Y Yes		
Couning Scheme.	N No		
	U Unknown		
	W Clinically Undetermined 1 Space (1 st & 2 nd Qtr 2012	only)	
	` Invalid		
Beginning Position:	219	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 41:	OTH_DIAG_CODE_3		
			and 5th digits if applicable. Decimal is implied
Paginning Pagition	following the third characted 220	er. Data Source:	Claim
Beginning Position: Length:	6	Type:	Alphanumeric
Field 42:	POA OTH DIAG COD		Alphanumene
1 iciu 42.			s code was present at the time the patient was
	admitted to the hospital	5 un_2 1ug_00u0_0	reson was present at the time the patient was
Coding Scheme:	Y Yes		
o .	N No U Unknown		
	U Unknown W Clinically Undetermined		
	1 Space (1 st & 2 nd Qtr 2012	only)	
n n	Invalid	D 4 C	
Beginning Position:	226 1	Data Source:	Claim
Length: Field 43:	OTH_DIAG_CODE_4	Type:	Alphanumeric
riciu 43.			
		including the 4th	and 5th digits if applicable. Decimal is implied
	ICD-9-CM diagnosis code,		and 5th digits if applicable. Decimal is implied
Beginning Position:			and 5th digits if applicable. Decimal is implied Claim
Beginning Position: Length:	ICD-9-CM diagnosis code, following the third character	er.	
	ICD-9-CM diagnosis code, following the third characted 227	er. Data Source: Type:	Claim
Length:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_COD	Data Source: Type: E_4	Claim
Length: Field 44:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_COD Code identifying whether cadmitted to the hospital	Data Source: Type: E_4	Claim Alphanumeric
Length:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether cadmitted to the hospital Y Yes	Data Source: Type: E_4	Claim Alphanumeric
Length: Field 44:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_COD Code identifying whether cadmitted to the hospital	Data Source: Type: E_4	Claim Alphanumeric
Length: Field 44:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	er. Data Source: Type: E_4 Oth_Diag_Code_4	Claim Alphanumeric
Length: Field 44:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012)	er. Data Source: Type: E_4 Oth_Diag_Code_4	Claim Alphanumeric
Length: Field 44: Coding Scheme:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 Name of the code of the cod	er. Data Source: Type: E_4 Oth_Diag_Code_4	Claim Alphanumeric
Length: Field 44:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012)	er. Data Source: Type: E_4 Oth_Diag_Code_4 only)	Claim Alphanumeric code was present at the time the patient was Claim
Length: Field 44: Coding Scheme: Beginning Position:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012	Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type:	Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric
Length: Field 44: Coding Scheme: Beginning Position: Length:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012	Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th	Claim Alphanumeric code was present at the time the patient was Claim
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 Invalid 233 1 OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, following the third characted	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4ther.	Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 Invalid 233 1 OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, following the third characted 234	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4ther. Data Source:	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position: Length:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 Invalid 233 1 OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, following the third characted 234 6	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4ther. Data Source: Type:	Claim Alphanumeric code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2st	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th er. Data Source: Type: E_5	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position: Length:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st 2 and Qtr 2012 Invalid) 233 1 OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, following the third characted 234 6 POA_OTH_DIAG_CODE Code identifying whether Code	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th er. Data Source: Type: E_5	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 Invalid 233 1 OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, following the third characted 234 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th er. Data Source: Type: E_5	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position: Length:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Code identification identification identification identification identification identification identification ident	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th er. Data Source: Type: E_5	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 Invalid 233 1 OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, following the third characted 234 6 POA_OTH_DIAG_CODE Code identifying whether Cadmitted to the hospital Y Yes N No U Unknown	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th er. Data Source: Type: E_5	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 44: Coding Scheme: Beginning Position: Length: Field 45: Beginning Position: Length: Field 46:	ICD-9-CM diagnosis code, following the third characted 227 6 POA_OTH_DIAG_CODE Code identifying whether Code identification identification identification identification identification identification identification ident	only) Data Source: Type: E_4 Oth_Diag_Code_4 only) Data Source: Type: including the 4th er. Data Source: Type: E_5 Oth_Diag_Code_5	Claim Alphanumeric Code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric

Invalid **Beginning Position:** 240 **Data Source:** Claim Length: Alphanumeric Type: Field $\overline{47}$: OTH_DIAG_CODE_6 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 241 **Data Source:** Claim Length: 6 Type: Alphanumeric Field 48: POA OTH DIAG CODE 6 Code identifying whether Oth_Diag_Code_6 code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** Y N No П Unknown Clinically Undetermined W Space (1st & 2nd Qtr 2012 only) 1 Invalid **Beginning Position:** 247 **Data Source:** Claim Length: Alphanumeric Type: Field 49: OTH DIAG CODE 7 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 248 Data Source: Claim Length: 6 Type: Alphanumeric Field 50: POA OTH DIAG CODE 7 Code identifying whether Oth_Diag_Code_7 code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** Y Ν No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1 Invalid 254 **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric Field 51: OTH DIAG CODE 8 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 255 **Data Source:** Claim Length: Alphanumeric Type: Field 52: POA OTH DIAG CODE 8 Code identifying whether Oth_Diag_Code_8 code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** Y N No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1 **Beginning Position:** 261 **Data Source:** Claim Length: Alphanumeric Type: Field 53: OTH DIAG CODE 9 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.

Beginning Position:262Data Source:ClaimLength:6Type:Alphanumeric

Field 54: POA_OTH_DIAG_CODE_9

Code identifying whether Oth_Diag_Code_9 code was present at the time the patient was

admitted to the hospital

Yes **Coding Scheme:** Ν No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 only) Invalid **Beginning Position:** 268 **Data Source:** Claim Alphanumeric Length: Type: Field 55: OTH DIAG CODE 10 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 269 **Data Source:** Claim Length: Type: Alphanumeric POA_OTH_DIAG_CODE_10 Field 56: Code identifying whether Oth_Diag_Code_10 code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** N Nο U Unknown w Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1 Invalid 275 **Data Source: Beginning Position:** Claim Length: Alphanumeric Type: **Field 57**: OTH_DIAG_CODE_11 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 276 Claim **Data Source:** Length: Type: Alphanumeric Field 58: POA OTH DIAG CODE 11 Code identifying whether Oth Diag Code 11 code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** Ν Nο U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) Invalid **Beginning Position:** 282 **Data Source:** Claim Length: Type: Alphanumeric Field 59: OTH_DIAG_CODE_12 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 283 **Data Source:** Claim Length: Alphanumeric Type: Field 60: POA OTH DIAG CODE 12 Code identifying whether Oth_Diag_Code_12 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Y Yes Ν Nο U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) Invalid **Beginning Position:** 289 Data Source: Claim Length: Type: Alphanumeric Field 61: OTH_DIAG_CODE_13 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character. Claim **Beginning Position:** Data Source:

DSHS Document #

Length:	6	Type:	Alphanumeric
Field 62:	POA_OTH_DIAG_COD		
		Oth_Diag_Code_1	13 code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Y Yes		
	N No U Unknown		
	W Clinically Undetermined	l	
	1 Space (1 st & 2 nd Qtr 2012		
	Invalid	• /	
Beginning Position:	296	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 63:	OTH_DIAG_CODE_14		
	ICD-9-CM diagnosis code	, including the 4th	and 5th digits if applicable. Decimal is implied
	following the third charact	er.	
Beginning Position:	297	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 64:	POA_OTH_DIAG_COD	E 14	•
			14 code was present at the time the patient was
	admitted to the hospital	- 6	1
Coding Scheme:	Y Yes		
9	N No		
	U Unknown	ı	
	W Clinically Undetermined 1 Space (1 st & 2 nd Qtr 2012	2 only)	
	` Invalid	z omy)	
Beginning Position:	303	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 65:	OTH_DIAG_CODE_15	JF	<u> </u>
		including the 4th	and 5th digits if applicable. Decimal is implied
	following the third charact		and our digns is approached becomes in improve
Beginning Position:	304	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 66:	POA_OTH_DIAG_COD	· · ·	
11010 001			15 code was present at the time the patient was
	admitted to the hospital	0 til_D1ug_00u0_1	to code was present at the time the patient was
Coding Scheme:	Y Yes		
county sentime.	N No		
	U Unknown		
	W Clinically Undetermined 1 Space (1 st & 2 nd Qtr 2012) only)	
	` Invalid	2 Omy)	
Beginning Position:	310	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 67:	OTH_DIAG_CODE_16	A I · ·	
		, including the 4th	and 5th digits if applicable. Decimal is implied
	following the third charact		7 T T T T T T T T T T T T T T T T T T T
Beginning Position:	311	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 68:	POA_OTH_DIAG_COD		.
11014 001			16 code was present at the time the patient was
	admitted to the hospital	D .ugcouc_1	To to the present at the time the patient was
Coding Scheme:	Y Yes		
coming benefit.	N No		
	U Unknown		
	W Clinically Undetermined)1\	
	1 Space (1 st & 2 nd Qtr 2012 Invalid	2 only)	
Beginning Position:	317	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Lviigiii.	*	турс.	1 Inplimitation 10

Field 69:	OTH_DIAG_CODE_17		
			and 5th digits if applicable. Decimal is implied
	following the third characte		
Beginning Position:	318	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 70:	POA_OTH_DIAG_CODE	E_ 17	
	Code identifying whether O	th_Diag_Code_1	7 code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Y Yes		
	N No U Unknown		
	W Clinically Undetermined		
	1 Space (1 st & 2 nd Qtr 2012)	only)	
	` Invalid	-	
Beginning Position:	324	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 71:	OTH_DIAG_CODE_18		
			and 5th digits if applicable. Decimal is implied
	following the third characte		
Beginning Position:	325	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 72:	POA_OTH_DIAG_CODE		
		th_Diag_Code_1	8 code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Y Yes		
	N No U Unknown		
	W Clinically Undetermined		
	1 Space (1 st & 2 nd Qtr 2012)	only)	
D 1 1 D 11	` Invalid		
		TD 4 C	GI :
Beginning Position:	331	Data Source:	Claim
Length:	1	Data Source: Type:	Claim Alphanumeric
	1 OTH_DIAG_CODE_19	Type:	Alphanumeric
Length:	1 OTH_DIAG_CODE_19 ICD-9-CM diagnosis code,	Type: including the 4th	
Length: Field 73:	1 OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte	Type: including the 4th	Alphanumeric and 5th digits if applicable. Decimal is implied
Length: Field 73: Beginning Position:	1 OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332	Type: including the 4th r. Data Source:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim
Length: Field 73: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6	Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied
Length: Field 73: Beginning Position:	1 OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE	Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O	Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim
Length: Field 73: Beginning Position: Length: Field 74:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Oadmitted to the hospital	Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O	Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Oadmitted to the hospital Y Yes N No U Unknown	Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of 2012	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1 st & 2 nd Qtr 2012 of Invalid	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 338	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 o Invalid) 338 1	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Oral admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 or Invalid) 338 1 OTH_DIAG_CODE_20	Type: including the 4th r. Data Source: Type: E_19 th_Diag_Code_1 only) Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 o Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code,	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Oral admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 or Invalid) 338 1 OTH_DIAG_CODE_20	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length: Field 75:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 o Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, following the third characte	Type: including the 4th r. Data Source: Type: E_19 th_Diag_Code_1 only) Data Source: Type: including the 4th r.	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 19 code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length: Field 75: Beginning Position:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, following the third characte 339	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th r. Data Source: Type:	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 19 code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length: Field 75: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 o Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, following the third characte 339 6 POA_OTH_DIAG_CODE	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th r. Data Source: Type: C_20	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length: Field 75: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether O admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 o Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, following the third characte 339 6 POA_OTH_DIAG_CODE	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th r. Data Source: Type: C_20	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 19 code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length: Field 75: Beginning Position: Length:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, following the third characte 339 6 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Y Yes	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th r. Data Source: Type: C_20	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric
Length: Field 73: Beginning Position: Length: Field 74: Coding Scheme: Beginning Position: Length: Field 75: Beginning Position: Length: Field 76:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, following the third characte 332 6 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 338 1 OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, following the third characte 339 6 POA_OTH_DIAG_CODE Code identifying whether Of admitted to the hospital	Type: including the 4th r. Data Source: Type: C_19 th_Diag_Code_1 only) Data Source: Type: including the 4th r. Data Source: Type: C_20	Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric 9 code was present at the time the patient was Claim Alphanumeric and 5th digits if applicable. Decimal is implied Claim Alphanumeric

W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1

Beginning Position: 345 **Data Source:** Claim

Length: Type: Alphanumeric

Field 77: OTH DIAG CODE 21

ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied

following the third character.

Beginning Position: 346 Data Source: Claim

Length: 6 Alphanumeric Type:

Field 78: POA OTH DIAG CODE 21

Code identifying whether Oth_Diag_Code_21 code was present at the time the patient was

admitted to the hospital

Y Yes **Coding Scheme:** N No

Coding Scheme:

Beginning Position:

U Unknown

W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1

Invalid

Beginning Position: 352 Data Source: Claim

Length: Alphanumeric Type:

Field 79: OTH_DIAG_CODE_22

ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied

following the third character.

Beginning Position: 353 **Data Source:** Claim

Length: 6 Alphanumeric Type:

Field 80: POA_OTH_DIAG_CODE_22

Code identifying whether Oth Diag Code 22 code was present at the time the patient was

admitted to the hospital

Yes Y N No

U Unknown

W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1

Invalid

Beginning Position: 359 **Data Source:** Claim

Type: Length: Alphanumeric

Field 81: OTH DIAG CODE 23

ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied

Claim

following the third character. 360 **Data Source:**

Length:

Alphanumeric Type:

Field 82: POA OTH DIAG CODE 23

Code identifying whether Oth_Diag_Code_23 code was present at the time the patient was

admitted to the hospital

Y Yes **Coding Scheme:**

N No U Unknown

W Clinically Undetermined

Space (1st & 2nd Qtr 2012 only)

Invalid

Beginning Position:

Data Source: Claim

Length: Type: Alphanumeric

Field 83: OTH_DIAG_CODE_24

1

366

ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied

following the third character.

Beginning Position: 367 **Data Source:** Claim

Length: 6 Type: Alphanumeric

Field 84:	POA_OTH_DIAG_CO		
	Code identifying whether	r Oth_Diag_Code_2	4 code was present at the time the patient was
	admitted to the hospital		
Coding Scheme:	Y Yes		
8	N No		
	U Unknown		
	W Clinically Undetermine 1 Space (1 st & 2 nd Qtr 20	ed 12 only)	
	` Invalid	12 only)	
Beginning Position:	373	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 85:	E_CODE_1	Type.	Aiphanumeric
rieiu os:		1 1 4 44 44 -	and 5th digitalifaculiable of the mineral
			and 5th digits if applicable, of the primary
			d following the third character.
Beginning Position:	374	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 86:	POA_E_CODE_1		
	Code identifying whether	r E_Code_1 code w	vas present at the time the patient was admitted to
	the hospital		
Coding Scheme:	Y Yes		
C	N No		
	U Unknown	1	
	W Clinically Undetermine 1 Space (1 st & 2 nd Qtr 20	ed 12 only)	
	` Invalid	12 omy)	
Beginning Position:	380	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 87:	E_CODE_2		1 1101111111111111111111111111111111111
Ticiu 07.		le_including the 4th	and 5th digits if applicable, of an additional
			following the third character.
Doginaina Dogitions			
Beginning Position:	381	Data Source:	Claim
Length:	6 POA E CODE 4	Type:	Alphanumeric
Field 88:	POA_E_CODE_2	F.C. 1. 2. 1	
		r E_Code_2 code w	vas present at the time the patient was admitted to
	the hospital		
Coding Scheme:	Y Yes		
	N No U Unknown		
	W Clinically Undetermine	ed	
	1 Space (1 st & 2 nd Qtr 20		
	Invalid	• • • • • • • • • • • • • • • • • • • •	
Beginning Position:	387	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 89:	E_CODE_3	V 2	*
		le, including the 4th	and 5th digits if applicable, of an additional
			following the third character.
Beginning Position:	388	Data Source:	Claim
Length:	6	Type:	Alphanumeric
Field 90:	POA_E_CODE_3	турс.	1 tipitanumene
riciu /V.		r F Code 3 code w	as present at the time the patient was admitted to
	• •	i E_Code_5 code wa	as present at the time the patient was admitted to
C C1	the hospital Y Yes		
Coding Scheme:	N No		
	U Unknown		
	W Clinically Undetermine		
	1 Space (1 st & 2 nd Qtr 20	12 only)	
.	` Invalid	5 . ~	an .
Beginning Position:	394	Data Source:	Claim
Length:	1	Type:	Alphanumeric

Field 91:	E_CODE_4				
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional				
	external cause of injury. De	cimal is implied	following the third character.		
Beginning Position:	395	Data Source:	Claim		
Length:	6	Type:	Alphanumeric		
Field 92:	POA_E_CODE_4	1 j pc.			
riciu 72.	Code identifying whether E_Code_4 code was present at the time the patient was admitted to				
	the hospital	_couc_4 couc w	as present at the time the patient was admitted to		
Cadina Cahama	Y Yes				
Coding Scheme:	N No				
	U Unknown				
	W Clinically Undetermined				
	1 Space (1 st & 2 nd Qtr 2012 o	only)			
	` Invalid	5 . 6	CI.:		
Beginning Position:	401	Data Source:	Claim		
Length:	1	Type:	Alphanumeric		
Field 93:	E_CODE_5				
			and 5th digits if applicable, of an additional		
	external cause of injury. De	cimal is implied	following the third character.		
Beginning Position:	402	Data Source:	Claim		
Length:	6	Type:	Alphanumeric		
Field 94:	POA_E_CODE_5				
		Code 5 code w	vas present at the time the patient was admitted to		
	the hospital				
Coding Scheme:	Y Yes				
	N No				
	U Unknown				
	W Clinically Undetermined 1 Space (1 st & 2 nd Qtr 2012 of	only)			
	` Invalid	omy)			
D					
Beginning Position:	408	Data Source:	Claim		
Beginning Position: Length:	408 1				
Length:	1	Data Source: Type:	Claim Alphanumeric		
	1 E_CODE_6	Type:	Alphanumeric		
Length:	1 E_CODE_6 ICD-9-CM diagnosis code,	Type: including the 4th	Alphanumeric and 5th digits if applicable, of an additional		
Length: Field 95:	1 E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De	Type: including the 4th cimal is implied	Alphanumeric and 5th digits if applicable, of an additional following the third character.		
Length: Field 95: Beginning Position:	1 E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409	Type: including the 4th cimal is implied Data Source:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim		
Length: Field 95: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409	Type: including the 4th cimal is implied	Alphanumeric and 5th digits if applicable, of an additional following the third character.		
Length: Field 95: Beginning Position:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6	Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E	Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim		
Length: Field 95: Beginning Position: Length: Field 96:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital	Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E	Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes	Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w only) Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code,	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code w only) Data Source: Type: including the 4th	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether Exthe hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code woonly) Data Source: Type: including the 4th cimal is implied	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character.		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416	Type: including the 4th cimal is implied Data Source: Type: Code_6 code words Data Source: Type: including the 4th cimal is implied Data Source:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416 6	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code woonly) Data Source: Type: including the 4th cimal is implied	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character.		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416 6 POA_E_CODE_7	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code words only) Data Source: Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416 6 POA_E_CODE_7 Code identifying whether E	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code words only) Data Source: Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97: Beginning Position: Length: Field 98:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416 6 POA_E_CODE_7 Code identifying whether E the hospital	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code words only) Data Source: Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97: Beginning Position: Length:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416 6 POA_E_CODE_7 Code identifying whether E the hospital Y Yes	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code words only) Data Source: Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		
Length: Field 95: Beginning Position: Length: Field 96: Coding Scheme: Beginning Position: Length: Field 97: Beginning Position: Length: Field 98:	E_CODE_6 ICD-9-CM diagnosis code, external cause of injury. De 409 6 POA_E_CODE_6 Code identifying whether E the hospital Y Yes N No U Unknown W Clinically Undetermined 1 Space (1st & 2nd Qtr 2012 of Invalid) 415 1 E_CODE_7 ICD-9-CM diagnosis code, external cause of injury. De 416 6 POA_E_CODE_7 Code identifying whether E the hospital	Type: including the 4th cimal is implied Data Source: Type: _Code_6 code words only) Data Source: Type: including the 4th cimal is implied Data Source: Type:	Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric vas present at the time the patient was admitted to Claim Alphanumeric and 5th digits if applicable, of an additional following the third character. Claim Alphanumeric		

Space (1st & 2nd Qtr 2012 only) 1 Invalid **Beginning Position:** 422 **Data Source:** Claim Length: Alphanumeric Type: Field 99: E CODE 8 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character. **Beginning Position:** 423 Data Source: Claim Length: Alphanumeric 6 Type: **Field 100:** POA E CODE 8 Code identifying whether E_Code_8 code was present at the time the patient was admitted to the hospital Y Yes **Coding Scheme:** N No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1 Invalid **Beginning Position:** 429 Data Source: Claim Length: Alphanumeric Type: E CODE 9 **Field 101:** ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character. **Beginning Position:** 430 **Data Source:** Claim Length: 6 Alphanumeric Type: **Field 102:** POA_E_CODE 9 Code identifying whether E Code 9 code was present at the time the patient was admitted to the hospital Ŷes **Coding Scheme:** Y N No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1 Invalid **Beginning Position:** 436 **Data Source:** Claim Length: Type: Alphanumeric **Field 103:** E CODE 10 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character. **Beginning Position:** 437 **Data Source:** Claim Length: Alphanumeric Type: **Field 104:** POA E CODE 10 Code identifying whether E_Code_10 code was present at the time the patient was admitted to the hospital Y Yes **Coding Scheme:** N No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) 1 Invalid **Beginning Position:** 443 **Data Source:** Claim Length: Type: Alphanumeric **Field 105:** PRINC_SURG_PROC_CODE Code for the principal surgical or other procedure performed during the period covered by the bill. ICD-9, HCPCS, or CPT code.

Beginning Position:

Length:

444

W

Clinically Undetermined

Data Source:

Type:

Alphanumeric

Claim

Field 106:	PRINC_SURG_PROC_DA				
	Day of principal surgical or other procedure equals Principal Surgical Procedure Date minus				
	Admission/Start of Care Dat				
Beginning Position:	451	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 107:	PRINC_ICD9_CODE				
	ICD-9-CM code for principa	al surgical or oth	er procedure, including the 4th and 5th digits if		
	applicable. Decimal is impli				
Beginning Position:	455	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 108:	OTH_SURG_PROC_COL		F ** ** *		
11010 1000			an the principal procedure performed during the		
	period covered by the bill. It				
Beginning Position:	460	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 109:	OTH_SURG_PROC_DAY		Aiphanumene		
riciu 107.			als Other Surgical Procedure Date minus		
	Admission/Start of Care Date		dis Other Surgical Procedure Date minus		
Doginning Dogitica.	467	Data Source:	Calculated		
Beginning Position:					
Length:	4	Type:	Alphanumeric		
Field 110:	OTH_ICD9_CODE_1				
			ure other than the principal procedure, including		
			is implied following the third character.		
Beginning Position:	471	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 111:	OTH_SURG_PROC_COL				
			an the principal procedure performed during the		
	period covered by the bill. Io		or CPT code.		
Beginning Position:	476	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 112:	OTH_SURG_PROC_DAY	7_2			
	Day of other surgical or other	er procedure equ	als Other Surgical Procedure Date minus		
	Admission/Start of Care Dat	te			
Beginning Position:	483	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 113:	OTH_ICD9_CODE_2	-	-		
	ICD-9-CM code for surgical	or other proced	ure other than the principal procedure, including		
			is implied following the third character.		
Beginning Position:	487	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 114:	OTH_SURG_PROC_COL		F - 22 - 22 - 2		
11010 1111			an the principal procedure performed during the		
	period covered by the bill. It				
Beginning Position:	492	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 115:	OTH_SURG_PROC_DAY		Alphanumene		
rieiu 115.			als Other Surgical Procedure Date minus		
	•		ans Other Surgical Procedure Date minus		
Doginal D	Admission/Start of Care Dat 499	Data Source:	Calculated		
Beginning Position:			Calculated		
Length:	4	Type:	Alphanumeric		
Field 116:	OTH_ICD9_CODE_3				
			ure other than the principal procedure, including		
-			is implied following the third character.		
Beginning Position:	503	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		

Field 117:	OTH_SURG_PROC_CO	DF 4	
riciu 117.			an the principal procedure performed during the
	period covered by the bill.		
Beginning Position:	508	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 118:	OTH_SURG_PROC_DA		Alphanumeric
rieia 118:			-I- Other Consider Done and the Date with
			als Other Surgical Procedure Date minus
D 1 1 D 11	Admission/Start of Care D		
Beginning Position:	515	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 119:	OTH_ICD9_CODE_4		
			ure other than the principal procedure, including
			is implied following the third character.
Beginning Position:	519	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 120:	OTH_SURG_PROC_CO		
	Code for surgical or other	procedure other th	an the principal procedure performed during the
	period covered by the bill.	ICD-9, HCPCS, o	or CPT code.
Beginning Position:	524	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 121:	OTH_SURG_PROC_DA		•
			als Other Surgical Procedure Date minus
	Admission/Start of Care D		
Beginning Position:	531	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 122:	OTH_ICD9_CODE_5	турс.	7 tiphanamene
riciu 122.		eal or other preced	ure other than the principal procedure, including
			is implied following the third character.
Daginning Dagitians	535	•	· •
Beginning Position:	5	Data Source:	Assigned
Length:		Type:	Alphanumeric
Field 123:	OTH_SURG_PROC_CO		
			an the principal procedure performed during the
D 1 1 D 1/1	period covered by the bill.		
Beginning Position:	540	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 124:	OTH_SURG_PROC_DA		
			als Other Surgical Procedure Date minus
	Admission/Start of Care D		
Beginning Position:	547	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 125:	OTH_ICD9_CODE_6		
	ICD-9-CM code for surgic	al or other proced	ure other than the principal procedure, including
	the 4th and 5th digits if app	plicable. Decimal	is implied following the third character.
Beginning Position:	551	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 126:	OTH SURG PROC CO		f
1100 120.			an the principal procedure performed during the
	period covered by the bill.		
	556	Data Source:	Claim
Doginning Dogitions			
		Type:	Alphanumeric
Length:	7	X7 =	
Length:	OTH_SURG_PROC_DA		101 0 115 1 5
Length:	OTH_SURG_PROC_DA Day of other surgical or other	her procedure equ	als Other Surgical Procedure Date minus
Length: Field 127:	OTH_SURG_PROC_DA Day of other surgical or oth Admission/Start of Care D	her procedure <i>equ</i> ate	
Beginning Position: Length: Field 127: Beginning Position: Length:	OTH_SURG_PROC_DA Day of other surgical or other	her procedure equ	als Other Surgical Procedure Date minus Calculated Alphanumeric

TI 11400	OMIT 1000 000 == =				
Field 128:	OTH_ICD9_CODE_7				
	ICD-9-CM code for surgical or other procedure other than the principal procedure, including the 4th and 5th digits if applicable. Decimal is implied following the third character.				
n n					
Beginning Position:	567	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 129:	OTH_SURG_PROC_CODE_8 Code for surgical or other procedure other than the principal procedure performed during the				
Doninaina Donisiana	period covered by the bill. I	Data Source:	Claim		
Beginning Position:	572 7				
Length: Field 130:	OTH_SURG_PROC_DAY	Type:	Alphanumeric		
riciu 130.			als Other Surgical Procedure Date minus		
	Admission/Start of Care Da		ans Other Surgical Procedure Date minus		
Beginning Position:	579	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 131:	OTH_ICD9_CODE_8	турс.	7 Hiphanameric		
11010 1011		l or other proced	ure other than the principal procedure, including		
			is implied following the third character.		
Beginning Position:	583	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 132:	OTH SURG PROC COL		•		
	Code for surgical or other p	rocedure other th	an the principal procedure performed during the		
	period covered by the bill. I				
Beginning Position:	588	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 133:	OTH_SURG_PROC_DAY	Y_9			
			als Other Surgical Procedure Date minus		
	Admission/Start of Care Da				
Beginning Position:	595	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 134:	OTH_ICD9_CODE_9				
			ure other than the principal procedure, including		
D 1 1 D 11			is implied following the third character.		
Beginning Position:	599	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 135:	OTH_SURG_PROC_COL	_			
	period covered by the bill. I	CD 0 HCDCs of	an the principal procedure performed during the		
Beginning Position:	604	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 136:	OTH_SURG_PROC_DAY		тиришишене		
riciu 150.			als Other Surgical Procedure Date minus		
	Admission/Start of Care Da		uis oner surgicul Procedure Bute minus		
Beginning Position:	611	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 137:	OTH_ICD9_CODE_10		1		
		l or other proced	ure other than the principal procedure, including		
			is implied following the third character.		
Beginning Position:	615	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 138:	OTH_SURG_PROC_COL	DE_11	•		
	Code for surgical or other p	rocedure other th	an the principal procedure performed during the		
	period covered by the bill. I				
Beginning Position:	620	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		

Field 139:	OTH_SURG_PROC_DAY					
		Day of other surgical or other procedure equals Other Surgical Procedure Date minus				
	Admission/Start of Care Da					
Beginning Position:	627	Data Source:	Calculated			
Length:	4	Type:	Alphanumeric			
Field 140:	OTH_ICD9_CODE_11					
	ICD-9-CM code for surgica	l or other proced	ure other than the principal procedure, including			
	the 4th and 5th digits if app	licable. Decimal	is implied following the third character.			
Beginning Position:	631	Data Source:	Assigned			
Length:	5	Type:	Alphanumeric			
Field 141:	OTH_SURG_PROC_COL	DE_12	-			
	Code for surgical or other p	rocedure other th	an the principal procedure performed during the			
	period covered by the bill. I					
Beginning Position:	636	Data Source:	Claim			
Length:	7	Type:	Alphanumeric			
Field 142:	OTH_SURG_PROC_DAY		•			
			als Other Surgical Procedure Date minus			
	Admission/Start of Care Da					
Beginning Position:	643	Data Source:	Calculated			
Length:	4	Type:	Alphanumeric			
Field 143:	OTH_ICD9_CODE_12	- J P C C				
11014 1101		l or other proced	ure other than the principal procedure, including			
			is implied following the third character.			
Beginning Position:	647	Data Source:	Assigned			
Length:	5	Type:	Alphanumeric			
Field 144:	OTH_SURG_PROC_COL	V A	7 riphanamene			
riciu 144.			an the principal procedure performed during the			
	period covered by the bill. I					
Beginning Position:	652	Data Source:	Claim			
Length:	7	Type:	Alphanumeric			
Field 145:	OTH_SURG_PROC_DAY		Aiphanumene			
riciu 143.			als Other Surgical Procedure Date minus			
	Admission/Start of Care Da		dis Other Surgical Procedure Date minus			
Beginning Position:	659	Data Source:	Calculated			
Length:	4	Type:	Alphanumeric			
Field 146:	OTH_ICD9_CODE_13	1 ypc.	Alphanumene			
riciu 140.		l or other presed	ure other than the principal procedure, including			
			is implied following the third character.			
Beginning Position:	663	Data Source:	Assigned			
	5		•			
Length: Field 147:	OTH_SURG_PROC_CO	Type:	Alphanumeric			
rieiu 14/:			nan the principal procedure performed during the			
Danimuina Danitiana	period covered by the bill. I					
Beginning Position:	668	Data Source:	Claim			
Length:	7	Type:	Alphanumeric			
Field 148:	OTH_SURG_PROC_DAY		LOUIS Control Provides Date :			
			als Other Surgical Procedure Date minus			
D!! D !!!	Admission/Start of Care Da		Calaulatad			
Beginning Position:	675	Data Source:	Calculated			
Length:	4 CENT 1000 CODE 14	Type:	Alphanumeric			
Field 149:	OTH_ICD9_CODE_14					
			ure other than the principal procedure, including			
B 1 1 5 11	•		is implied following the third character.			
Beginning Position:	679	Data Source:	Assigned			
Length:	5	Type:	Alphanumeric			

E2.1.1.150	OTH CHEC PROC COT	NE 15		
Field 150:	OTH_SURG_PROC_COL		on the principal procedure newforms defining the	
	Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-9, HCPCS, or CPT code.			
5 1 1 5 W				
Beginning Position:	684	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 151:	OTH_SURG_PROC_DAY			
			als Other Surgical Procedure Date minus	
	Admission/Start of Care Dat	te.		
Beginning Position:	691	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 152:	OTH_ICD9_CODE_15			
	ICD-9-CM code for surgical	or other proced	ure other than the principal procedure, including	
			is implied following the third character.	
Beginning Position:	695	Data Source:	Assigned	
Length:	5	Type:	Alphanumeric	
Field 153:	OTH_SURG_PROC_COL		r · · · · · · · · · · · · · · · · · · ·	
11010 1007			an the principal procedure performed during the	
	period covered by the bill. It			
Beginning Position:	700	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 154:	OTH SURG PROC DAY	<u> </u>	Aiphanuncie	
riciu 154:		_	ala Othan Sunai aal Dra aaduma Data minus	
			als Other Surgical Procedure Date minus	
D	Admission/Start of Care Dat		0.1. 11	
Beginning Position:	707	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 155:	OTH_ICD9_CODE_16			
			ure other than the principal procedure, including	
			is implied following the third character.	
Beginning Position:	711	Data Source:	Assigned	
Length:	5	Type:	Alphanumeric	
Field 156:	OTH_SURG_PROC_COL	DE_17		
	Code for surgical or other pr	ocedure other th	an the principal procedure performed during the	
	period covered by the bill. Io	CD-9, HCPCS, o	or CPT code.	
Beginning Position:	716	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 157:	OTH_SURG_PROC_DAY	7 17	•	
	Day of other surgical or other	er procedure <i>equ</i>	als Other Surgical Procedure Date minus	
	Admission/Start of Care Dat		č	
Beginning Position:	723	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	
Field 158:	OTH_ICD9_CODE_17			
		or other proced	ure other than the principal procedure, including	
			is implied following the third character.	
Beginning Position:	727	Data Source:	Assigned	
Length:	5	Type:	Alphanumeric	
Field 159:	OTH_SURG_PROC_COL		Aiphanameric	
rieiu 159:			on the mineral massed was mentaged during the	
			an the principal procedure performed during the	
T T	period covered by the bill. It			
Beginning Position:	732	Data Source:	Claim	
Length:	7	Type:	Alphanumeric	
Field 160:	OTH_SURG_PROC_DAY			
			als Other Surgical Procedure Date minus	
	Admission/Start of Care Dat	te.		
Beginning Position:	739	Data Source:	Calculated	
Length:	4	Type:	Alphanumeric	

Et 11474	OTHER CORE 10				
Field 161:	OTH_ICD9_CODE_18		and office the state of a language to the state of the st		
			ure other than the principal procedure, including		
D ' ' D '			is implied following the third character.		
Beginning Position:		Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 162:	OTH_SURG_PROC_CODE_19				
			an the principal procedure performed during the		
n ' ' n '	period covered by the bill. IC				
Beginning Position:		Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 163:	OTH_SURG_PROC_DAY		-l- Other Coming Decarding Data with		
	Admission/Start of Care Date		als Other Surgical Procedure Date minus		
Doginaina Dogitions		Data Source:	Coloulated		
Beginning Position:			Calculated		
Length: Field 164:		Type:	Alphanumeric		
riela 104:	OTH_ICD9_CODE_19	on other massads	and other than the mained made dame including		
			ure other than the principal procedure, including		
Beginning Position:		Data Source:	is implied following the third character.		
0 0	5		Assigned		
Length: Field 165:		Type:	Alphanumeric		
rieia 105;	OTH_SURG_PROC_COD		on the mineinal muse dama menfermed during the		
	period covered by the bill. IC		an the principal procedure performed during the		
Paginning Desition			Claim		
Beginning Position:	764	Data Source:			
Length: Field 166:	OTH_SURG_PROC_DAY	Type:	Alphanumeric		
rieiu 100:			als Other Surgical Procedure Date minus		
	Admission/Start of Care Date		ais Other Surgical Procedure Date minus		
Beginning Position:		Data Source:	Calculated		
Length:		Type:	Alphanumeric		
Field 167:	OTH_ICD9_CODE_20	турс.	ruphanumerie		
ricia 107.		or other procedu	are other than the principal procedure, including		
			is implied following the third character.		
Beginning Position:		Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 168:	OTH SURG PROC COD		ATDHAITHRETIC		
11010 1001	OTO SURGERRUL CON	E 21	Alphanumeric		
		_	•		
	Code for surgical or other pro	ocedure other th	an the principal procedure performed during the		
Beginning Position:	Code for surgical or other properiod covered by the bill. IC	ocedure other the CD-9, HCPCS, o	an the principal procedure performed during the r CPT code.		
Beginning Position: Length:	Code for surgical or other properiod covered by the bill. IC	ocedure other the CD-9, HCPCS, o Data Source:	an the principal procedure performed during the r CPT code. Claim		
Length:	Code for surgical or other properiod covered by the bill. IC 780	ocedure other the CD-9, HCPCS, o Data Source: Type:	an the principal procedure performed during the r CPT code.		
	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY	ocedure other the CD-9, HCPCS, o Data Source: Type: _21	an the principal procedure performed during the r CPT code. Claim Alphanumeric		
Length:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other	ocedure other the CD-9, HCPCS, o Data Source: Type: _21 r procedure equal	an the principal procedure performed during the r CPT code. Claim		
Length: Field 169:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date	cocedure other the CD-9, HCPCS, or Data Source: Type: 21 r procedure equale.	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus		
Length: Field 169: Beginning Position:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787	Docedure other the CD-9, HCPCS, or Data Source: Type: 21 r procedure equale. Data Source:	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated		
Length: Field 169: Beginning Position: Length:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4	cocedure other the CD-9, HCPCS, or Data Source: Type: 21 r procedure equale.	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus		
Length: Field 169: Beginning Position:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21	Docedure other the CD-9, HCPCS, or Data Source: Type: _21 r procedure equale. Data Source: Type:	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric		
Length: Field 169: Beginning Position: Length:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical	Docedure other the CD-9, HCPCS, or Data Source: Type: _21 r procedure equale. Data Source: Type: Or other procedure of the	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including		
Length: Field 169: Beginning Position: Length: Field 170:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical the 4th and 5th digits if applied	Docedure other the CD-9, HCPCS, or Data Source: Type: _21 r procedure equale. Data Source: Type: or other procedure able. Decimal in	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including is implied following the third character.		
Length: Field 169: Beginning Position: Length: Field 170: Beginning Position:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical the 4th and 5th digits if applied	Docedure other the CD-9, HCPCS, or Data Source: Type: _21 r procedure equale. Data Source: Type: or other procedure able. Decimal in Data Source:	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including is implied following the third character. Assigned		
Length: Field 169: Beginning Position: Length: Field 170:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical the 4th and 5th digits if application 791 5	Docedure other the CD-9, HCPCS, or Data Source: Type: _21 r procedure equale. Data Source: Type: or other procedure able. Decimal in Data Source: Type:	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including is implied following the third character.		
Length: Field 169: Beginning Position: Length: Field 170: Beginning Position: Length:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical the 4th and 5th digits if application 791 5 OTH_SURG_PROC_CODE	Docedure other the CD-9, HCPCS, or Data Source: Type: _21 r procedure equale. Data Source: Type: or other proceducable. Decimal in Data Source: Type: Type: E_22	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including is implied following the third character. Assigned		
Length: Field 169: Beginning Position: Length: Field 170: Beginning Position: Length:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical the 4th and 5th digits if application 791 5 OTH_SURG_PROC_CODE	Data Source: Type: Data Source: Type: Data Source: Type: Or other proceducable. Decimal in Data Source: Type: E_22 Decedure other the	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including is implied following the third character. Assigned Alphanumeric an the principal procedure performed during the		
Length: Field 169: Beginning Position: Length: Field 170: Beginning Position: Length:	Code for surgical or other properiod covered by the bill. IC 780 7 OTH_SURG_PROC_DAY Day of other surgical or other Admission/Start of Care Date 787 4 OTH_ICD9_CODE_21 ICD-9-CM code for surgical the 4th and 5th digits if application 791 5 OTH_SURG_PROC_CODE Code for surgical or other properiod covered by the bill. IC	Data Source: Type: Data Source: Type: Data Source: Type: Or other proceducable. Decimal in Data Source: Type: E_22 Decedure other the	an the principal procedure performed during the r CPT code. Claim Alphanumeric als Other Surgical Procedure Date minus Calculated Alphanumeric are other than the principal procedure, including is implied following the third character. Assigned Alphanumeric an the principal procedure performed during the		

Field 172:	OTH_SURG_PROC_DAY_22				
	Day of other surgical or other procedure equals Other Surgical Procedure Date minus				
	Admission/Start of Care Dat				
Beginning Position:	803	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 173:	OTH_ICD9_CODE_22				
			ure other than the principal procedure, including		
	the 4th and 5th digits if appl	icable. Decimal	is implied following the third character.		
Beginning Position:	807	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 174:	OTH_SURG_PROC_COL				
			an the principal procedure performed during the		
	period covered by the bill. Io		or CPT code.		
Beginning Position:	812	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 175:	OTH_SURG_PROC_DAY	Z_23			
	Day of other surgical or other	er procedure equ	als Other Surgical Procedure Date minus		
	Admission/Start of Care Dat	te.			
Beginning Position:	819	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 176:	OTH_ICD9_CODE_23				
	ICD-9-CM code for surgical	l or other proced	ure other than the principal procedure, including		
	the 4th and 5th digits if appl	icable. Decimal	is implied following the third character.		
Beginning Position:	823	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 177:	OTH_SURG_PROC_COL				
	Code for surgical or other pr	Code for surgical or other procedure other than the principal procedure performed during the			
	period covered by the bill. Io		or CPT code.		
Beginning Position:	828	Data Source:	Claim		
Length:	7	Type:	Alphanumeric		
Field 178:	OTH_SURG_PROC_DAY				
			als Other Surgical Procedure Date minus		
	Admission/Start of Care Dat				
Beginning Position:	835	Data Source:	Calculated		
Length:	4	Type:	Alphanumeric		
Field 179:	OTH_ICD9_CODE_24				
			ure other than the principal procedure, including		
			is implied following the third character.		
Beginning Position:	839	Data Source:	Assigned		
Length:	5	Type:	Alphanumeric		
Field 180:	MS-MDC				
			ed by Centers for Medicare and Medicaid Services		
	The state of the s	•	ninistration (HCFA)) for hospital payment for		
	Medicare beneficiaries. First				
Beginning Position:	844	Data Source:	Assigned		
Length:	2	Type:	Alphanumeric		
Field 181:	MS-DRG				
			(CMS) Diagnosis Related Group (DRG), as		
	assigned for hospital paymen				
Beginning Position:	846	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 182:	MS_GROUPER_VERSIO				
			Grouper (formerly CMS DRG Grouper and		
		A_GROUPER_\	/ERSION_NBR) version used to assign MS DRG		
	and, MS MDC codes				

Beginning Position: Length:	849 5	Data Source: Type:	Assigned Alphanu		
Field 183:	MS_GROUPER_ERROR_CODE Error codes identify potential variations with MS DRG code assignment				
Coding Scheme:	00	No errors. DRG successfully assigned.	11	Invalid Principal Diagnosis	
	01	Diagnosis code cannot be used as	19	DisableHac = 0 and at least one HAC	
	02	principal diagnosis Record does not meet criteria for an DRG	y 20	POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N or U	
	03	Invalid Age	21	DisableHac is invalid and at least one HAC POA is invalid or exempt	
	04	Invalid Sex	22	DisableHac = 0 and at least one HAC POA is exempt	
	05	Invalid Discharge Status	23	DisableHac is invalid and at least one HAC POA is exempt	
	10	Illogical Principal Diagnosis (CMS only)	24	DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U	
	11	Invalid Principal Diagnosis	25	DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W	
	10	Illogical Principal Diagnosis (CMS only)			
Beginning Position:	854	Data Source:	Assigned		
Length:	2	Type:	Alphanu	meric	
Field 184:	APR-MDC Major Diagnostic Category (MDC) as assigned by 3M APR-DRG Grouper.				
Doginaina Dogitions	Major 856	Diagnostic Category (MDC) as assign Data Source:			
Beginning Position: Length:	2	Type:	Assigned Alphanu		
Field 185:		PR-DRG		mere	
1200 1000		tient Refined (APR) Diagnosis Related	Group (E	DRG) as assigned by 3M APR-DRG	
Beginning Position:	858			Assigned	
Length:	4	Type:	Alphanu	meric	
Field 186:	RISK	_MORTALITY			
				tient Refined (APR) Diagnosis Related	
	Group	(DRG) from the 3M APR-DRG Group	per. Indica	ites the likelihood of dying.	
Coding Scheme:	1 2	Minor Moderate			
	3	Moderate Major			
	4	Extreme			
Beginning Position:	862	Data Source:	Assigned		
Length:	1	Type:	Alphanu	meric	
Field 187:		ESS_SEVERITY			
		ment of a severity of illness score from (DRG) from the 3M APR-DRG Group		Patient Refined (APR) Diagnosis Related	
		pensation.	jei. maica	nes the extent of physiologic	
Coding Scheme:	1	Minor			
Couning Scheme.	2	Moderate			
	3	Major			
D!! D !!!	4	Extreme	A . •	1	
Beginning Position:	863	Data Source:	Assigned		
Length:	1 A DD	Type:	Alphanu	menc	
Field 188:		GROUPER_VERSION_NBR	Cmarrie	varion used to series ADD DDC	
		All Patient Refined Diagnosis Related	-	version used to assign APR DRG codes,	

DSHS/THCIC www.dshs.state.tx.us/THCIC

APR MDC codes, Risk of Mortality rankings and, Severity of Illness rankings

DSHS Document #

Beginning Position: Length:	864 5		Assigned Alphanu	
Field 189:	APR_GROUPER_ERROR_CODE			mere
11014 107.		codes identify potential variations with	APR DR	G code assignment
Coding Scheme:	00	No errors. DRG successfully assigned.	12	Gestational age/birth weight conflict (APR only)
	01	Diagnosis code cannot be used as principal diagnosis	19	DisableHac = 0 and at least one HAC POA is invalid or exempt
	02	Record does not meet criteria for any DRG	20	DisableHac is invalid and at least one HAC POA is N or U
	03	Invalid Age	21	DisableHac is invalid and at least one
	04	Invalid Sex	22	HAC POA is invalid or exempt DisableHac = 0 and at least one HAC
	05	Invalid Discharge Status	23	POA is exempt DisableHac is invalid and at least one HAC POA is exempt
	06	Invalid birthweight (AP & APR only)	24	DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
	09	Invalid discharge age in days (AP & APR only)	25	DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W
	11	Invalid Principal Diagnosis		
Beginning Position:	869		Assigned	
Length: Field 190:	2	Type: NDING_PHYSICIAN_UNIF_ID	Alphanu	meric
	patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients.			
Sunnression	includi podiati	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit	ic or thera s, nurse p or treat p	apeutic procedures to inpatients, practitioners, nurse midwives, and patients.
Suppression:	includi podiati Suppre minim	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit essed when the number of physicians re um cell size of five.	ic or thera s, nurse p or treat p presented	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the
Beginning Position:	includi podiati Suppre minim 871	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit essed when the number of physicians re um cell size of five. Data Source:	ic or thera s, nurse p or treat p presented Assigned	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the
Beginning Position: Length:	includi podiati Suppre minim 871 10	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit essed when the number of physicians re um cell size of five. Data Source:	ic or thera s, nurse p or treat p presented	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the
Beginning Position: Length:	includi podiati Suppre minim 871 10 OPER Operat the ope individi individi therape practiti	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit essed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under lual other than a physician who admits pattic procedures to inpatients, including ioners, nurse midwives, and podiatrists	ic or thera s, nurse p or treat p presented Assigned Alphanus er (if app n the atter the Medipatients to g psycholo	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the meric licable). Unique identifier assigned to a noing physician. Physician is an ical Practice Act. Can include an o hospitals or who provides diagnostic or orgists, chiropractors, dentists, nurse
Beginning Position: Length: Field 191:	includi podiati Suppre minim 871 10 OPER Operat the ope individi therape practiti patient Suppre	ng psychologists, chiropractors, dentist ists authorized by the hospital to admit essed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under lual other than a physician who admits peutic procedures to inpatients, including ioners, nurse midwives, and podiatrists is.	ic or theras, nurse por treat presented Assigned Alphanus er (if apport the attent the Medipatients to psychologauthorize	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the meric licable). Unique identifier assigned to a noing physician. Physician is an ical Practice Act. Can include an o hospitals or who provides diagnostic or orgists, chiropractors, dentists, nurse
Beginning Position: Length: Field 191: Suppression:	includi podiati Suppre minim 871 10 OPER Operat the ope individi therape practiti patient Suppre	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit essed when the number of physicians regum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under lual other than a physician who admits peutic procedures to inpatients, including ioners, nurse midwives, and podiatrists is. Essed when the number of physicians regum cell size of five. 1998 Cell size less than 5	ic or thera s, nurse p or treat p presented Assigned Alphanuser (if app n the atter the Medipatients to g psychologauthorize presented	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the description of the meric description. Physician is an ical Practice Act. Can include an o hospitals or who provides diagnostic or origists, chiropractors, dentists, nurse description of the description. The meric description of the meric descriptio
Beginning Position: Length: Field 191: Suppression: Coding Scheme:	includi podiati Suppre minim 871 10 OPER Operat the ope individ individ therape practiti patient Suppre minim 9999999 9999999 881	ng psychologists, chiropractors, dentist rists authorized by the hospital to admit essed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under lual other than a physician who admits peutic procedures to inpatients, including ioners, nurse midwives, and podiatrists s. essed when the number of physicians rejum cell size of five. 1998 Cell size less than 5 Temporary license or license number of physicians number of physicians rejum cell size of five.	ic or thera s, nurse p or treat p presented Assigned Alphanuser (if app n the atter the Medipatients to g psychologauthorize presented	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the described meric licable). Unique identifier assigned to inding physician. Physician is an ical Practice Act. Can include an or hospitals or who provides diagnostic or origists, chiropractors, dentists, nurse described by the hospital to admit or treat I in a DRG for a hospital is less than the to matched
Beginning Position: Length: Field 191: Suppression: Coding Scheme: Beginning Position: Length:	includi podiati Suppre minim 871 10 OPER Operat the ope individ individ therape practiti patient Suppre minim 9999999 9999999 881 10	ng psychologists, chiropractors, dentist ists authorized by the hospital to admit essed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than a lual licensed to practice medicine under dual other than a physician who admits peutic procedures to inpatients, including itoners, nurse midwives, and podiatrists is. Sessed when the number of physicians rejum cell size of five. 1998 Cell size less than 5 1999 Temporary license or license numb 1998 Data Source: Type:	ic or theras, nurse por treat presented Assigned Alphanus er (if apport the Medications to green ted authorize presented presented	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. In a DRG for a hospital is less than the description of the meric licable). Unique identifier assigned to inding physician. Physician is an ical Practice Act. Can include an or hospitals or who provides diagnostic or origists, chiropractors, dentists, nurse do by the hospital to admit or treat In a DRG for a hospital is less than the original to the matched description.
Beginning Position: Length: Field 191: Suppression: Coding Scheme: Beginning Position: Length: Field 192:	includi podiati Suppre minim 871 10 OPER Operat the ope individ therape practiti patient Suppre minim 9999999 881 10 ENCO	ng psychologists, chiropractors, dentist itst authorized by the hospital to admit essed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under dual other than a physician who admits petitic procedures to inpatients, including its incomers, nurse midwives, and podiatrists is essed when the number of physicians rejum cell size of five. 1998 Cell size less than 5 1999 Temporary license or license numb Data Source: Type: DUNTER_INDICATOR	ic or theras, nurse por treat presented Assigned Alphanus er (if apport the attent the Medipatients to graychold authorize presented er could no Assigned Alphanus	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. I in a DRG for a hospital is less than the dimeric licable). Unique identifier assigned to inding physician. Physician is an ical Practice Act. Can include an phospitals or who provides diagnostic or orgists, chiropractors, dentists, nurse diby the hospital to admit or treat I in a DRG for a hospital is less than the the matched dimeric
Beginning Position: Length: Field 191: Suppression: Coding Scheme: Beginning Position: Length: Field 192: Description:	includi podiati Suppre minim 871 10 OPER Operat the ope individ therape practiti patient Suppre minim 9999999 881 10 ENCO Indicat	ng psychologists, chiropractors, dentist ists authorized by the hospital to admit issed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under dual other than a physician who admits peutic procedures to inpatients, including items, nurse midwives, and podiatrists is essed when the number of physicians rejum cell size of five. 1998 Cell size less than 5 1999 Temporary license or license numb Data Source: Type: DUNTER_INDICATOR es the number of claims used to create the size of size less the number of claims used to create the size of claims used to create the claim of claims used to create the size of claims used	ic or theras, nurse por treat presented Assigned Alphanus er (if apport the Medipatients to green ted authorized presented Per could no Assigned Alphanus the encounter the encounter the terms of the	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. In a DRG for a hospital is less than the meric licable). Unique identifier assigned to adding physician. Physician is an ical Practice Act. Can include an phospitals or who provides diagnostic or orgists, chiropractors, dentists, nurse do by the hospital to admit or treat In a DRG for a hospital is less than the to be matched in meric
Beginning Position: Length: Field 191: Suppression: Coding Scheme: Beginning Position: Length: Field 192:	includi podiati Suppre minim 871 10 OPER Operat the ope individ therape practiti patient Suppre minim 9999999 881 10 ENCO	ng psychologists, chiropractors, dentist itst authorized by the hospital to admit essed when the number of physicians rejum cell size of five. Data Source: Type: ATING_PHYSICIAN_UNIF_ID ing or other Physician Uniform Identificating physician or physician other than lual licensed to practice medicine under dual other than a physician who admits petitic procedures to inpatients, including its incomers, nurse midwives, and podiatrists is essed when the number of physicians rejum cell size of five. 1998 Cell size less than 5 1999 Temporary license or license numb Data Source: Type: DUNTER_INDICATOR	ic or theras, nurse por treat presented Assigned Alphanus er (if apport the attent the Medipatients to graychold authorize presented er could no Assigned Alphanus	apeutic procedures to inpatients, practitioners, nurse midwives, and patients. It in a DRG for a hospital is less than the district meric licable). Unique identifier assigned to inding physician. Physician is an ical Practice Act. Can include an or hospitals or who provides diagnostic or origists, chiropractors, dentists, nurse id by the hospital to admit or treat in a DRG for a hospital is less than the it be matched in meric miter and meric meric meric miter miter meric meric miter meric miter meric meric miter meric m

Field 193:	CERT_STATUS			
	Assignment of a code to indicate the certification of data and submission of comments by the			
	hospital. First available 3 rd quarter 1999.			
Coding Scheme:	1 Certified, without comment			
3	2 Certified, with comment			
	3 Certified, with comment, comment not received by deadline			
	4 Hospital elected not to certify			
	5 Hospital closed, data not certified			
	6 Hospital out of compliance, did not certify data			
Beginning Position:	893	Data Source:	Assigned	
Length:	1	Type:	Alphanumeric	
Field 194:	FILLER_SPACE			
Description:	Indicates the number of claims used to create the encounter			
Beginning Position:	894	Data Source:	Calculated	
Length:	57 Type: Alphanumeric			

BASE DATA #2 FILE

Field 1:	RECORD_ID			
Description:	Record Identification Number. Unique number assigned to identify the record. First available			
	1 st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).			
Beginning Position:	1	Data Source:	Assigned	
Length:	12	Type:	Alphanumeric	
Field 2:	PRIVATE_AMOUNT			
Description:	Accommodation Charge, Private Room Charge Amount. Calculated using MEDPAR			
_	algorithm. Sum of charges as	sociated with re	venue codes 0100-0219, revenue center 11X, 14X	
Beginning Position:	13	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 3:	SEMI_PRIVATE_AMOUN	NT		
	Accommodation Charge, Sen	ni-private Room	Charge Amount. Calculated using MEDPAR	
	algorithm. Sum of charges as	sociated with re	venue codes 0100-0219, revenue center 10X, 12X-	
	14X, 16X-19X			
Beginning Position:	25	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 4:	WARD_AMOUNT			
	Accommodation Charge, Ward Charge Amount. Calculated using MEDPAR algorithm. Sum of			
	charges associated with revenue codes 0100-0219, revenue center 15X.			
Beginning Position:	37 Data Source: Calculated			
Length:	12	Type:	Numeric	
Field 5:	ICU_AMOUNT			
	Accommodation Charge, Intensive Care Unit Charge Amount. Calculated using MEDPAR			
	algorithm. Sum of charges associated with revenue codes 0100-0219, revenue center 20X.			
Beginning Position:	49	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 6:	CCU_AMOUNT			
	Accommodation Charge, Coronary Care Unit Charge Amount. Calculated using MEDPAR			
	algorithm. Sum of charges associated with revenue codes 0100-0219, revenue center 21X.			
Beginning Position:	-	Data Source:	Calculated	
Length:		Type:	Numeric	
6		. I		

Field 7:	OTHER_AMOUNT				
11014 / (Ancillary Service Charge, Other Charge Amount. Calculated using MEDPAR algorithm. Sum				
	of charges associated with revenue codes other than 0100-0219, revenue center 002-099, 22X-				
	24X, 52X-53X, 55X-60X, 64X-70X, 76X-78X, 90X-95X, 99X.				
Beginning Position:	73	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 8:	PHARM_AMOUNT	7 1			
		Pharmacy Charge	Amount. Calculated using MEDPAR algorithm.		
		Sum of charges associated with revenue codes other than 0100-0219, revenue center 25X, 26X,			
	and 63X.				
Beginning Position:	85	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 9:	MEDSURG_AMOUNT				
	Ancillary Service Charge, M	Medical/Surgical	Supply Charge Amount. Calculated using		
	MEDPAR algorithm. Sum	of charges associa	ated with revenue codes other than 0100-0219,		
	revenue center 27X, 62X.				
Beginning Position:	97	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 10:	DME_AMOUNT				
			Equipment Charge Amount. Calculated using		
			ated with revenue codes other than 0100-0219,		
	revenue centers 290-292, 29				
Beginning Position:	109	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 11:	USED_DME_AMOUNT				
			dical Equipment Charge Amount. Calculated		
		Sum of charges	associated with revenue codes other than 0100-		
D!! D!4!	0219, revenue center 293.	D-4- C	Calandatad		
Beginning Position:	121 12	Data Source:	Calculated Numeric		
Length: Field 12:	PT AMOUNT	Type:	Numeric		
riciu 12.	Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR				
			evenue codes other than 0100-0219, revenue center		
	42X.	associated with it	evenue codes outer than 0100-0217, revenue center		
Beginning Position:	133	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 13:	OT_AMOUNT	1 јре.			
11010 101	Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center				
	42X.		,		
Beginning Position:	145	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 14:	SPEECH_AMOUNT				
	Ancillary Service Charge, Speech Pathology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center.				
	44X, 47X.				
Beginning Position:	157	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 15:	IT_AMOUNT				
	Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR				
	algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center				
	41X, 46X.				
Beginning Position:	169	Data Source:	Calculated		
Length:	12	Type:	Numeric		

	DI COD ALICANIE					
Field 16:	BLOOD_AMOUNT	011.1.1	MTDDAD 1 14 G G1			
			MEDPAR algorithm. Sum of charges associated			
	with revenue codes other th					
Beginning Position:	181	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 17:	BLOOD_ADMIN_AMOU					
	Ancillary Service Charge. Calculated using MEDPAR algorithm. Sum of charges associated					
	with revenue codes other th	han 0100-0219, re	evenue center 39X.			
Beginning Position:	193	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 18:	OR_AMOUNT					
	Ancillary Service Charge,	Operating Room (Charge amount. Calculated using MEDPAR			
	algorithm. Sum of charges	associated with re	evenue codes other than 0100-0219, revenue center			
	36X, 71X-72X.					
Beginning Position:	205	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 19:	LITH_AMOUNT	× •				
	Ancillary Service Charge,	Lithotripsy Charg	e Amount. Calculated using MEDPAR algorithm.			
			es other than 0100-0219, revenue center 79X.			
Beginning Position:	217	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 20:	CARD_AMOUNT	J P				
		Cardiology Charg	e Amount. Calculated using MEDPAR algorithm.			
			es other than 0100-0219, revenue center 48X, 73X.			
Beginning Position:	229	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 21:	ANES_AMOUNT	-, p-0				
11010 211		Anesthesia Charg	e Amount. Calculated using MEDPAR algorithm.			
			es other than 0100-0219, revenue center 37X.			
Beginning Position:	241	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 22:	LAB AMOUNT	2 y pc.	Tumerie			
riciu 22.	_	Laboratory Charg	e Amount. Calculated using MEDPAR algorithm.			
			es other than 0100-0219, revenue center 30X-31X,			
	74X-75X.	with revenue cod	es other than 0100 0219, revenue center 3021 3121,			
Beginning Position:	253	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 23:	RAD_AMOUNT	турс.	rumene			
riciu 25.		Radiology Charge	e Amount. Calculated using MEDPAR algorithm.			
			es other than 0100-0219, revenue center 28X, 32X-			
	35X, 40X.	with revenue cod	es other than 0100 0217, revenue center 2011, 3211			
Beginning Position:	265	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 24:	MRI_AMOUNT	турс.	rumene			
riciu 24.		MRI Charge Amo	ount. Calculated using MEDPAR algorithm. Sum of			
			than 0100-0219, revenue center 61X.			
Beginning Position:	277	Data Source:	Calculated			
Length:	12	Type:	Numeric			
Field 25:	OP AMOUNT	турс.	Numeric			
rielu 25.	_	Outpotiont Comic	as Charge Amount Calculated using MEDDAD			
			es Charge Amount. Calculated using MEDPAR			
		associated with re	evenue codes other than 0100-0219, revenue center			
Daginning Dagities	49X-50X.	Data Carras	Coloulated			
Beginning Position:	289	Data Source:	Calculated			
Length:	12	Type:	Numeric			

Field 26:	ER A	AMOUNT				
		lary Service Charge, Emergency Room	Charge A	Amount Calculated using MEDPAR		
			_	des other than 0100-0219, revenue center		
	45X.	warm sum of charges associated with the	., 01100 00	325 SMICE MAIN STOO SZ15, 10 (CHAC COMO)		
Beginning Position:	301	Data Source:	Calcula	ted		
Length:	12	Type:	Numeri			
Field 27:		SULANCE_AMOUNT	Trumen	<u> </u>		
riciu 27.		Ancillary Service Charge, Ambulance Charge Amount. Calculated using MEDPAR algorithm.				
		of charges associated with revenue code				
Beginning Position:	313	Data Source:	Calcula			
Length:	12	Type:	Numeri			
Field 28:		FEE_AMOUNT	TVUITICIT	C		
riciu 20.		lary Service Charge, Professional Fee (harge Aı	mount Calculated using MEDPAR		
				des other than 0100-0219, revenue center		
	96X-9		venue co	des other than 0100-0213, revenue center		
Doginaina Dogitions	325	Data Source:	Calcula	tad		
Beginning Position:	12		Numeri			
Length: Field 29:		Type:	Numen	C		
rieia 29:		_	Chanas	Amount Coloulated using MEDDAD		
		lary Service Charge, Organ Acquisition				
	_	<u> </u>	venue co	des other than 0100-0219, revenue center		
D ' ' D '	81X,		C-11-	1		
Beginning Position:	337	Data Source:	Calcula			
Length:	12	Type:	Numeri	c		
Field 30:		D_AMOUNT				
		lary Service Charge, End Stage Renal I				
		PAR algorithm. Sum of charges associa	ated with	revenue codes other than 0100-0219,		
		ue center 80X, 82X-88X.				
Beginning Position:	349	Data Source:	Calcula			
Length:	349 12	Data Source: Type:	Calcula Numeri			
	349 12 CLIN	Data Source: Type: NIC_AMOUNT	Numeri	С		
Length:	349 12 CLIN Ancil	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge	Numeri e Amoun	c. t. Calculated using MEDPAR algorithm.		
Length: Field 31:	349 12 CLIN Ancil Sum o	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code	Numeri ge Amoun ges other th	at. Calculated using MEDPAR algorithm.		
Length: Field 31: Beginning Position:	349 12 CLIN Ancil Sum (361	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source:	Numeri ge Amoun es other th Calcula	at. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted		
Length: Field 31: Beginning Position: Length:	349 12 CLIN Ancil Sum (361 12	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type:	Numeri ge Amoun ges other th	at. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted		
Length: Field 31: Beginning Position:	349 12 CLIN Ancil Sum 6 361 12 OCC	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1	Numeri ge Amoun ges other th Calcula Numeri	at. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum (361 12 OCC Code	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to	Numeri se Amoun es other th Calcula Numeri o the clai	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c		
Length: Field 31: Beginning Position: Length:	349 12 CLIN Ancil Sum 6 361 12 OCC Code	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident	Numeri se Amoun es other th Calcula Numeri o the clai	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum (361 12 OCC Code	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto	Numeri se Amoun es other th Calcula Numeri o the clai	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident	Numeri se Amoun es other th Calcula Numeri o the clai	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code 1 2 3 4 5	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43 44	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code 1 2 3 4 5 6	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43 44 45	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code 1 2 3 4 5	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43 44	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code 1 2 3 4 5 6 9	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43 44 45 46	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - ST Date cost outlier status begins Birthdate - Insured A		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code 1 2 3 4 5 6 9 10	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent	Numeri te Amoun tes other th Calcula Numeri to the clai 40 41 42 43 44 45 46 47	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual	Numeri ge Amoun es other th Calcula Numeri to the clai 40 41 42 43 44 45 46 47 A1 A2	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43 44 45 46 47 A1 A2	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed	Numeri ge Amoun es other th Calcula Numeri to the clai 40 41 42 43 44 45 46 47 A1 A2	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last	Numeri ee Amoun es other th Calcula Numeri o the clai 40 41 42 43 44 45 46 47 A1 A2	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum 6 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed	Numeri te Amoun tes other th Calcula Numeri o the clai 40 41 42 43 44 45 46 47 A1 A2 A3 A4	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted Split Bill Date		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum of 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12 16 17	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed Date of Retirement - Patient/Beneficiary	Numeri te Amoun tes other th Calcula Numeri o the clai 40 41 42 43 44 45 46 47 A1 A2 A3 A4 B1	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted Split Bill Date Birthdate - Insured B		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12 16 17	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed Date of Retirement - Patient/Beneficiary Date of Retirement - Spouse	Numeri te Amoun es other th Calcula Numeri to the clair 40 41 42 43 44 45 46 47 A1 A2 A3 A4 B1 B2	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted Split Bill Date Birthdate - Insured B Effective date - Insured B Policy		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12 16 17	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed Date of Retirement - Patient/Beneficiary Date of Retirement - Spouse Date Guarantee of Payment Began	Numeri te Amoun es other th Calcula Numeri to the clai 40 41 42 43 44 45 46 47 A1 A2 A3 A4 B1 B2 B3	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted Split Bill Date Birthdate - Insured B Effective date - Insured B Policy Payer B benefits exhausted		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12 16 17 18 19 20 21	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed Date of Retirement - Patient/Beneficiary Date of Retirement - Spouse Date Guarantee of Payment Began Date UR Notice Received	Numeri te Amoun es other th Calcula Numeri to the clai 40 41 42 43 44 45 46 47 A1 A2 A3 A4 B1 B2 B3 C1	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted Split Bill Date Birthdate - Insured B Effective date - Insured B Policy Payer B benefits exhausted Birthdate - Insured C		
Length: Field 31: Beginning Position: Length: Field 186:	349 12 CLIN Ancil Sum o 361 12 OCC Code 1 2 3 4 5 6 9 10 11 12 16 17 18 19 20 21 22	Data Source: Type: NIC_AMOUNT lary Service Charge, Clinic Visit Charge of charges associated with revenue code Data Source: Type: UR_CODE_1 describing a significant event relating to Auto accident No Fault Insurance Involved - Including Auto Accident/Other Accident/ Tort Liability Accident/ Employment Related Other accident Crime Victim Start of Infertility Treatment Cycle Last Menstrual Period Onset of Symptoms/ Illness Date of Onset for a Chronically Dependent Individual Date of Last Therapy Date Outpatient OT Plan Established or Last Reviewed Date of Retirement - Patient/Beneficiary Date of Retirement - Spouse Date Guarantee of Payment Began Date UR Notice Received Date Active Care Ended	Numeri te Amoun es other th Calcula Numeri to the clai 40 41 42 43 44 45 46 47 A1 A2 A3 A4 B1 B2 B3 C1 C2	tt. Calculated using MEDPAR algorithm. nan 0100-0219, revenue center 51X. ted c m. Scheduled date of admission Date of first test of pre-admission testing Date of discharge (hospice only) Scheduled date of canceled surgery Date treatment started - OT Date treatment started - ST Date treatment started - Cardiac rehabiliation Date cost outlier status begins Birthdate - Insured A Effective Date - Insured A Policy Payer A benefits exhausted Split Bill Date Birthdate - Insured B Effective date - Insured B Policy Payer B benefits exhausted Birthdate - Insured C Effective date - Insured C Policy		

	27 Date Home Health Plan E	stablished or Last	E2	Effective date - Insured D Policy
	Reviewd 28 Date Comprehensive Outp		E3	Payer D benefits exhausted
	Plan Established or Last R 29 Date Outpatient PT Plan e		F1	Birthdate - Insured E
	reviewed 30 Date Outpatient ST Plan e reviewed	stablished or last	F2	Effective date - Insured E Policy
	31 Date beneficiary notified (accommodations)	of intent to bill	F3	Payer E benefits exhausted
	Date beneficiary notified of intent to bill (procedures or treatments)		G1	Birthdate - Insured F
	Date of inpatient hospital covered transplant patient	discharge for non-	G2	Effective date - Insured F Policy
	Date treatment started forDate discharged on a cont		G3	Payer F benefits exhausted
	therapy			
Beginning Position:	373	Data Source:	Claim	
Length:	2	Type:	Alphanu	imeric
Field 33:	OCCUR_DAY_1			
	Occurrence Day equals Occ			
Beginning Position:	375	Data Source:	Calculat	
Length:	4	Type:	Alphanu	imeric
Field 34:	OCCUR_CODE_2			
	Code describing a significant	nt event relating t	o the clain	n.
Coding Scheme:	Same as Field 186.	5	G1 :	
Beginning Position:	379	Data Source:	Claim	
Length:	2	Type:	Alphanu	imeric
Field 35:	OCCUR_DAY_2	5		1 (0) (0)
	Occurrence Day equals Occ			
Beginning Position:	381	Data Source:	Calculat	
Length:	4	Type:	Alphanu	imeric
Field 36:	OCCUR_CODE_3		. 4 1	
C- 1 C-1	Code describing a significant	nt event relating t	o the clan	n.
Coding Scheme: Beginning Position:	Same as Field 186. 385	Data Source:	Claim	
Length:	2		Alphanu	umorio.
Field 37:	OCCUR_DAY_3	Type:	Aipiiaiit	imene
rieiu 5/:	Occurrence Day <i>equals</i> Occ	nirranca Data mir	us Admis	sion/Start of Cara Data
Beginning Position:	387	Data Source:	Calculat	
Length:	4	Type:	Alphanu	
Field 38:	OCCUR_CODE_4	турс.	2 Hphane	inerie
_ 1014 001	Code describing a signification	nt event relating t	o the clair	n.
Coding Scheme:	Same as Field 186.		• • • • • • • • • • • • • • • •	
Beginning Position:	391	Data Source:	Claim	
Length:	2	Type:	Alphanu	imeric
Field 39:	OCCUR_DAY_4	v =		
	Occurrence Day equals Occ	currence Date min	<i>us</i> Admis	ssion/Start of Care Date.
Beginning Position:	393	Data Source:	Calculat	
Length:	4	Type:	Alphanu	imeric
Field 40:	OCCUR_CODE_5			
	Code describing a significant	nt event relating t	o the clain	n.
Coding Scheme:	Same as Field 186.	_		
Beginning Position:	397	Data Source:	Claim	
Length:	2	Type:	Alphanu	ımeric
Field 41:	OCCUR_DAY_5			
	Occurrence Day equals Occ	currence Date mir	<i>ius</i> Admis	ssion/Start of Care Date.
Beginning Position:	399	Data Source:	Calculat	red
Length:	4	Type:	Alphanu	ımeric
		·		

Field 42:	OCCUR_CODE_6		
	Code describing a significant	t event relating t	to the claim.
Coding Scheme:	Same as Field 186.		
Beginning Position:	403	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 43:	OCCUR_DAY_6		
	Occurrence Day equals Occu	urrence Date min	nus Admission/Start of Care Date.
Beginning Position:	405	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 44:	OCCUR_CODE_7		
	Code describing a significant	t event relating t	to the claim.
Coding Scheme:	Same as Field 186.	_	
Beginning Position:	409	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 45:	OCCUR_DAY_7		-
		arrence Date min	nus Admission/Start of Care Date.
Beginning Position:	411	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 46:	OCCUR_CODE_8		*
	Code describing a significant	t event relating t	to the claim.
Coding Scheme:	Same as Field 186.	C	
Beginning Position:	415	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 47:	OCCUR_DAY_8	· ·	•
		arrence Date min	nus Admission/Start of Care Date.
Beginning Position:	417	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 48:	OCCUR_CODE_9		•
	OCCUR CODE 7		
Ticiu 40.		t event relating t	to the claim.
	Code describing a significant Same as Field 186.	t event relating t	to the claim.
Coding Scheme:	Code describing a significant	t event relating t Data Source:	to the claim.
Coding Scheme: Beginning Position:	Code describing a significant Same as Field 186.		
Coding Scheme:	Code describing a significant Same as Field 186.	Data Source:	Claim
Coding Scheme: Beginning Position: Length:	Code describing a significan Same as Field 186. 421 2 OCCUR_DAY_9	Data Source: Type:	Claim
Coding Scheme: Beginning Position: Length: Field 49:	Code describing a significan Same as Field 186. 421 2 OCCUR_DAY_9	Data Source: Type:	Claim Alphanumeric
Coding Scheme: Beginning Position: Length:	Code describing a significan Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day <i>equals</i> Occu	Data Source: Type: urrence Date min	Claim Alphanumeric nus Admission/Start of Care Date.
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position:	Code describing a significan Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu 423 4 OCCUR_CODE_10	Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4	Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length:	Code describing a significan Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu 423 4 OCCUR_CODE_10	Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant	Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186.	Data Source: Type: arrence Date min Data Source: Type: t event relating to	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric to the claim.
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric to the claim. Claim
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric to the claim. Claim
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type:	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric to the claim. Claim Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occurrence Day	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type: arrence Date min	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date.
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type: arrence Date min Data Source:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant signifi	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type: arrence Date min Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52: Coding Scheme:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant Same as Field 186.	Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: arrence Date min Data Source: Type: t event relating to	Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric to the claim. Claim Alphanumeric nus Admission/Start of Care Date. Calculated Alphanumeric co the claim.
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52: Coding Scheme: Beginning Position:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant Same as Field 186. 433	Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type: arrence Date min Data Source: Type: t event relating t Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Claim Claim Claim Claim Claim Claim
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52: Coding Scheme: Beginning Position: Length: Length: Field 52:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant Same as Field 186. 433 2 OCCUR_DAY_11	Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Claim Claim Claim Claim Claim Claim
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52: Coding Scheme: Beginning Position: Length: Length: Field 52:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant Same as Field 186. 433 2 OCCUR_DAY_11	Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Claim Alphanumeric To the claim. Claim Alphanumeric
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52: Coding Scheme: Beginning Position: Length: Field 53:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant Same as Field 186. 433 2 OCCUR_DAY_11 Occurrence Day equals Occu433 2 OCCUR_DAY_11 Occurrence Day equals Occu433	Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: t event relating to Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric Thus Admission/Start of Care Date.
Coding Scheme: Beginning Position: Length: Field 49: Beginning Position: Length: Field 50: Coding Scheme: Beginning Position: Length: Field 51: Beginning Position: Length: Field 52: Coding Scheme: Beginning Position: Length: Field 53: Beginning Position:	Code describing a significant Same as Field 186. 421 2 OCCUR_DAY_9 Occurrence Day equals Occu423 4 OCCUR_CODE_10 Code describing a significant Same as Field 186. 427 2 OCCUR_DAY_10 Occurrence Day equals Occu429 4 OCCUR_CODE_11 Code describing a significant Same as Field 186. 433 2 OCCUR_CODE_11 Code describing a significant Same as Field 186. 433 2 OCCUR_DAY_11 Occurrence Day equals Occu435	Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: arrence Date min Data Source: Type: t event relating to Data Source: Type: t event relating to Data Source: Type:	Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric To the claim. Claim Alphanumeric To the claim. Claim Alphanumeric Thus Admission/Start of Care Date. Calculated Alphanumeric Thus Admission/Start of Care Date. Calculated

_			
Field 54:	OCCUR_CODE_12		
	Code describing a significant	nt event relating	to the claim.
Coding Scheme:	Same as Field 186.		
Beginning Position:	439	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 55:	OCCUR_DAY_12		
	Occurrence Day equals Occ	currence Date min	nus Admission/Start of Care Date.
Beginning Position:	441	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 56:	OCCUR_SPAN_CODE_1		*
			to the claim that may affect payer processing.
Coding Scheme:	70 Qualifying stay dates (for		78 SNF prior stay dates
5 4 4 -	71 Prior stay dates		79 Payer use codes
	72 First/Last Visit		DR Katrina disaster related
	73 Benefit eligibility period 74 Noncovered level of care/	Leave of absence	M0 PRO/UR approved stay dates M1 Provider liability - no utilization
	75 SNF level of care	Leave of absence	M2 Inpatient respite dates
	76 Patient Liability Period		M3 ICF level of care
	77 Provider Liability - Utiliza		M4 Residential level of care
Beginning Position:	445	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 57:	OCCUR_SPAN_FROM_1	1	
	Occurrence Span From equ	als Beginning Da	ate of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	447	Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 58:	OCCUR_SPAN_THRU_1		•
			of Event minus Admission/Start of Care Date.
Beginning Position:	453	Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 59:	OCCUR_SPAN_CODE_2		
Ticia 551			to the claim that may affect payer processing.
Coding Scheme:	Same as Field 210.	in ovent relating	to the claim that may affect payer processing.
Beginning Position:	459	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 60:	OCCUR_SPAN_FROM_2		7 ii pii dinerie
riciu ov.			ate of Event minus Admission/Start of Care Date.
Beginning Position:	461	Data Source:	Calculated
Length:	6		Alphanumeric
Field 61:		Type:	Aiphanameric
rieia oi:	OCCUR_SPAN_THRU_2		of Event minus Admission/Stant of Comp Data
Daginning Dagitian.			of Event minus Admission/Start of Care Date.
Beginning Position:	467	Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 62:	OCCUR_SPAN_CODE_3		
a 11 a 1		nt event relating	to the claim that may affect payer processing.
Coding Scheme:	Same as Field 210.	_	
Beginning Position:	473	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 63:	OCCUR_SPAN_FROM_		
	Occurrence Span From equ		ate of Event minus Admission/Start of Care Date.
Beginning Position:	475	Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 64:	OCCUR_SPAN_THRU_3	3	
			of Event minus Admission/Start of Care Date.
Beginning Position:	481	Data Source:	Calculated
Length:	6	Type:	Alphanumeric
Field 65:	OCCUR_SPAN_CODE_4		.
			to the claim that may affect payer processing.
	code describing a significal	in event relating	as the stand that may affect payor processing.

Coding Scheme:	Same	as Field 210.					
Beginning Position:	487		Data Source:	Claim			
Length:	2		Type:	Alphanu	meric		
Field 66:	OCC	UR_SPAN_FROM_4					
	Occu	rrence Span From equa	als Beginning Dat	e of Even	t minus Admission/Start of Care Date.		
Beginning Position:	489		Data Source:	Calculate	ed		
Length:	6		Type:	Alphanu	meric		
Field 67:	OCC	OCCUR_SPAN_THRU_4					
				Event mi	inus Admission/Start of Care Date.		
Beginning Position:	495		Data Source:	Calculate			
Length:	6		Type:	Alphanu			
Field 68:		DITION_CODE_1	-J P • •				
11010 001		describing a condition	relating to the cla	aim.			
Coding Scheme:	1	Military service related	relating to the en	76	Back-up in facility dialysis		
coung benefite.	2	Condition is employment r	elated	77	Provider accepts or is obligated/required due to a		
					contractual arrangement or law to accept		
	2	D.C. (11.1)		70	payment by a primary payer as payment		
	3 4	Patient covered by insurance Information only bill.	ce not reflected here	78 79	New coverage not implemented by HMO CORF services provided offsite		
	5	Lien has been filed		80	Home dialysis - nursing facility		
	6	ESRD patient in first 18 m	onths of entitlement	A0	CHAMPUS external partnership program		
	7	covered by EGHP Treatment of non-terminal	condition for hospice	A1	EPSDT/CHAP		
		patient	•				
	8	Beneficiary would not provide information concerning other insurance coverage		A2	Physically handicapped children's program		
	9		Neither patient or spouse is employed		Special Federal Funding		
	10	Patient and/or spouse is employed but no EGHP		A4	Family planning		
	11	exists Disabled beneficiary but no LGHP coverage		A5	Disability		
	17 18	exists Patient is homeless		A6 A7	Vaccines/Medicare 100% payment Induced abortion - danger to life		
	19	Maiden name retained		A8	Induced abortion - victim rape/incest		
	20	Child retains mother's nam		A9	Second opinion surgery		
		Beneficiary requested billing	ng				
	21	Billing for denial notice		AA	Abortion performed due to rape		
	22	Patient on multiple drug re	egimen	AB	Abortion performed due to incest		
	23	Home care giver available		AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality		
	24	Home IV patient also recei	iving HHA services	AD	Abortion performed due to life endangering physical condition caused by, arising from or		
	25	Patient is non-US resident		AE	exacerbated by the pregnancy itself Abortion performed due to physical health of		
					mother that is not life endangering		
	26	VA eligible patient choose a Medicare certified facility	y		Abortion performed due to emotional/psychological health of mother		
	27	Patient referred to a sole co		AG	Abortion performed due to social or economic		
	28	a diagnostic laboratory test Patient and/or spouse's EG		AH	reasons Elective abortion		
	29	Medicare Disabled beneficiary and/o LGHP is secondary to Medicare	•	AI	Sterilization		
	30	Non-research services provenrolled in a qualified clini	vided to patients	AJ	Payer responsible for co-payment		
	31	Patient is student (full time		AJ	Payer responsible for co-payment		
	32	Patient is student (cooperat	tive/work study	AK	Air ambulance required		
	33	program) Patient is student (full time	e - night)	AL	Specialized treatment/bed unavailable		
	34	Patient is student (part-time		AM	Non-emergency medically necessary stretcher		
	51	•		2 1171	transport required		
	36	General care patient in a sp	pecial unit	AN	Pre-admission screening not required		
	37	Ward accommodation at pa	atient request	B0	Medicare coordinated care demonstration claim		
	38	Semi-private room not ava	ilable	B1	Beneficiary is ineligible for demonstration program		

	39	Private room medically nec	Accors.	B2	Critical access hospital ambulance attestation
	40	Same day transfer	essary	B3	Pregnancy indicator
	41	Partial hospitalization		B4	Admission unrelated to discharge on same day
	42	Continuing care not related	to innatient	C1	Approved as billed
	43	admission Continuing care not provide	•		Automatic approval as billed based on focused
	44	postdischarge window Inpatient admission change	•	C3	review Partial approval
	45	Reserved	a to outpution	C4	Admission/services denied
	46	Non-availability statement	on file	C5	Postpayment review applicable
	47	Reserved for CHAMPUS	on me	C6	Admission Preauthorization
	48	Psychiatric residential treat	ment centers for	C7	Extended Authorization
	49	children and adolescents (R	RTCs)	D0	Changes to Service Dates
	55	Product replacement within product lifecycle SNF bed not available		D1	Changes to Charges
	56			D2	Changes in Revenue Codes/HCPCS/HIPPS rate
	57	Medical appropriateness		D3	code Second or Subsequent Interim PPS Bill
	58	SNF readmission	ica cucanization	D3 D4	•
	59 59	Terminated Medicare+Choice organization enrollee Non-primary ESRD facility		D4	Change in ICD-9-CM diagnosis and/or procedure codes. Cancel to correct HICN or Provider ID
	60	1 ,	<i>'</i>	D5 D6	
	60	Day outlier		D0	Cancel Only to Repay a Duplicate or OIG Overpayment
	61	Cost outlier		D7	Change to Make Medicare the Secondary Payer
	66	Provider does not wish cost outlier payment		D8	Change to Make Medicare the Primary Payer
	67	Beneficiary elects not to use life time reserve		D9	Any Other Change
	68	(LTR) days Beneficiary elects to use lif	e time reserve (LTR) DR	Katrina disaster related
	69	days IMF/DGMF/N&AH Payme	ent Only	E0	Changes in Patient Status
	70	IME/DGME/N&AH Payment Only Self-administered anemia management drug		G0	Distinct Medical Visit
	71	Full care in unit	nanagement arag	НО	Delayed Filing, Statement of Intent Submitted
	72	Self care in unit		M0	All inclusive rate for outpatient services
	73	Self care training		M1	Roster billed influenza virus vaccine or
	74	Home		M2	pneumococcal pneumonia vaccine (PPV) HHA payment significantly exceeds total charges
	75	Home - 100% reimburseme	ent	P1	Do not Resuscitate Order (DNR)
				WO	United Mine Workers of America (UMWA) Demonstration Indicator
Beginning Position:	501		Data Source:	Claim	Demonstration indicator
Length:	2		Type:	Alphanu	imeric
Field 69:		DITION_CODE_2	турс.	7 IIpiiuii	
ricia oz.		describing a condition	relating to the cl	laim	
Coding Scheme:		as Field 68.	relating to the ci		
Beginning Position:	503	us 1 1010 00.	Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 70:		DITION CODE 3	-JF		
11010		describing a condition	relating to the cl	laim	
Coding Scheme:		as Field 68.	returning to the er		
Beginning Position:	505		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 71:		DITION CODE 4	J.F.		
		describing a condition	relating to the cl	laim.	
Coding Scheme:		as Field 68.			
Beginning Position:	507		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 72:		DITION_CODE_5	-JP**	P.1.4110	· · · · · · · · · · · · · · · · · · ·
_ 1010 / #1		describing a condition	relating to the cl	laim	
Coding Scheme:		as Field 68.	Truming to the ci		
Beginning Position:	509	1 1010 00.	Data Source:	Claim	
~6	20)		zam podice.	-241111	

Length:	2	Type:	Alphanu	meric	
Field 73:	CONDITION_CODE	6			
	Code describing a condition relating to the claim.				
Coding Scheme:	Same as Field 68.	•			
Beginning Position:	511	Data Source:	Claim		
Length:	2	Type:	Alphanu	meric	
Field 74:	CONDITION_CODE	7			
	Code describing a condi		aim.		
Coding Scheme:	Same as Field 68.	•			
Beginning Position:	513	Data Source:	Claim		
Length:	2	Type:	Alphanu	meric	
Field 75:	CONDITION_CODE_	_8		_	
	Code describing a condi	ition relating to the cla	aim.		
Coding Scheme:	Same as Field 68.				
Beginning Position:	515	Data Source:	Claim		
Length:	2	Type:	Alphanu	meric	
Field 76:	VALUE_CODE_1				
	Code describing information		payer prod	cessing.	
Coding Scheme:	1 Most common semi-p		66	Medicaid spenddown amount	
	 Hospital has no semi- Inpatient professional 	private rooms component charges which	67 68	Peritoneal dialysis EPO-drug	
	are combined billed	component charges which	00	Li O-drug	
		ent included in charges and	69	State charity care percentage	
	also billed separately		70		
	6 Medicare blood deduc 8 Medicare life time res	serve amount in the first	72 73	Flat rate surgery charge Drug deductible	
	calendar year	of to amount in the more	, 5	21mg available	
	9 Medicare coinsurance	e amount in the first	74	Drug coinsurance	
	calendar year 10 Medicare lifetime rese	erve amount in the second	77	New technology add-on payment	
	calendar year	or to amount in the second		The weed motogy and on payment	
	11 Medicare coinsurance calendar year	e amount in the second	A0	Special zip code reporting	
	•	ciary/spouse with employer	A1	Deductible payer A	
	13 ESRD beneficiary in	a Medicare coordination	A2	Coinsurance payer A	
	period with an employ 14 No fault, including au		A3	Estimated responsibility payer A	
	15 Worker's compensation		A4	Covered self-administrable drugs - emergency	
	1	(PHS) or other federal	A5	Covered self-administrable drugs - administrable	
	agency	` '		in form and situation furnished to patient	
	21 Catastrophic		A6	Covered self-administrable drugs - diagnostic	
	22 Surplus		A7	study and other Co-payment payer A	
	23 Recurring monthly in	come	A8	Patient weight	
	24 Medicaid Rate Code		A9	Patient height	
	25 Offset to the patient -	payment amount -	AA	Regulatory surcharges, assessments, allowances	
	prescription drugs	1.0		or health care related taxes - payer A	
	-	payment amount - hearing	AB	Other assessments or allowances (e.g., medical	
	and ear services Offset to the patient -	payment amount - vision	B1	eduction) - payer A Deductible payer B	
	and eye services	payment amount vision	D.	Beddelible payer B	
	28 Offset to the patient - services	payment amount - dental	B2	Coinsurance payer B	
	29 Offset to the patient -	navment amount -	В3	Estimated responsibility payer B	
	chiropractic services	F	20	Fig. 2	
	30 Preadmission testing		В7	Co-payment payer B	
	31 Patient Liability Amo	ount	BA	Regulatory surcharges, assessments, allowances	
	32 Multiple patient ambu	ulance transport	ВВ	or health care related taxes - payer B Other assessments or allowances (e.g., medical eduction) - payer B	
	33 Offset to the patient -	payment amount - podiatri	c C1	Deductible payer C	
	services	-			

	34	Offset to the patient - payr	ment amount other	C2	Coinsurance payer C
	34	medical services	nent amount - other	C2	Comsurance payer C
	35	Offset to the patient - payr insurance premiums	nent amount - health	C3	Estimated responsibility payer C
	37	Pints of blood furnished		C7	Co-payment payer C
	38	Blood deductible pints		CA	Regulatory surcharges, assessments, allowances
	39	Pints of blood replaced		СВ	or health care related taxes - payer C Other assessments or allowances (e.g., medical eduction) - payer C
	40	New coverage not implem	ented by HMO	D3	Patient estimated responsibility
	41	Black lung	·	DR	Katrina disaster related
	42	VA		E1	Deductible Payer D
	43	Disabled beneficiary under	r age 65 with LGHP	E2	Coinsurance Payer D
	44	Amount provider agreed to accept from primary payer when this amount is less than charges but higher than payment received Accident hour		E3	Coinsurance Payer D
	45			E7	Co-payment payer D
	46	Number of grace days		EA	Regulatory surcharges, assessments, allowances
	47	Any liability insurance		EB	or health care related taxes - payer D Other assessments or allowances (e.g. medical education) - payer D
	48	Hemoglobin reading		F1	Deductible Payer E
	49	Hematocrit reading		F2	Coinsurance Payer E
	50	PT visits		F3	Coinsurance Payer E
	51	OT visits		F7	Co-payment payer E
	52	ST visits		FA	Regulatory surcharges, assessments, allowances
	53	Cardiac rehab visits		FB	or health care related taxes - payer E Other assessments or allowances (e.g. medical education) - payer E
	54	Newborn birth weight in grams		G1	Deductible Payer F
	55	Eligibility threshold for charity care		G1	Deductible Payer F
	56	Skilled nurse - home visit hours		G2	Coinsurance Payer F
	57	Home health aide - home visit hours		G3	Coinsurance Payer F
	58	Arterial blood gas		G7	Co-payment payer F
	59	Oxygen saturation		GA	Regulatory surcharges, assessments, allowances or health care related taxes - payer F
	60	HHA branch MSA	6 ' 1 1/IIIIA 1	GB	Other assessments or allowances (e.g. medical education) - payer F
	61	Location where service is hospice)	furnished (HHA and	P1	Do not resuscitate order (DNR)
				Y1	Part A Demonstration Payment
				Y2 Y3	Part B Demonstration Payment Part B Coinsurance
				13 Y4	Conventional Provider Payment Amount for
				14	Non-Demonstration Claims
Beginning Position:	517		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 77:	VAL	UE_AMOUNT_1			
	Dolla	r amount that may be a	affected.		
Beginning Position:	519	-	Data Source:	Claim	
Length:	9		Type:	Alphanu	meric
Field 78:	VAL	UE_CODE_2			
	Code	describing information	n that may affect j	payer pro	cessing.
Coding Scheme:	Same	as Field 222.			
Beginning Position:	528		Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 79:		UE_AMOUNT_2			
		ar amount that may be a			
Beginning Position:	530		Data Source:	Claim	
Length:	9		Type:	Alphanu	ımeric

Field 80:	VALUE_CODE_3	.1	
	Code describing information	that may affect	payer processing.
Coding Scheme:	Same as Field 76.		
Beginning Position:		Data Source:	Claim
Length:		Туре:	Alphanumeric
Field 81:	VALUE_AMOUNT_3		
	Dollar amount that may be af	fected.	
Beginning Position:	541	Data Source:	Claim
Length:	9	Type:	Alphanumeric
Field 82:	VALUE_CODE_4		•
	Code describing information	that may affect	paver processing.
Coding Scheme:	Same as Field 76.		L., L
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 83:	VALUE_AMOUNT_4	турс.	Tiphanameric
ricia os.	Dollar amount that may be af	factad	
Doginning Dogition	•	Data Source:	Claim
Beginning Position:			
Length: Field 84:		Type:	Alphanumeric
riela 84:	VALUE_CODE_5	.1	
	Code describing information	tnat may affect	payer processing.
Coding Scheme:	Same as Field 76.	-	
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 85:	VALUE_AMOUNT_5		
	Dollar amount that may be af		
Beginning Position:	563	Data Source:	Claim
Length:	9	Type:	Alphanumeric
Field 86:	VALUE_CODE_6		
	Code describing information	that may affect	payer processing.
Coding Scheme:	Same as Field 76.	•	
Beginning Position:	572	Data Source:	Claim
Length:		Type:	Alphanumeric
Field 87:	VALUE_AMOUNT_6	<i>J</i> 1.	1
	Dollar amount that may be af	fected.	
Beginning Position:		Data Source:	Claim
Length:		Type:	Alphanumeric
Field 88:	VALUE_CODE_7	турс.	7 Hiphanameric
riciu oo.			
		that may affect	naver processing
Cading Schamer	Code describing information	that may affect	payer processing.
Coding Scheme:	Code describing information Same as Field 76.		
Beginning Position:	Code describing information Same as Field 76. 583	Data Source:	Claim
Beginning Position: Length:	Code describing information Same as Field 76. 583		
Beginning Position:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7	Data Source: Type:	Claim
Beginning Position: Length: Field 89:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af	Data Source: Type: fected.	Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585	Data Source: Type:	Claim Alphanumeric Claim
Beginning Position: Length: Field 89: Beginning Position: Length:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9	Data Source: Type: fected.	Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9 VALUE_CODE_8	Data Source: Type: fected. Data Source: Type:	Claim Alphanumeric Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position: Length:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9	Data Source: Type: fected. Data Source: Type:	Claim Alphanumeric Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position: Length:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9 VALUE_CODE_8	Data Source: Type: fected. Data Source: Type:	Claim Alphanumeric Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9 VALUE_CODE_8 Code describing information Same as Field 76.	Data Source: Type: fected. Data Source: Type:	Claim Alphanumeric Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90: Coding Scheme: Beginning Position:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9 VALUE_CODE_8 Code describing information Same as Field 76. 594	Data Source: Type: fected. Data Source: Type: that may affect Data Source:	Claim Alphanumeric Claim Alphanumeric payer processing. Claim
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90: Coding Scheme:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9 VALUE_CODE_8 Code describing information Same as Field 76. 594 2	Data Source: Type: fected. Data Source: Type: that may affect	Claim Alphanumeric Claim Alphanumeric payer processing.
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90: Coding Scheme: Beginning Position: Length:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be af 585 9 VALUE_CODE_8 Code describing information Same as Field 76. 594 2 VALUE_AMOUNT_8	Data Source: Type: fected. Data Source: Type: that may affect Data Source: Type:	Claim Alphanumeric Claim Alphanumeric payer processing. Claim
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90: Coding Scheme: Beginning Position: Length: Field 91:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be aff 585 9 VALUE_CODE_8 Code describing information Same as Field 76. 594 2 VALUE_AMOUNT_8 Dollar amount that may be aff	Data Source: Type: fected. Data Source: Type: that may affect Data Source: Type:	Claim Alphanumeric Claim Alphanumeric payer processing. Claim Alphanumeric
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90: Coding Scheme: Beginning Position: Length: Field 91: Beginning Position:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be aff 585 9 VALUE_CODE_8 Code describing information Same as Field 76. 594 2 VALUE_AMOUNT_8 Dollar amount that may be aff 596	Data Source: Type: fected. Data Source: Type: that may affect Data Source: Type: fected. Data Source:	Claim Alphanumeric Claim Alphanumeric payer processing. Claim Alphanumeric Claim Claim
Beginning Position: Length: Field 89: Beginning Position: Length: Field 90: Coding Scheme: Beginning Position: Length: Field 91:	Code describing information Same as Field 76. 583 2 VALUE_AMOUNT_7 Dollar amount that may be aff 585 9 VALUE_CODE_8 Code describing information Same as Field 76. 594 2 VALUE_AMOUNT_8 Dollar amount that may be aff 596	Data Source: Type: fected. Data Source: Type: that may affect Data Source: Type:	Claim Alphanumeric Claim Alphanumeric payer processing. Claim Alphanumeric

Field 92:	VALUE_CODE_9				
	Code describing information that may affect payer processing.				
Coding Scheme:	Same as Field 76.	J			
Beginning Position:	605	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 93:	VALUE_AMOUNT_9	J.F.			
	Dollar amount that may be	affected.			
Beginning Position:	607	Data Source:	Claim		
Length:	9	Type:	Alphanumeric		
Field 94:	VALUE_CODE_10		•		
	Code describing information	n that may affect	payer processing.		
Coding Scheme:	Same as Field 76.	•			
Beginning Position:	616	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 95:	VALUE_AMOUNT_10				
	Dollar amount that may be	affected.			
Beginning Position:	618	Data Source:	Claim		
Length:	9	Type:	Alphanumeric		
Field 96:	VALUE_CODE_11				
	Code describing information	n that may affect	payer processing.		
Coding Scheme:	Same as Field 76.				
Beginning Position:	627	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 97:	VALUE_AMOUNT_11				
	Dollar amount that may be				
Beginning Position:	629	Data Source:	Claim		
Length:	9	Type:	Alphanumeric		
Field 98:	VALUE_CODE_12				
	Code describing information	n that may affect	payer processing.		
Coding Scheme:	Same as Field 76.				
Beginning Position:	638	Data Source:	Claim		
Length:	2	Type:	Alphanumeric		
Field 99:	VALUE_AMOUNT_12				
	Dollar amount that may be		au :		
Beginning Position:	640	Data Source:	Claim		
Length:	9	Type:	Alphanumeric		
Field 100:	FILLER_SPACE				
Beginning Position:	649	Data Source:	Claim		
Length:	52	Type:	Alphanumeric		
Length.		- J pc.	1 II primitation in the second		

References:

CHARGES DATA FILE

		CHARGES DATA I					
Field 1:	RECO	ORD_ID					
Description:	Record	d Identification Number. Unique number	assigne	d to identify the record. First available			
	1 st qua	1 st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).					
Beginning Position:	1	Data Source:	Assigne	ed			
Length:	12	Type:	Alphan	umeric			
Field 2:		REVENUE_CODE					
Description:		corresponding to each specific accommo	dation, a	ncillary service or billing calculation			
		I to the services being billed.	0.74.5				
Coding Scheme:	0100 0101	All-inclusive room charges plus ancillary All-inclusive room charges	0516 0517	Clinic - urgent care Clinic - family practice			
	0110	Room charges for private rooms - general	0517	Clinic - other			
	0111	Room charges for private rooms -	0520	Freestanding Clinic - general			
	0112	medical/surgical/GYN Room charges for private rooms - obstetrics	0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC			
	0113	Room charges for private rooms - pediatric	0522	Freestanding Clinic - Home Visit by RHC/FQHC Practitioner			
	0114	Room charges for private rooms - psychiatric	0523	Freestanding Clinic - family practice			
	0115	Room charges for private rooms - hospice	0524	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF			
	0116	Room charges for private rooms - detoxification	0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility			
	0117	Room charges for private rooms - oncology	0526	Freestanding Clinic - urgent care			
	0118	Room charges for private rooms - rehabilitation	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area			
	0119	Room charges for private rooms - other	0528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)			
	0120	Room charges for semi-private rooms - general	0529	Freestanding Clinic - other			
	0121	Room charges for semi-private rooms - medical/surgical/GYN	0530	Osteopathic service - general			
	0122	Room charges for semi-private rooms - obstetrics	0531	Osteopathic service - therapy			
	0123	Room charges for semi-private rooms - pediatric	0539	Osteopathic service - other			
	0124	Room charges for semi-private rooms - psychiatric	0540	Ambulance service - general			
	0125	Room charges for semi-private rooms - hospice	0541	Ambulance service - supplies			
	0126	Room charges for semi-private rooms - detoxification	0542	Ambulance service - medical transport			
	0127	Room charges for semi-private rooms - oncology	0543	Ambulance service - heart mobile			
	0128	Room charges for semi-private rooms - rehabilitation	0544	Ambulance service - oxygen			
	0129	Room charges for semi-private rooms - other	0545	Ambulance service - air ambulance			
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0546	Ambulance service - neonatal			
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0547	Ambulance service - pharmacy			
	0132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0548	Ambulance service - telephone transmission EKG			
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric	0549	Ambulance service - other			
	0134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	0550	Skilled nursing - general			
	0135	Room charges for semi-private - 3/4 beds - rooms - hospice	0551	Skilled nursing - visit charge			
	0136	Room charges for semi-private - 3/4 beds - rooms - detoxification	0552	Skilled nursing - hourly charge			
	0137	Room charges for semi-private - 3/4 beds - rooms - oncology	0559	Skilled nursing - other			

0138	Room charges for semi-private - 3/4 beds -	0560	Medical social services - general
0139	rooms - rehabilitation Room charges for semi-private - 3/4 beds - rooms - other	0561	Medical social services - visit charge
0140	Room charges for private (deluxe) rooms -	0562	Medical social services - hourly charge
0141	general Room charges for private (deluxe) rooms -	0569	Medical social services - other
0142	medical/surgical/GYN Room charges for private (deluxe) rooms -	0570	Home health aide - general
0143	obstetrics Room charges for private (deluxe) rooms -	0571	Home health aide - visit charge
0144	pediatric Room charges for private (deluxe) rooms -	0572	Home health aide - hourly charge
0145	psychiatric Room charges for private (deluxe) rooms -	0579	Home health aide - other
0146	hospice Room charges for private (deluxe) rooms -	0580	Other visits (home health) - general
0147	detoxification Room charges for private (deluxe) rooms -	0581	Other visits (home health) - visit charge
0148	oncology Room charges for private (deluxe) rooms -	0582	Other visits (home health) - hourly charge
0149	rehabilitation Room charges for private (deluxe) rooms -	0583	Other visits (home health) - assessment
0147	other	0303	Other visits (nome nearth) assessment
0150	Room charges for ward rooms - general	0589	Other visits (home health) - other
0151	Room charges for ward rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0152	Room charges for ward rooms - obstetrics	0599	Units of service (home health) - other
0153	Room charges for ward rooms - pediatric	0600	Oxygen (home health) - general
0154	Room charges for ward rooms - psychiatric	0601	Oxygen (home health) - stat/equip/supply or contents
0155	Room charges for ward rooms - hospice	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0156	Room charges for ward rooms - detoxification	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0157	Room charges for ward rooms - oncology	0604	Oxygen (home health) - portable add-in
0158	Room charges for ward rooms - rehabilitation	0610	MRI - general
0159	Room charges for ward rooms - other	0611	MRI - brain (including brain stem)
0160	Room charges for other rooms - general	0612	MRI - spinal cord (including spine)
0161	Room charges for other rooms - medical/surgical/GYN	0619	MRI - other
0162	Room charges for other rooms - obstetrics	0621	Medical/surgical supplies - incident to radiology
0163	Room charges for other rooms - pediatric	0622	Medical/surgical supplies - incident to other diagnostic services
0164	Room charges for other rooms - psychiatric	0623	Medical/surgical supplies - surgical dressings
0165	Room charges for other rooms - hospice	0624	Medical/surgical supplies - FDA investigational devices
0166	Room charges for other rooms - detoxification	0630	Drugs requiring specific identification - general
0167	Room charges for other rooms - oncology	0631	Drugs requiring specific identification - single source
0168	Room charges for other rooms - rehabilitation	0632	Drugs requiring specific identification - multiple source
0169	Room charges for other rooms - other	0633	Drugs requiring specific identification - restrictive prescription
0170	Room charges for nursery - general	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0171	Room charges for nursery - newborn level I	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0172	Room charges for nursery - newborn level II	0636	Drugs requiring specific identification - requiring detailed coding
0173	Room charges for nursery - newborn level III	0637	Drugs requiring specific identification - self- adminstrable nto requiring detailed coding
0174	Room charges for nursery - newborn level IV	0640	Home IV therapy services - general
0179	Room charges for nursery - other	0641	Home IV therapy services - nonroutine nursing, central line
0180	Room charges for LOA - general	0642	Home IV therapy services - IV site care, central line

0182	Room charges for LOA - patient convenice-	0643	Home IV therapy services - IV start/change,
0183	charges billable Room charges for LOA - therapeutic leave	0644	peripheral line Home IV therapy services - nonroutine nursing,
0103	Room charges for EO11 therapeutic leave	0044	peripheral line
0184	Room charges for LOA - ICF mentally retarded	0645	Home IV therapy services - training
0185	- any reason Room charges for LOA - hospitalization	0646	patient/caregiver, central line Home IV therapy services - traning, disabled
0189	Room charges for LOA - other	0647	patient, central line Home IV therapy services - training,
0190	Room charges for subacute care - general	0648	patient/caregiver, peripheral Home IV therapy services - training, disabled
0191	Room charges for subacute care - Level I	0649	patient, peripheral Home IV therapy services - other
0192	(skilled care) Room charges for subacute care - Level II	0650	Hospice services - general
0193	(comprehensive care) Room charges for subacute care - Level III	0651	Hospice services - routine home care
0194	(complex care) Room charges for subacute care - Level IV	0652	Hospice services - continuous home care
0199	(intensive care) Room charges for subacute care - other	0655	Hospice services - inpatient respite care
0200	Room charges for intensive care - general	0656	Hospice services - general inpatient care
0200	Room charges for intensive care ageneral	0050	(nonrespite)
0201	Room charges for intensive care - surgical	0657	Hospice services - physician services
0202	Room charges for intensive care - medical	0658	Hospice services - room and board - nursing facility
0203	Room charges for intensive care - pediatric	0659	Hospice services - other
0204	Room charges for intensive care - psychiatric	0660	Respite care - general
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0661	Respite care - hourly charge/skilled nursing
0207	Room charges for intensive care - burn care	0662	Respite care - hourly charge/aide/homemaker/companion
0208	Room charges for intensive care - trauma	0663	Respite care - daily charge
0209	Room charges for intensive care - other	0669	Respite care - other
0210	Room charges for coronary care - general	0670	Outpatient special residence - general
0211	Room charges for coronary care - myocardial infarction	0671	Outpatient special residence - hospital based
0212	Room charges for coronary care - pulmonary care	0672	Outpatient special residence - contracted
0213	Room charges for coronary care - heart transplant	0679	Outpatient special residence - other
0214	Room charges for coronary care - intermediate coronary care unit (CCU)	0681	Trauma response - level I
0219	Room charges for coronary care - other	0682	Trauma response - level II
0220	Special charges - general	0683	Trauma response - level III
0221	Special charges - admission charge	0684	Trauma response - level IV
0222	Special charges - technical support charge	0689	Trauma response - other
0223	Special charges - UR service charge	0700	Cast Room services - general
0224	Special charges - late discharge, medically necessary	0709	Cast Room services - other
0229	Special charges - other	0710	Recovery Room services - general
0230	Incremental nursing care - general	0719	Recovery Room services - other
0231	Incremental nursing care - nursery	0720	Labor/Delivery Room services - general
0232	Incremental nursing care - OB	0721	Labor/Delivery Room services - labor
0233	Incremental nursing care - ICU (includes transitional care)	0722	Labor/Delivery Room services - delivery
0234	Incremental nursing care - CCU (includes transitional care)	0723	Labor/Delivery Room services - circumcision
0235	Incremental nursing care - hospice	0724	Labor/Delivery Room services - birthing center
0239	Incremental nursing care - other	0729	Labor/Delivery Room services - other
0240	All-inclusive ancillary - general	0730	EKG/ECG services - general
0249	All-inclusive ancillary - other	0731	EKG/ECG services - holter monitor
0250	Pharmacy - general	0732	EKG/ECG services - telemetry
0251	Pharmacy - generic drugs	0739	EKG/ECG services - other

0252	Pharmacy - nongeneric drugs	0740	EEG services - general
0253	Pharmacy - take-home drugs	0749	EEG services - other
0254	Pharmacy - drugs incident to other diagnostic services	0750	Gastrointestinal services - general
0255	Pharmacy - drugs incident to radiology	0759	Gastrointestinal services - other
0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other		Cost rand. Room
0260	IV Therapy - general	0769	Treatment or observation room services - other
0261	IV Therapy - infusion pump	0770	Preventive care services - general
0262	IV Therapy - pharmacy services	0771	Preventive care services - vaccine administration
0263	IV Therapy - durg/supply delivery	0779	Preventive care services - other
0264	IV Therapy - supplies	0780	Telemedicine services - general
0269	IV Therapy - other	0789	Telemedicine services - other
0270	Medical surgical supplies and devices - general	0790	Extra-corporeal shockwave therapy - general
0271	Medical surgical supplies and devices - nonsterile	0799	Extra-corporeal shockwave therapy - other
0272	Medical surgical supplies and devices - sterile		
0273	Medical surgical supplies and devices - take- home		
0274	Medical surgical supplies and devices - prosthetic/orthotic	0800	Inpatient renal dialysis services - general
0275	Medical surgical supplies and devices - pacemaker	0801	Inpatient renal dialysis services - hemodialysis
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0277	Medical surgical supplies and devices - oxygen - take-home	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0278	Medical surgical supplies and devices - other implants	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0279	Medical surgical supplies and devices - other	0809	Inpatient renal dialysis services - other
0280	Oncology - general	0810	Organ acquisition - general
0289	Oncology - other	0811	Organ acquisition - living donor
0290	DME - general	0812	Organ acquisition - cadaver donor
0291	DME - rental	0813	Organ acquisition - unknown donor
0292	DME - purchase of new	0814	Organ acquisition - unsuccessful organ search- donor bank charges
0293	DME - purchase of used	0819	Organ acquisition - other donor
0294	DME - supplies/drugs for DME effectiveness	0820	Hemodialysis - outpatient or home - general
0299	DME - other equipment	0821	Hemodialysis - outpatient or home - composite or other rate
0300	Laboratory - general	0825	Hemodialysis - outpatient or home - support services
0301	Laboratory - chemistry	0829	Hemodialysis - outpatient or home - other
0302	Laboratory - immunology	0830	Peritoneal dialysis - outpatient or home - general
0303	Laboratory - renal patient (home)	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0304	Laboratory - nonroutine dialysis	0835	Peritoneal dialysis - outpatient or home - support services
0305	Laboratory - hemotology	0839	Peritoneal dialysis - outpatient or home - other
0306	Laboratory - bacteriology and microbiology	0840	CAPD - outpatient or home - general
0307	Laboratory - urology	0841	CAPD - outpatient or home - composite or other rate
0309	Laboratory - other	0845	CAPD - outpatient or home - support services
0310	Laboratory pathological - general	0849	CAPD - outpatient or home - other
0311	Laboratory pathological - cytology	0850	CCPD - outpatient or home - general
0312	Laboratory pathological - histology	0851	CCPD - outpatient or home - composite or other rate
	·		

0313	Laboratory pathological - biopsy	0855	CCPD - outpatient or home - support services
0319	Laboratory pathological - other	0859	CCPD - outpatient or home - other
0320	Radiology - diagnostic - general	0880	Miscellaneous dialysis - general
0321	Radiology - diagnostic - angiocardiography	0881	Miscellaneous dialysis - ultrafiltration
0322	Radiology - diagnostic - arthrography	0882	Miscellaneous dialysis - home aide visit
0323	Radiology - diagnostic - arteriography	0889	Miscellaneous dialysis - other
0324	Radiology - diagnostic - chest x-ray	0900	Behavior health reatments/services - general
0329	Radiology - diagnostic - other	0901	Behavior health treatments/services - electroshock
0330	Radiology - therapeutic and/or chemotherapy adminstration - general	0902	Behavior health treatments/services - milieu therapy
0331	Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - injected	0903	Behavioral health treatments/services - play therapy
0332	Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - oral	0904	Behavior health treatments/services - activity therapy
0333	Radiology - therapeutic and/or chemotherapy adminstration - radiation therapy	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0335	Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - IV	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0339	Radiology - therapeutic and/or chemotherapy adminstration - other	0907	Behavior health treatments/services - community behavioral health program
0340	Nuclear medicine - general	0909	Behavior health treatments - other
0341	Nuclear medicine - diagnostic procedures	0910	Reserved
0342	Nuclear medicine - therapeutic procedures	0911	Behavior health treatment/services - rehabilitation
0343	Nuclear medicine - diagnostic radiopharmaceuticals	0912	Behavior health treatment/services - partial hospitalization - less intensive
0344	Nuclear medicine - therapeutic radiopharmaceuticals	0913	Behavior health treatment/services - partial hospitalization - intensive
0349	Nuclear medicine - other	0914	Behavior health treatment/services - individual therapy
0350	CT scan - general	0915	Behavior health treatment/services - group therapy
0351	CT scan - head	0916	Behavior health treatment/services - family therapy
0352	CT scan - body	0917	Behavior health treatment/services - biofeedback
0359	CT scan - other	0918	Behavior health treatment/services - testing
0360	Operating room services - general	0919	Behavior health treatment/services - other
0361	Operating room services - minor surgery	0920	Other diagnostic services - general
0362	Operating room services - organ transplant other than kidney	0921	Other diagnostic services - peripheral vascular lab
0367	Operating room services - kidney transplant	0922	Other diagnostic services - electromyelogram
0369	Operating room services - other	0923	Other diagnostic services - pap smear
0370	Anesthesia - general	0924	Other diagnostic services - allergy test
0371	Anesthesia - incident to radiology	0925	Other diagnostic services - pregnancy test
0372	Anesthesia - incident to other diagnostic services	0929	Other diagnostic services - other
0374	Anesthesia - acupuncture	0931	Medical rehabilitation day program - half day
0379	Anesthesia - other	0932	Medical rehabilitation day program - full day
0380	Blood - general	0940	Other therapeutic services - general
0381	Blood - packed red cells	0941	Other therapeutic services - recreational therapy
0382	Blood - whole blood	0942	Other therapeutic services - education/training
0383	Blood - plasma	0943	Other therapeutic services - cardiac rehabilitation
0384	Blood - platelets	0944	Other therapeutic services - drug rehabilitation
0385	Blood - leukocytes	0945	Other therapeutic services - alcohol rehabilitation
0386	Blood - other components	0946	Other therapeutic services - complex medical equipment - routine
0387	Blood - other derivatives (cryoprecipitates)	0947	Other therapeutic services - complex medical equipment - ancillary
0389	Blood - other	0949	Other therapeutic services - other

0390	Blood amd blood component administration, storage and processing - general	0960	Professional fees - general
0391	Blood and blood component administration, storage and processing - administration	0961	Professional fees - psychiatric
0399	Blood and blood component administration, storage and processing - other	0962	Professional fees - ophthalmology
0400	Other imaging services - general	0963	Professional fees - anesthesiologist (MD)
0401	Other imaging services - diagnostic mammography	0964	Professional fees - anesthetist (CRNA)
0402	Other imaging services - ultrasound	0969	Professional fees - other
0403	Other imaging services - screening	0970	Professional fees - general
	mammography		C
0404	Other imaging services - PET	0971	Professional fees - laboratory
0409	Other imaging services - other	0972	Professional fees - radiology - diagnostic
0410	Respiratory services - general	0973	Professional fees - radiology - therapeutic
0412	Respiratory services - inhalation	0974	Professional fees - readiology - nuclear medicine
0413	Respiratory services - hyperbaric oxygen therapy	0975	Professional fees - operating room
0419	Respiratory services - other	0976	Professional fees - respiratory therapy
0420	Physical therapy - general	0977	Professional fees - physical therapy
0421	Physical therapy - visit charge	0978	Professional fees - occupational therapy
0422	Physical therapy - hourly charge	0979	Professional fees - speech therapy
0423	Physical therapy - group rate	0980	Professional fees - general
0424	Physical therapy - evaluation or reevaluation	0981	Professional fees - emergency room
0429	Physical therapy - other	0982	Professional fees - outpatient services
0430	Occupational therapy - general	0983	Professional fees - clinic
0431	Occupational therapy - visit charge	0984	Professional fees - medical social services
0432	Occupational therapy - hourly charge	0985	Professional fees - EKG
0433	Occupational therapy - group rate	0986	Professional fees - EEG
0434	Occupational therapy - evaluation or reevaluation	0987	Professional fees - hospital visit
0439	Occupational therapy - other	0988	Professional fees - consultation
0440	Speech-language pathology - general	0989	Professional fees - private duty nurse
0441	Speech-language pathology - visit charge	0990	Patient convenience items - general
0442	Speech-language pathology - hourly charge	0991	Patient convenience items - cafeteria/guest tray
0443	Speech-language pathology - group rate	0992	Patient convenience items - private linen service
0444	Speech-language pathology - evaluation or reevaluation	0993	Patient convenience items - telephone/telegraph
0449	Speech-language pathology - other	0994	Patient convenience items - TV/radio
0450	Emergency room - general	0995	Patient convenience items - nonpatient room rentals
0451	Emergency room - EMTALA emergency medical screening services	0996	Patient convenience items - late discharge charge
0452	Emergency room - beyond EMTALA screening	0997	Patient convenience items - admission kits
0456	Emergency room - urgent care	0998	Patient convenience items - beauty shop/barber
0459	Emergency room - other	0999	Patient convenience items - other
0460	Pulmonary function - general	1000	Behavior health accommodations - general
0469	Pulmonary function - other	1001	Behavior health accommodations - residential treatment - psychiatric
0470	Audiology - general	1002	Behavior health accommodations - residential treatment - chemical dependency
0471	Audiology - diagnostic	1003	Behavior health accommodations - supervised living
0472	Audiology - treatment	1004	Behavior health accommodations - halfway house
0479	Audiology - other	1005	Behavior health accommodations - group home
0480	Cardiology - general	2100	Alternative therapy services - general
		2101	Alternative therapy services - acupuncture
0481	Cardiology - cardiac cath lab	2101	Alternative therapy services - acupuncture
0481 0482	Cardiology - cardiac cath lab Cardiology - stress test	2101	Alternative therapy services - acupuncture Alternative therapy services - acupressure

	0490	Ambulatory surgical care - general	2105	Alternative therapy services - biofeedback
	0499	Ambulatory surgical care - other	2106	Alternative therapy services - hypnosis
	0500	Outpatient services - general	2109	Alternative therapy services - other
	0509	Outpatient services - other	3101	Adult day care, medical and social - hourly
	0510	Clinic - general	3102	Adult day care, social - hourly
	0511	Clinic - chronic pain	3103	Adult day care, medical and social - daily
	0512	Clinic - dental	3104	Adult day care, social - daily
	0513	Clinic - psychiatric	3105	Adult foster care - daily
	0514	Clinic - OB/GYN	3109	Adult foster care - other
	0515	Clinic - pediatric		
Beginning Position:	13	Data Source:	Claim	
Length:	4	Type:		numeric
Field 3:		CS_QUALIFIER	<u> </u>	
Description:		08_401		
Beginning Position:	17	Data Source:	Claim	
Length:	2	Type:		numeric
Field 4		CS PROCEDURE CODE	7 HpHai	idilione -
Description:		A Common Procedure Coding System (H	CPCS)	ende applicable to ancillary services or
Description.		amodations.	CI CS) C	code applicable to allemary services of
Coding Scheme:		ttp://www.cms.hhs.gov/HCPCSReleaseC	odoSots/	ANHCPCS/list asp for complete list
-		Data Source:	Claim	ANTICI CS/usi.usp for complete list.
Beginning Position:	19 5			numani a
Length: Field 5:		Type:	Aipiiai	numeric
		OIFIER_1		and a fith a complete
Description:		fies special circumstances related to the p No assessment completed	periorma F2	
Coding Scheme:	0 1	Medicare 5 day assessment (full)	F3	Left hand, third digit Left hand, fourth digit
	2	Medicare 30 day assessment (full)	F4	Left hand, fifth digit
	3	Medicare 60 day assessment (full)	F5	Right hand, thumb
	4	Medicare 90 day assessment (full)	F6	Right hand, second digit
	7	Medicare 14 day assessment (comprehensive or	F7	Right hand, third digit
	0	full)	F8	Dishahand found dish
	8 11	Other Medicare required assessment (OMRA) Admission assessment - Medicare 5 day	F9	Right hand, fourth digit Right hand, fifth digit
		assessment (comprehensive)	1,	reight mand, rithraight
	25	Significant, separately identifiable evaluation and	FA	Left hand, thumb
		management service by the same physician on		
	31	the same day of the procedure o SCSA or OMRA/Medicare 5 day assessment	G1	Most recent URR of less than 60%
	31	(replacement)	O1	Wost recent Ork of less than 00%
	32	SCSA or OMRA/Medicare 30 day assessment	G2	Most recent URR of 60% to 64%
	22	(replacement)	-	17DD 4.6704
	33	SCSA or OMRA/Medicare 60 day assessment (replacement)	G3	Most recent URR of 65% to 69.9%
	34	SCSA or OMRA/Medicare 90 day assessment	G4	Most recent URR of 70% to 74.9%
		(replacement)		
	37	SCSA or OMRA/Medicare 14 day assessment	G5	Most recent URR of 75% or greater
	38	(replacement) Significant change in status assessment (SCSA)	GN	Service delivered personally by a speech-
	30	Significant change in status assessment (SCSA)	GN	language pathologist or under an outpatient
				speech-language pathology plan of care.
	41	Significant correction of prior full	GO	Service delivered personally by an occupational
		assessment/Medicare 5 day assessment		therapist or under an outpatient occupational
	42	Significant correction of prior full	GP	therapy plan of care. Service delivered personally by an physical
	12	assessment/Medicare 30 day assessment	51	therapist or under an outpatient physical therapy
				plan of care.
	43	Significant correction of prior full	LC	Left circulflex coronary artery
	44	assessment/Medicare 60 day assessment	ΙD	Laft antarior descending appearance artemy
	44	Significant correction of prior full assessment/Medicare 90 day assessment	LD	Left anterior descending coronary artery
	47	Significant correction of prior full	LT	Left side of the body procedure
		assessment/Medicare 14 day assessment		• •
	48	Significant correction of prior full	QM	Ambulance service provided under arrangement
		assessment/OMRA or SCSA		by a provider of services

	50	Bilateral procedure		QN	Ambulance service furnished directly by a		
	52	Reduced services		QP	provider of services Documentation exists showing that the laboratory test(s) was ordered individually, or as		
	53	Discontinued procedure		RC	CPT-recognized panel other than profil Right coronary artery		
	54	Quarterly review assessme	ent - Medicare 90	RT	Right side of the body procedure		
	58	assessment (full) Staged or related procedur same physician during the		T1	Left foot, second digit		
	59	Distinct procedural service		T2	Left foot, third digit		
	76	Repeat procedure by same	physician	T3	Left foot, fourth digit		
	77	Repeat procedure by anoth	ner physician	T4	Left foot, fifth digit		
	78	Return to the operating roo		T5	Right foot, great toe		
	79	procedure during the posto Unrelated procedure of ser physician during the posto	rvice by the same	Т6	Right foot, second digit		
	E1	Upper left eyelid	perative period	T7	Right foot, third digit		
	E2	Lower left eyelid		Т8	Right foot, fourth digit		
	E3	Upper right eyelid		Т9	Right foot, fifth digit		
	E4	Lower right eyelid		TA	Left foot, great toe		
	F1	Left hand, second digit					
Beginning Position:	24		Data Source:	Claim			
Length:	2		Type:		numeric		
Field 6:		DIFIER_2	турс.	Tipilai	idilicite		
Description:		tifies special circumstar	nces related to the	nerform	ance of the service		
Coding Scheme:		e as Field 5	nees related to the	periorin	ance of the service.		
Beginning Position:	26	c us r icia s	Data Source:	Claim			
Length:	2		Type:		nimeric		
Field 7:		DIFIER_3	турс.	Alphanumeric			
Description:		tifies special circumstar	nces related to the	nerform	ance of the service		
Coding Scheme:		e as Field 5	nees related to the	periorin	ance of the service.		
Beginning Position:	28	c as i icia s	Data Source:	Claim			
Length:	2		Type:		numeric		
Field 8:		DIFIER 4	туре.	7 IIpiiui			
Description:		tifies special circumstar	nces related to the	nerform	ance of the service		
Coding Scheme:		e as Field 5	nees related to the	perrorm	ance of the service.		
Beginning Position:	30	0 45 1 1014 5	Data Source:	Claim			
Length:	2		Type:		numeric		
Field 9:		T_MEASUREMENT		7 IIpiiui			
Description:		e specifying the units in		being ext	pressed		
Coding Scheme:	DA		i willell a value is	oung en	oressed.		
- James - Continue	F2	International unit					
Reginning Desitions	UN 32	Unit	Data Source:	Claim			
Beginning Position:	32 2				numeric		
Length: Field 10:		TC OF CEDVICE	Type:	Aipiiai	IUIIICHU		
Description:		TS_OF_SERVICE eric value of quantity					
Beginning Position:	34	leffe value of qualitity	Data Source:	Claim			
Length:	3 4 7		Type:	Numer	ia.		
Field 11:		T_RATE	Type:	Numer	<u>IC</u>		
Description:		per unit					
Beginning Position:	41	per unit	Data Source:	Claim			
	12			Numer	i.a		
Length:		OCC TIME ITEM	Type:	Numer	<u>1C</u>		
Field 12:		RGS_LINE_ITEM					
Description:		I amount of the charge	Doto Corre	A	and .		
Beginning Position:	53		Data Source:	Assign			
Length:	14		Type:	Numer	IC .		

Field 13: CHRGS_NON_COV

Description: Total non-covered amount of the charge

Beginning Position:67Data Source:AssignedLength:14Type:Numeric

Facility Type Indicator File

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the outpatient service.

Field 1: THCIC_ID

Description: Provider ID. Unique identifier assigned to the provider by DSHS.

Beginning Position: 1 **Data Source:** Assigned **Length:** 6 **Type:** Alphanumeric

Field 2 PROVIDER_NAME

Description: Hospital name provided by the hospital.

Beginning Position: 7 **Data Source:** Provider **Length:** 55 **Type:** Alphanumeric

Field 3: FAC_TEACHING_IND

Description: Teaching Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Coding Scheme: A Member, Council of Teaching Hospitals

X Other teaching facility

Beginning Position: 62 **Data Source:** Provider **Length:** 1 **Type:** Alphanumeric

Field 4: FAC PSYCH IND

Description: Psychiatric Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Beginning Position: 63 **Data Source:** Provider **Length:** 1 **Type:** Alphanumeric

Field 5: FAC_REHAB_IND

Description: Rehabilitation Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Beginning Position: 64

Length: 1

Data Source: Provider

Type: Alphanumeric

Field 6: FAC_ACUTE_CARE_IND
Description: Acute Care Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Beginning Position: 65 **Data Source:** Provider **Length:** 1 **Type:** Alphanumeric

Field 7: FAC SNF IND

Description: Skilled Nursing Facility Indicator. Hospital facility type indicator provided by the hospital.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Beginning Position:66Data Source:ProviderLength:1Type:Alphanumeric

Field 8: FAC_LONG_TERM_AC_IND

Description: Long Term Acute Care Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Beginning Position: 67

Length: 1

Data Source: Provider

Type: Alphanumeric

Field 9: FAC_OTHER_LTC_IND

Description: Other Long Term Care Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Beginning Position:68Data Source:ProviderLength:1Type:Alphanumeric

Field 10: FAC PEDS IND

Description: Pediatric Facility Indicator.

Suppression: Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').

Coding Scheme: C Member, National Association of Children's Hospitals and Related Institutions (NACHRI)

X Facilities that also treat children

Beginning Position:69Data Source:ProviderLength:1Type:Alphanumeric



Texas Hospital Inpatient Discharge Public Use Data File

Base Data #1 File, Base Data #2 File, **Charges Data File, and Facility Type Indicator File**

Data Fields

Fields that are shaded are not available in this release of data.

Base Data #1 File

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	DISCHARGE	13	6	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	PROVIDER_NAME	25	55	Alphanumeric
5	TYPE_OF_ADMISSION	80	1	Alphanumeric
6	SOURCE_OF_ADMISSION	81	1	Alphanumeric
7	SPEC_UNIT_1	82	1	Alphanumeric
8	SPEC_UNIT_2	83	1	Alphanumeric
9	SPEC_UNIT_3	84	1	Alphanumeric
10	SPEC_UNIT_4	85	1	Alphanumeric
11	SPEC_UNIT_5	86	1	Alphanumeric
12	PAT_STATE	87	2	Alphanumeric
13	PAT_ZIP	89	5	Alphanumeric
14	PAT_COUNTRY	94	2	Alphanumeric
15	COUNTY	96	3	Alphanumeric
16	PUBLIC_HEALTH_REGION	99	2	Alphanumeric
17	PAT_STATUS	101	2	Alphanumeric
18	SEX_CODE	103	1	Alphanumeric
19	RACE	104	1	Alphanumeric
20	ETHNICITY	105	1	Alphanumeric
21	ADMIT_WEEKDAY	106	1	Alphanumeric
22	LENGTH_OF_STAY	107	4	Alphanumeric
23	PAT_AGE	111	2	Alphanumeric
24	FIRST_PAYMENT_SRC	113	2	Alphanumeric
25	SECONDARY_PAYMENT_SRC	115	2	Alphanumeric
26	TYPE_OF_BILL	117	3	Alphanumeric
27	TOTAL_CHARGES	120	12	Numeric
28	TOTAL_NON_COV_CHARGES	132	12	Numeric
29	TOTAL_CHARGES_ACCOMM	144	12	Numeric
30	TOTAL_NON_COV_CHARGES_ACCOMM	156	12	Numeric
31	TOTAL_CHARGES_ANCIL	168	12	Numeric
32	TOTAL_NON_COV_CHARGES_ANCIL	180	12	Numeric
33	POA_PROVIDER_INDICATOR	192	1	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
34	ADMITTING_DIAGNOSIS	193	6	Alphanumeric
35	PRINC_DIAG_CODE	199	6	Alphanumeric
36	POA_PRINC_DIAG_CODE	205	1	Alphanumeric
37	OTH_DIAG_CODE_1	206	6	Alphanumeric
38	POA_OTH_DIAG_CODE_1	212	1	Alphanumeric
39	OTH_DIAG_CODE_2	213	6	Alphanumeric
40	POA_OTH_DIAG_CODE_2	219	1	Alphanumeric
41	OTH_DIAG_CODE_3	220	6	Alphanumeric
42	POA_OTH_DIAG_CODE_3	226	1	Alphanumeric
43	OTH_DIAG_CODE_4	227	6	Alphanumeric
44	POA_OTH_DIAG_CODE_4	233	1	Alphanumeric
45	OTH_DIAG_CODE_5	234	6	Alphanumeric
46	POA_OTH_DIAG_CODE_5	240	1	Alphanumeric
47	OTH_DIAG_CODE_6	241	6	Alphanumeric
48	POA_OTH_DIAG_CODE_6	247	1	Alphanumeric
49	OTH_DIAG_CODE_7	248	6	Alphanumeric
50	POA_OTH_DIAG_CODE_7	254	1	Alphanumeric
51	OTH_DIAG_CODE_8	255	6	Alphanumeric
52	POA_OTH_DIAG_CODE_8	261	1	Alphanumeric
53	OTH_DIAG_CODE_9	262	6	Alphanumeric
54	POA_OTH_DIAG_CODE_9	268	1	Alphanumeric
55	OTH_DIAG_CODE_10	269	6	Alphanumeric
56	POA_OTH_DIAG_CODE_10	275	1	Alphanumeric
57	OTH_DIAG_CODE_11	276	6	Alphanumeric
58	POA_OTH_DIAG_CODE_11	282	1	Alphanumeric
59	OTH_DIAG_CODE_12	283	6	Alphanumeric
60	POA_OTH_DIAG_CODE_12	289	1	Alphanumeric
61	OTH_DIAG_CODE_13	290	6	Alphanumeric
62	POA_OTH_DIAG_CODE_13	296	1	Alphanumeric
63	OTH_DIAG_CODE_14	297	6	Alphanumeric
64	POA_OTH_DIAG_CODE_14	303	1	Alphanumeric
65	OTH_DIAG_CODE_15	304	6	Alphanumeric
66	POA_OTH_DIAG_CODE_15	310	1	Alphanumeric
67	OTH_DIAG_CODE_16	311	6	Alphanumeric
68	POA_OTH_DIAG_CODE_16	317	1	Alphanumeric
69	OTH_DIAG_CODE_17	318	6	Alphanumeric
70	POA_OTH_DIAG_CODE_17	324	1	Alphanumeric
71	OTH_DIAG_CODE_18	325	6	Alphanumeric
72	POA_OTH_DIAG_CODE_18	331	1	Alphanumeric
73	OTH_DIAG_CODE_19	332	6	Alphanumeric
74	POA_OTH_DIAG_CODE_19	338	1	Alphanumeric
75	OTH_DIAG_CODE_20	339	6	Alphanumeric
76	POA_OTH_DIAG_CODE_20	345	1	Alphanumeric
77	OTH_DIAG_CODE_21	346	6	Alphanumeric
78	POA_OTH_DIAG_CODE_21	352	1	Alphanumeric
79	OTH_DIAG_CODE_22	353	6	Alphanumeric
80	POA_OTH_DIAG_CODE_22	359	1	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
81	OTH_DIAG_CODE_23	360	6	Alphanumeric
82	POA_OTH_DIAG_CODE_23	366	1	Alphanumeric
83	OTH_DIAG_CODE_24	367	6	Alphanumeric
84	POA_OTH_DIAG_CODE_24	373	1	Alphanumeric
85	E_CODE_1	374	6	Alphanumeric
86	POA_E_CODE_1	380	1	Alphanumeric
87	E_CODE_2	381	6	Alphanumeric
88	POA_E_CODE_2	387	1	Alphanumeric
89	E_CODE_3	388	6	Alphanumeric
90	POA_E_CODE_3	394	1	Alphanumeric
91	E_CODE_4	395	6	Alphanumeric
92	POA_E_CODE_4	401	1	Alphanumeric
93	E_CODE_5	402	6	Alphanumeric
94	POA_E_CODE_5	408	1	Alphanumeric
95	E_CODE_6	409	6	Alphanumeric
96	POA_E_CODE_6	415	1	Alphanumeric
97	E_CODE_7	416	6	Alphanumeric
98	POA_E_CODE_7	422	1	Alphanumeric
99	E_CODE_8	423	6	Alphanumeric
100	POA_E_CODE_8	429	1	Alphanumeric
101	E_CODE_9	430	6	Alphanumeric
102	POA_E_CODE_9	436	1	Alphanumeric
103	E_CODE_10	437	6	Alphanumeric
104	POA_E_CODE_10	443	1	Alphanumeric
105	PRINC_SURG_PROC_CODE	444	7	Alphanumeric
106	PRINC_SURG_PROC_DAY	451	4	Alphanumeric
107	PRINC_ICD9_CODE	455	5	Alphanumeric
108	OTH_SURG_PROC_CODE_1	460	7	Alphanumeric
109	OTH_SURG_PROC_DAY_1	467	4	Alphanumeric
110	OTH_ICD9_CODE_1	471	5	Alphanumeric
111	OTH_SURG_PROC_CODE_2	476	7	Alphanumeric
112	OTH_SURG_PROC_DAY_2	483	4	Alphanumeric
113	OTH_ICD9_CODE_2	487	5	Alphanumeric
114	OTH_SURG_PROC_CODE_3	492	7	Alphanumeric
115	OTH_SURG_PROC_DAY_3	499	4	Alphanumeric
116	OTH_ICD9_CODE_3	503	5	Alphanumeric
117	OTH_SURG_PROC_CODE_4	508	7	Alphanumeric
118	OTH_SURG_PROC_DAY_4	515	4	Alphanumeric
119	OTH_ICD9_CODE_4	519	5	Alphanumeric
120	OTH_SURG_PROC_CODE_5	524	7	Alphanumeric
121	OTH_SURG_PROC_DAY_5	531	4	Alphanumeric
122	OTH_ICD9_CODE_5	535	5	Alphanumeric
123	OTH_SURG_PROC_CODE_6	540	7	Alphanumeric
124	OTH_SURG_PROC_DAY_6	547	4	Alphanumeric
125	OTH_ICD9_CODE_6	551	5	Alphanumeric
126	OTH_SURG_PROC_CODE_7	556	7	Alphanumeric
127	OTH_SURG_PROC_DAY_7	563	4	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
128	OTH_ICD9_CODE_7	567	5	Alphanumeric
129	OTH_SURG_PROC_CODE_8	572	7	Alphanumeric
130	OTH_SURG_PROC_DAY_8	579	4	Alphanumeric
131	OTH_ICD9_CODE_8	583	5	Alphanumeric
132	OTH_SURG_PROC_CODE_9	588	7	Alphanumeric
133	OTH_SURG_PROC_DAY_9	595	4	Alphanumeric
134	OTH_ICD9_CODE_9	599	5	Alphanumeric
135	OTH_SURG_PROC_CODE_10	604	7	Alphanumeric
136	OTH_SURG_PROC_DAY_10	611	4	Alphanumeric
137	OTH_ICD9_CODE_10	615	5	Alphanumeric
138	OTH_SURG_PROC_CODE_11	620	7	Alphanumeric
139	OTH_SURG_PROC_DAY_11	627	4	Alphanumeric
140	OTH_ICD9_CODE_11	631	5	Alphanumeric
141	OTH_SURG_PROC_CODE_12	636	7	Alphanumeric
142	OTH_SURG_PROC_DAY_12	643	4	Alphanumeric
143	OTH_ICD9_CODE_12	647	5	Alphanumeric
144	OTH_SURG_PROC_CODE_13	652	7	Alphanumeric
145	OTH_SURG_PROC_DAY_13	659	4	Alphanumeric
146	OTH_ICD9_CODE_13	663	5	Alphanumeric
147	OTH_SURG_PROC_CODE_14	668	7	Alphanumeric
148	OTH_SURG_PROC_DAY_14	675	4	Alphanumeric
149	OTH_ICD9_CODE_14	679	5	Alphanumeric
150	OTH_SURG_PROC_CODE_15	684	7	Alphanumeric
151	OTH_SURG_PROC_DAY_15	691	4	Alphanumeric
152	OTH_ICD9_CODE_15	695	5	Alphanumeric
153	OTH_SURG_PROC_CODE_16	700	7	Alphanumeric
154	OTH_SURG_PROC_DAY_16	707	4	Alphanumeric
155	OTH_ICD9_CODE_16	711	5	Alphanumeric
156	OTH_SURG_PROC_CODE_17	716	7	Alphanumeric
157	OTH_SURG_PROC_DAY_17	723	4	Alphanumeric
158	OTH_ICD9_CODE_17	727	5	Alphanumeric
159	OTH_SURG_PROC_CODE_18	732	7	Alphanumeric
160	OTH_SURG_PROC_DAY_18	739	4	Alphanumeric
161	OTH_ICD9_CODE_18	743	5	Alphanumeric
162	OTH_SURG_PROC_CODE_19	748	7	Alphanumeric
163	OTH_SURG_PROC_DAY_19	755	4	Alphanumeric
164	OTH_ICD9_CODE_19	759	5	Alphanumeric
165	OTH_SURG_PROC_CODE_20	764	7	Alphanumeric
166	OTH_SURG_PROC_DAY_20	771	4	Alphanumeric
167	OTH_ICD9_CODE_20	775	5	Alphanumeric
168	OTH_SURG_PROC_CODE_21	780	7	Alphanumeric
169	OTH_SURG_PROC_DAY_21	787	4	Alphanumeric
170	OTH_ICD9_CODE_21	791	5	Alphanumeric
171	OTH_SURG_PROC_CODE_22	796	7	Alphanumeric
172	OTH_SURG_PROC_DAY_22	803	4	Alphanumeric
173	OTH_ICD9_CODE_22	807	5	Alphanumeric
174	OTH_SURG_PROC_CODE_23	812	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
175	OTH_SURG_PROC_DAY_23	819	4	Alphanumeric
176	OTH_ICD9_CODE_23	823	5	Alphanumeric
177	OTH_SURG_PROC_CODE_24	828	7	Alphanumeric
178	OTH_SURG_PROC_DAY_24	835	4	Alphanumeric
179	OTH_ICD9_CODE_24	839	5	Alphanumeric
180	MS_MDC	844	2	Alphanumeric
181	MS_DRG	846	3	Alphanumeric
182	MS_GROUPER_VERSION_NBR	849	5	Alphanumeric
183	MS_GROUPER_ERROR_CODE	854	2	Alphanumeric
184	APR_MDC	856	2	Alphanumeric
185	APR_DRG	858	4	Alphanumeric
186	RISK_MORTALITY	862	1	Alphanumeric
187	ILLNESS_SEVERITY	863	1	Alphanumeric
188	APR_GROUPER_VERSION_NBR	864	5	Alphanumeric
189	APR_GROUPER_ERROR_CODE	869	2	Alphanumeric
190	ATTENDING_PHYSICIAN_UNIF_ID	871	10	Alphanumeric
191	OPERATING_PHYSICIAN_UNIF_ID	881	10	Alphanumeric
192	ENCOUNTER_INDICATOR	891	2	Alphanumeric
193	CERT_STATUS	893	1	Alphanumeric
194	FILLER_SPACE	894	57	Alphanumeric
			_	
	RECORD_LENGTH		950	

Base Data #2 File

Number	FIELD NAME (Base Data #2 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in	1	12	Alphanumeric
	THCIC Research Data Files (RDF's).			
2	PRIVATE_AMOUNT	13	12	Numeric
3	SEMI_PRIVATE_AMOUNT	25	12	Numeric
4	WARD_AMOUNT	37	12	Numeric
5	ICU_AMOUNT	49	12	Numeric
6	CCU_AMOUNT	61	12	Numeric
7	OTHER_AMOUNT	73	12	Numeric
8	PHARM_AMOUNT	85	12	Numeric
9	MEDSURG_AMOUNT	97	12	Numeric
10	DME_AMOUNT	109	12	Numeric
11	USED_DME_AMOUNT	121	12	Numeric
12	PT_AMOUNT	133	12	Numeric
13	OT_AMOUNT	145	12	Numeric
14	SPEECH_AMOUNT	157	12	Numeric
15	IT_AMOUNT	169	12	Numeric
16	BLOOD_AMOUNT	181	12	Numeric
17	BLOOD_ADM_AMOUNT	193	12	Numeric
18	OR_AMOUNT	205	12	Numeric
19	LITH_AMOUNT	217	12	Numeric
20	CARD_AMOUNT	229	12	Numeric

Number	FIELD NAME (Base Data #2 File)	Position	Length	Field Type
21	ANES_AMOUNT	241	12	Numeric
22	LAB_AMOUNT	253	12	Numeric
23	RAD_AMOUNT	265	12	Numeric
24	MRI_AMOUNT	277	12	Numeric
25	OP_AMOUNT	289	12	Numeric
26	ER_AMOUNT	301	12	Numeric
27	AMBULANCE_AMOUNT	313	12	Numeric
28	PRO_FEE_AMOUNT	325	12	Numeric
29	ORGAN_AMOUNT	337	12	Numeric
30	ESRD_AMOUNT	349	12	Numeric
31	CLINIC_AMOUNT	361	12	Numeric
32	OCCUR_CODE_1	373	2	Alphanumeric
33	OCCUR_DAY_1	375	4	Alphanumeric
34	OCCUR_CODE_2	379	2	Alphanumeric
35	OCCUR_DAY_2	381	4	Alphanumeric
36	OCCUR_CODE_3	385	2	Alphanumeric
37	OCCUR_DAY_3	387	4	Alphanumeric
38	OCCUR_CODE_4	391	2	Alphanumeric
39	OCCUR_DAY_4	393	4	Alphanumeric
40	OCCUR_CODE_5	397	2	Alphanumeric
41	OCCUR_DAY_5	399	4	Alphanumeric
42	OCCUR_CODE_6	403	2	Alphanumeric
43	OCCUR_DAY_6	405	4	Alphanumeric
44	OCCUR_CODE_7	409	2	Alphanumeric
45	OCCUR_DAY_7	411	4	Alphanumeric
46	OCCUR_CODE_8	415	2	Alphanumeric
47	OCCUR_DAY_8	417	4	Alphanumeric
48	OCCUR_CODE_9	421	2	Alphanumeric
49	OCCUR_DAY_9	423	4	Alphanumeric
50	OCCUR_CODE_10	427	2	Alphanumeric
51	OCCUR_DAY_10	429	4	Alphanumeric
52	OCCUR_CODE_11	433	2	Alphanumeric
53	OCCUR_DAY_11	435	4	Alphanumeric
54	OCCUR_CODE_12	439	2	Alphanumeric
55	OCCUR_DAY_12	441	4	Alphanumeric
56	OCCUR_SPAN_CODE_1	445	2	Alphanumeric
57	OCCUR_SPAN_FROM_1	447	6	Alphanumeric
58	OCCUR_SPAN_THRU_1	453	6	Alphanumeric
59	OCCUR_SPAN_CODE_2	459	2	Alphanumeric
60	OCCUR_SPAN_FROM_2	461	6	Alphanumeric
61	OCCUR_SPAN_THRU_2	467	6	Alphanumeric
62	OCCUR_SPAN_CODE_3	473	2	Alphanumeric
63	OCCUR_SPAN_FROM_3	475	6	Alphanumeric
64	OCCUR_SPAN_THRU_3	481	6	Alphanumeric
65	OCCUR_SPAN_CODE_4	487	2	Alphanumeric
66	OCCUR_SPAN_FROM_4	489	6	Alphanumeric
67	OCCUR_SPAN_THRU_4	495	6	Alphanumeric

Number	FIELD NAME (Base Data #2 File)	Position	Length	Field Type
68	CONDITION_CODE_1	501	2	Alphanumeric
69	CONDITION_CODE_2	503	2	Alphanumeric
70	CONDITION_CODE_3	505	2	Alphanumeric
71	CONDITION_CODE_4	507	2	Alphanumeric
72	CONDITION_CODE_5	509	2	Alphanumeric
73	CONDITION_CODE_6	511	2	Alphanumeric
74	CONDITION_CODE_7	513	2	Alphanumeric
75	CONDITION_CODE_8	515	2	Alphanumeric
76	VALUE_CODE_1	517	2	Alphanumeric
77	VALUE_AMOUNT_1	519	9	Numeric
78	VALUE_CODE_2	528	2	Alphanumeric
79	VALUE_AMOUNT_2	530	9	Numeric
80	VALUE_CODE_3	539	2	Alphanumeric
81	VALUE_AMOUNT_3	541	9	Numeric
82	VALUE_CODE_4	550	2	Alphanumeric
83	VALUE_AMOUNT_4	552	9	Numeric
84	VALUE_CODE_5	561	2	Alphanumeric
85	VALUE_AMOUNT_5	563	9	Numeric
86	VALUE_CODE_6	572	2	Alphanumeric
87	VALUE_AMOUNT_6	574	9	Numeric
88	VALUE_CODE_7	583	2	Alphanumeric
89	VALUE_AMOUNT_7	585	9	Numeric
90	VALUE_CODE_8	594	2	Alphanumeric
91	VALUE_AMOUNT_8	596	9	Numeric
92	VALUE_CODE_9	605	2	Alphanumeric
93	VALUE_AMOUNT_9	607	9	Numeric
94	VALUE_CODE_10	616	2	Alphanumeric
95	VALUE_AMOUNT_10	618	9	Numeric
96	VALUE_CODE_11	627	2	Alphanumeric
97	VALUE_AMOUNT_11	629	9	Numeric
98	VALUE_CODE_12	638	2	Alphanumeric
99	VALUE_AMOUNT_12	640	9	Numeric
100	FILLER_SPACE	649	52	Alphanumeric
	RECORD LENGTH		700	
	KLCOKD_LENGIN		700	

Charges Data File

Number	FIELD NAME	Position	Length	Field Type
	RECORD_ID Does NOT match the RECORD_ID in			
1	THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	RECORD_LENGTH		80	

Facility Type Indicator File

Number	FIELD NAME	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	PROVIDER_NAME	7	55	Alphanumeric
3	FAC_TEACHING_IND	62	1	Alphanumeric
4	FAC_PSYCH_IND	63	1	Alphanumeric
5	FAC_REHAB_IND	64	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	65	1	Alphanumeric
7	FAC_SNF_IND	66	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	67	1	Alphanumeric
9	FAC_OTHER_LTC_IND	68	1	Alphanumeric
10	FAC_PEDS_IND	69	1	Alphanumeric
	RECORD_LENGTH		69	

TEXAS Department of State Health Services

Texas Hospital Inpatient Discharge Data

Public Use Data File

Reporting Status of Texas Hospitals, 2012

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Abilene	WITH		Comment		Comment		Comment		Comment
091001 Abilene Regional Medical Center		X		X		X		X	
500000 Hendrick Medical Center		X		X		X		X	
688000 Hendrick Center–Extended Care		X		xlv		X		x ^{lv}	
846000 Acadia Abilene		X		X		X		X	
920000 Reliant Rehab Hospital Abilene		X	X	X		X		X	
Addison		74	A						
750000 Methodist Hospital for Surgery		X		X		X		X	
Alice									
689401 CHRISTUS Spohn Hospital Alice		X		X		X		X	
Allen									
724200 Texas Health Presbyterian Hospital Allen		X	Х	X	Х	X	Х	X	х
854000 Twin Creeks Hospital		X		X		X		X	
Alpine		A.						A	
711900 Big Bend Regional Medical Center		X	X	X		X		X	
Amarillo		Λ	Λ	- Л		- Л		Λ.	
001000 Baptist St Anthonys Health System–Baptist		X		X		X		X	
Campus		Λ		Λ		Λ		Λ	
318000 Northwest Texas Hospital		X		X		X		X	
318001 The Pavilion	318000	Λ		Λ		Λ		Λ.	
714000 Northwest Texas Surgery Center	310000	x ^{lv}		xlv		xlv		X	
796000 Plum Creek Specialty Hospital		X		X		X		X	
818000 Kindred Hospital Amarillo		X		X		X		X	
841400 Kindred Rehabilitation Hospital Amarillo		X		X		X		X	
852900 Physicians Surgical Hospital—Quail Creek		X		X		X		X	
852901 Physicians Surgical Hospital—Panhandle		X		X		X		X	
Campus		Λ		Λ		Λ		Λ	
Anahuac									
442000 Bayside Community Hospital		*		*		*		*	
Andrews									
187000 Permian Regional Medical Center		*		*		*		*	
Angleton									
126000 Angleton Danbury Medical Center		X		X		X		X	
Anson		Λ		Λ		Λ		Λ	
016000 Anson General Hospital		*		*		*		*	
Aransas Pass									
239001 Care Regional Medical Center		v		v		v		v	
Arlington		X		X		X		X	
100084 Sundance Hospital		X		X		X		X	
422000 Texas Health Arlington Memorial Hospital	+		v		v		v		v
502000 Medical Center–Arlington	1	X	X	X	X	X	X	X	X
660000 HEALTHSOUTH Rehab Hospital	1	X	X	X	X	X	X	X	-
Arlington		X		Λ		Λ		X	
Armigion							1		1

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
690000 Kindred Hospital-Tarrant County	With	X	Comment	X	Comment	X	Comment	4Q12 X	Comment
730001 Texas Health Heart & Vascular Hospital		X	X	X	X	X	X	X	X
765001 Millwood Hospital		X	Λ	X	Λ	X	Λ	X	Λ
799001 USMD Hospital–Arlington		X		X		X		X	
831800 Kindred Rehabilitation Hospital Arlington		X		X		X		X	
936000 Baylor Orthopedic and Spine Hospital—		X		X		X		X	
Arlington		Λ		Λ		Λ		Λ	
Aspermont									
666000 Stonewall Memorial Hospital		*		*		*		*	
Athens									
374000 East Texas Medical Center–Athens		X		X		X		X	
Atlanta		Λ		Λ		Λ		Λ	
131000 Atlanta Memorial Hospital		*		*		*			
Last reports 3 rd quarter 2012									
Aubrey									
873200 Baylor Emergency Medical Center at Aubrey		xlv		xlv		xlv		xlv	
Austin									
000100 Austin State Hospital		X	х	X	х	X	Х	X	х
000119 UTMB Austin Womens Hospital		X							
Last reports 1 st quarter 2012									
035000 St Davids Hospital		X		\mathbf{x}^{OC}		X		X	
335000 University Medical Center–Brackenridge		X	X	X	X	X	X	X	X
497000 Seton Medical Center		X	X	X	X	X	X	X	X
602000 St Davids South Austin Hospital		X		X		X		X	
622001 Texas NeuroRehab Center		X		X		X		X	
649000 St Davids Rehab Center		X		x ^{OC}		X		X	
663000 HEALTHSOUTH Rehab Hospital-Austin		X		X		X		X	
700000 Cornerstone Hospital–Austin		X		X		X		X	
739001 Texas NeuroRehab Center		X		X		X		X	
770000 Seton Shoal Creek Hospital		X		X		X		X	
794000 Northwest Hills Surgical Hospital		X		X		X		X	
797500 Seton Southwest Hospital		X	X	X	X	X	X	X	X
797600 Seton Northwest Hospital		X	X	X	X	X	X	X	X
798500 Austin Surgical Hospital		X		X		X		X	
822800 Westlake Medical Center		X		X		X		X	
829000 Heart Hospital–Austin		X		X		X		X	
829900 North Austin Medical Center		X		X		XOC		x ^{OC}	
852000 Dell Childrens Medical Center		X	X	X	X	X	X	X	X
854400 Central Texas Rehab Hospital		X	Х	X	X	X		X	
855200 Austin Lakes Hospital		X		X		X		X	
970200 Lakeway Regional Medical Center				X		X		X	
First reports 2 nd quarter 2012									
970800 Reliant Austin				X		X		X	
First reports 2 nd quarter 2012									
Azle									
469000 Texas Health Harris Methodist Hospital Azle		X	X	X	X	X	X	X	X
Ballinger				a lv		J. lv		u lv	
234000 Ballinger Memorial Hospital District		*x		*x ^{lv}		*x ^{lv}		*x ^{lv}	
Bay City									
006000 Matagorda Regional Medical Center		X lv	X	X lv	X	X lv	X	X Iv	X
006001 Matagorda Regional Medical Center		x ^{lv}	X	x ^{lv}	X	x ^{lv}	X	x ^{lv}	X
Baytown									
405000 San Jacinto Methodist Hospital	105000	X		X		X		X	\sqcup
405002 San Jacinto Methodist Hospital–Alexander	405000								
Campus									

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
720401 Kindred Hospital Baytown	With	X	Comment	X	Comment	X	Comment	X	Comment
Beaumont		A		A		A		A.	
389000 Baptist Hospitals of Southeast Texas		X		X		X		X	
389002 Baptist Hospitals of Southeast Texas Fannin	389000	Λ		Λ		Λ		Λ	
Behavioral Ctr	20,000								
444001 CHRISTUS St Elizabeth Hospital		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
671000 HEALTHSOUTH Rehab Hospital–Beaumont		X		X		X		X	
708000 CHRISTUS Dubuis Hospital–Beaumont		X		X	X	X	X	X	X
826500 Beaumont Bone & Joint Institute		***		x ^{lv}	A	x lv	A	x ^{lv}	A
861900 Kate Dishman Rehab Hospital		X		X	X	X		X	
Bedford		Λ		А	Α	Λ		A	
182000 Texas Health Harris Methodist HEB		X	X	X	X	X	X	X	X
700003 Reliant Rehab Hospital Mid–Cities		X	X	X	Λ	X	Λ	X	Λ
778000 Texas Health Springwood Hospital		X	X	X	X	X	X	X	X
Beeville		Λ	Λ	Λ	Λ	Λ	Λ	Λ	Λ
429001 CHRISTUS Spohn Hospital–Beeville		X		X		X		X	
Bellaire		Λ		Λ		Λ		Λ	
831900 Houston Orthopedic & Spine Hospital		X		v		v		X	
840100 First Street Hospital				X		X			
Bellville		X		X		X		X	
552000 Bellville General Hospital		*		*		*		*	
Belton		•				•		•	
806002 Cedar Crest Hospital		X		X		X		X	
Big Lake		*		*		*		*	
343000 Reagan Memorial Hospital		~		*		*		Υ	
Big Spring									
000101 Big Spring State Hospital		X	X	X	X	X	X	X	X
221000 Scenic Mountain Medical Center		X		X		X		X	
Bonham									
106001 Red River Regional Hospital		X		X		X		X	
Borger									
654000 Golden Plains Community Hospital		X		X		X		X	
Bowie									
440000 Bowie Memorial Hospital		*		*		*		*	
Brady									
362000 Heart of Texas Healthcare System		*		*		*		*	
Breckenridge									
430000 Stephens Memorial Hospital		*		*		*		*	
Brenham									
066000 Scott & White Hospital-Brenham		X		X		X		X	
Bridgeport									
868700 North Texas Community Hospital		X		X		X		X	
Brownfield									
078000 Brownfield Regional Medical Center		*		*		*		*	
Brownsville									
019000 Valley Regional Medical Center		X		X		X		X	
314001 Valley Baptist Medical Center-Brownsville		X		X		X		X	
314002 Valley Baptist Medical Center–Brownsville Psych Unit	314001								
724900 Brownsville Doctors Hospital		X		X		X		***	
821100 South Texas Rehab Hospital		X		X		X		X	
847500 Solara Hospital–Brownsville Campus		X		OC		X		X	
Brownwood									
058000 Brownwood Regional Medical Center		X		X		X		X	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Bryan			- Januari						
002001 St Joseph Regional Health Center		Х	X	X	Х	Х	X	Х	Х
002002 St Joseph Regional Rehab Center	002001								
717500 Physicians Centre Hospital		Х		X		Х		X	
864800 CHRISTUS Dubuis Hospital–Bryan		Х		xlv	Х	x ^{lv}	Х	xlv	Х
Burnet									
559000 Seton Highland Lakes Hospital		х	Х	X	Х	Х	X	Х	Х
Caldwell									
679000 Burleson St Joseph Health Center-Caldwell		X	X	X	Х	X	X	X	X
Cameron									
665000 Central Texas Hospital		x ^{OC}		x ^{OC}		OC		OC	
Canadian						0.0		0.0	
457000 Hemphill County Hospital		*		*		*		*	
Carrizo Springs									
156000 Dimmit Regional Hospital		*		*		*		*	
Carrollton									
042000 Baylor Medical Center at Carrollton		X	X	X	X	X	X	X	X
969500 Carrollton Springs		A	A	X	A	X	A	X	A
First reports 2 nd quarter 2012				A		A		Α.	
Carthage									
484000 East Texas Medical Center-Carthage		Х		X		X		X	
Cedar Park									
858300 Cedar Park Regional Medical Center		х		X		Х		Х	
Center									
860500 Shelby Regional Medical Center		x ^{OC}		x ^{OC}		OC		OC	
Channelview						0.0			
720400 Kindred Hospital East Houston		х		X		X		х	
Childress									
026000 Childress Regional Medical Center		*		*		*		*	
Chillicothe									
523000 Chillicothe Hospital		*		*		*		*	
Clarksville									
292000 East Texas Medical Center-Clarksville		X		X		X		X	
Cleburne		71		71		71		74	
323000 Texas Health Harris Methodist Hospital		X	X	X	X	X	X	X	X
Cleburne									
Cleveland									
108000 Cleveland Regional Medical Center		X		X		X		X	
840400 Doctors Diagnostic Hospital		x ^{OC}		OC		OC		OC	
Clifton		71				00		00	
070000 Goodall–Witcher Healthcare Foundation		*		*		*		*	
Coleman									
049000 Coleman County Medical Center		*		*		*		*	
College Station									
071000 College Station Medical Center		X		X		X		X	
Colorado City		А		А		Λ		Λ	
075000 Mitchell County Hospital		X		X		X		X	
Columbus				71		71		71	
014000 Columbus Community Hospital		*		*x		X		X	
Comanche				Λ		Λ		Λ	
495001 Comanche County Medical Center		X		X		X		X	
Commerce		Λ		Λ		Λ		Λ	
087000 Hunt Regional Community Hospital		x ^{lv}		X		Y		Y	
007000 Hunt Regional Community Hospital		^		Λ		X		X	
	1	l	1		1	l	L	l	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Conroe	.,,,,,		Comment		Comment		Comment		Comment
100087 Montgomery County Mental Health Treatment Facility		Х		X		X		X	
508001 Conroe Regional Medical Center		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
695000 HEALTHSOUTH Rehab Hospital The									
Woodlands		X		X		X		X	
854100 Solara Hospital Conroe		X		X		X		X	
915000 Aspire Behavioral Health–Conroe		X		X		X		X	
Corpus Christi									
398000 CHRISTUS Spohn Hospital Corpus Christi		X		X		X		X	
398001 CHRISTUS Spohn Hospital Corpus Christi-		X		X		X		X	
Shoreline									
398002 CHRISTUS Spohn Hospital Corpus Christi–		X		X		X		X	
South		x ^{OC}							
488000 Driscoll Childrens Hospital		X		X		X		X	
699000 Corpus Christi Specialty Hospital Last reports 1st quarter 2012		Х							
703000 Corpus Christi Medical Center–Bay Area		X		X		X		X	
703002 Corpus Christi Medical Center–Doctors Regional		X		X		X		X	
703003 Corpus Christi Medical Center–Heart Hospital		Х		X		X		X	
703005 Bayview Behavioral Hospital		X		X		X		X	
704004 Corpus Christi Medical Center–Northwest		X		X		X		X	
797001 Dubuis Hospital–Corpus Christi		X		X	X	X	X	xlv	X
804100 Kindred Hospital–Corpus Christi		X		X		X		X	
931000 South Texas Surgical Hospital		X		X		X		X	
970700 Esplanade Rehab Hospital First reports 3 rd quarter 2012						OC		X	
Corsicana									
141000 Navarro Regional Hospital		X		X		X		X	
Crane									
467000 Crane Memorial Hospital		*		*		*		*	
Crockett									
185000 East Texas Medical Center–Crockett		Х		X		X		X	
Crosbyton									
176000 Crosbyton Clinic Hospital		*		*		*		*	
Cuero									
074000 Cuero Community Hospital		*		*		*		*	
Cypress									
114100 Lone Star Behavioral Health Cypress		X		X		X		X	
843200 North Cypress Medical Center		X		X		X		X	
Dalhart				-		-			
262000 Coon Memorial Hospital & Home		*		*		*		*	
Dallas									
008001 Baylor Medical Center at Uptown		Х		X		X		X	
028000 Kindred Hospital–Dallas		X	X	X		X		X	
054000 Texas Scottish Rite Hospital for Children		*	Α	*		*		*	
142000 Methodist Charlton Medical Center		X		X		X		X	
143000 Childrens Medical Center–Dallas		X		X		X		X	
255000 Methodist Dallas Medical Center		X		X		X		X	
331000 Baylor University Medical Center		X	X	X	X	X	X	X	X
340000 Medical City Dallas Hospital		X	X	X	X	X	X	X	Λ
431000 Texas Health Presbyterian Hospital Dallas		X	X	X	X	X	X	X	v
751000 Texas Health Flesbyterian Hospital Dallas	1	_ A	Λ	Λ	Λ	Λ	Λ	Λ	X

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
448001 UT Southwestern University Hospital–St Paul	With	X	Comment	X	Comment	X	Comment	X	Comment
449000 Dallas Medical Center			Λ			X			
474000 Parkland Memorial Hospital		X	X	X	X	X	X	X	X
511000 Doctors Hospital—White Rock Lake		X	Λ	X	X	X	Λ	X	Λ
586000 Baylor Specialty Hospital					Λ				
642000 Baylor Institute for Rehab		X		X		X		X	
653001 UT Southwestern University Hospital–Zale		X	v	X		X		X	
		X	X	X		X		X	
Lipshy 661001 Texas Specialty Hospital–Dallas		xlv		x ^{OC}		x ^{OC}		x ^{OC}	
672000 Select Specialty Hospital–Dallas									
		X		X		X		X	
680001 Reliant Rehab Hospital Dallas		X	X	X		X X ^{OC}		X	
710000 Our Childrens House Baylor		X		X				X	
717000 LifeCare Hospital–Dallas		X		X		X		X	
719400 Kindred Hospital–White Rock		X	X	X		X		X	
752000 Timberlawn Mental Health System		X		X	X	X		X	
766000 Green Oaks Hospital		X	X	X	X	X		X	X
784400 Baylor Heart & Vascular Center		X X ^{lv}		X Iv		X X ^{lv}	X	X	X
813100 Texas Institute for Surgery-Texas Health		X	X	\mathbf{x}^{lv}		X	X	X	X
Presbyterian-D									
818200 Pine Creek Medical Center		X		X		X		X	
839100 Vibra Specialty Hospital		X		X		X		X	
860600 North Central Surgical Center		X		X	X	X	X	X	
862000 Methodist Rehab Hospital		X		X		X		X	
872100 Global Rehab		X		X		X		X	
900000 Forest Park Medical Center		X		X		X		X	
908000 South Hampton Community Hospital		X		X		X		X	
914000 Kindred Hospital Dallas Central		X		X		X		X	
De Soto									
785900 Select Specialty Hospital–South Dallas		X		X		X		X	
837800 Hickory Trail Hospital		X	X	X		X		X	
Decatur		lv		lv		OC			
254000 Wise Regional Health System		\mathbf{x}^{lv}	X	x ^{lv}	X	x ^{OC}		X	X
254001 Wise Regional Health System		X	X	X	X	X	X	X	X
Del Rio									
462000 Val Verde Regional Medical Center		X		X		X		X	
Denison No. 11 and 12 and 13 and 15 a									
847000 Texoma Medical Center	0.47000	X	X	X	X	X	X	X	X
847001 Reba McEntire Center–Rehab	847000	lv				lv.		lv.	
864600 Carrus Specialty Hospital		x ^{lv}	X	X	X	x ^{lv}		x ^{lv}	X
Denton									
336001 Denton Regional Medical Center		X	X	X OC	X	X OC		X OC	
816500 North Texas Hospital		X		x ^{OC}		x ^{OC}		x ^{OC}	
820800 Texas Health Presbyterian Hospital–Denton		X	X	X	X	X	X	X	X
826800 University Behavioral Health–Denton		X		X		X		X	
831700 Mayhill Hospital		X		X		X		X	
844200 Integrity Transitional Hospital		X		X		X		X	
847200 Atrium Medical Center–Corinth		X		X		X		X	
871500 Select Rehab Hospital–Denton		X		X		X		X	
Denver City									
485000 Yoakum County Hospital		*		*		*		*	
Dilley		OC		OC		0.7		0.7	
803000 Community General Hospital DilleyTexas		x ^{OC}		x ^{OC}		OC		OC	
Dimmitt 144 114		,J:		J.		ų.		ų.	
260000 Plains Memorial Hospital		*		*	<u> </u>	*		*	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Dumas	with		Comment		Comment		Comment		Comment
199000 Memorial Hospital		*x		*x		*x		*x	
Eagle Lake									
560000 Rice Medical Center		X		X		X		X	
Eagle Pass		71							
547001 Fort Duncan Regional Medical Center		X		X		X	X	X	
Eastland		A				- A	A	- A	
222000 Eastland Memorial Hospital		*		*		*		*	
Eden									
202000 Concho County Hospital		*		*		*		*	
Edinburg									
140002 Edinburg Regional Medical Center		X		X		X		X	
797100 Doctors Hospital–Renaissance		X		X		X		X	
797101 Womens Hospital–Renaissance	797100	A		24		A		A	
797102 Behavioral Medicine–Renaissance	797100								
797103 Rehab Center at Renaissance	797100								
802004 South Texas Behavioral Health Center	802001								
830000 Cornerstone Regional Hospital	002001	X		X		X		X	
816301 Solara Hospital		X		X		X		X	
Edna		Λ		А		А		А	
017000 Jackson Healthcare Center		*		*		*		*	
El Campo									
426000 El Campo Memorial Hospital		X		v		X		X	
El Paso		Λ		X					
000118 El Paso Psychiatric Center		v	v	v	v	v	v	v	v
130000 Providence Memorial Hospital		X	X	X	X	X	X	X	X
180000 Providence Memorial Hospital		X X ^{OC}		X		X		X	
180000 Las Palmas Medicai Centei 180001 Las Palmas Rehab Hospital	180000	X		X		X		X	
	100000	***		**		**	**	**	
263000 University Medical Center of El Paso 266000 Sierra Medical Center		X	X	X	X	X	X	X	X
319000 Del Sol Medical Center		X X ^{OC}		X		X		X	
701000 Mesa Hills Specialty Hospital				X		X		X	
718002 Highlands Regional Rehab Hospital		X				X		X	
		X		X		X		X	
727100 Kindred Hospital El Paso		X X ^{OC}		X		X		X X ^{OC}	
728200 El Paso Specialty Hospital				X		X			
801300 East El Paso Physicians Medical Center		X		X		X vlv		X	
841300 El Paso LTAC Hospital 858600 University Behavioral Health–El Paso		X		X		Λ		X	
865000 Sierra Providence East Medical Center		X		X		X		X	
969700 El Paso Childrens Hospital		X		X		X		X	
First reports 2 nd quarter 2012				X		X		X	
Eldorado									
136000 Schleicher County Medical Center		xlv		x ^{lv}		xlv		xlv	
Electra									
490000 Electra Memorial Hospital		xlv		X		X		X	
Ennis				71		71		71	
714500 Ennis Regional Medical Center		X		X		X		X	
Fairfield		A.		-11		11		11	
401000 East Texas Medical Center–Fairfield		X		X		X		X	
Floresville		Λ		Α		Α		Α	
433000 Connally Memorial Medical Center		X		X		X		X	
Flower Mound		А		А		Λ		Λ	
100082 Continuum Rehabilitation Hospital North		X		X	X	X	X	X	X
Texas		11		41	1	11	1	11	24
TOAGO			1		1		1		

943000 Texas Health Presbyterian Hospital Flower		Reports With	1Q12	With	2Q12	With	3Q12	With	4Q12	With
Mound	943000 Texas Health Presbyterian Hospital Flower	WILL	X		X	Comment	X		X	
Fort Stockton										
356900 Pecos County Memorial Hospital										
Fort Worth			*		*		*		*	
047000 Huguley Memorial Medical Center										
235000 Texas Health Harris Methodist Hospital-Fort Worth			X	х	X	x	X	х	X	X
Worth										
363000 Baylor All Saints Medical Center-Fort Worth							••			
363000 Baylor All Saints Medical Center-Fort Worth			X	х	X	X	X	х	X	X
363001 Baylor Medical Center-Southwest Fort Worth Last reports 3" quarter 2012										
Last reports 3" quarter 2012				х						
A99000 John Peter Smith Hospital										
627000 Texas Health Harris Methodist Hospital—			X	X	X	X	X	X	X	X
627000 Texas Health Harris Methodist Hospital—	477000 Plaza Medical Center–Fort Worth		X	X	X	X	x ^{OC}		X	
652000 Texas Health Specialty Hospital-Fort Worth x x x x x x x x x	627000 Texas Health Harris Methodist Hospital-		X	X	X	X		X	X	X
S59000 HEALTHSOUTH Rehab Hospital	Southwest Fort Worth									
A	652000 Texas Health Specialty Hospital-Fort Worth		x ^{lv}	X	\mathbf{x}^{lv}	X	x ^{lv}	X	\mathbf{x}^{lv}	X
662000 HEALTHSOUTH City View Rehab Hospital			X		X		X		X	
September Sept			X		X		X		X	
S00000 Kindred Hospital Tarrant County Fort Worth SW			X		X		X		X	
SW S00700 Kindred Hospital-Fort Worth X			X		X		X	X	X	
800700 Kindred Hospital-Fort Worth										
804500 Baylor Surgical Hospital-Fort Worth			Х		X		X	Х	X	
839200 Regency Hospital-Fort Worth					Х		X		Х	
861400 USMD Hospital Fort Worth										
873800 Global Rehab-Fort Worth							X			
902200 Texas Rehabilitation Hospital—Fort Worth 972900 Texas Health Harris Methodist Hospital Alliance First reports 4th quarter 2012 Fredericksburg 219000 Hill Country Memorial Hospital 200000 Parmer Medical Center Frisco 100093 Baylor Institute for Rehab Frisco 787400 Baylor Medical Center—Frisco 806300 Centennial Medical Center—8xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	-									
972900 Texas Health Harris Methodist Hospital Alliance First reports 4th quarter 2012										
Alliance First reports 4th quarter 2012 Fredericksburg 219000 Hill Country Memorial Hospital x x x x x x Friona 200000 Parmer Medical Center * * * * * * * Frisco 100093 Baylor Institute for Rehab Frisco x x x x x x x 8787400 Baylor Medical Center-Frisco x x x x x x x x x x x x x x x x x x x										X
First reports 4th quarter 2012	-									
Fredericksburg	First reports 4 th quarter 2012									
Friona										
200000 Parmer Medical Center	219000 Hill Country Memorial Hospital		X		X		X		X	
Frisco	Friona									
100093 Baylor Institute for Rehab Frisco	200000 Parmer Medical Center		*		*		*		*	
787400 Baylor Medical Center-Frisco	Frisco									
787400 Baylor Medical Center-Frisco	100093 Baylor Institute for Rehab Frisco		X		X		X		X	
971800 Forest Park Medical Center Frisco First reports 3 rd quarter 2012 Gainesville 298000 North Texas Medical Center * * * * * * * Galveston 000102 UT Medical Branch Hospital 247000 Shriners Hospital for Children-Galveston Garland 027000 Baylor Medical Center-Garland x x x x x x x x x x x x x x x x x x x	787400 Baylor Medical Center-Frisco		X		X	X	X		X	
First reports 3 rd quarter 2012	806300 Centennial Medical Center		X		X		X		X	
Gainesville * <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>X</td><td></td><td>X</td><td></td></th<>							X		X	
298000 North Texas Medical Center *										
Galveston x										
000102 UT Medical Branch Hospital x			*		*		*		*	
247000 Shriners Hospital for Children-Galveston x x ^{lv} x ^{lv} x ^{lv} Garland x<										
Garland x </td <td>000102 UT Medical Branch Hospital</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	000102 UT Medical Branch Hospital		X							
027000 Baylor Medical Center-Garland x			X		x ^{lv}		x ^{lv}		x ^{lv}	
Gatesville 346000 Coryell Memorial Hospital x x x x x x x x x x x x x x x x x x										
346000 Coryell Memorial Hospital x x x x x x x x Second Se	027000 Baylor Medical Center-Garland		X	X	X	X	X	X	X	X
Georgetown 835700 St Davids Georgetown Hospital x x x x Gilmer	Gatesville									
Georgetown 835700 St Davids Georgetown Hospital x x x x x Gilmer	346000 Coryell Memorial Hospital		X		X		x ^{OC}		X	
835700 St Davids Georgetown Hospital x x x x x S Silmer										
Gilmer			X		X		X		X	
<u>. </u>	806800 East Texas Medical Center-Gilmer		X		X		X		X	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Glen Rose	WILL		Comment		Comment		Comment		Comment
059000 Glen Rose Medical Center		*		*		*		*	
Gonzales									
103000 Memorial Hospital		*		*		*		*	
Graham									
094000 Graham Regional Medical Center		*		*		*		*	
Ť Total Table Tabl		·							
Granbury									
424000 Lake Granbury Medical Center		X		X		X		X	
Grand Prairie		***		***				xlv	
115100 Texas General Hospital		***		***		X	X	X	X
Grand Saline		OC		OC					
138000 Cozby–Germany Hospital		x ^{OC}		x ^{OC}		OC		OC	
Grapevine									
513000 Baylor Regional Medical Center-Grapevine		X		X		X		X	
858200 Ethicus Hospital DFW		X		X		X		X	
Greenville									
085000 Hunt Regional Medical Center Greenville		X		X		X		X	
754000 Glen Oaks Hospital		X		X		X		X	
Groesbeck									
052000 Limestone Medical Center		*		*		*		*	
Groves									
907000 Renaissance Hospital–Groves		X		xlv		xlv		xlv	
Hallettsville		A		A		A		A	
527000 Lavaca Medical Center		*		*		*		*	
Hamilton									
640000 Hamilton General Hospital		*		*		*		*	
Hamlin		**						**	
		*		*		*		*	
305000 Hamlin Memorial Hospital		**				**		**	
Harker Heights						x ^{Nlv}			
971000 Seton Medical Center Harker Heights First reports 3 rd quarter 2012						X		X	
Harlingen									
000104 Rio Grande State Center		v	v	v	v	v	v	v	v
		X	X	X	X	X X ^{OC}	X	X	X
400000 Valley Baptist Medical Center		X		X				X	
788002 Harlingen Medical Center		X		X		X		X	
840700 Solara Hospital Harlingen		X		X		X		X	
Haskell		*		*		*		*	
572000 Haskell Memorial Hospital		*		*		*		*	
Hemphill									
522000 Sabine County Hospital		X		X		X		X	
Henderson		OC		OC		OC		OC	
248000 East Texas Medical Center Henderson		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
Henrietta									
193000 Clay County Memorial Hospital		*		*		*		*	
Hereford									
420000 Hereford Regional Medical Center		*		*		*		*	
Hillsboro									
383000 Hill Regional Hospital		X		X		X		X	
Hondo									
427000 Medina Regional Hospital		*		*		*		*	
Houston									
000105 UT MD Anderson Cancer Center		X		X		X		X	
000105 OT MD Anderson Cancer Center	1	X		X		X		X	
007000 Womans Hospital–Texas		X		X		X		X	
007000 Womans Hospital-Texas		Λ	L	Λ		Λ		Λ	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
030000 Doctors Hospital-Tidwell	With	X	Comment	X	Comment	X	Comment	X	Comment
112100 Healthsouth Rehabilitation Hospital of		X		X		X		X	
Cypress		Λ		Λ		Λ		Λ.	
117000 Texas Childrens Hospital		X		X		X		X	
117002 Texas Childrens Hospital West Campus		X		X		X		X	
117100 Texas Childrens Hospital-Pavilion for				X		X		X	
Women									
First reports 2 nd quarter 2012									
118000 St Lukes Episcopal Hospital		X	X	X	X	X	X	X	X
119000 Memorial Hermann Southeast Hospital		X		X		X		X	
124000 Methodist Hospital		X		X		X		X	
124001 West Pavillion	124000								
164000 TIRR Memorial Hermann		X		X		X		X	
172000 Memorial Hermann Northwest Hospital		X		X		X		X	
206003 Select Specialty Hospital–Houston Heights		X		X		X		X	
206004 Select Specialty Hospital–Houston West		X		X		X		X	
206005 Select Specialty Hospital-Houston Medical		X		X		X		X	
Center									
229000 Houston Northwest Medical Center		X		X		X		X	
302000 Memorial Hermann Memorial City Medical		X		X		X		X	
Center									
337001 West Houston Medical Center		X		X		X		X	
347000 Memorial Hermann Hospital		X		X		X		X	
384000 Lyndon B Johnson General Hospital		X		X		X		X	
390000 Park Plaza Hospital		X		X		X		X	
407000 Memorial Hermann Southwest Hospital		X		X		X		X	
421000 Spring Branch Medical Center Last reports 3 rd quarter 2012		OC		***		***			
458001 East Houston Regional Medical Center		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
459000 Ben Taub General Hospital		X		X		X		X	
459001 Quentin Mease Community Hospital		X		X		X		Х	
460000 Riverside General Hospital		X		X		X		x ^{OC}	
526000 Shriners Hospitals For Children		X		X		X		X	
606000 Cypress Fairbanks Medical Center		X		X		X		Х	
674000 TOPS Surgical Specialty Hospital		X		X		X		Х	
676000 Kindred Hospital–Houston Medical Center		X		X		X		Х	
678000 Kindred Hospital Midtown		X		xlv		xlv		x ^{lv}	
698005 Cornerstone Hospital Houston–Bellaire		X		X		X		Х	
706000 Kindred Hospital Houston NW		X		X		X	X	Х	
712500 HealthBridge Childrens Hospital-Houston		X		X		X		Х	
713400 Kindred Hospital North Houston		X		X		X	X	X	
715001 Texas Specialty Hospital-Houston		X		X		X		X	
724700 Methodist Willowbrook Hospital		X	X	X	X	X	X	X	X
740000 St Lukes Hospital at the Vintage		X	х	X	Х	X	X	Х	X
744001 Cypress Creek Hospital		X		x ^{OC}		x ^{OC}		x ^{OC}	
755001 West Oaks Hospital		X		X		x ^{OC}		X	
758000 Houston Hospital for Specialized Surgery		xlv		xlv		xlv		xlv	
762001 IntraCare Medical Center Hospital Last reports 1st quarter 2012		x ^{lv}							
763000 Plaza Specialty Hospital		X		X		X		X	
782001 Intracare North Hospital		X		X		X		X	
792000 Texas Orthopedic Hospital		X		X	X	X		X	
792600 Kindred Hospital Spring		X		X	A	X	X	X	
792702 Kindred Hospital Town & Country		X		X		X	Α	X	
1,21,02 Ishidica Hospital Town & Country		А	1	Λ	1	Λ	1	Λ	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
794200 Menninger Clinic	With	X	Comment	X	Comment	X	Comment	X	Comment
800010 Methodist West Houston Hospital		X		X		X		X	
807000 CHRISTUS Dubuis Hospital–Houston		X		x lv		x lv	X	Λ	
Last reports 3 rd quarter 2012		Α		Α		Α	A		
838400 Memorial Hermann Rehab Hospital Katy		Х		X		X		Х	
838600 St Joseph Medical Center		х		X		X		x ^{OC}	
840200 University General Hospital		Х	X	X		X		Х	Х
909000 St Anthonys Hospital		Х		X		X		Х	
941000 Kindred Hospital The Heights		Х		X		X		Х	
956000 Westbury Community Hospital		x ^{OC}		X		X		Х	
969200 Behavioral Hospital–Bellaire		Х		X		X		Х	
970600 Reliant Rehab Hospital Northwest Houston				X		X		Х	
First reports 3 rd quarter 2012									
971100 Efficacy Health Services						x ^{lv}		***	
First reports 3 rd quarter 2012								157	
971700 Cambridge Hospital						***		xlv	
First reports 3 rd quarter 2012 972200 Cornerstone Hospital of South Houston						x ^{lv}			
First reports 3 rd quarter 2012						X		X	
972970 Victory Surgical Hospital East Houston								xlv	
First reports 4 th quarter 2012								Λ.	
Humble									
616000 HEALTHSOUTH Rehab Hospital Humble		Х		X		X		Х	
847100 Memorial Hermann Northeast		Х		X		X		Х	
865900 Icon Hospital		Х		X		X		Х	
901100 Humble Surgical Hospital		x ^{lv}		x ^{lv}		x ^{lv}		x ^{lv}	
969600 Kindred Rehab Hospital Northeast Houston				X		X	X	Х	
First reports 2 nd quarter 2012									
Huntsville									
061000 Huntsville Memorial Hospital		X		X		X		X	
Hurst									
812300 Southwest Surgical Hospital		X		x ^{OC}					
Last reports 2 nd quarter 2012		lv		OC		OC		x ^{OC}	
850200 Cook Childrens Northeast Hospital		x ^{lv}		x ^{OC}		x ^{OC}		X lv	
972990 Victory Medical Center Mid-Cities								x ^{lv}	
First reports 4 th quarter 2012 Iraan									
		*		*		*		*	
258000 Iraan General Hospital				**		**			
Irving 300000 Baylor Medical Center–Irving									
799500 Irving Coppell Surgical Hospital		X	X	X	X	X	X	X	X
814000 Las Colinas Medical Center		X	**	X		X	**	X	
		X	X	X	X	X	X	X	
Jacksboro		*		*		*		*	
046000 Faith Community Hospital Jacksonville		**		**		**			
416000 East Texas Medical Center–Jacksonville									
		X		X		X		X	
725400 Mother Frances Hospital–Jacksonville		X		X		X	X	X	X
Jasper 029001 CUDISTUS Jaspen Memorial Hamital		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
038001 CHRISTUS Jasper Memorial Hospital		X		X		X		X	
Jourdanton								_	
334002 South Texas Regional Medical Center		X		X		X		X	
Junction				x ^{lv}		x ^{lv}		x ^{lv}	
205000 Kimble Hospital		X		X		X		X	
Katy									
534001 Memorial Hermann Katy Hospital		X		X		X		X	
715901 CHRISTUS St Catherine Hospital		X	X	X	X	X		X	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Kaufman									
303000 Texas Health Presbyterian Hospital–Kaufman		X	Х	X	Х	X	х	X	X
Kenedy									
357000 Otto Kaiser Memorial Hospital		*		*		*		*	
Kermit									
062000 Winkler County Memorial Hospital		v		X		v		X	
Kerrville		X		А		X			
		x ^{lv}		x ^{lv}		x ^{lv}		xlv	
000106 Kerrville State Hospital			X		X		X		X
406000 Peterson Regional Medical Center		X		X		X		X	
Kilgore									
031001 Allegiance Specialty Hospital–Kilgore		X		X		X		X	
Killeen									
397001 Metroplex Hospital		X		X		X		X	
397002 Metroplex Pavilion	397001								
Kingsville									
216001 CHRISTUS Spohn Hospital-Kleberg		X		X		X		X	
Kingwood									
675000 Kingwood Medical Center		x ^{OC}		x ^{OC}		x^{OC}		x ^{OC}	
813800 Memorial Hermann Specialty Hospital		x^{lv}		\mathbf{x}^{lv}		x ^{lv}		\mathbf{x}^{lv}	
Kingwood									
818600 Kingwood Pines Hospital		X		X		X		X	
Knox City									
568000 Knox County Hospital		*		*		*		*	
Kyle									
921000 Seton Medical Center Hays		X	х	X	X	X	х	X	X
La Grange		A	A	A	A		Α	- A	A
823400 St Marks Medical Center		X		X		X		X	
Lake Jackson		Λ		А		Λ		Λ	
436000 Brazosport Regional Health System		37		37		***		**	
Lamesa		X		X		X		X	
		*		*		*		*	
341000 Medical Arts Hospital				**					
Lampasas									
397000 Rollins Brooks Community Hospital		X		X		X		X	
Laredo									
207001 Laredo Medical Center		X		X		X		X	X
301000 Doctors Hospital–Laredo		X		X		X		X	
804400 Providence Hospital	301000								
836300 Laredo Specialty Hospital		X		X		X		X	
League City									
718000 Devereux Texas Treatment Network		X		X		X		X	
Levelland									
307000 Covenant Hospital-Levelland		X	X	X		X		\mathbf{x}^{OC}	
Lewisville									
394000 Medical Center-Lewisville		X	X	X	X	X	X	X	
Liberty									
089001 Liberty–Dayton Regional Medical Center		X		X		X		X	
Linden									
822100 Good Shepherd Medical Center-Linden		X	Х	X	X	X	х	X	X
Littlefield									
217000 Lamb Healthcare Center		*		*		*		*	
Livingston									
466000 Memorial Medical Center-Livingston		v		v		v		v	
Llano		X		X		X		X	
		7.		3.				**	
476000 Scott & White Hospital Llano		X		X		X		X	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Lockney	***************************************		Comment		Comment		Comment		Comment
010000 WJ Mangold Memorial Hospial		*		*		*		*	
Longview									
029000 Good Shepherd Medical Center		X	х	X	х	X	х	X	X
106100 Audubon Behavioral Healthcare of Longview		X	71	X	71	X	71	X	74
525000 Longview Regional Medical Center		X		X		X		X	
794600 Select Specialty Hospital–Longview		X		X		X		X	
944000 Behavioral Hospital Longview		X		X		X		X	
Lubbock		Λ		Λ		Λ		Λ	
013001 Grace Medical Center		v		v		v		x ^{OC}	
109000 Covenant Medical Center–Lakeside		X		X		X			
		X		X		X		X	
145000 University Medical Center		X	X	X	X	X	X	X	X
465000 Covenant Medical Center		X		X		X		X	
686000 Covenant Childrens Hospital		X lv		X lv		X lv		X lv	
786001 Llano Specialty Hospital		x ^{lv}		x ^{lv}		x ^{lv}		x ^{lv}	
801500 Lubbock Heart Hospital		x ^N		x^N		x ^N		x ^N	
804000 Sunrise Canyon		X		X		X		X	
846200 Covenant Specialty Hospital		X		X		X		X	
865800 Trustpoint Hospital		x ^N		x^N		x ^N		x ^N	
940000 Texas Specialty Hospital Lubbock		X		X		X		X	
Lufkin									
107100 Audubon Behavioral Healthcare of Lufkin		X		X		X		X	
129000 Memorial Medical Center East Texas		X		X		X		X	X
481000 Woodland Heights Medical Center		X		X		X		X	
691000 Memorial Specialty Hospital		X		X		X		X	
Luling									
597000 Seton Edgar B Davis Hospital		X	X	X	X	X	X	X	X
848200 Warm Springs Specialty Hospital–Luling		X		X		X		X	
Madisonville									
041000 Madison St Joseph Health Center		Х	X	X	X	X	Х	X	Х
Mansfield									
657000 Kindred Hospital–Mansfield		X		X		X	х	X	
842800 Methodist Mansfield Medical Center		X		X		X		X	
Marlin									
517000 Falls Community Hospital & Clinic		*		*		*		*	
Marshall									
020000 Good Shepherd Medical Center–Marshall		X	X	X	X	X	X	X	X
McAllen		Λ	Λ	A	Λ	A	A	Λ	Λ
601000 Rio Grande Regional Hospital		X		X		X		x ^{OC}	
802001 McAllen Medical Center									
802003 McAllen Heart Hospital	802001	X		X		X		X	
	002001								
816300 Solara Hospital		X		X		X		X	
821001 LifeCare Hospital—South Texas—South		X		X		X		X	
821002 LifeCare Hospitals—South Texas—North		X		X		X		X	
McCamey		*		*		*		*	
240000 McCamey Hospital		Φ		Φ		4		*	
McKinney								x ^{OC}	
246000 Columbia Medical Center–McKinney	246000	X		X		X	X	X	
246001 Medical Center McKinney–Wysong Campus	246000			OC		OC.			
922000 The Hospital at Craig Ranch Last reports 3 rd quarter 2012		X		x ^{OC}		x ^{OC}			
937000 Methodist McKinney Hospital		X		X		X X ^{OC}		X	
971900 Baylor Medical Center McKinney First reports 3 rd quarter 2012						X		X	X
rust reports 5 quarter 2012									

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
Mesquite	With	1012	Comment	2Q12	Comment	3Q12	Comment	4012	Comment
315003 Dallas Regional Medical Center		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
670001 Mesquite Rehab Hospital									
840000 Mesquite Specialty Hospital		X		X		X		X	
Mexia		X		X		X		X	
505000 Parkview Regional Hospital		X		X		X		X	
Midland									
452000 Midland Memorial Hospital	452000	X		X		X		X	
452002 Midland Memorial Hospital–West Campus	452000								
693000 HEALTHSOUTH Rehab Hospital		X		X		X		X	
Midland/Odessa									
789900 Select Specialty Hospital-Midland		X		X		X		X	
874500 BCA Permian Basin		X		x ^{OC}		x ^{OC}			
924000 Allegiance Health Center Permian Basin		X		X		X		\mathbf{x}^{OC}	
Mineral Wells									
034000 Palo Pinto General Hospital		X		X		X		X	
Mission									
370000 Mission Regional Medical Center		X		X		X		X	
Missouri City									
609001 Memorial Hermann Sugar Land		X		X		X		X	
Monahans		Λ		Α		A		Α	
468000 Ward Memorial Hospital		*		*		*		*	
Morton						-			
		*		*		*		*	
159000 Cochran Memorial Hospital Mount Pleasant				- 10		-1.		- 10	
		*		*		*		*	
137000 Titus Regional Medical Center		~		*		*		*	
Mount Vernon									
282000 East Texas Medical Center-Mount Vernon		X		X		X		X	
Muenster				*					
365000 Muenster Memorial Hospital		*		*		*		*	
Muleshoe									
631000 Muleshoe Area Medical Center		*		*		*		*	
Nacogdoches									
392000 Nacogdoches Medical Center		X		X		X		X	
478000 Nacogdoches Memorial Hospital		X		X	X	X		X	
478001 Cecil R Bomar Rehab Center	478000								
Nassau Bay									
600001 CHRISTUS St John Hospital		X		X		X		X	
Navasota									
728800 Grimes St Joseph Health Center		X	X	X	X	X	X	X	X
Nederland									
127000 Mid-Jefferson Extended Care Hospital		X		X		X		X	
New Braunfels									
124100 Warm Springs Specialty Hospital New		X		X		Х		X	
Braunfels									
786200 New Braunfels Regional Rehab Hospital		X		X		X		X	
863300 CHRISTUS Santa Rosa Hospital New		X		X		X		X	
Braunfels									
Nocona									
348000 Nocona General Hospital		*		*		*		*	
Odessa									
181000 Medical Center Hospital		X		X		X		X	
425000 Odessa Regional Medical Center									
		X		X		X		X X ^{OC}	
791001 Regency Hospital-Odessa	1	X		X		X		X	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
938000 Basin Healthcare Center	With	X	Comment	X	Comment	X	Comment	xlv	Comment
Olney									
294000 Hamilton Hospital		*		*		*		*	
Orange									
121000 Baptist Orange Hospital		X		X		X		X	
851400 Harbor Hospital–Southeast Texas		X		x ^{OC}		X ^{OC}		X	
Palacios									
574001 Palacios Community Medical Center		x ^{lv}		X		X		X	
Palestine									
629001 Palestine Regional Medical Center		X		X		X	Х	X	
629002 Palestine Regional Medical Center Rehab &	629001								
Psych Campus									
Pampa									
832900 Pampa Regional Medical Center		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
Paris									
095002 Paris Regional Medical Center South Campus		X		X		x ^{OC}		X	
095003 Paris Regional Medical Center North Campus	095002								
787500 Dubuis Hospital–Paris		X		x ^{lv}	X	x ^{lv}	X	X	X
Pasadena									
349001 Bayshore Medical Center		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
694100 Surgery Specialty Hospitals of America-		x ^{OC}		x ^{lv}		\mathbf{x}^{OC}		\mathbf{x}^{lv}	
Southeast Houston									
801000 Kindred Hospital Bay Area		X		X		X		X	
846100 St Lukes Patients Medical Center		X		X		X		X	
972700 Pristine Hospital of Pasadena								\mathbf{x}^{lv}	
First reports 4 th quarter 2012									
Pearsall									
441000 Frio Regional Hospital		*		*		*		*	
Pecos									
367000 Reeves County Hospital		*		*		*		*	
Perryton								-1-	
098000 Ochiltree General Hospital		*		*		*		*	
Pittsburg									
438000 East Texas Medical Center-Pittsburg		X		X		X		X	
Plainview									
146000 Covenant Hospital–Plainview		X		X		X		X	
816001 Allegiance Behavioral Health Center-		X		X		X		X	
Plainview Plano									
143001 Childrens Medical Center Legacy		37				37		***	
214000 Medical Center-Plano		X	v	X	v	X		X	
664000 Texas Health Presbyterian Hospital–Plano		X X	X	X	X	X X	X	X	v
670000 HEALTHSOUTH Plano Rehab Hospital		X	X	X	X	X	X	X X	X
720000 Texas Health Seay Behavioral Health Center			X						X
789800 LifeCare Hospital–Plano		X X	X X	X	X X	X	X X	X X	X
805000 Plano Specialty Hospital		X	Λ	X	Λ	X	Λ	X	
814001 Baylor Regional Medical Center–Plano		X	X	X	X	X	X	X	X
815300 Texas Health Center–Diagnostics & Surgery		X	X	X	Λ	X	X	X	X
Plano		Λ	^	Λ		Λ	Λ	Λ	А
844000 Heart Hospital Baylor Plano		X		X		X		X	
972910 Victory Medical Center Plano		- 41		21		41		X	
First reports 4 th quarter 2012									
Port Arthur									
299001 CHRISTUS Hospital-St Mary		x ^{OC}		x ^{OC}		x ^{OC}		\mathbf{x}^{OC}	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
464002 Medical Center–Southeast Texas	With	X	Comment	X	Comment	X	Comment	X	Comment
708001 CHRISTUS Dubuis Hospital–Port Arthur		x lv		x ^{lv}	X	x ^{lv}	X	x ^{lv}	X
Port Lavaca		A		A	A	A	A		A
487000 Memorial Medical Center		*		*		*		*	
Quanah									
102000 Hardeman County Memorial Hospital		*		*		*		*	
Quitman						-			
		x ^{OC}							
411000 East Texas Medical Center–Quitman		X		X		X		X	
Rankin		*		*		*		*	
290000 Rankin County Hospital District		*		*		*		*	
Refugio									
368000 Refugio County Memorial Hospital District		*		*		*		*	
Richardson									
549000 Methodist Richardson Medical Center		X		X		X		X	
549001 Bush Renner		***		***		***		***	
861300 Reliant Rehab Hospital North Texas		X	X	X		X		X	
Richland Hills									
437000 North Hills Hospital		X	X	X	X	X	X	X	
Richmond									
230000 Oakbend Medical Center		X		X		X		X	
230001 Oakbend Medical Center		X		X		X		X	
Rio Grande City									
393000 Starr County Memorial Hospital		X		X		X		X	
Rockdale		71		74		74			
369000 Little River Healthcare		X		X		X		X	X
Rockwall		Λ		Λ		А		Α	Λ
859900 Texas Health Presbyterian Hospital–Rockwall		37	37	37		**	**	***	37
Rotan		X	X	X		X	X	X	X
		*		*		*		*	
355000 Fisher County Hospital District				**		**			
Round Rock									
608000 Round Rock Medical Center		X		X		X		X	
852600 Scott & White Hospital Round Rock		X		X		X		X	
861700 Seton Medical Center Williamson		X	X	X	X	X	X	X	X
866100 Reliant Rehab Hospital Central Texas		X	X	X		X		X	
Rowlett									
625000 Lake Pointe Medical Center		X		X		X		X	
Rusk									
000107 Rusk State Hospital		X	X	X	X	X	X	X	X
San Angelo									
056000 San Angelo Community Medical Center		X		X		X		$\mathbf{x}^{\mathbf{N}}$	
168000 Shannon West Texas Memorial Hospital		X		X		X		X	
445000 Shannon Medical Center–St Johns Campus	168000								
747000 River Crest Hospital		x ^{OC}		X	X	X	X	X	X
San Antonio									
000108 Texas Center for Infectious Disease		xlv		x ^{lv}		x ^{lv}		xlv	
000110 San Antonio State Hospital		X	X	X	X	X	X		X
081001 Mission Trail Baptist Hospital		v		X		x ^{OC}		X X ^{OC}	
114001 Baptist Medical Center		x ^{OC}		X		X ^{OC}		x ^{OC}	
134001 Northeast Baptist Hospital		X		X		X ^{OC}		XOC	
154000 Methodist Hospital		v	 						
154000 Methodist Hospital 154001 Methodist Specialty & Transplant Hospital		X X ^{OC}	 	X		X		X	
				X		X		X	
154002 Northeast Methodist Hospital		X		X		X		X	
154003 Methodist Texsan Hospital		X		X		X		X	
158000 University Hospital		X		X		X		X	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
228001 Southwest General Hospital	With	X	Comment	X	Comment	X	Comment	X	Comment
283000 Metropolitan Methodist Hospital		v		X		X		X	
		XOC		X		X		71	
339000 CHRISTUS Santa Rosa Hospital Last reports 3 rd quarter 2012									
339001 CHRISTUS Santa Rosa Medical Center		X		X		X		X	
339002 CHRISTUS Santa Rosa Hospital–Westover		X		X		X		X	
Hills									
339003 CHRISTUS Santa Rose-Alamo Heights		x ^{lv}		x ^{lv}		x ^{lv}		xlv	
396001 Nix Specialty Health Center	396002								
396002 Nix Health Care System		X		X		X		X	
503001 St Lukes Baptist Hospital		X		x ^{OC}		x ^{OC}		x ^{OC}	
634000 Childrens Hospital of San Antonio		X		X		X		X	
636000 HEALTHSOUTH Rehab Institute–San Antonio		X		X		X		X	
645000 Kindred Hospital–San Antonio		X		X		X		X	
647000 Baptist Emergency Hospital		xlv		x ^{lv}		x ^{lv}		x ^{lv}	
677001 North Central Baptist Hospital		X		x ^{OC}		x ^{OC}		x ^{OC}	
681001 Methodist Ambulatory Surgery Hospital-		X		X		X		X	
Northwest		1		1		I.		1	
702001 Acuity Hospital South Texas		x ^{lv}		x ^{lv}		xlv		x ^{lv}	
719300 Select Specialty Hospital–San Antonio		X		X		X		X	
723001 Laurel Ridge Treatment Center		X		X		X		X	
737000 Clarity Child Guidance Center		X		X		X		X	
786800 South Texas Spine & Surgical Hospital		X		X		X	X	X	
799200 Promise Hospital–San Antonio\		x ^{OC}		X	X				
Last reports 2 nd quarter 2012									
815000 LifeCare Hospital–San Antonio 820600 Innova Hospital–San Antonio		X X ^{lv}		X		X		X	
				X		X		X	
844600 Warm Springs Rehab Hospital–San Antonio 844601 Warm Springs Rehab Hospital Thousand		X X ^{lv}		X		X		X	
Oaks		Х		X		X		X	
844602 Warm Springs Rehab Hospital Westover Hills						X		X	
First reports 3 rd quarter 2012						Α		Α	
852100 Foundation Bariatric Hospital–San Antonio		X		X		X		X	
874100 Methodist Stone Oak Hospital		X		X		Х		Х	
939000 GlobalRehab Hospital–San Antonio		X		X		Х		Х	
972960 Warm Springs Specialty Hospital San						xlv		Х	
Antonio									
First reports 3 rd quarter 2012									
San Augustine									
072000 Memorial Medical Center–San Augustine		X		X		X		X	
San Marcos									
556000 Central Texas Medical Center		X		X		X		X	
Seguin									
155000 Guadalupe Regional Medical Center		X		X		X		X	
Seminole									
113000 Memorial Hospital		*		*		*		*	
Seymour									
546000 Seymour Hospital		*		*		*		*	
Shamrock									
571000 Shamrock General Hospital		*		*		*		*	
Shenandoah									
795000 Nexus Specialty Hospital Shenandoah Campus		X		X		X		X	
873700 Reliant Rehab Hospital North Houston		X	X	X		X		X	
Sherman									
100076 Heritage Park Surgical Hospital		X		X	1	X		X	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
297000 Texas Health Presbyterian Hospital – WNJ	With	X	Comment	X	Comment	X	Comment	X	Comment
297002 Texas Health Presbyterian Hospital – WNJ	297000								
Behavioral Health									
847002 Texoma Medical Center Behavioral Health	847000								
Center									
957000 Carrus Rehab Hospital		X	X	X		X	X	X	X
Smithville									
424500 Seton Smithville Regional Hospital		X		X		X		X	
Snyder									
439000 Cogdell Memorial Hospital		*		*		*		*	
Sonora									
147000 Lillian M Hudspeth Memorial Hospital		*x ^{lv}		*x ^{lv}		*x ^{lv}		*x ^{lv}	
Southlake									
812800 Texas Health Harris Methodist Hospital		X	X	X		X	X	X	X
Southlake									
Spearman									
395000 Hansford County Hospital		*		*		*		*	
Spring									
945500 Victory Medical Center Houston		X		X		X		X	
Stafford									
874000 Atrium Medical Center		X		X		X		X	
Stamford		_						_	
043000 Stamford Memorial Hospital		*		*		*		*	
Stanton									
388000 Martin County Hospital District		*		*		*		*	
Stephenville									
256000 Texas Health Harris Methodist Hospital–		X	X	X	X	X	X	X	X
Stephenville									
Sugar Land									
790500 Sugar Land Surgical Hospital		X		X		X		X	
792700 Kindred Hospital Sugar Land		X X ^{OC}		X		X		X	
823000 Methodist Sugar Land Hospital				X		X		X	
869700 St Lukes Sugar Land Hospital		X X ^{lv}	X						
916000 Emerus Hospital									
969000 HEALTHSOUTH Sugar Land Rehab		X		X		X		X	
Hospital Sulphur Springs									
280000 Hopkins County Memorial Hospital		*		*		*		*	
Sunnyvale		-				-		-	
919000 Texas Regional Medical Center Sunnyvale		x ^{OC}		X		v		v	
Sweeny		Λ		Λ		X		X	
178000 Sweeny Community Hospital		v		X		v		X	
Sweetwater		X		Λ		X		Λ	
471000 Rolling Plains Memorial Hospital		*		*		*		*	
Tahoka									
192000 Lynn County Hospital District		*		*		*		*	
Taylor									
044000 Scott & White Hospital Taylor		X		X		X		X	
Temple		Λ		Λ		Λ		Λ	
537000 Scott & White Memorial Hospital		X		X		X		X	
537000 Scott & White Santa Fe Center	537000	А		Λ		Λ		Λ	
537001 Scott & White Santa Pe Center	537000								
537002 Scott & White Paymon 537003 Scott & White Memorial Hospital–SNF	227000	X		X		X		X	
537005 Scott & White Memorial Hospital–Psych		X		X		X		X	
23/003 Scott & Willie Mellional Hospital-Esych		Λ	L	Λ	L	Λ	1	Λ	

	Reports	1Q12	With	2Q12	With	3Q12	With	4012	With
537006 McLane Childrens Hospital Scott & White	With	X	Comment	X	Comment	X	Comment	X	Comment
850300 Scott & White Continuing Care		X		X		X		X	
Terrell									
000111 Terrell State Hospital		X	X	X	Х	X	х	X	Х
		x ^{OC}		x ^{OC}		OC			
848600 Renaissance Hospital Terrell Last reports 3 rd quarter 2012									
Texarkana									
144000 Wadley Regional Medical Center		x ^{OC}		X		X		X	X
684000 HEALTHSOUTH Rehab Hospital-Texarkana		X		X		X		X	
713001 CHRISTUS St Michael Rehab Hospital		X	X	X		X		X	
788001 CHRISTUS St Michael Health System		X	X	X	X	X	X	X	X
822000 Dubuis Hospital–Texarkana		X		X	X	X	X	X	X
847600 Dubuis Hospital–Texarkana–Wadley		X		x^{lv}	X	X	X	X	X
Texas City									
793000 Mainland Medical Center		x ^{OC}		x ^{OC}		X		X	
The Woodlands									
615000 Memorial Hermann The Woodlands Hospital		X		X		X		X	
793100 St Lukes The Woodlands Hospital		X	X	X	X	X	X	X	X
795001 Nexus Specialty Hospital		\mathbf{x}^{lv}		\mathbf{x}^{lv}		\mathbf{x}^{lv}		\mathbf{x}^{lv}	
923000 St Lukes Lakeside Hospital		X	X	X	X	X	X	X	X
Throckmorton									
428000 Throckmorton County Memorial Hospital		*		*		*		*	
Tomball									
076000 Tomball Regional Medical Center		x ^{OC}		x ^{OC}		x ^{OC}		x ^{OC}	
792601 Kindred Hospital Tomball		X		X		X		X	
Trinity									
287000 East Texas Medical Center–Trinity		X		X		X		X	
Trophy Club									
805100 Baylor Medical Center Trophy Club		X		X		X		X	
Tulia									
273000 Swisher Memorial Hospital		*		*		*		*	
Tyler									
000112 UT Health Center–Tyler		X		X		X		X	
286000 Mother Frances Hospital		X		X		X	х	X	х
410000 East Texas Medical Center		X		X		X		X	
410001 East Texas Medical Center Behavioral Health	410000								
Center									
692000 Trinity Mother Frances Rehab Hospital		X		X		X	X	X	
777000 East Texas Medical Center Specialty Hospital		X		X		X		X	
790200 Texas Spine & Joint Hospital		X		X		X		X	
799000 East Texas Medical Center Rehab Hospital		X		X		X		X	
806500 Tyler Continue Care Hospital		X		X		X		X	
Uvalde		<u> </u>		A		A			
063000 Uvalde Memorial Hospital		X		X		X		x ^{OC}	
Van Horn		A		A		A		A	
139000 Culberson Hospital		x ^{lv}		xlv		x ^{lv}		xlv	
Vernon				Λ		Λ		Λ	
000113 North Texas State Hospital–Vernon	000114								
084000 Wilbarger General Hospital		*		*		*		*	
Victoria									
064000 Citizens Medical Center		X		X		Y		X	
453000 DeTar Hospital–Navarro		X	X	X	X	X X ^{OC}		X	X
453000 DeTai Hospital—North	453000	Λ	Λ	Λ	Λ	А		Λ	^
812000 Kindred Hospital Victoria	123000	v	v	v		v		v	\vdash
012000 Kiliurea Hospital Victoria		X	X	X		X		X	

	Reports	1Q12	With	2Q12	With	3Q12	With	4Q12	With
848100 Warm Springs Specialty Hospital–Victoria	With	X	Comment	X	Comment	X	Comment	X	Comment
Waco									
000117 Waco Center for Youth		xlv	X	x ^{lv}	Х	xlv	Х	x ^{lv}	Х
040000 Providence Health Center		x ^{OC}		X		X		X	
506000 Hillcrest Baptist Medical Center		X		Х		Х		Х	
506001 Hillcrest Baptist Medical Center	506000								
736000 DePaul Center		x ^{OC}		X		X		X	
Waxahachie									
285000 Baylor Medical Center-Waxahachie		X	Х	х	X	х	х	X	Х
Weatherford									
844800 Weatherford Regional Medical Center		X		X		X		X	
Webster									
212000 Clear Lake Regional Medical Center		X		X		X		X	
680000 Kindred Rehab Hospital Clear Lake		X		X		X		X	
698004 Cornerstone Hospital Houston–Clear Lake		X		X		X		X	
720402 Kindred Hospital Clear Lake		X		X		X		X	
822001 Houston Physicians Hospital		X		X		X		X	
Weimar		Α		Λ		Λ		Λ	
005000 Colorado–Fayette Medical Center		*		*		*			
Last reports 3 rd quarter 2012									
Wellington									
195000 Collingsworth General Hospital		X		X		X		X	
Weslaco									
480000 Knapp Medical Center		X		X		X		X	
808500 Weslaco Rehab Hospital		X		X		X		X	
Wharton		А		Λ		Λ		Α	
833000 Gulf Coast Medical Center		X		X		X		X	
Wheeler		Λ		Λ		Λ		Λ	
116000 Parkview Hospital		*		*		*		*	
Whitney									
		X ^{OC}		x ^{OC}		OC		OC	
161000 Lake Whitney Medical Center Wichita Falls		X		X		OC		OC	
000114 North Texas State Hospital		X	X	X	X	X	X	X	X
417000 United Regional Health Care System		X		X		X		X	
681400 Kell West Regional Hospital		X		X		X		X	
685000 HEALTHSOUTH Rehab Hospital–Wichita		X		X		X		X	
Falls									
709001 Red River Hospital		X	X	X	X	X		X	X
820002 Texas Specialty Hospital–Wichita Falls		X		X		X		X	
Winnie		*		.1.		.1.		.1.	
781400 Winnie Community Hospital		*		*		*		*	
Winnsboro		NT.							
446001 Mother Frances Hospital Winnsboro		x ^N		X		X		X	
Winters									
151000 North Runnels Hospital		*		*		*		*	
Woodville									
569000 Tyler County Hospital		*		*		*		*	
Yoakum									
023000 Yoakum Community Hospital		X	X	X	X	X		X	

	Reports With	1Q12	With Comment	2Q12	With Comment	3Q12	With Comment	4Q12	With Comment
Total exempt hospitals		87		87		86		84	
Total exempt hospitals voluntarily reporting		3		4		3		3	
Total hospitals not in compliance. No data submitted		1		3		8		6	
Total hospitals with discharges reported by another hospital		30		30		30		30	
Total reporting		568		570		573		573	

Note: Hospitals that report discharge data with another hospital are so indicated in the 'Reports With' column.

- C Closed, no data submitted. C^{N} Closed, data not certified. NC Certification comments not submitted to DSHS.
- OC Not in compliance for this quarter. No data submitted.
- x Hospital submitted and certified data, submitted comments. x^{lv} Hospital with fewer than fifty discharges in the quarter. The hospital IDs for these hospitals have been changed to '999999' in the Public Use Data File, but their comments are listed under their actual THCIC ID. Other changes to the patient records for these hospitals are indicated in the 'Data Dictionary'.
- x^N Hospital elected not to certify data.
- x^{OC} Hospital did not certify data. Not in compliance for this quarter.
 - Exempt hospital. Includes those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Also includes hospitals that do not seek insurance payment or government reimbursement (Section 108.009).
- No discharges for this quarter.