

Collaborative Staging Codes**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum****(M-9700-9701)****C44.0-C44.9, C51.0-C51.2, C51.8-C51.9, C60.0-C60.2, C60.8-C60.9, C63.2**

C44.0 Skin of lip, NOS

C44.1 Eyelid

C44.2 External ear

C44.3 Skin of ear and unspecified parts of face

C44.4 Skin of scalp and neck

C44.5 Skin of trunk

C44.6 Skin of upper limb and shoulder

C44.7 Skin of lower limb and hip

C44.8 Overlapping lesion of skin

C44.9 Skin, NOS

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis

C63.2 Scrotum, NOS

Note 1: Laterality must be coded for C44.1-C44.3 and C44.5-C44.7. For codes C44.3 and C44.5, if the tumor is midline (e.g., chin), code as 9 (midline) in the laterality field.

Note 2: Source: Developed by the Mycosis Fungoides Cooperative Group (MFCG)

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum**CS Tumor Size****SEE STANDARD TABLE**

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum**CS Extension (Revised: 08/15/2006)**

Note 1: In approximating body surface, the palmar surface of the hand, including digits, is about 1%.

Note 2: Use code 25 when skin involvement is present but only a general location/site is mentioned (i.e., face, legs, torso, arms). Use code 30 when there is skin involvement but there is no mention of location/site.

Code	Description	TNM	SS77	SS2000
10	Plaques, papules, or erythematous patches ("plaque stage"): Less than 10% of skin surface, no tumors Limited plaques/patches MFCG Stage I	T1	L	L
20	Plaques, papules, or erythematous patches ("plaque stage"): Greater than or equal to 10% of skin surface, no tumors Generalized plaques/patches MFCG Stage II	T2	L	L
25	Plaques, papules, or erythematous patches ("plaque stage"): % or body surface not stated, no tumors	T2	L	L
30	Skin involvement, NOS: Extent not stated, no tumors Localized, NOS	T1	L	L
50	One or more tumors (tumor stage) Cutaneous tumors	T3	RE	RE
70	Generalized erythroderma (greater than 50% of body involved with diffuse redness) Sezary syndrome/Sezary disease MFGC Stage III	T4	RE	RE
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum**CS TS/Ext-Eval**

Code	Description	Staging Basis
9	Not applicable for this site.	NA

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Lymph Nodes (Revised: 08/21/2006)**

Note: For this site, code ALL lymph node (regional and distant) involvement in this field.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Clinically enlarged palpable lymph node(s) (adenopathy), and either pathologically negative nodes or no pathological statement	N1	RN	RN
20	No clinically enlarged palpable lymph node(s) (adenopathy); pathologically positive lymph node(s)	N2	RN	RN
30	Both clinically enlarged palpable lymph node(s) (adenopathy) and pathologically positive lymph node(s)	N3	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
Reg LN Pos
SEE STANDARD TABLE**

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
Reg LN Exam
SEE STANDARD TABLE**

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Mets at DX (Revised: 08/15/2006)**

Note: For this site, code ALL lymph node (regional and distant) involvement in the CS Lymph Nodes field.

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
40	Visceral (non-cutaneous, extra nodal) involvement: MFCG Stage IV Carcinomatosis Distant metastasis, NOS	M1	D	D
99	Unknown if distant metastasis; Not documented in patient record; Distant metastasis cannot be assessed	MX	U	U

Site Specific Surgery Codes**Skin****C440–C449**

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser ablation

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[SEER Note: Codes 21 to 24 above combine 20 Local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

Specimen sent to pathology from surgical events 20–27

[SEER Notes: Code UVB phototherapy for mycosis fungoides primaries under Surgery of Primary Site for skin. Assign code 11 if there is no pathology specimen. Assign code 21 if there is a pathology specimen. Codes 20-27 include shave and wedge resection]

- 30 Biopsy of primary tumor followed by a gross excision of the lesion (does not have to be done under the same anesthesia)
 - 31 Shave biopsy followed by a gross excision of the lesion
 - 32 Punch biopsy followed by a gross excision of the lesion
 - 33 Incisional biopsy followed by a gross excision of the lesion
 - 34 Mohs surgery, NOS
 - 35 Mohs with 1-cm margin or less

36 Mohs with more than 1-cm margin

[**SEER Notes:** Codes 30 to 33 include less than a wide excision, less than or equal to 1 cm margin or margins are unknown. If it is stated to be a wide excision or reexcision, but the margins are unknown, code to 30. Code 45 represents a wide excision in which it is known that the margins of excision are greater than 1 cm.]

45 Wide excision or reexcision of lesion or minor (local) amputation with margins more than 1 cm, NOS. Margins **MUST** be microscopically negative.

46 WITH margins more than 1 cm and less than or equal to 2 cm

47 WITH margins greater than 2 cm

If the excision does not have microscopically negative margins greater than 1 cm, use the appropriate code, 20-36.

60 Major amputation

90 Surgery, NOS

99 Unknown if surgery performed; death certificate **ONLY**

Site Specific Surgery Codes**All Other Sites**

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, **C510–C519**, C529, C570–C579, C589, **C600–C609**, **C630–C639**, C680–C689, C690–C699, C740–C749, C750–C759
(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]
25 Laser excision

Specimen sent to pathology from surgical events 20–27

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
 - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”
- 60 Radical surgery
Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[**SEER Note:** In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY