

Collaborative Staging Codes**Fallopian Tube****C57.0**

C57.0 Fallopian tube

Note: Laterality must be coded for this site**Fallopian Tube****CS Tumor Size****SEE STANDARD TABLE****Fallopian Tube****CS Extension (Revised: 09/25/2007)****Note 1:** Positive regional lymph nodes (FIGO Stage IIIC) are coded in the CS Lymph Nodes field.**Note 2:** Codes 13 and 66: Since "malignant ascites or malignant peritoneal washings" was not specifically categorized in the 1977 Summary Staging Guide, it is unclear to which stage previous cases may have been coded.**Note 3:** Liver capsule metastases are coded to 75-78 in the Extension field; liver parenchymal metastases are coded in the Mets at DX field.**Note 4:** Both extension to and discontinuous metastasis to any of the following PELVIC organs is considered FIGO Stage II and coded in the range 35-66: adnexae, NOS; bladder, bladder serosa; broad ligament (mesovarium); cul-de-sac; fallopian tubes; parametrium; pelvic peritoneum; pelvic wall; rectum; sigmoid colon; sigmoid mesentery; ureter; uterus; uterine serosa.**Note 5:** Both extension to and discontinuous metastasis to any of the following ABDOMINAL organs is considered FIGO Stage III and coded in the range 69-78: abdominal mesentery; diaphragm; gallbladder; infracolic omentum; kidneys; large intestine except rectum and sigmoid colon; liver (peritoneal surface); omentum; pancreas; pericolic gutter; peritoneum, NOS; small intestine; spleen; stomach; ureters.**Note 6:** From the AJCC Manual 6th Edition (page 285): "It may be preferable to classify a patient as TX (primary tumor cannot be assessed) if inadequate staging biopsies and/or a lack of peritoneal cytology make it inaccurate to classify the patient with confidence as early stage (Stage T3a/IIIA has not been excluded by adequate staging biopsies)."

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive, intraepithelial Limited to tubal mucosa FIGO Stage 0	Tis	IS	IS
10	Confined to fallopian tube, NOS FIGO Stage I	T1NOS	L	L
11	Confined to one fallopian tube WITHOUT penetrating serosal surface; no ascites FIGO Stage IA	T1a	L	L
12	Confined to both fallopian tubes	T1b	L	L

12 cont'd	WITHOUT penetrating serosal surface; no ascites FIGO Stage IB	T1b	L	L
13	Extension onto or through tubal serosa Malignant ascites Malignant peritoneal washings FIGO Stage IC	T1c	L	L
30	Localized, NOS FIGO Stage I	T1NOS	L	L
35	Pelvic extension, NOS with no malignant cells in ascites or peritoneal washings FIGO Stage II	T2NOS	RE	RE
40	Extension or metastasis to (but no malignant cells in ascites or peritoneal washings): Corpus uteri Ovary, ipsilateral Uterus, NOS FIGO Stage IIA	T2a	RE	RE
50	Extension or metastasis to (but no malignant cells in ascites or peritoneal washings): Broad ligament, ipsilateral Mesosalpinx, ipsilateral Adjacent Peritoneum FIGO Stage IIB	T2b	RE	RE
60	Ovary, contralateral (but no malignant cells in ascites or peritoneal washings): FIGO Stage IIA	T2a	D	RE
61	(60) + (50)	T2b	D	RE
65	Extension or metastasis to (but no malignant cells in ascites or peritoneal washings): Broad ligament, contralateral Cul de sac (rectouterine pouch) Mesosalpinx, contralateral Rectosigmoid Sigmoid FIGO IIB	T2b	D	RE
66	Pelvic extension (codes 35-65) WITH malignant cells in ascites or peritoneal washings FIGO Stage IIC	T2C	D	D

68	Peritoneal implants or metastasis (size of metastases not stated; unknown if microscopic or macroscopic) Omentum Small Intestine FIGO Stage III	T3NOS	D	D
69	Microscopic peritoneal implants or metastasis: Omentum Small Intestine FIGO Stage IIIA	T3a	D	D
70	OBSOLETE: converted to 68 Extension or metastasis to: Omentum FIGO Stage IIB	T2b	D	RE
71	OBSOLETE: converted to 66 Pelvic extension (codes 35 to 70) with malignant cells in ascites or peritoneal washings FIGO Stage IIC	T2c	D	RE
72	Macroscopic peritoneal implants or metastasis less than or equal to 2cm Omentum Small Intestine FIGO Stage IIIB	T3b	D	D
73	Macroscopic peritoneal implants or metastasis greater than 2cm Omentum Small Intestine FIGO Stage IIIC	T3c	D	D
75	Peritoneal implants outside the pelvis, NOS (size of metastases not stated; unknown if microscopic or macroscopic), except code 68 (See Note 5) FIGO Stage III	T3NOS	D	D
76	Microscopic peritoneal metastasis outside the pelvis except code 69 (See Note 5) FIGO Stage IIIA	T3a	D	D
77	Macroscopic peritoneal metastasis less than or equal to 2 cm outside the pelvis, except code 72 (See Note 5) FIGO Stage IIIB	T3b	D	D
78	Peritoneal metastases greater than 2 cm, except code 73 (See Note 5); FIGO Stage IIIC	T3c	D	D

80	Further contiguous extension FIGO Stage III	T3NOS	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed (See Note 6) Not documented in patient record	TX	U	U

Fallopian Tube**CS TS/Ext-Eval****SEE STANDARD TABLE**

NOTE: For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

Fallopian Tube**CS Lymph Nodes (Revised: 08/15/2006)**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field. Mets at DX.

Note 2: If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved.

Note 3: If either exploratory/definitive surgery is done with no mention of lymph nodes, assume nodes are negative.

Note 4: Regional nodes include bilateral and contralateral involvement of named nodes.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Pelvic, NOS	N1	RN	RN
12	Regional lymph node(s): Lateral sacral (laterosacral) Presacral	N1	D	RN
20	Regional lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Retroperitoneal, NOS	N1	RN	RN

22	(12) + (20)	N1	D	RN
30	Regional lymph node(s): Inguinal	N1	D	RN
50	Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Fallopian Tube**Reg LN Pos****SEE STANDARD TABLE****Fallopian Tube****Reg LN Exam****SEE STANDARD TABLE****Fallopian Tube****CS Mets at DX (Revised: 05/06/2004)**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
40	Distant metastases, except distant lymph node(s) (code 10), including: Liver parenchymal metastasis Pleural effusion WITH positive cytology Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U