

FloorMouth**Floor of Mouth****C04.0-C04.1, C04.8-C04.9**

C04.0 Anterior floor of mouth

C04.1 Lateral floor of mouth

C04.8 Overlapping lesion of floor of mouth

C04.9 Floor of mouth, NOS

FloorMouth**CS Tumor Size**

Note 1: Code the specific tumor size as stated in the medical record. Use code 992, 994, or 995 if the physician's statement about T value is the ONLY information available about the size of the tumor. (Refer to the CS Extension table for instructions on coding extension.)

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T3 with no other information on size
996	Described as "greater than 5cm"

Code	Description
999	Unknown; size not stated Not documented in patient record

FloorMouth**CS Extension**

Note 1: Periosteum is a fibrous membrane that wraps the outer surface of bones. Cortical bone is the dense compact outer layer of bone. Trabecular, cancellous, or spongy bone (spongiosa) is a porous network of tissue filling the interior of bone, decreasing weight and allowing room for blood vessels and marrow.

Note 2: AJCC assigns T value based on size when bone involvement is limited to the cortex. Involvement through cortical bone is required for assignment of T4a.

Note 3: Use code 300 for localized tumor ONLY if no information is available to assign code 100, 400, 405, 410, or 415.

Note 4: Use code 405, 410, 415, 780, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor on one side confined to: Lamina propria Submucosa	^	*	L	L
300	Localized, NOS	^	*	L	L
400	Tumor crosses midline	^	*	L	L
405	Stated as T1 with no other information on extension	^	*	L	L
410	Stated as T2 with no other information on extension.	^	*	L	L
415	Stated as T3 with no other information on extension	^	*	L	L
500	Anterior 2/3 of tongue Base of tongue	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	Gingiva (alveolar ridge), lower Periosteum of mandible	^	*	RE	RE
530	Sublingual gland, including ducts Submandibular (submaxillary) glands, including ducts	^	*	RE	RE
535	Cortical bone of mandible Mandible, NOS Cortical bone, NOS (not specified in higher codes) Bone, NOS (not specified in higher codes)	^	*	RE	RE
545	Cortical bone of maxilla Maxilla, NOS	^	*	D	D
550	Subcutaneous soft tissue of chin/neck	^	*	RE	RE
600	Epiglottis Glossoepiglottic fold Glossopharyngeal sulcus Lateral pharyngeal wall Pharyngeal (lingual) surface Pharyngoepiglottic fold Tonsillar pillars and fossae Tonsils Vallecula	^	*	RE	RE
605	(550 or 600) + 545 (Any structure in code 550 or 600 + Any structure in code 545)	^	*	D	D
620	Deep (extrinsic) muscle of tongue: Genioglossus Geniohyoid Hyoglossus Mylohyoid	T4a	T4a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
620 cont'd	Palatoglossus Styloglossus	T4a	T4a	L	L
630	OBSOLETE DATA RETAINED V0200 (620) + any of (500, 530, or 600)	ERROR	T4a	RE	RE
635	620 + (500, 530, 535, 550, or 600) (Any structure in code 620 + Any structure in code 500, 530, 535, or 600)	T4a	T4a	RE	RE
640	OBSOLETE DATA CONVERTED V0200 Assign to T1-3 category per site curator, see code 550 Subcutaneous soft tissue of chin/neck	ERROR	ERROR	ERROR	ERROR
645	635 + 545 (Any structure in code 635 + Any structure in code 545)	T4a	T4a	D	D
700	OBSOLETE DATA RETAINED V0200 Mandible	ERROR	T4a	RE	RE
725	Trabecular bone of mandible	T4a	T4a	RE	RE
760	Skin of undersurface of chin/neck	T4a	T4a	RE	RE
765	(725 or 760) + 545 (Any structure in code 725 or 760 + Any structure in code 545)	T4a	T4a	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
770	OBSOLETE DATA RETAINED V0200 Maxillary sinus (antrum)	ERROR	T4a	D	D
775	Trabecular bone of maxilla Maxillary sinus (antrum)	T4a	T4a	D	D
780	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
788	Specified bone (other than mandible, maxilla, or bones in codes 790 and 800)	T4b	T4b	D	D
790	Masticator space Pterygoid plates	T4b	T4b	D	D
800	OBSOLETE DATA RETAINED V0200 Further contiguous extension: Base of skull Masticator space Pterygoid plates	ERROR	T4b	D	D
805	Further contiguous extension Skull base Internal carotid artery (encased)	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^Note: For Extension codes 100 through 605 ONLY, the T category for AJCC 7th Edition staging is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

*Note: For Extension codes 100 through 605 ONLY, the T category for AJCC 6th Edition staging is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

FloorMouth

CS Tumor Size/Ext Eval

See Standard Table

FloorMouth

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas.

All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
120	Single positive ipsilateral regional node: Level V node - Posterior triangle group Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see note 4) Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	notch Pretracheal - below suprasternal notch Other groups: Facial Buccinator (buccal) Nasolabial Parotid Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular Retropharyngeal Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 (WITH OR WITHOUT nodes listed in code 100)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
320	Regional lymph nodes listed in code 120:	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320 cont'd	Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	Regional lymph nodes listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
420	Regional lymph nodes, any listed in code 120: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	Regional lymph nodes listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
520	Regional lymph nodes listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2, NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN
800	Lymph nodes, NOS	^	*	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100, 120, 200, 220, 300, 320, 400, 420, 500, 520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

* For codes 100, 120, 200, 220, 300, 320, 400, 420, 500, 520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

FloorMouth**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

FloorMouth**Reg LN Exam**

See Standard Table

FloorMouth
CS Mets at DX

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U