

**PharynxOther****Pharynx, NOS, and Overlapping Lesions of Lip, Oral Cavity, and Pharynx****C14.0, C14.2, C14.8**

C14.0 Pharynx, NOS

C14.2 Waldeyer ring

C14.8 Overlapping lesion of lip, oral cavity

**Note:** AJCC does not define TNM staging for this site.**PharynxOther****CS Tumor Size**

**Note:** Code the specific tumor size as stated in the medical record. Use code 992 or 994 if the physician's statement about T value is the **ONLY** information available about the size of the tumor. (Refer to the CS Extension table for instructions on coding extension.)

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated Not documented in patient record

**PharynxOther****CS Extension**

**Note:** Definition of Adjacent Structures: Connective tissues large enough to be given a specific name are considered adjacent structures. For example, prevertebral fascia and jugular vein have names. Continuous tumor growth from one organ into an adjacent named structure is coded to 600.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	NA	NA	IS	IS
100	Invasive tumor confined to site of origin	NA	NA	L	L
300	Localized, NOS	NA	NA	L	L
400	More than one region of pharynx involved (oropharynx, nasopharynx, hypopharynx)	NA	NA	RE	RE
500	Pharynx and oral cavity involved	NA	NA	RE	RE
550	Any of codes 100-500 WITH fixation	NA	NA	RE	RE
600	Extension to adjacent structures (See note)	NA	NA	RE	RE
800	Further contiguous extension	NA	NA	D	D
950	No evidence of primary tumor	NA	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**PharynxOther****CS Tumor Size/Ext Eval**

**Note:** The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

## PharynxOther CS Lymph Nodes

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

**Note 3:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 4:** The description of lymph nodes has been standardized across the head and neck schemas.

All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 5:** All regional nodes except Supraclavicular nodes were coded in 100 in CSv1, Supraclavicular nodes were coded 120.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	NA	NA	NONE	NONE
100	Regional lymph node(s) bilateral and/or contralateral: Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow node Other groups: Parapharyngeal Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	NA	NA	RN	RN
110	Regional lymph node(s) bilateral and/or contralateral: Level I node Level IA - Submental	NA	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110 cont'd	<p>Level IB - Submandibular (submaxillary), sublingual</p> <p>Level V node - Posterior triangle group</p> <p>Posterior cervical</p> <p>Level VA - Spinal accessory</p> <p>Level VI node - Anterior compartment group</p> <p>Laterotracheal</p> <p>Paralaryngeal</p> <p>Paratracheal - above suprasternal notch</p> <p>Perithyroidal</p> <p>Precricoid (Delphian)</p> <p>Prelaryngeal</p> <p>Pretracheal - above suprasternal notch</p> <p>Recurrent laryngeal</p>	NA	NA	D	RN
120	<p>Regional lymph node(s) bilateral and/or contralateral:</p> <p>Level VB - Transverse cervical, supraclavicular (see Note 3)</p> <p>Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX)</p> <p>Esophageal groove</p> <p>Paratracheal - below suprasternal notch</p> <p>Pretracheal - below suprasternal notch</p> <p>Other groups:</p> <p>Facial:</p> <p>Buccinator (buccal)</p> <p>Mandibular</p> <p>Nasolabial</p> <p>Parotid:</p> <p>Infraauricular</p> <p>Intraparotid</p>	NA	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Periparotid Preauricular Retroauricular (Mastoid) Suboccipital	NA	NA	D	D
800	Lymph nodes, NOS	NA	NA	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	NA	U	U

**PharynxOther****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment.

**See Standard Table**

**PharynxOther****Reg LN Exam**

**See Standard Table**

**PharynxOther  
CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are now coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	NA	NA	NONE	NONE
10	Distant lymph node(s), including: Mediastinal	NA	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	NA	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	NA	D	D
60	Distant Metastasis NOS	NA	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	NA	NA	U	U