

MelanomaPharynxOther**Malignant Melanoma of Pharynx, NOS and Overlapping Lesions of Lip, Oral Cavity, and Pharynx****C14.0, C14.2, C14.8**

(M-8720-8790)

C14.0 Pharynx, NOS

C14.2 Waldeyer ring

C14.8 Overlapping lesion of lip, oral cavity and pharynx

MelanomaPharynxOther**CS Tumor Size****See Standard Table****MelanomaPharynxOther****CS Extension**

Note 1: Definition of Adjacent Structures: Connective tissues large enough to be given a specific name are considered adjacent structures. For example, prevertebral fascia and jugular vein have names. Continuous tumor growth from one organ into an adjacent named structure is coded to 600.

Note 2: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

Note 3: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 4: Use code 300 for localized tumor ONLY if no information is available to assign code 105 or 470.

Note 5: Use code 470, 725, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|--|-----------|-----------|----------|------------|
| 000 | In situ; noninvasive; intraepithelial | NA | NA | IS | IS |
| 100 | OBSOLETE DATA RETAINED V0200 Invasive tumor confined to site of origin | ERROR | NA | L | L |
| 105 | Tumor confined to mucosa of site of origin | T3 | NA | L | L |
| 300 | Localized, NOS | T3 | NA | L | L |
| 400 | OBSOLETE DATA RETAINED V0200 | ERROR | NA | RE | RE |

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|---------------|--|-----------|-----------|----------|------------|
| 400 cont'd | More than one region of pharynx involved (oropharynx, nasopharynx, hypopharynx) | ERROR | NA | RE | RE |
| 405 | Mucosa of more than one region of pharynx involved (oropharynx, nasopharynx, hypopharynx) | T3 | NA | RE | RE |
| 430 | Mucosa of pharynx and oral cavity involved | T3 | NA | RE | RE |
| 470 | Stated as T3, NOS with no other information on extension | T3 | NA | L | L |
| 500 | OBSOLETE DATA RETAINED V0200 Pharynx and oral cavity involved | ERROR | NA | RE | RE |
| 530 | Involvement of deep soft tissue or musculature of any structure in code 105 | T4a | NA | L | L |
| 535 | 535 + (400 or 500) (Involvement of deep soft tissue or musculature of any structure in code 105 with mucosal involvement of any structure in code 405 or 430) | T4a | NA | RE | RE |
| 540 | Involvement of deep soft tissue or musculature of any structure in code 405 or 430 | T4a | NA | RE | RE |
| 550 | Any of codes 105-430 WITH fixation | T4a | NA | RE | RE |
| 600 | Extension to adjacent structures (See note 1) | T4a | NA | RE | RE |
| 725 | Stated as T4a with no other information on extension | T4a | NA | L | L |

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|--|-----------|-----------|----------|------------|
| 800 | Contiguous extension, including Mediastinal structures Prevertebral space Carotid artery (encased)Further contiguous extension | T4b | NA | D | D |
| 801 | Further contiguous extension including Brain Dura Skull base Lower cranial nerves (IX, X, XI, XII) Masticator space | T4b | NA | D | D |
| 810 | Stated as T4b with no other information on extension | T4b | NA | D | D |
| 815 | Stated as T4 NOS with no other information on extension | T4NOS | NA | L | L |
| 950 | OBSOLETE DATA RETAINED V0200 No evidence of primary tumor | ERROR | NA | U | U |
| 999 | Unknown extension Primary tumor cannot be assessed Not documented in patient record | NA | NA | U | U |

MelanomaPharynxOther
CS Tumor Size/Ext Eval
See Standard Table

MelanomaPharynxOther**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|--|-----------|-----------|----------|------------|
| 000 | None; no regional lymph node involvement | N0 | NA | NONE | NONE |
| 100 | Positive regional node(s) Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow node Other groups: Parapharyngeal Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS | N1 | NA | RN | RN |
| 110 | Positive regional node(s): Level I node Level IA - Submental Level IB - Submandibular (submaxillary) Level V node - Posterior triangle group Posterior cervical Level VA - Spinal accessory | N1 | NA | D | RN |

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|---------------|--|-----------|-----------|----------|------------|
| 110 cont'd | Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal | N1 | NA | D | RN |
| 120 | Positive regional node(s): Level VB - Transverse cervical, supraclavicular (see Note 3) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Retroauricular (Mastoid) Suboccipital | N1 | NA | D | D |
| 800 | Lymph nodes, NOS | N1 | NA | RN | RN |

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|--|-----------|-----------|----------|------------|
| 999 | Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record | NX | NA | U | U |

MelanomaPharynxOther**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment

See Standard Table

MelanomaPharynxOther**Reg LN Exam**

See Standard Table

**MelanomaPharynxOther
CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|--|-----------|-----------|----------|------------|
| 00 | No; none | M0 | NA | NONE | NONE |
| 10 | Distant lymph node(s) Mediastinal Distant lymph node(s), NOS | M1 | NA | D | D |
| 40 | Distant metastases except distant lymph node(s)(code 10) Carcinomatosis | M1 | NA | D | D |
| 50 | 10 + 40) (Distant lymph node(s) + Other distant metastases) | M1 | NA | D | D |
| 60 | Distant metastasis, NOS Stated as M1, NOS | M1 | NA | D | D |
| 99 | Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record | M0 | NA | U | U |