

**Nasopharynx****C11.0-C11.3, C11.8-C11.9**

C11.0 Superior wall of nasopharynx

C11.1 Posterior wall of nasopharynx

C11.2 Lateral wall of nasopharynx

C11.3 Anterior wall of nasopharynx

C11.8 Overlapping lesion of nasopharynx

C11.9 Nasopharynx, NOS

**Nasopharynx****CS Tumor Size****See Standard Table****Nasopharynx****CS Extension**

**Note 1:** Parapharyngeal involvement denotes postero-lateral infiltration of tumor beyond the pharyngobasilar fascia. Involvement of the masticator space denotes extension of tumor beyond the anterior surface of the lateral pterygoid muscle, or lateral extension beyond the postero-lateral wall of the maxillary antrum, pterygo-maxillary fissure.

**Note 2:** Use code 300 for localized tumor ONLY if no information is available to assign codes 100 or 200.

**Note 3:** Use code 510, 585, 645, or 810 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

**Note 4:** In CS version 1, extension to the orbit was included in both codes 650 and 700. In addition, the instructions for coding invasion of orbital bone were not clear. Codes 650 and 700 should be reviewed for orbital involvement. Involvement of bone of floor of orbit should be coded 605, and other orbit involvement should be coded 710.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	OBSOLETE DATA RETAINED V0200  Invasive tumor confined to one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	ERROR	T1	L	L
105	Invasive tumor confined to one	T1	T1	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105 cont'd	of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	T1	T1	L	L
200	Involvement of two or more subsites: Lateral wall extending into eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	ERROR	T1	L	L
205	Involvement of two or more subsites: Lateral wall extending into eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	T1	T1	L	L
300	OBSOLETE DATA RETAINED V0200  Confined to nasopharynx Localized, NOS	ERROR	T1	L	L
305	Confined to nasopharynx Localized, NOS	T1	T1	L	L
400	Oropharynx Soft palate, inferior surface including uvula WITHOUT parapharyngeal extension	T1	T2a	RE	RE
500	Nasal cavity WITHOUT parapharyngeal extension	T1	T2a	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510	Stated as T1 with no other information on extension	T1	T1	L	L
520	Extends to soft tissue NOS	T1	T2NOS	RE	RE
550	OBSOLETE DATA RETAINED V0200  Any extension coded in 100, 200, 400, or 500 WITH fixation or tumor described only as FIXED	ERROR	T4	RE	RE
555	Any extension coded in 100, 200, 400, 500, or 520 WITH fixation or tumor described only as FIXED	T2	T2b	RE	RE
560	OBSOLETE DATA RETAINED V0200  Any extension coded in sites listed in 100, 200, 400, or 500 WITH parapharyngeal extension	ERROR	T2b	RE	RE
565	Any extension coded in sites listed in 100, 200, 400, or 500 WITH parapharyngeal extension	T2	T2b	RE	RE
570	OBSOLETE DATA CONVERTED V0200 Correct mapping to T3 for AJCC 6 and 7, see code 610 Hard palate	ERROR	ERROR	ERROR	ERROR
580	OBSOLETE DATA RETAINED V0200	ERROR	T2b	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
580 cont'd	Pterygopalatine fossa WITHOUT bone invasion	ERROR	T2b	RE	RE
585	Pterygopalatine fossa WITHOUT bone invasion	T2	T2b	RE	RE
590	Stated as T2 with no other information on extension	T2	T2b	RE	RE
600	OBSOLETE DATA RETAINED V0200  Bone, including skull	ERROR	T3	RE	RE
605	Bony structures of skull base Floor of orbit Bone, NOS	T3	T3	RE	RE
610	Hard Palate	T3	T3	D	RE
620	Paranasal sinus	T3	T3	D	RE
645	Stated as T3 with no other information on extension	T3	T3	RE	RE
650	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 4  Orbit	ERROR	ERROR	ERROR	ERROR
700	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 4  Brain Cranial nerves	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Hypopharynx Infratemporal fossa Orbit Intracranial extension, NOS	ERROR	ERROR	ERROR	ERROR
710	Brain Cranial nerve involvement Intracranial extension, NOS Hypopharynx Infratemporal fossa/masticator space Orbit except bone of floor of orbit (see code 605)	T4	T4	D	D
750	OBSOLETE DATA CONVERTED V0200 Grouped with infratemporal fossa in AJCC 7, see code 710  Masticator space	ERROR	ERROR	ERROR	ERROR
800	Further contiguous extension including: Soft tissues of the neck	T4	T4	D	D
810	Stated as T4 with no other information on extension	T4	T4	RE	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**Nasopharynx**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**Nasopharynx****CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1,3-9.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are unilateral. Midline nodes are considered unilateral.

**Note 4:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 5:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 6:** Most codes from CSV1 have been made obsolete and new codes added, to support AJCC assignment of N values for nasopharynx, which differs from the pattern for other head and neck sites.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
050	Unilateral positive regional node(s): Retropharyngeal	^	*	RN	RN
060	Positive bilateral nodes Retropharyngeal	^	*	RN	RN
070	Positive nodes, not stated if unilateral or bilateral Retropharyngeal	^	*	RN	RN
100	OBSOLETE DATA RETAINED V0200  Single positive ipsilateral regional node: Level II node Jugulodigastric (subdigastric) Upper deep cervical Upper jugular	ERROR	**	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Level III node Middle deep cervical Mid jugular Level IV node Lower deep cervical Lower jugular Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Mandibular Regional lymph node, NOS	ERROR	**	RN	RN
105	Unilateral positive regional node(s): Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
110	OBSOLETE DATA RETAINED V0200  Single positive ipsilateral regional node: Level I node Submandibular (submaxillary) Submental	ERROR	**	D	RN
115	Unilateral positive regional node(s): Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level VA Node - Spinal accessory	^	*	D	RN
120	OBSOLETE DATA RETAINED V0200	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VI node Anterior deep cervical Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Retropharyngeal Sub-occipital Supraclavicular fossa	ERROR	**	D	D
130	Unilateral positive regional node(s): Level III node - Middle jugular Middle deep cervical Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
130 cont'd	Pretracheal - above suprasternal notch Recurrent laryngeal Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular (mastoid) Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
200	OBSOLETE DATA RETAINED V0200 See code 100 Multiple positive ipsilateral nodes listed in code 10	ERROR	**	RN	RN
210	OBSOLETE DATA RETAINED V0200 See code 110 Multiple positive ipsilateral nodes listed in code 11	ERROR	**	D	RN
220	OBSOLETE DATA RETAINED V0200 See code 120 Multiple positive ipsilateral nodes listed in code 12	ERROR	**	D	D
300	OBSOLETE DATA RETAINED V0200 See code 100 Regional lymph nodes as listed in code	ERROR	**	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	10: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	RN	RN
310	OBSOLETE DATA RETAINED V0200 See code 110 Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	D	RN
320	OBSOLETE DATA RETAINED V0200 See code 120 Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 100: Positive bilateral nodes	ERROR	**	RN	RN
405	Regional lymph nodes as listed in code 105: Positive bilateral nodes	^	*	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 110: Positive bilateral nodes	ERROR	**	D	RN
415	Regional lymph nodes any listed in code 115: Positive bilateral nodes (WITH or WITHOUT nodes listed in code 105)	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 120: Positive bilateral nodes	ERROR	**	D	D
430	Regional lymph nodes any listed in code 130: Positive bilateral nodes (WITH or WITHOUT nodes listed code 105 or 115)	^	*	D	D
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 100: Positive node(s), not stated if unilateral, or bilateral	ERROR	**	RN	RN
505	Regional lymph nodes as listed in code 105: Positive node(s), not stated if unilateral, or bilateral	^	*	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 11: Positive node(s), not stated if unilateral, or bilateral	ERROR	*	D	RN
515	Regional lymph nodes as listed in code 115: Positive node(s), not stated if unilateral, or bilateral	^	*	D	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 12:	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520 cont'd	Positive node(s), not stated if unilateral or bilateral	ERROR	**	D	D
530	Regional lymph nodes as listed in code 130 Positive node(s), not stated if unilateral or bilateral	^	*	D	D
600	Stated as N2, no other information	N2	N2	RN	RN
620	Stated as N3a, no other information	N3a	N3a	RN	RN
650	Unilateral or bilateral positive regional node(s): Level IV node - Lower jugular Lower deep cervical Virchow node Level VB - Transverse cervical, supraclavicular (see Note 4) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Stated as N3b, no other information	N3b	N3b	D	D
700	Stated as N3 NOS, no other information	N3NOS	N3NOS	RN	RN
750	OBSOLETE DATA RETAINED V0200  Regional lymph nodes in the supraclavicular fossa: Inferior deep cervical (scalene) Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) (See Note 4)	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Lymph nodes, NOS, no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 050-070, 105, 115, 130, 405, 415, 430, 505, 515, 530, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table CSv2, for this schema.

\* For codes 050-070, 105, 115, 130, 405, 415, 430, 505, 515, 530, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table CSv2, for this schema.

\*\*For OBSOLETE codes 100, 110, 120, 200, 210, 220, 300, 310, 320, 400, 410, 420, 500, 510, 520, and 750 ONLY, the N category for AJCC 6th Edition staging for cases collected in CSv1 is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table CSv1, for this schema.

### Nasopharynx

#### Reg LN Pos

**Note:** Record this field even if there has been preoperative treatment.

**See Standard Table**

### Nasopharynx

#### Reg LN Exam

**See Standard Table**

**Nasopharynx  
CS Mets at DX**

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph nodes, NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

**Nasopharynx****CS Site-Specific Factor 25****Schema Discriminator**

**Note:** For cases coded to primary site code C111 (Posterior wall of nasopharynx), code the specific site in which the tumor arose.

Code	Description	Schema
010	Posterior wall of nasopharynx Posterior wall of nasopharynx NOS	Nasopharynx
020	Adenoid Pharyngeal tonsil Nasopharyngeal tonsil	PharyngealTonsil
100	OBSOLETE DATA RETAINED V0200 C11.1 - originally coded in CSV1	Nasopharynx
	Blank for Nasopharynx cases which are C11.0, C11.2, C11.3, C11.8, C11.9	Nasopharynx