

MelanomaNasopharynx**Malignant Melanoma of Nasopharynx****C11.0-C11.3, C11.8-C11.9,**

(M-8720-8790)

C11.0 Superior wall of nasopharynx

C11.1 Posterior wall of nasopharynx

C11.2 Lateral wall of nasopharynx

C11.3 Anterior wall of nasopharynx

C11.8 Overlapping lesion of nasopharynx

C11.9 Nasopharynx, NOS

MelanomaNasopharynx**CS Tumor Size****See Standard Table****MelanomaNasopharynx****CS Extension**

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: Use code 300 for localized tumor ONLY if no information is available to assign code 105, 205, 250, or 440.

Note 4: Use code 440, 725, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Note 5: In CS version 1, extension to the orbit was included in both codes 650 and 700. In addition, the instructions for coding invasion of orbital bone were not clear. Codes 650 and 700 should be reviewed for orbital involvement. Involvement of bone of floor of orbit should be coded 760, and other orbit involvement should be coded 790.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive intraepithelial	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
105	Tumor confined to mucosa of one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	T3	NA	L	L
200	OBSOLETE DATA RETAINED V0200 Involvement of two or more subsites: Lateral wall extending into eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	ERROR	NA	L	L
205	Tumor confined to mucosa of two or more subsites: Lateral wall extending into eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	T3	NA	L	L
250	Confined to mucosa of nasopharynx NOS	T3	NA	L	L
300	OBSOLETE DATA RETAINED V0200 Confined to nasopharynx Localized, NOS	T3	NA	L	L
305	Localized, NOS	T3	NA	L	L
310	Involvement of mucosa of oropharynx, soft palate including uvula, nasal cavity	T3	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
315	Involvement of mucosa of paranasal sinus or hard palate	T3	NA	D	RE
400	OBSOLETE DATA RETAINED V0200 Oropharynx Soft palate, inferior surface including uvula WITHOUT parapharyngeal extension	ERROR	NA	RE	RE
440	Stated as T3 with no other information on extension	T3	NA	L	L
500	OBSOLETE DATA RETAINED V0200 Nasal cavity WITHOUT parapharyngeal extension	ERROR	NA	RE	RE
510	Involvement of deep soft tissues or musculature of any structure in code 105, 205, or 250	T4a	NA	L	L
515	510 + 310 (Involvement of deep soft tissues or musculature of any structure in code 105, 205, or 250 + Involvement of mucosa of any structure in code 310)	T4a	NA	RE	RE
520	510 + 315 (Involvement of deep soft tissues or musculature of any structure in code 105, 205, or 250 + Involvement of mucosa of any structure in code 315)	T4a	NA	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
530	Involvement of deep soft tissues or musculature of any structure in code 310	T4a	NA	RE	RE
535	Involvement of any structure in codes 105 to 310 with tumor described as FIXED	T4a	NA	RE	RE
540	Involvement of any structure in codes 105 to 310 with parapharyngeal extension	T4a	NA	RE	RE
545	Involvement of deep soft tissues or musculature of any structure in code 310 with involvement of mucosa of any structure in code 315	T4a	NA	D	RE
550	OBSOLETE DATA RETAINED V0200 Any extension coded in 100-500 WITH fixation or tumor described only as FIXED	ERROR	NA	RE	RE
555	Bony involvement of any structure in code 315	T4a	NA	D	RE
560	OBSOLETE DATA RETAINED V0200 Any extension coded in 100-500 WITH parapharyngeal extension	ERROR	NA	RE	RE
570	OBSOLETE DATA RETAINED V0200 Hard palate	ERROR	NA	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
580	Pterygopalatine fossa WITHOUT bone invasion	T4a	NA	RE	RE
600	OBSOLETE DATA RETAINED V0200 Bone, including Skull	ERROR	NA	RE	RE
610	Bone excluding base of skull Bone, NOS Cartilage, NOS	T4a	NA	RE	RE
620	OBSOLETE DATA RETAINED V0200 Paranasal sinus	ERROR	NA	D	RE
630	(580 or 610) + 315 (Involvement of any structure in code 580 or 610 + Any involvement of structures in code 315)	T4a	NA	D	RE
650	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 5 Orbit	ERROR	ERROR	ERROR	ERROR
670	Soft tissues of neck Overlying skin Hypopharynx	T4a	NA	D	D
700	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 5 Brain Cranial nerves	ERROR	ERROR	ERROR	ERROR

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Hypopharynx Infratemporal fossa Orbit Intracranial extension, NOS	ERROR	ERROR	ERROR	ERROR
710	OBSOLETE DATA RETAINED V0200 Brain Cranial nerves Hypopharynx Infratemporal fossa Orbit Intracranial extension, NOS	ERROR	NA	D	D
725	Stated as T4a with no other information on extension	T4a	NA	L	L
750	OBSOLETE DATA CONVERTED V0200 See code 790 Masticator space	ERROR	ERROR	ERROR	ERROR
760	Skull base including floor of orbit	T4b	NA	RE	RE
765	760 + Any involvement of structures in code 315	T4b	NA	D	RE
770	760 + (Any involvement of structures in code 315 or 670)	T4b	NA	D	D
790	Contiguous extension: Brain Dura Lower cranial nerves (IX, X, XI, XII) Masticator space/infratemporal	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
790 cont'd	fossa Orbit Intracranial extension NOS	T4b	NA	D	D
800	OBSOLETE DATA RETAINED V0200 Further contiguous extension Soft tissues of the neck	ERROR	NA	D	D
801	Further contiguous extension Mediastinal structures Prevertebral space Carotid artery (encased)	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

MelanomaNasopharynx
CS Tumor Size/Ext Eval
See Standard Table

Melanoma Nasopharynx**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	NA	NONE	NONE
050	Positive regional node(s): Retropharyngeal	N1	NA	RN	RN
100	Positive regional node(s): Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	N1	NA	RN	RN
110	Positive regional node(s): Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level VA Node - Spinal accessory	N1	NA	D	RN
120	Positive regional node(s): Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow node Level VB - Transverse cervical,	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	supraclavicular (see Note 3) Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1, no other information	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
190 cont'd	Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 110	ERROR	NA	D	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
310	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive bilateral or contralateral nodes	ERROR	NA	D	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110 Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	ERROR	NA	D	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
750	OBSOLETE DATA RETAINED V0200 Regional lymph nodes in the supraclavicular fossa: Inferior deep cervical (scalene)	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750 cont'd	Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) (See Note 4)	ERROR	NA	D	D
800	Lymph nodes, NOS, no other information	N1	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

MelanomaNasopharynx**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment

See Standard Table

MelanomaNasopharynx**Reg LN Exam**

See Standard Table

Melanoma Nasopharynx**CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	NA	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	NA	D	D
50	10 + 40) (Distant lymph node(s) + Other distant metastases)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U