

Hypopharynx**Pyriiform Sinus, Hypopharynx, Laryngopharynx****C12.9, C13.0-C13.2, C13.8-C13.9**

C12.9 Pyriiform sinus

C13.0 Postericoid region

C13.1 Hypopharyngeal aspect of aryepiglottic fold

C13.2 Posterior wall of hypopharynx

C13.8 Overlapping lesion of hypopharynx

C13.9 Hypopharynx, NOS

Hypopharynx**CS Tumor Size**

Note: Code the specific tumor size as stated in the medical record. Use code 992 or 994 if the physician's statement about T value is the ONLY information available about the size of the tumor. (Refer to the CS Extension table for instructions on coding extension.)

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated

Hypopharynx**CS Extension**

Note 1: If there is fixation of hemilarynx or larynx, code to 550, not 420 or 450.

Note 2: Use code 300 for localized tumor ONLY if no information is available to assign code 100, 200, or 305.

Note 3: Use code 305, 455, 565, 638, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor confined to one of the following subsites: Laryngopharynx Postcricoid area Posterior pharyngeal wall Pyriform sinus	^	*	L	L
150	OBSOLETE DATA CONVERTED V0200 Moved to higher code for sequencing in SS mapping, see code 420 Code 100 with tumor fixation	ERROR	ERROR	ERROR	ERROR
200	Tumor invades more than one subsite of hypopharynx (listed in code 100) WITHOUT fixation	^	*	L	L
300	Localized, NOS	^	*	L	L
305	Stated as T1 with no other information on extension	^	*	L	L
400	Oropharynx	^	*	RE	RE
420	Code 100 with tumor fixation	^	*	RE	RE
450	Code 200, 300, or 400 with tumor fixation	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
455	Stated as T2 with no other information on extension	T2	T2	L	L
500	Larynx	^	*	RE	RE
510	OBSOLETE DATA CONVERTED V0104 See code 450 Any of codes 100-400 WITH fixation of tumor or fixation, NOS	ERROR	ERROR	ERROR	ERROR
550	Fixation of hemilarynx or larynx	T3	T3	RE	RE
560	Esophagus	T3	T4a	RE	RE
565	Stated as T3 with no other information on extension	T3	T3	RE	RE
600	Central compartment soft tissues of neck including Prelaryngeal strap muscles Subcutaneous fat	T4a	T4a	RE	RE
610	OBSOLETE DATA CONVERTED V0200 Assigned to T3 in AJCC 7, see code 560 Esophagus	ERROR	ERROR	ERROR	ERROR
620	Thyroid gland	T4a	T4a	D	RE
630	Cricoid cartilage Thyroid cartilage	T4a	T4a	D	RE
635	Hyoid bone	T4a	T4a	D	D
638	Stated as T4a with no other information on extension	T4a	T4a	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
640	Prevertebral fascia/muscle(s)	T4b	T4b	RE	RE
645	640 + 635	T4b	T4b	D	D
650	Carotid artery	T4b	T4b	D	RE
655	650 + 635	T4b	T4b	D	D
660	OBSOLETE DATA CONVERTED V0200 Moved to lower code for sequencing in AJCC TNM mapping, see code 635 Hyoid bone	ERROR	ERROR	ERROR	ERROR
700	Mediastinal structures	T4b	T4b	D	D
760	Base of Tongue Floor of Mouth Nasopharynx	T4b	T4b	D	D
800	Further contiguous extension	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For Extension codes 100, 200, 300, 305, 400, 420, 450, and 500 ONLY, the T category for AJCC 7th Edition staging is assigned based on the value of CS Tumor Size and CS Extension as shown in the Extension Size Table for this site.

* For Extension codes 100, 200, 300, 305, 400, 420, 450, and 500 ONLY, the T category for AJCC 6th Edition staging is assigned based on the value of CS Tumor Size and CS Extension as shown in the Extension Size Table for this site.

Hypopharynx**CS Tumor Size/Ext Eval**

See Standard Table

Hypopharynx**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1,3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 6: Level II nodes moved from code 100 in CSV1 to code 120.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Lower deep cervical Virchow node Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	^	*	RN	RN
110	Single positive ipsilateral regional node: Level I node	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110 cont'd	Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level VI node Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Other groups: Parapharyngeal	^	*	D	RN
120	Single positive ipsilateral regional node: Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level IIA Level IIB Level V node - Posterior triangle group Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 4) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups:	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preauricular Retroauricular (mastoid) Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
210	Multiple positive ipsilateral nodes, any listed in code 110 (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
310	Regional lymph nodes listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320	Regional lymph nodes listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	Regional lymph nodes listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
410	Regional lymph nodes, any listed in code 110: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	RN
420	Regional lymph nodes, any listed in code 120: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	Regional lymph nodes as listed in code 110: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600	Stated as N2, NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN
800	Lymph nodes, NOS, no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

* For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

Hypopharynx

Reg LN Pos

Note: Record this field even if there has been preoperative treatment

See Standard Table

Hypopharynx

Reg LN Exam

See Standard Table

Hypopharynx

CS Mets at DX

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U