

BileDuctsPerihilar**C24.0 Extrahepatic bile duct**

Note: Extrahepatic Bile Duct was a single chapter in the AJCC 6th Edition. It has been divided into two, Perihilar Bile Ducts and Distal Extrahepatic Bile Ducts, in AJCC 7th Edition. All were staged identically in AJCC 6th Edition, but are staged differently in AJCC 7th Edition.

BileDuctsPerihilar**CS Tumor Size**

See Standard Table

BileDuctsPerihilar**CS Extension**

Note 1: Extrahepatic bile duct tumors have been separated into perihilar (proximal) and distal groups in AJCC 7th Edition.

Note 2: For AJCC TNM 7th ed., T3 and T4 are defined strictly in terms of invasion into specific large blood vessels and the biliary radicals within the liver. Give priority to coding this extension. Use codes 605, 651, 700, 760, 800, or 810 only when no information is available regarding extension to the specified vessels or the biliary radicals within the liver.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive; intraepithelial	Tis	Tis	IS	IS
100	Invasive tumor of perihilar (proximal) bile duct(s) confined to: Lamina propria Mucosa, NOS Submucosa (superficial invasion)	T1	T1	L	L
200	Muscularis propria	T1	T1	L	L
300	Localized	T1	T1	L	L
350	Stated as T1 [NOS] with no other information on extension	T1	T1	L	L
400	Beyond wall of bile duct Periductal/fibromuscular connective tissue	T2a	T2	RE	RE
450	Stated as T2a with no other information on extension	T2a	T2	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500	Adjacent hepatic parenchyma	T2b	T3	RE	RE
510	Liver extension, NOS Liver, NOS	T2b	T3	RE	RE
550	Stated as T2b with no other information on extension	T2b	T2	RE	RE
555	Stated as T2 [NOS] with no other information on extension	T2NOS	T2	RE	RE
560	Liver, porta hepatis	T3	T3	RE	RE
600	OBSOLETE DATA RETAINED V0200 See codes 560 and 605 Gallbladder Liver, porta hepatis Pancreas	ERROR	T3	RE	RE
605	Gallbladder Pancreas	TX	T3	RE	RE
610	Unilateral branches of portal vein (right or left) Unilateral branches of hepatic artery (right or left)	T3	T3	RE	RE
615	Stated as T3 with no other information on extension	T3	T3	RE	RE
650	OBSOLETE DATA RETAINED V0200 See code 651 Colon, NOS Transverse including flexure Duodenum, NOS Omentum, NOS Lesser	ERROR	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
650 cont'd	Stomach, distal	ERROR	T4	RE	RE
651	Colon, NOS Transverse including flexure Duodenum, NOS Omentum, NOS Lesser Stomach, distal	TX	T4	RE	RE
660	OBSOLETE DATA RETAINED V0200 See code 661 Main portal vein or its branches bilaterally Common hepatic artery Hepatic artery, NOS Portal vein, NOS	ERROR	T4	RE	RE
661	Main portal vein or its branches bilaterally Common hepatic artery Hepatic artery, NOS Portal vein, NOS	T4	T4	RE	RE
665	661 + (651 or 605)	T4	T4	RE	RE
670	Tumor invades second-order biliary radicals bilaterally; or unilateral second-order biliary radicals with contralateral portal vein or hepatic artery involvement	T4	T4	RE	RE
700	Other parts of colon Greater omentum Stomach, proximal	TX	T4	D	RE
750	OBSOLETE DATA RETAINED V0200 See code 760	ERROR	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750 cont'd	Abdominal wall	ERROR	T4	D	D
760	Abdominal wall	TX	T4	D	D
800	Further contiguous extension	TX	T4	D	D
810	800 + (760 or 700)	TX	T4	D	D
820	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

BileDuctsPerihilar**CS Tumor Size/Ext Eval**

See Standard Table

BileDuctsPerihilar**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: Para-aortic and pericaval lymph nodes were considered M1 in AJCC 6th edition.

Note 3: In some cases, determination of the M category for TNM 6 is based on this field as well as CS Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
150	Regional lymph nodes: Cystic duct (node of the neck of the gallbladder) (Calot's node) Hepatic Hilar (in the hepatoduodenal ligament) Node of the foramen of Winslow (omental) (epiploic) Pancreaticoduodenal Pericholedochal (node around common bile duct) Periduodenal Peripancreatic (near head of pancreas only) Periportal Porta hepatis (portal) (hilar) (in hilus of liver) Regional lymph nodes, NOS	N1	N1	RN	RN
200	Stated as N1 [NOS] with no other information on lymph nodes	N1	N1	RN	RN
350	Regional lymph nodes: Celiac Superior mesenteric	N2	N1	D	D
400	Regional lymph nodes: Para-aortic Pericaval	N2	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
450	(400) + (150) OR (350) Any regional lymph node(s) as listed in code 150 or 350 + para-aortic and/or pericaval lymph node(s)	N2	*	D	D
750	Stated as N2 [NOS] with no other information on lymph nodes	N2	N1	D	D
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

* When CS Lymph Nodes is coded 400 or 450, the 6th Edition N and M categories are determined by the code in CS Mets at Dx using the Lymph Nodes Mets at DX Table.

BileDuctsPerihilar

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

BileDuctsPerihilar

Reg LN Exam

See Standard Table

BileDuctsPerihilar

CS Mets at DX

Note 1: Para-aortic lymph nodes are considered regional as of 7th edition and are coded under CS Lymph Nodes.

Note 2: In some cases, determination of the N category for TNM 6 is based on this field and CS Lymph Nodes. See CS Lymph Nodes for details.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	OBSOLETE DATA RETAINED V0200 Para-aortic nodes reclassified from	ERROR	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
10 cont'd	distant to regional nodes in AJCC 7th Edition; See Code 15 or CS Lymph Node code 400 Distant lymph node(s) including: Para-aortic Peripancreatic (along body and tail of pancreas only) Distant lymph nodes, NOS	ERROR	M1	D	D
15	Distant lymph node(s) including: Peripancreatic (along body and tail of pancreas only) Distant lymph nodes, NOS	M1	M1	D	D
40	Distant metastases except distant lymph nodes (code 15) Carcinomatosis	M1	M1	D	D
50	OBSOLETE DATA RETAINED V0200 Para-aortic nodes reclassified from distant to regional nodes in AJCC 7th Edition; See Code 51 (10) + (40)	ERROR	M1	D	D
51	(15) + (40)	M1	M1	D	D
60	Distant metastases, NOS Stated as M1 [NOS] with no other information on metastasis	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

BileDuctsPerihilar**CS Site-Specific Factor 25****Schema Discriminator: Subsite of Extrahepatic Bile Ducts**

Note 1: For cases coded to primary site code C24.0 (extrahepatic bile ducts), code the subsite in which the tumor arose. This information will be used to determine which CS schemas will be used to assign T, N, M, and AJCC stage group.

Note 2: According to AJCC, perihilar tumors are defined as those located in the extrahepatic biliary tree proximal to the origin of the cystic duct. These represent 70-80% of extrahepatic bile duct tumors. Distal bile duct tumors are those arising between the junction of the cystic duct and the ampulla of Vater, including those arising in the intrapancreatic portion of the common bile duct. These represent 20-30% of extrahepatic bile duct tumors.

Code	Description	Schema
010	Perihilar bile duct(s) Proximal extrahepatic bile duct(s) Hepatic duct(s)	BileDuctsPerihilar
020	Stated as Klatskin tumor	BileDuctsPerihilar
030	Cystic bile duct; cystic duct	CysticDuct
040	Common bile duct Common duct, NOS	BileDuctsDistal
050	Diffuse involvement More than one subsite involved, subsite of origin not stated	BileDuctsPerihilar
060	Subsite of extrahepatic bile ducts not stated, but treated with combined hepatic and hilar resection	BileDuctsPerihilar
070	Subsite of extrahepatic bile ducts not stated, but treated with pancreaticoduodenectomy	BileDuctsDistal
100	OBSOLETE DATA RETAINED V0200 C24.0 - originally coded in CSv1	BileDuctsPerihilar
999	Subsite of extrahepatic bile ducts not stated and not classifiable in codes 050-070	BileDuctsPerihilar