

Pancreas: Body and Tail**C25.1-C25.2**

C25.1 Body of pancreas

C25.2 Tail of pancreas

Note: For tumors of the islet cells, determine which subsite of the pancreas is involved and use that primary site code and corresponding Collaborative Stage scheme. If the subsite cannot be determined, use the general code for Islets of Langerhans, C25.4, and use the Collaborative Stage scheme for Pancreas, Other and Unspecified.

PancreasBodyTail**CS Tumor Size**

Note: Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the clinician's statement of the "T" category, assign code 992 (T1, NOS) or 993 (T2, NOS). (Refer to the CS Extension table for instructions on coding extension).

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1, NOS with no documentation of tumor size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm" Stated as T2, NOS with no documentation of tumor size
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	Unknown; size not stated Not documented in patient record

PancreasBodyTail**CS Extension**

Note 1: Islets of Langerhans are distributed throughout the pancreas, and, therefore, any extension code can be used.

Note 2: Codes 400-800 are used for contiguous extension of tumor from the site of origin. Discontinuous involvement is coded in CS Mets at DX.

Note 3: If the only information regarding the tumor extension is the physician's statement of the "T" category, assign code 150, 200, 420, or 790. (Refer to CS Tumor Size table for instructions on coding tumor size if assigning code 150 or 200).

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive PanIn III Pancreatic Intraepithelial Neoplasia III Stated as Tis, NOS	Tis	Tis	IS	IS
100	Confined to pancreas	^	*	L	L
150	Stated as T1, NOS with no other information on extension	^	*	L	L
200	Stated as T2, NOS with no other information on extension	^	*	L	L
300	Localized, NOS	^	*	L	L
400	Extension to peripancreatic tissue, NOS Fixation to adjacent structures, NOS	T3	T3	RE	RE
420	Stated as T3, NOS	T3	T3	RE	RE
440	Duodenum	T3	T3	RE	RE
480	Ampulla of Vater Extrahepatic bile duct(s)	T3	T3	RE	RE
500	Spleen	T3	T3	RE	RE
560	Blood vessel(s): Hepatic artery Portal vein	T3	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
560 cont'd	Splenic artery/vein Superior mesenteric vein Splenic flexure of colon	T3	T3	RE	RE
570	Kidney, NOS Left adrenal (suprarenal) gland Left kidney Left ureter	T3	T3	RE	D
580	Mesenteric fat Mesentery Mesocolon Peritoneum	T3	T3	RE	D
590	Retroperitoneal soft tissue (retroperitoneal space)	T3	T3	D	D
600	Tumor is inseparable from the celiac axis or superior mesenteric artery Aorta Celiac artery Superior mesenteric artery	T4	T4	RE	RE
620	Stomach	T4	T4	RE	RE
700	[(600) or (620)] + [(570) or (580)]	T4	T4	RE	D
710	Ileum Jejunum	T4	T4	RE	D
730	Gallbladder Liver (including porta hepatis)	T4	T4	RE	D
750	(590) + any of [(600) or (620) or (710) or (730)]	T4	T4	D	D
770	Colon (other than splenic flexure)	T4	T4	D	D
780	Diaphragm Right adrenal (suprarenal) gland	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
780 cont'd	Right kidney Right ureter	T4	T4	D	D
790	Stated as T4, NOS	T4	T4	D	D
800	Further contiguous extension	T4	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For Extension codes 100, 200 and 300 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

* For Extension codes 100, 150, 200, and 300 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

PancreasBodyTail

CS Tumor Size/Ext Eval

See Standard Table

PancreasBodyTail

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph node(s): Hepatic Lateral aortic (lumbar) Pancreaticosplenic (pancreaticolienal) Peripancreatic, NOS: Anterior, NOS: Anterior pancreaticoduodenal Anterior proximal mesenteric	N1	N1 N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Pyloric Inferior to the head and body of pancreas Posterior, NOS: Pericholedochal (common bile duct) Posterior pancreaticoduodenal Posterior proximal mesentery Superior to the head and body of pancreas Retroperitoneal Splenic (lienal) Gastroepiploic Splenic hilum Suprapancreatic Superior mesenteric Regional lymph node(s), NOS Stated as N1, NOS	N1		RN	RN
200	Regional lymph node(s): Celiac Infrapyloric (subpyloric)	N1	N1	D	D
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

PancreasBodyTail**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

PancreasBodyTail**Reg LN Exam**

See Standard Table

PancreasBodyTail
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Distant lymph node(s) , NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) (includes seeding of peritoneum, even if limited to the lesser sac region; positive peritoneal cytology) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U