

Other and Ill-Defined Digestive Organs**C26.0, C26.8-C26.9**

C26.0 Intestinal tract, NOS

C26.8 Overlapping lesion of digestive system

C26.9 Gastrointestinal tract, NOS

Note: AJCC does not define TNM staging for this site**DigestiveOther****CS Tumor Size****See Standard Table****DigestiveOther****CS Extension**

Note 1: Definition of Adjacent Connective Tissue: Some of the schemes for ill-defined or non-specific sites in this manual contain a code 40, adjacent connective tissue, which is defined here as the unnamed tissues that immediately surround an organ or structure containing a primary cancer. Use this code when a tumor has invaded past the outer border (capsule, serosa, or other edge) of the primary organ into the organ's surrounding supportive structures but has not invaded into larger structures or adjacent organs.

Note 2: Definition of Adjacent Structures: Connective tissues large enough to be given a specific name would be considered adjacent structures. For example, the brachial artery has a name, as does the broad ligament. Continuous tumor growth from one organ into an adjacent named structure would be coded to 60 in the schemes for ill-defined or non-specific sites.

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|---|-----------|-----------|----------|------------|
| 000 | In situ; non-invasive; intraepithelial | NA | NA | IS | IS |
| 100 | Invasion of submucosa | NA | NA | L | L |
| 300 | Localized, NOS | NA | NA | L | L |
| 400 | Adjacent connective tissue (see Note 1) | NA | NA | RE | RE |
| 600 | Adjacent organs/structures (see Note 2) | NA | NA | RE | RE |
| 800 | Further contiguous extension | NA | NA | D | D |
| 950 | No evidence of primary tumor | NA | NA | U | U |
| 999 | Unknown extension Primary tumor cannot be assessed Not documented in patient record | NA | NA | U | U |

DigestiveOther**CS Tumor Size/Ext Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

| Code | Description | Staging Basis |
|------|--------------------------------|---------------|
| 9 | Not applicable for this schema | |

DigestiveOther**CS Lymph Nodes**

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|---|-----------|-----------|----------|------------|
| 000 | None; no regional lymph node involvement | NA | NA | NONE | NONE |
| 100 | Regional lymph nodes Intra-abdominal Paracaval Pelvic Subdiaphragmatic Regional lymph nodes, NOS | NA | NA | RN | RN |
| 800 | Lymph nodes, NOS | NA | NA | RN | RN |
| 999 | Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record | NA | NA | U | U |

DigestiveOther**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

DigestiveOther**Reg LN Exam**

See Standard Table

**DigestiveOther
CS Mets at DX**

| Code | Description | TNM 7 Map | TNM 6 Map | SS77 Map | SS2000 Map |
|------|--|-----------|-----------|----------|------------|
| 00 | No; none | NA | NA | NONE | NONE |
| 10 | Distant lymph node(s), NOS | NA | NA | D | D |
| 40 | Distant metastases except distant lymph node(s) (code 10) Carcinomatosis | NA | NA | D | D |
| 50 | 40 + 10 Other distant metastases plus distant lymph node(s) | NA | NA | D | D |
| 60 | Distant metastasis, NOS | NA | NA | D | D |
| 99 | Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record | NA | NA | U | U |