

Malignant Melanoma of Nasal Cavity**C30.0**

M-8720-8790

C30.0 Nasal cavity (excludes nose, NOS C76.0)

Note: Laterality must be coded for this site, except subsites Nasal cartilage and Nasal septum, for which laterality is coded 0.

MelanomaNasalCavity**CS Tumor Size****See Standard Table****MelanomaNasalCavity****CS Extension**

Note 1: AJCC does not include a Tis or TX category for melanoma of mucosa of head and neck sites. Extension codes of 000 and 999 will be mapped to NA and AJCC stage group will be derived as NA.

Note 2: AJCC does not include a T1 or T2 category for mucosal melanoma of head and neck sites.

Note 3: The bones of the lateral wall of the nasal cavity include the maxilla, the perpendicular plate of the palatine bone, the medial pterygoid plate, the labyrinth and inferior concha of the ethmoid. The roof of the nasal cavity is formed by the nasal bone. The floor of the nasal cavity, which forms the roof of the mouth, is composed of the bones of the hard palate: the horizontal plate of the palatine bone posteriorly and the palatine process of the maxilla anteriorly.

Note 4: "Bony invasion" does not include extension to palate, cribriform plate, or pterygoid plates. Extension to these structures is coded separately.

Note 5: Code Base of skull NOS only if no information is available to code to more specific bony structures in the skull.

Note 6: Use code 300 for localized tumor ONLY if no information is available to assign code 105, 110, 200, or 350.

Note 7: Use code 350, 725, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive	NA	NA	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to site of origin Meatus (superior, middle, inferior) Nasal chonchae (superior, middle, inferior)	ERROR	NA	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Septum Tympanic membrane	ERROR	NA	L	L
105	Tumor confined to mucosal of one of the following subsites: Septum Floor Lateral wall, including meatus (superior, middle, inferior) and nasal conchae (superior, middle, inferior) Vestibule (edge of naris to mucocutaneous junction) Without bony invasion	T3	NA	L	L
110	Confined to mucosa of nasal cavity NOS without bony invasion	T3	NA	L	L
200	Tumor confined to mucosa of two or more subsites listed in code 105 WITHOUT bony invasion	T3	NA	L	L
300	Localized, NOS	T3	NA	L	L
330	Extension to mucosa of adjacent regions: Ethmoid sinus Choana Frontal sinus Nasopharynx Without bony invasion	T3	NA	RE	RE
340	Extending to mucosa of further adjacent regions Maxillary sinus Sphenoid sinus WITHOUT bony invasion	T3	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
350	Stated as T3 NOS with no other information on extension	T3	NA	L	L
380	Involvement of deep tissues of any structure in code 105, 110, or 200	T4a	NA	L	L
385	380 + 330 (Involvement of deep tissues of any structure in code 105, 110, or 200 + Mucosal involvement of any structure in code 330	T4a	NA	RE	RE
390	Involvement of any structure in code 105, 110, or 200 with bony invasion	T4a	NA	RE	RE
400	Extending to adjacent connective tissue within the nasoethmoidal complex Nasolacrimal duct	T4a	NA	RE	RE
450	Hard palate	T4a	NA	RE	RE
490	(385, 390, 400, or 450) + 340 (Involvement of any structure in code 385, 390, 400, or 450 + Mucosal involvement of any structure in code 340	T4a	NA	D	D
500	Involvement of deep tissues or bony involvement of any structure in code 340	T4a	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Adjacent organs/structures	ERROR	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	including: Bone of skull Choana Frontal sinus Hard palate Nasopharynx	ERROR	NA	RE	RE
650	OBSOLETE DATA CONVERTED V0200 See code 750 Cribriform plate	ERROR	ERROR	ERROR	ERROR
660	OBSOLETE DATA RETAINED V0200 Maxillary sinus	ERROR	NA	RE	RE
670	Medial wall or floor of the orbit	T4a	NA	D	D
700	OBSOLETE DATA RETAINED V0200 Tumor invades: Anterior orbital contents Skin of nose Skin of cheek Minimal extension to: Anterior cranial fossa Pterygoid plates Sphenoid or frontal sinuses	ERROR	NA	D	D
705	Tumor invades Anterior orbital contents Skin of nose Skin of cheek Pterygoid plates	T4a	NA	D	D
710	OBSOLETE DATA RETAINED V0200 Tumor invades Orbital apex	ERROR	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
710 cont'd	Dura Brain Middle cranial fossa Cranial nerves other than (V2),nasopharynx, or clivus	ERROR	NA	D	D
725	Stated as T4a with no other information on extension	T4a	NA	L	L
750	Anterior cranial fossa Cribriform plate Clivus Middle cranial fossa Skull base	T4b	NA	RE	RE
760	750 + (705, 670, 340, or 500) (Involvement of structures in code 750 + Involvement of structures in code 705 or 670 or any involvement of structures in code 340)	T4b	NA	D	D
800	Contiguous extension including Orbital apex Dura Brain Middle cranial fossa Cranial nerves (IX, X, XI, XII)	T4b	NA	D	D
801	Further contiguous extension including Masticator space Carotid artery (encased) Prevertebral space Mediastinal structures	T4b	NA	D	D
810	Stated as T4b with no other information on extension	T4b	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
815	Stated as T4 NOS with no other information on extension	T4NOS	NA	L	L
950	OBSOLETE DATA RETAINED V0200 No evidence of primary tumor	ERROR	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

MelanomaNasalCavity
CS Tumor Size/Ext Eval
See Standard Table

MelanomaNasalCavity
CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	NA	NONE	NONE
100	Positive regional node(s): Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical	N1	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	N1	NA	RN	RN
120	Positive regional node(s): Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V node - Posterior triangle group Posterior cervical Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 3) Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups:	N1	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular (mastoid) Suboccipital	N1	NA	D	D
180	Stated as N1, no other information	N1	NA	RN	RN
190	OBSOLETE DATA RETAINED V0200 Stated as N2a, no other information	ERROR	NA	RN	RN
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	NA	RN	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes, any listed in code 120	ERROR	NA	D	D
290	OBSOLETE DATA RETAINED V0200 Stated as N2b, no other information	ERROR	NA	RN	RN
300	OBSOLETE DATA RETAINED V0200	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	RN	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	NA	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	ERROR	NA	RN	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive bilateral or contralateral nodes	ERROR	NA	D	D
490	OBSOLETE DATA RETAINED V0200 Stated as N2c, no other information	ERROR	NA	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or	ERROR	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	contralateral, AND not stated if single or multiple	ERROR	NA	RN	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	ERROR	NA	D	D
600	OBSOLETE DATA RETAINED V0200 Stated as N2, NOS	ERROR	NA	RN	RN
700	OBSOLETE DATA RETAINED V0200 Stated as N3, no other information	ERROR	NA	RN	RN
800	Lymph nodes, NOS	N1	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NA	U	U

MelanomaNasalCavity**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

MelanomaNasalCavity**Reg LN Exam**

See Standard Table

Melanoma Nasal Cavity**CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	NA	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	NA	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	NA	D	D
50	10 + 40) (Distant lymph node(s) + Other distant metastases)	M1	NA	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	NA	U	U