

**Accessory (Paranasal) Sinuses****C31.2-C31.3, C31.8-C31.9**

C31.2 Frontal sinus

C31.3 Sphenoid sinus

C31.8 Overlapping lesion of accessory sinuses

C31.9 Accessory sinus, NOS

**Note 1:** Laterality must be coded for Frontal sinus, C31.2**Note 2:** AJCC does not define TNM staging for this site.**SinusOther****CS Tumor Size**

See Standard Table

**SinusOther****CS Extension**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; non-invasive; intraepithelial	NA	NA	IS	IS
100	Invasive tumor confined to mucosa of one of the following: Frontal sinus Sphenoid sinus	NA	NA	L	L
300	Localized, NOS	NA	NA	L	L
400	More than one accessory sinus invaded Destruction of bony wall of sinus	NA	NA	RE	RE
500	Palate Nasal cavity, NOS: Floor Lateral wall Septum Turbinates	NA	NA	RE	RE
600	Bone: Facial bones Maxilla Orbital structures Pterygoid fossa Zygoma	NA	NA	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700	Brain Cranial nerves Muscles: Masseter Pterygoid Nasopharynx Orbital contents, including eye Soft tissue Skin	NA	NA	RE	RE
800	Further contiguous extension	NA	NA	D	D
950	No evidence of primary tumor	NA	NA	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

**SinusOther****CS Tumor Size/Ext Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

**SinusOther****CS Lymph Nodes**

**Note 1:** For head and neck schemes, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemes, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1,3-9.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

**Note 4:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 5:** The description of lymph nodes has been standardized across the head and neck schemas.

All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	NA	NA	NONE	NONE
100	Single positive ipsilateral regional node: Level I node Level IA node - Submental Level IB node - Submandibular (submaxillary) Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Other groups: Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS	NA	NA	RN	RN
120	Single positive ipsilateral regional node: Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular	NA	NA	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Jugulo-omohyoid (supraomohyoid) Lower deep cervical Level V node - Posterior triangle group Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Prelaryngeal Pretracheal - above suprasternal notch Recurrent laryngeal Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular Sublingual Suboccipital	NA	NA	D	D
800	Lymph nodes, NOS	NA	NA	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NA	NA	U	U

**SinusOther****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment.

**See Standard Table**

**SinusOther****Reg LN Exam**

**See Standard Table**

**SinusOther****CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	NA	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	NA	NA	D	D
50	40 + 10 Other distant metastases plus distant lymph node(s)	NA	NA	D	D
60	Distant metastasis, NOS	NA	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	NA	NA	U	U