

Glottic Larynx**C32.0**

C32.0 Glottis

LarynxGlottic**CS Tumor Size**

See Tumor Size

LarynxGlottic**CS Extension**

Note 1: Use code 450 for localized tumor ONLY if no information is available to assign codes 100 through 400.

Note 2: Use code 130, 375, 530, 775, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive; intraepithelial	Tis	Tis	IS	IS
100	OBSOLETE DATA CONVERTED V0200 See code 130 Invasive tumor with normal vocal cord mobility Confined to glottis, NOS; Intrinsic larynx; Laryngeal commissure(s) anterior, posterior; Vocal cord(s), NOS, true vocal cord(s), true cord(s)	ERROR	ERROR	ERROR	ERROR
110	One vocal cord with normal vocal cord mobility Stated as T1a with no other information on extension	T1a	T1a	L	L
120	Both vocal cords with normal vocal cord mobility Stated as T1b with no other information on extension	T1b	T1b	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
130	Invasive tumor with normal vocal cord mobility Confined to glottis, NOS; Intrinsic larynx; Laryngeal commissure(s) anterior, posterior; Vocal cord(s), NOS, true vocal cord(s), true cord(s) Stated as T1 NOS with no other information on extension	T1NOS	T1NOS	L	L
300	Tumor involves adjacent regions(s) of larynx Subglottis Supraglottis Aryepiglottic fold Arytenoid cartilage Corniculate tubercle Cuneiform tubercle Ventricular bands (false vocal cord(s))	T2	T2	L	L
350	Impaired vocal cord mobility	T2	T2	L	L
375	Stated as T2 with no other information on extension	T2	T2	L	L
400	Tumor limited to larynx WITH vocal cord fixation Involvement of intrinsic muscle(s) of larynx: Aryepiglottic Arytenoid Cricoarytenoid Cricothyroid Thyroarytenoid Thyroepiglottic Vocalis	T3	T3	L	L
450	Localized, NOS	T1NOS	T1NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510	Paraglottic space	T3	T3	RE	RE
520	Minor thyroid cartilage erosion (inner cortex)	T3	T3	RE	D
530	Stated as T3 with no other information on extension	T3	T3	L	L
600	Base of tongue Hypopharynx, NOS Pre-epiglottic tissues Postcricoid area Pyriform sinus Vallecula	T4a	T4a	RE	RE
610	600 + 520 (Any structure in code 600 + Minor thyroid cartilage erosion)	T4a	T4a	RE	D
680	Extension to/through Cricoid cartilage Thyroid cartilage except minor erosion, see code 520	T4a	T4a	RE	D
700	Extension to/through tissues beyond larynx: Strap muscles Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissue of neck Thyroid gland Trachea	T4a	T4a	D	D
710	Cervical esophagus	T4a	T4a	D	D
730	Deep extrinsic muscle(s) of tongue	T4a	T4a	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
775	Stated as T4a with no other information on extension	T4a	T4a	D	D
800	Further contiguous extension, including: Mediastinal structures Prevertebral space Carotid artery (encased)	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	T4NOS	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

LarynxGlottic
CS Tumor Size/Ext Eval
See Tumor Size

LarynxGlottic**CS Lymph Nodes**

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in Site-Specific Factors 1, 3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 6: Level III and Level IV nodes moved from code 100 in CSV1 to code 110.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level II node - Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level VI node - Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular NOS: Regional lymph node, NOS	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110	Single positive ipsilateral regional node: Level I node Level IA - Submental Level IB - Submandibular (submaxillary), sublingual Level III node - Middle jugular Middle deep cervical Level IV node - Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Retropharyngeal	^	*	D	RN
120	Single positive ipsilateral regional node: Level V node - Posterior triangle group Level VA - Spinal accessory Level VB - Transverse cervical, supraclavicular (see Note 4) Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Parapharyngeal Retroauricular (mastoid) Suboccipital	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
210	Multiple positive ipsilateral nodes, any listed in code 110 (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
220	Multiple positive ipsilateral nodes, any listed in code 120 (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
310	Regional lymph nodes as listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	RN
320	Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400	Regional lymph nodes as listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
410	Regional lymph nodes, any listed in code 110: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
420	Regional lymph nodes, any listed in code 120: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	Regional lymph nodes as listed in code 100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	Regional lymph nodes, any listed in code 110: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	Regional lymph nodes, any listed in code 120: Positive node(s), not stated if	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
520 cont'd	ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN
800	Lymph nodes, NOS, no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table Lymph Nodes Size Table, for this site.

* For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table Lymph Nodes Size Table, for this site.

LarynxGlottic

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

LarynxGlottic

Reg LN Exam

See Standard Table

LarynxGlottic CS Mets at DX

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U