

**Larynx, Overlapping Lesion or Not Otherwise Specified****C32.3, C32.8-C32.9**

C32.3 Laryngeal cartilage

C32.8 Overlapping lesion of larynx

C32.9 Larynx, NOS

**LarynxOther****CS Tumor Size**

See Standard Table

**LarynxOther****CS Extension**

**Note 1:** Use code 450 for localized tumor ONLY if no information is available to assign codes 100 through 400.

**Note 2:** Use code 375, 775, 810, or 815 if the physician's assignment of T category is the ONLY information available about the extent of the tumor.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ; noninvasive	Tis	Tis	IS	IS
100	Invasive tumor confined to site of origin Stated as T1 NOS with no other information on extension	T1	T1	L	L
200	Tumor involves more than one subsite of supraglottis, glottis, or subglottis WITHOUT fixation or NOS	T2	T2	L	L
300	Tumor involves adjacent regions(s) of larynx	T2	T2	L	L
350	Impaired vocal cord mobility	T2	T2	L	L
375	Stated as T2 with no other information on extension	T2	T2	L	L
400	Tumor limited to larynx WITH vocal cord fixation Stated as T3 with no other information on extension	T3	T3	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
450	Localized, NOS	T1	T1	L	L
600	Base of tongue Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus (pyriform fossa) Vallecula	T4a	T4a	RE	RE
680	Extension to/through cricoid cartilage and thyroid cartilage	T4a	T4a	RE	D
700	Extension to/through: Cervical esophagus Deep muscle of tongue Extrinsic (strap) muscles Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissues of neck Thyroid gland Trachea	T4a	T4a	D	D
775	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
800	Further contiguous extension, including: Mediastinal structures Prevertebral space Carotid artery (encased)	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 NOS with no other information on extension	T4NOS	T4NOS	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

**LarynxOther****CS Tumor Size/Ext Eval**

See Standard Table

**LarynxOther****CS Lymph Nodes**

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoids cartilage) is coded in Site-Specific Factors 1,3-9.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

**Note 4:** For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

**Note 5:** The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging.

Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

**Note 6:** Level III and Level IV nodes moved from code 100 in CSV1 to code 110.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Single positive ipsilateral regional node: Level II Upper jugular Jugulodigastric (subdigastric) Upper deep cervical Level VI	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Anterior compartment group Laterotracheal Paralaryngeal Paratracheal - above suprasternal notch Perithyroidal Precricoid (Delphian) Pretracheal - above suprasternal notch Cervical, NOS Deep cervical, NOS Internal jugular, NOS: Regional lymph node, NOS	^	*	RN	RN
110	Single positive ipsilateral regional node: Level I Level IA Submental Level IB Submandibular (submaxillary) Level III Middle jugular Middle deep cervical Level IV Lower jugular Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Other groups: Retropharyngeal Other groups Retropharyngeal	^	*	D	RN
120	Single positive ipsilateral regional node: Level V node Posterior triangle group Level VA Spinal accessory	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120 cont'd	Level VB Transverse cervical, supraclavicular Level VII node Superior mediastinal group (for other mediastinal nodes see CS Mets at DX) Esophageal groove Paratracheal - below suprasternal notch Pretracheal - below suprasternal notch Other groups: Facial: Buccinator (buccal) Mandibular Nasolabial Parotid: Infraauricular Intraparotid Periparotid Preparotid Parapharyngeal Retroauricular Sublingual Suboccipital Supraclavicular, NOS (See Note 4)	^	*	D	D
180	Stated as N1, no other information	N1	N1	RN	RN
190	Stated as N2a, no other information	N2a	N2a	RN	RN
200	Multiple positive ipsilateral nodes listed in code 100	^	*	RN	RN
210	Multiple positive ipsilateral nodes, any listed in code 110 (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
220	Multiple positive ipsilateral nodes, any	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
220 cont'd	listed in code 120 (WITH OR WIHTOUT nodes listed in code 100 or 110)	^	*	D	D
290	Stated as N2b, no other information	N2b	N2b	RN	RN
300	Regional lymph nodes listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	^	*	RN	RN
310	Regional lymph nodes as listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	RN
320	Regional lymph nodes listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	^	*	D	D
400	Regional lymph nodes listed in code 100: Positive bilateral or contralateral nodes	^	*	RN	RN
410	Regional lymph nodes, any listed in code 110: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100)	^	*	D	RN
420	Regional lymph nodes, any listed in code 120: Positive bilateral or contralateral nodes (WITH or WITHOUT nodes listed in code 100 or 110)	^	*	D	D
490	Stated as N2c, no other information	N2c	N2c	RN	RN
500	Regional lymph nodes as listed in code	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
500 cont'd	100: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	Regional lymph nodes listed in code 110: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	Regional lymph nodes as listed in code 120: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D
600	Stated as N2NOS	N2NOS	N2NOS	RN	RN
700	Stated as N3, no other information	N3	N3	RN	RN
800	Lymph nodes, NOS, no other information	^	*	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 7th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

\* For codes 100-120, 200-220, 300-320, 400-420, 500-520, and 800 ONLY, the N category for AJCC 6th Edition staging is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

### LarynxOther

#### Reg LN Pos

**Note:** Record this field even if there has been preoperative treatment

**See Standard Table**

**LarynxOther**  
**Reg LN Exam**  
**See Standard Table**

**LarynxOther**  
**CS Mets at DX**

**Note:** Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s)(code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U