

Peritoneum [excludes GIST of Peritoneum and M-8000-8576, 8590-8671, 8930-8934, 8940-9110 for females]**C48.1-C48.2, C48.8**

M-8000-8934, 8940-9136, 9141-9582, 9700-9701 for males

M-8580-8589, 8680-8921, 9120-9136, 9141-9582, 9700-970 for females

C48.1 Specified parts of peritoneum (including omentum and mesentery)

C48.2 Peritoneum, NOS

C48.8 Overlapping lesion of retroperitoneum and peritoneum

Note: AJCC includes these sites with soft tissue sarcomas (C47.0-C48.9)**Peritoneum****CS Tumor Size****Note 1:** Use code 995 or 996 if the physician's statement about T value is the only information available about the size of the tumor.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only and; and no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T1b or T1 [NOS]
996	Described as "greater than 5 cm" Stated as T2b or T2 [NOS]

Code	Description
999	Unknown; size not stated Not documented in patient record

Peritoneum**CS Extension**

Note 1: For AJCC TNM staging, all retroperitoneal lesions are considered deep lessons.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	Tumor confined to site of origin	^	*	L	L
300	Localized, NOS	^	*	L	L
350	Stated as T1b or T1 [NOS] with no other information on extension	^	*	L	L
375	Stated as T2b or T2 [NOS] with no other information on extension	^	*	L	L
400	Adjacent connective tissue see definition of adjacent connective tissue in General Instructions.	^	*	RE	RE
600	Adjacent organs/structures including bone/cartilage Retroperitoneum: Adrenal(s) (suprarenal gland(s)) Aorta Ascending colon Descending colon Kidney(s) Pancreas Vena cava Vertebra Peritoneum: Colon (except ascending and descending colon) Esophagus Gallbladder Liver	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	Small intestine Spleen Stomach	^	*	RE	RE
800	Further contiguous extension, including: For retroperitoneum, extension to colon other than ascending or descending For peritoneum, extension to ascending or descending colon	^	*	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

* For codes 100-800 ONLY, the T category is assigned based on value of CS Tumor Size, as shown in the Extension Size Table for this site.

^ For codes 100-800 ONLY, the T category is assigned based on value of CS Tumor Size, as shown in the Extension Size Table for this site.

Peritoneum

CS Tumor Size/Ext Eval

See Standard Table

Peritoneum**CS Lymph Nodes**

Note 1: Regional lymph nodes are defined as those in the vicinity of the primary tumor.

Note 2: Regional lymph node involvement is rare. For this schema, if there is no mention of lymph node involvement clinically, assume that lymph nodes are negative (code 000). Use code 999 (Unknown) only when there is no available information on the extent of the patient's disease, for example, when a lab-only case is abstracted from a biopsy report and no clinical history is available.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Intra-abdominal Paracaval Pelvic Subdiaphragmatic Regional lymph nodes, NOS Stated as N1	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown (see Note 2)	NX	NX	U	U

Peritoneum**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

Peritoneum**Reg LN Exam**

See Standard Table

Peritoneum
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Peritoneum**CS Site-Specific Factor 25****Schema Discriminator**

Note: For cases coded to primary site C48.1, C48.2, or C48.8, and histology in the ranges 8000-8576, 8590-8671, 8930-8934 or 8940-9110, the sex of the case is needed to determine the correct CS schema. This is because AJCC stages primary carcinomas of the peritoneum in females with the same staging criteria as for ovarian cancer.

Code	Description	Schema
001	Male	Peritoneum
002	Female	PeritoneumFemaleGen
003	Other (hermaphrodite)	Peritoneum
004	Transsexual	Peritoneum
009	Unknown sex	Peritoneum
100	OBSOLETE DATA RETAINED V0200 C48.1, C48.2, or C48.8, and histology in the ranges 8000-8576, 8590-8671, 8930-8934, 8940-9110 coded in CSv1	Peritoneum
	Blank for C48.1, C48.2, or C48.8 with histology codes 8580-8589,8680-8921,9120-9136,9141-9582,9700-9701	Peritoneum