

Retroperitoneum**C48.0**

C48.0 Retroperitoneum

Retroperitoneum**CS Tumor Size**

Note: Use code 995 or 996 if the physician's statement about T value is the only information available about the size of the tumor.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm"
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T1b or T1[NOS]
996	Described as "greater than 5 cm" Stated as T2b or T2[NOS]
999	Unknown; size not stated Not documented in patient record

Retroperitoneum**CS Extension****Note 1:** For AJCC TNM staging, all peritoneal lesions are considered deep lessons.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	Tumor confined to site of origin	^	*	L	L
300	Localized, NOS	^	*	L	L
350	Stated as T1b or T1 [NOS] with no other information on extension	^	*	L	L
375	Stated as T2b or T2 [NOS] with no other information on extension	^	*	L	L
400	Adjacent connective tissue see definition of adjacent connective tissue in General Instructions.	^	*	RE	RE
600	Adjacent organs/structures including bone/cartilage Adrenal(s) (suprarenal gland(s)) Aorta Ascending colon Descending colon Kidney(s) Pancreas Vena cava Vertebra	^	*	RE	RE
800	Further contiguous extension, including: extension to colon other than ascending or descending	^	*	D	D
950	No evidence of primary tumor	T0	T0	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

* For codes 100-800 ONLY, the T category is assigned based on value of CS Tumor Size, as shown in the Extension Size Table for this site.

^ For codes 100-800 ONLY, the T category is assigned based on value of CS Tumor Size, as shown in the Extension Size Table for this site.

Retroperitoneum

CS Tumor Size/Ext Eval

See Standard Table

Retroperitoneum

CS Lymph Nodes

Note 1: Regional lymph nodes are defined as those in the vicinity of the primary tumor.

Note 2: Regional lymph node involvement is rare. For this schema, if there is no mention of lymph node involvement clinically, assume that lymph nodes are negative (code 000). Use code 999 (Unknown) only when there is no available information on the extent of the patient's disease, for example, when a lab-only case is abstracted from a biopsy report and no clinical history is available.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Intra-abdominal Paracaval Pelvic Subdiaphragmatic Regional lymph nodes, NOS Stated as N1	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown (see Note 2)	NX	NX	U	U

Retroperitoneum**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

Retroperitoneum**Reg LN Exam**

See Standard Table

Retroperitoneum**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U