

**PeritoneumFemaleGen****[Includes. carcinomas of the Peritoneum for females only]****C48.0-C48.2, C48.8**

C48.1 Specified parts of peritoneum (including omentum and mesentery)

C48.2 Peritoneum, NOS

C48.8 Overlapping lesion of retroperitoneum and peritoneum

**Note:** AJCC only stages the carcinomas.**PeritoneumFemaleGen****CS Tumor Size****See Standard Table****PeritoneumFemaleGen****CS Extension**

**Note 1:** In some cases, a primary peritoneal adenocarcinoma may not involve the ovaries or only involve the ovaries with minimal surface implants. The clinical presentation, surgical therapy, chemotherapy, and prognosis of these peritoneal tumors mirror those of papillary serous carcinoma of the ovary. Patients who undergo prophylactic oophorectomy for a familial history of ovarian cancer appear to retain a 1 to 2% chance of developing peritoneal adenocarcinoma, which is histopathologically and clinically similar to primary ovarian cancer.

**Note 2:** This schema is for female primary peritoneal adenocarcinoma only.

**Note 3:** If a tumor is also found in the ovary, please use the ovary schema.

**Note 4:** For AJCC TNM staging, all peritoneal lesions are considered deep lesions.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	OBSOLETE DATA RETAINED V0200 Tumor confined to site of origin	ERROR	*	L	L
300	OBSOLETE DATA RETAINED V0200 Localized, NOS	ERROR	*	L	L
400	OBSOLETE DATA RETAINED V0200 Adjacent connective tissue see definition of adjacent connective tissue in General Instructions.	ERROR	*	RE	RE
600	OBSOLETE DATA RETAINED V0200 Adjacent organs/structures including	ERROR	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	bone/cartilage Retroperitoneum: Adrenal(s) (suprarenal gland(s)) Aorta Ascending colon Descending colon Kidney(s) Pancreas Vena cava Vertebra Peritoneum: Colon (except ascending and descending colon) Esophagus Gallbladder Liver Small intestine Spleen Stomach	ERROR	*	RE	RE
700	Microscopic peritoneal implants beyond pelvis, including peritoneal surface/capsule of Colon (except ascending and descending colon) Esophagus Gallbladder Liver Small intestine Spleen Stomach	T3a	*	L	L
705	FIGO Stage IIIA	T3a	TX	L	L
710	Macroscopic peritoneal implants beyond pelvis, less than or equal to 2 cm in diameter, including peritoneal surface of Esophagus Abdominal mesentery Diaphragm	T3b	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
710 cont'd	Gallbladder Infracolic omentum Kidneys Large intestine except rectum and sigmoid colon Liver (peritoneal surface) Omentum Pancreas Pericolic gutter Small intestine Spleen Stomach Ureters Peritoneum, NOS	T3b	*	D	D
715	FIGO Stage IIIB	T3b	TX	D	D
720	Peritoneal implants beyond pelvis, greater than 2 cm in diameter, including peritoneal surface of Esophagus Abdominal mesentery Diaphragm Gallbladder Infracolic omentum Kidneys Large intestine except rectum and sigmoid colon Liver (peritoneal surface) Omentum Pancreas Pericolic gutter Small intestine Spleen Stomach Ureters Peritoneum, NOS	T3c	*	D	D
730	FIGO Stage IIIC	T3c	TX	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750	Peritoneal implants, NOS	T3NOS	*	L	L
780	FIGO Stage III [NOS]	T3NOS	TX	L	L
785	Adjacent connective tissue (see definition of adjacent connective tissue in General Instructions)	T3NOS	*	D	D
790	Adjacent organs/structures including bone/cartilage Peritoneum: Colon (except ascending and descending colon) Esophagus Gallbladder Liver Small intestine Spleen Stomach	T3c	*	D	D
795	Further contiguous extension, including: extension to ascending or descending colon	T3c	*	D	D
800	Further contiguous extension	T3NOS	*	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

\* For codes 100, 300, 400, 600, 700, 710, 720, 750 and 785-800 ONLY. The T category is assigned based on value of CS Tumor Size, as shown in the Extension Size Table for this site.

**PeritoneumFemaleGen**  
**CS Tumor Size/Ext Eval**  
**See Standard Table**

**PeritoneumFemaleGen****CS Lymph Nodes**

**Note 1:** Regional lymph nodes are defined as those in the vicinity of the primary tumor.

**Note 2:** Cases of FIGO Stage IIIC NOS should be staged as T3c NOS and N0 (code 000) unless lymph node involvement is specified.

**Note 3:** Regional lymph node involvement is rare. For this schema, if there is no mention of lymph node involvement clinically, assume that lymph nodes are negative (code 000). Use code 999 (Unknown) only when there is no available information on the extent of the patient's disease, for example, when a lab-only case is abstracted from a biopsy report and no clinical history is available.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes: Intra-abdominal Para-aortic Pelvic Subdiaphragmatic External iliac Internal iliac (hypogastric) Obturator Common iliac Inguinal Retroperitoneal, NOS Regional lymph nodes, NOS Stated as N1	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown (see Note 2)	NX	NX	U	U

**PeritoneumFemaleGen****Reg LN Pos**

**Note:** Record this field even if there has been preoperative treatment

**See Standard Table**

**PeritoneumFemaleGen****Reg LN Exam**

**See Standard Table**

**PeritoneumFemaleGen  
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	None	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	M1	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1, NOS	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

**PeritoneumFemaleGen**  
**CS Site-Specific Factor 25**  
**Schema Discriminator**

**Note:** For cases coded to primary site C48.1, C48.2, or C48.8, and histology in the ranges 8000-8576, 8590-8671, 8930-8934 or 8940-9110, the sex of the case is needed to determine the correct CS schema. This is because AJCC stages primary carcinomas of the peritoneum in females with the same staging criteria as for ovarian cancer.

Code	Description	Schema
001	Male	Peritoneum
002	Female	PeritoneumFemaleGen
003	Other (hermaphrodite)	Peritoneum
004	Transsexual	Peritoneum
009	Unknown sex	Peritoneum
100	OBSOLETE DATA RETAINED V0200 C48.1, C48.2, or C48.8, and histology in the ranges 8000-8576, 8590-8671, 8930-8934, 8940-9110 coded in CSv1	Peritoneum
	Blank for C48.1, C48.2, or C48.8 with histology codes 8580-8589,8680-8921,9120-9136,9141- 9582,9700-9701	Peritoneum