

Vulva (incl. Skin of Vulva)

[excl. Melanoma of Vulva, Merkel Cell Carcinoma of Vulva, Kaposi Sarcoma of Vulva, Mycosis Fungoides of Vulva, Sezary Disease of Vulva, and Other Lymphomas of Vulva]

C51.0-C51.2, C51.8-C51.9

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

Note 1: This schema is NOT used for Malignant Melanoma, Merkel Cell Carcinoma of Vulva, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, or Other Lymphomas. Each of these diseases has a separate schema.

Note 2: The AJCC 7th edition stages cancer of the perineum with vulva. Cancer of the perineum can be coded to several different primary site codes each of which includes sites other than perineum. In addition, basal and squamous cell carcinomas of the skin of the perineum would be coded to C44.5 and would not be reportable. Involvement of the vulva and perineum should be assigned to vulva as the primary site in the absence of a statement that the tumor extended from the perineum to the vulva. CS only includes C51.0-C51.9 (vulva) and does not include primaries of the perineum in this schema.

Vulva**CS Tumor Size**

See Standard Table

Vulva**CS Extension**

Note 1: FIGO Stage I, IA and IB are defined by size of tumor, involvement of vulva or vulva and perineum, and depth of stromal invasion.

Note 2: The depth of invasion is defined as the measurement of the tumor from the epithelial-stromal junction of the adjacent most superficial dermal papilla to the deepest point of invasion.

Note 3: FIGO no longer includes Stage 0 (Tis) for vulva.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ: Noninvasive; intraepithelial Bowen's disease, intraepidermal; preinvasive carcinoma	Tis	Tis	IS	IS
100	Invasive cancer (no stromal invasion) confined to: Musculature Submucosa	^	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
	Vulva including skin				
105	Vulva only: Stromal invasion but level of invasion in mm not stated	^	*	L	L
110	Vulva only: Stromal invasion less than or equal to 1 mm	^	*	L	L
120	Vulva only: Stromal invasion greater than 1 mm	^	*	L	L
300	Localized, NOS	^	*	L	L
320	FIGO Stage I [NOS]	T1NOS	T1NOS	L	L
330	FIGO Stage IA	T1a	T1a	L	L
340	FIGO Stage IB	T1b	T1b	L	L
400	Vulva and perineum, level of invasion in mm not stated	^	*	RE	RE
410	Vulva and perineum, stromal invasion less than or equal to 1 mm	^	*	RE	RE
420	Vulva and perineum, stromal invasion greater than 1 mm	T1b	*	RE	RE
600	OBSOLETE DATA RETAINED V0200 Anus Perianal skin Urethra (See code 750 for upper urethral mucosa) Vagina FIGO Stage III	ERROR	T3	RE	RE
605	Anus Perianal skin	T2	T3	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
	Urethra (lower/distal 1/3 urethra or not stated) (See code 750 for upper urethra)				
610	Vagina (lower/distal 1/3 vagina)	T2	T3	RE	RE
612	Vagina NOS	T2	T3	RE	RE
615	FIGO Stage II	T2	T2	RE	RE
618	Vagina (upper/proximal 2/3 vagina)	T3	T3	RE	RE
620	Bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	T3	D	RE
700	Perineal body Rectal mucosa	T3	T4	D	D
750	OBSOLETE DATA RETAINED V0200 Bladder mucosa Fixed to pubic bone Upper urethral mucosa FIGO Stage IVA	ERROR	T4	D	RE
760	Bladder mucosa Fixed to pubic bone Urethra (upper/proximal 2/3 urethra)	T3	T4	D	D
800	Further contiguous extension	T3	T4	D	D
850	FIGO Stage IVA [NOS] based on extension or unknown whether based on extension or nodes	T3	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

* For CS Extension codes 100, 105, 110, 120, 300, 400, 410, and 420 ONLY, the T category is assigned based on the value of Tumor Size and CS Extension, as shown in the AJCC 6th Extension Size Table for this schema.

^For CS Extension codes 100, 105, 110, 120, 300, 400, and 410 ONLY, the T category is assigned based on the value of Tumor Size and CS Extension, as shown in the AJCC 7th Extension Size Table for this schema.

Vulva

CS Tumor Size/Ext Eval

See Standard Table

Vulva

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX. The regional nodes are inguinal or femoral: inguinal, NOS; deep inguinal, NOS; Node of Cloquet or Rosenmuller (highest deep inguinal); and superficial inguinal (femoral) and regional lymph nodes [NOS].

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	OBSOLETE DATA RETAINED V0200 Unilateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph nodes, NOS (unilateral) FIGO Stage III	ERROR	N1	RN	RN
110	1 or 2 regional lymph node(s) positive and size of metastasis less than 5 mm in each	N1a	*	RN	RN
120	One lymph node metastasis greater than or equal to 5 mm	N1b	*	RN	RN
130	1 or 2 regional lymph node(s) positive (or number positive unknown) and size of metastasis not given	N1NOS	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
150	FIGO IIIA	N1NOS	*	RN	RN
210	3 or more regional lymph node(s) positive and size of metastasis in each less than 5 mm	N2a	*	RN	RN
220	At least two lymph node metastasis greater than or equal to 5 mm	N2b	*	RN	RN
230	3 or more regional lymph node(s) positive and size of metastasis not given	N2NOS	*	RN	RN
250	FIGO IIIB	N2NOS	*	RN	RN
300	Regional lymph node(s) with extracapsular spread	N2c	*	RN	RN
350	FIGO IIIC	N2c	*	RN	RN
400	Fixed or ulcerated regional lymph nodes	N3	*	RN	RN
450	FIGO IVA based on nodal information only	N3	*	RN	RN
500	OBSOLETE DATA RETAINED V0200 Bilateral or contralateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph nodes, NOS (bilateral/contralateral) FIGO Stage IVA	ERROR	N2	RN	RN
600	Regional lymph node(s), NOS	N1NOS	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Lymph nodes, NOS	N1NOS	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

* CS Lymph node codes 110-450 and 600 are used in conjunction with CS Site Specific Factor 11 (Regional Lymph Node - Laterality) to determine the N code for AJCC 6th edition - see CS AJCC 6th CS Lymph Nodes and SSF 11 Table.

Vulva

Reg LN Pos

Note: Record this field even if there has been preoperative treatment.

See Standard Table

Vulva

Reg LN Exam

See Standard Table

Vulva
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	M1	D	D
11	Distant lymph node(s): External iliac	M1	M1	RN	D
12	Distant lymph node(s): Internal iliac (hypogastric) Obturator Pelvic, NOS	M1	M1	D	D
13	Distant lymph node(s) other than code 11 and 12, including common iliac	M1	M1	D	D
40	Distant metastases other than distant lymph node(s) (codes 10 to 13) Carcinomatosis	M1	M1	D	D
50	(40) + any of [(10) to (13)] Distant lymph node(s) plus other distant metastases	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 [NOS]	M1	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U