

**Penis [Merkel Cell Carcinoma only]****C60.0-C60.2, C60.8-C60.9**

(M-8247)

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis, NOS

**Note 1:** This schema is used for Merkel Cell.**Note 2:** Primary carcinoma of the urethra is to be coded C68.0 and assigned Collaborative Stage codes according to the urethra scheme.**MerkelCellPenis****CS Tumor Size****Note:** Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the physician's statement of the T category, assign code 992, 995 or 996.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 cm"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm" Stated as T2 with no other information on size

Code	Description
996	Described as "greater than 5 cm" Stated as T3 with no other information on size
999	Unknown; size not stated Not documented in patient record

**MerkelCellPenis****CS Extension**

**Note 1:** In the case of multiple simultaneous tumors, code the tumor with greatest extension.

**Note 2:** Skin ulceration does not alter the Collaborative Stage classification.

**Note 3:** In-transit metastasis is coded in the CS Lymph Nodes field.

**Note 4:** If the ONLY information regarding the tumor extension is the physician's statement of the T category, assign code 320, 560, 630, or 810. (Refer to CS Tumor Size table for instructions on coding tumor size).

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ: noninvasive; Bowen disease; intraepithelial	Tis	Tis	IS	IS
050	OBSOLETE DATA RETAINED V0200 Non-invasive verrucous carcinoma	ERROR	Ta	IS	IS
100	Lesion(s) confined to dermis Invasive tumor limited to subepithelial connective tissue, but not involving corpus spongiosum or cavernosum If primary is skin: invasive tumor limited to skin of penis, prepuce (foreskin) and/or glans  Stated as T1 [NOS] with no other information on extension	^	T1	L	L
300	Localized, NOS	^	T1	L	L
310	Subcutaneous tissue (through entire dermis)	^	T1	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
320	Stated as T1b with no other information on extension	^	T1	L	L
350	For body of penis ONLY: Corpus cavernosum Corpus spongiosum Tunica albuginea of corpus spongiosum	^	T2	L	L
400	Corpus cavernosum except for tumor in body of penis Corpus spongiosum except for tumor in body of penis Tunica albuginea of corpus spongiosum except for tumor in body of penis	^	T2	RE	RE
500	Satellite nodule(s) on prepuce or glans	^	T1	RE	RE
560	Stated as T2 with no other information on extension	^	T2	L	L
600	Prostate Urethra	^	T3	RE	RE
630	Stated as T3 with no other information on extension	^	T3	RE	RE
700	Underlying cartilage, bone, skeletal muscle Adjacent structures: Muscle, NOS: Bulbospongiosus Ischiocavernosus Superficial transverse perineal Skin: Abdominal Perineum Pubic Scrotal	T4	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
800	Further contiguous extension Testis	T4	T4	D	D
810	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For codes 100, 300, 310, 320, 350, 400, 500, 560, 600, and 630 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Extension Size Table for this site.

### MerkelCellPenis

#### CS Tumor Size/Ext Eval

See Standard Table

### MerkelCellPenis

#### CS Lymph Nodes

**Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

**Note 2:** In-transit metastasis is defined as a tumor distinct from the primary lesion and located either between the primary lesion and the draining regional lymph nodes or distal to the primary lesion. In-transit metastasis is coded in the CS Lymph Nodes field.

**Note 3:** According to AJCC, "there is no lower threshold of tumor burden defining the presence of regional nodal metastasis. Specifically, nodal tumor deposits less than 0.2 mm in diameter (previously used as the threshold for defining nodal metastasis), are included in the staging of nodal disease as a result of the consensus that smaller volumes of metastatic tumor are still clinically significant". This means that any finding of Merkel cell carcinoma in lymph nodes, regardless of size and including isolated tumor cells (ITCs), should be coded positive lymph nodes in this field.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	SINGLE superficial inguinal (femoral) regional lymph node SINGLE inguinal node, NOS (unknown if superficial or deep)	^	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
120	Stated as N1a with no other information on regional lymph nodes	N1a	N1	RN	RN
140	Stated as N1b with no other information on regional lymph nodes	N1b	N1	RN	RN
160	Stated as N1 [NOS] with no other information on regional lymph nodes	N1NOS	N1	RN	RN
200	MULTIPLE or BILATERAL superficial inguinal (femoral) regional lymph nodes MULTIPLE or BILATERAL inguinal nodes, NOS (unknown if superficial or deep)	^	N2	RN	RN
300	Regional lymph node: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)	^	N3	RN	RN
400	Pelvic lymph nodes (unilateral or bilateral): External iliac Internal iliac (hypogastric) Obturator Pelvic nodes, NOS	^	N3	RN	RN
420	In-transit metastasis WITHOUT regional lymph node involvement or involvement of regional lymph nodes not stated (see Note 2)	N2	N1	RN	RN
440	420 + 100 In-transit metastasis WITH regional lymph nodes listed in code 100 (see Note 2)	N2	N1	RN	RN
460	420 + 200 In-transit metastasis WITH regional	N2	N2	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
460 cont'd	lymph nodes listed in code 200 (see Note 2)	N2	N2	RN	RN
480	420 + (codes in 300 or 400) In-transit metastasis WITH regional lymph nodes listed in codes 300 or 400 (see Note 2)	N2	N3	RN	RN
500	Regional lymph node(s), NOS	^	N1	RN	RN
520	In-transit metastasis WITH regional lymph node(s), NOS	N2	N1	RN	RN
800	Lymph nodes, NOS	^	N1	RN	RN
999	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For codes 100, 200, 300, 400, 500 and 800 ONLY, the N category for AJCC 7th Edition is assigned based on the value of Site-Specific Factor 3, Clinical Status of Lymph Node Mets, as shown in the CS Lymph Nodes and Clinical Status table.

### MerkelCellPenis

#### Reg LN Pos

**Note:** Record this field even if there has been preoperative treatment

**See Standard Table**

### MerkelCellPenis

#### Reg LN Exam

**See Standard Table**

**MerkelCellPenis****CS Mets at DX****Note:** In-transit metastasis is coded in the CS Lymph Nodes field.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	M1a	M1	D	D
15	Metastasis to skin or subcutaneous tissue	M1a	M1	D	D
20	Stated as M1a with no other information on distant metastases	M1a	M1	D	D
30	Lung	M1b	M1	D	D
35	30 + (10 or 15) Metastasis to lung plus distant lymph node(s) or skin or subcutaneous tissue	M1b	M1	D	D
37	Stated as M1b with no other information on distant metastases	M1b	M1	D	D
40	OBSOLETE DATA RETAINED V0200 Distant metastasis, NOS Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	ERROR	M1	D	D
45	All other visceral sites Distant metastases except distant lymph node(s), skin or subcutaneous tissue, or lung (codes 10, 15, 30 or 35) Carcinomatosis	M1c	M1	D	D
50	OBSOLETE DATA RETAINED V0200 (10) + (40) Distant lymph node(s) plus other distant	ERROR	M1	D	D

<b>Code</b>	<b>Description</b>	<b>TNM 7 Map</b>	<b>TNM 6 Map</b>	<b>SS77 Map</b>	<b>SS2000 Map</b>
50 cont'd	metastases	ERROR	M1	D	D
55	45 + (any of 10, 15 or 30)Metastases to other visceral sites plus any of distant lymph node(s), skin, subcutaneous tissue, or lung	M1c	M1	D	D
57	Stated as M1c with no other information on distant metastases	M1c	M1	D	D
60	Distant metastasis, NOS Stated as M1 [NOS] with no other information on distant metastases	M1NOS	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U