

Malignant Melanoma Ciliary Body [excl. Iris]**C69.4**

(M-8720-8790)

C69.4 Ciliary Body and Iris

Note 1: Site-Specific Factor 25 is used to discriminate between tumors arising in Ciliary Body and Iris, both coded to C69.4.

Note 2: Laterality must be coded for these sites

MelanomaCiliaryBody**OBSOLETE CS Tumor Size**

Note 1: Code the specific tumor size as documented in the medical record. If the ONLY information regarding tumor size is the clinician's statement of the "T" category, assign code 992 (T1, NOS) or 993 (T2, NOS). (Refer to the CS Extension table for instructions on coding extension).

Note 2: CS Tumor Size is obsolete beginning with CS Version 2 (codes and notes). Old data are retained, but new cases are not coded with CS Tumor Size. Use code 988 for this field.

Code	Description
000	OBSOLETE DATA RETAINED V0200 No mass/tumor found
001-979	OBSOLETE DATA RETAINED V0200 001 - 9.79 millimeters (code exact size in millimeters)
980	OBSOLETE DATA RETAINED V0200 9.80 millimeters or larger [includes cases converted from codes 981-989 during conversion to V0200]
981-987	OBSOLETE DATA CONVERTED V0200 Codes 981-988 converted to code 980 Code 988 redefined for use as not applicable in V0200 9.81-9.88 millimeters
988	Not applicable; information not collected for this case.
989	OBSOLETE DATA CONVERTED V0200 Code 989 converted to 980 989 millimeters or larger
990	OBSOLETE DATA RETAINED V0200

Code	Description
990 cont'd	Microscopic focus or foci only, no size of focus given
991	OBSOLETE DATA RETAINED V0200 Described as "less than 1 cm"
992	OBSOLETE DATA RETAINED V0200 Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1, NOS with no documentation of tumor size
993	OBSOLETE DATA RETAINED V0200 Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm" Stated as T2, NOS with no documentation of tumor size
994	OBSOLETE DATA RETAINED V0200 Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm"
995	OBSOLETE DATA RETAINED V0200 Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
999	OBSOLETE DATA RETAINED V0200 Unknown; size not stated Not documented in patient record

MelanomaCiliaryBody**CS Extension**

Note 1: Ciliary body and Iris are both included in the ICD-O-3 site code of C69.4, but they are staged with different criteria by AJCC. The Schema Discriminator is used to select the CS schema appropriate for coding extension for melanoma of the ciliary body.

Note 2: AJCC does not recognize in situ melanoma of the ciliary body. Any case so coded will be mapped to unknown AJCC stage, in situ Summary Stage.

Note 3: The AJCC 7th Edition assigns a T value to combinations of measurements for basal diameter and thickness of tumor divided into four Tumor Size Categories in a charted format. The AJCC 6th Edition assigns T values based on three pairs of measurements for basal diameter and thickness, using the basal diameter for classification when the two measurements do not fit into the defined pairs.

Note 4: Use codes 160 and 180 if measurements are available to record the largest tumor basal diameter and tumor thickness. Use codes 215 through 445 ONLY if tumor measurements are not available for coding. Note that code 635, mapped to T4e, is not based on a Tumor Size Category assignment.

Note 5: Use codes 245, 295, 345, and 445 ONLY if the tumor size category is the only information available about the tumor.

Note 6: In clinical practice the largest tumor basal diameter may be estimated in optic disc diameters (dd) (average: 1 dd = 1.5mm). Tumor thickness may be estimated in diopters (average: 2.5 diopters = 1 mm). Other techniques, such as ultrasonography and fundus photography may provide a more accurate measurement.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ Noninvasive Intraepithelial	TX	TX	IS	IS
100	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Confined to iris, NOS	ERROR	T1NOS	L	L
110	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Limited to iris not more than 3 clock hours in size, WITHOUT melanomalytic glaucoma, or not stated	ERROR	T1a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
110 cont'd	if melanolytic glaucoma	ERROR	T1a	L	L
130	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Limited to iris more than 3 clock hours in size, WITHOUT melanolytic glaucoma, or not stated if melanolytic glaucoma	ERROR	T1b	L	L
140	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Limited to iris WITH melanolytic glaucoma	ERROR	T1c	L	L
160	Tumor WITHOUT extraocular extension (or extraocular extension not stated)	^	*	L	L
180	Tumor WITH extraocular extension less than or equal to 5mm in diameter	^	*	RE	RE
210	OBSOLETE DATA RETAINED V0200 Tumor 10 mm or less in greatest diameter and 2.5m or less in greatest height (thickness), not stated if extraocular extension present	ERROR	T1NOS	L	L
215	Tumor WITHOUT extraocular extension (or extraocular extension not stated) AND stated as Tumor Size Category 1 Stated as T1b with no other	T1b	T1a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
215 cont'd	information on extension	T1b	T1a	L	L
220	OBSOLETE DATA RETAINED V0200 Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITHOUT microscopic or macroscopic extraocular extension	ERROR	T1a	L	L
230	OBSOLETE DATA RETAINED V0200 Tumor 10 mm or less in greatest diameter and 2.4mm or less in greatest height (thickness), WITH microscopic extraocular extension	ERROR	T1b	L	L
235	Tumor WITH extraocular extension less than or equal to 5mm in diameter AND stated as Tumor Size Category 1 Stated as T1d with no other information on extension	T1d	T1b	RE	RE
240	OBSOLETE DATA RETAINED V0200 Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITHOUT microscopic extraocular extension	ERROR	T1c	L	L
245	Tumor Size Category 1 NOS Stated as T1NOS with no other information on extension	T1NOS	T1NOS	L	L
265	Tumor WITHOUT extraocular	T2b	T2a	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
265 cont'd	extension (or extraocular extension not stated) AND stated as Tumor Size Category 2 Stated as T2b with no other information on extension	T2b	T2a	L	L
285	Tumor WITH extraocular extension less than or equal to 5mm in diameter AND stated as Tumor Size Category 2 Stated as T2d with no other information on extension	T2d	T2b	RE	RE
295	Tumor size category 2 NOS Stated as T2NOS with no other information on extension	T2NOS	T2NOS	L	L
300	Localized, NOS	T1NOS	T1NOS	L	L
315	Tumor WITHOUT extraocular extension (or extraocular extension not stated) AND stated as Tumor Size Category 3 Stated as T3b with no other information on extension	T3b	T3	L	L
335	Tumor WITH extraocular extension less than or equal to 5mm in diameter AND stated as Tumor Size Category 3 Stated as T3d with no other information on extension	T3d	T4	RE	RE
345	Tumor Size Category 3 NOS Stated as T3NOS with no other information on extension	T3NOS	T3	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
410	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITHOUT melanolytic glaucoma, or not stated if melanolytic glaucoma	ERROR	T2NOS	L	L
415	Tumor WITHOUT extraocular extension (or extraocular extension not stated) AND stated as Tumor Size Category 4 Stated as T4b with no other information on extension	T4b	T3	L	L
420	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH melanolytic glaucoma	ERROR	T2a	L	L
435	Tumor WITH extraocular extension less than or equal to 5mm in diameter Stated as Tumor Size Category 4 Stated as T4d with no other information on extension	T4d	T4	RE	RE
445	Stated as Tumor Size Category 4 NOS	T4NOS	T3	L	L
510	OBSOLETE DATA RETAINED V0200 Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10	ERROR	T2NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
510 cont'd	mm in maximum heights (thickness), not stated if extraocular extension present.	ERROR	T2NOS	L	L
520	OBSOLETE DATA RETAINED V0200 Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITHOUT microscopic or macroscopic extraocular extension present.	ERROR	T2a	L	L
530	OBSOLETE DATA RETAINED V0200 Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH microscopic extraocular extension present.	ERROR	T2b	RE	RE
540	OBSOLETE DATA RETAINED V0200 Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5mm and 10 mm in maximum height (thickness), WITH macroscopic extraocular extension present.	ERROR	T2c	RE	RE
600	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid	ERROR	T3NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600 cont'd	WITH sclera extension, WITHOUT melanolytic glaucoma, or not stated if melanolytic glaucoma	ERROR	T3NOS	L	L
610	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH sclera extension, AND melanolytic glaucoma	ERROR	T3a	L	L
635	Tumor WITH extraocular extension greater than 5mm in diameter Stated as T4e with no other information on extension	T4e	*	RE	RE
640	Stated as T4 NOS with no other information on extension	T4NOS	*	RE	RE
650	OBSOLETE DATA RETAINED V0200 Iris moved to separate schema V0200 FOR IRIS PRIMARY ONLY: Extraocular extension	ERROR	T4	RE	RE
710	OBSOLETE DATA RETAINED V0200 Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness) WITHOUT extraocular extension or not stated if extraocular extension present	ERROR	T3NOS	L	L
750	OBSOLETE DATA RETAINED	ERROR	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
750 cont'd	V0200 Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness) WITH extraocular extension	ERROR	T4	RE	RE
800	Further contiguous extension	T4NOS	T4	D	D
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For codes 160 and 180, the T value is assigned based on the values of tumor basal diameter, recorded in SSF2, and height, recorded in SSF3, for AJCC 7th Edition staging. Basal diameter and height are mapped to Tumor Size Categories in the Tumor Size Category Table AJCC7, and the CS Extension codes and Tumor Size Categories are mapped to T values in the Extension Size Category Table AJCC7.

* For codes 160, 180, 635, and 640, the T value is assigned based on the values of tumor basal diameter and height for AJCC 6th Edition staging. Basal diameter and height are mapped to tumor size pairs in the Tumor Size Pair Table AJCC6, and the CS Extension codes and tumor size pairs are mapped to T values in the Extension Size Pair Table AJCC6.

MelanomaCiliaryBody
CS Tumor Size/Ext Eval
See Standard Table

MelanomaCiliaryBody**CS Lymph Nodes**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	None; no regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph nodes Cervical, NOS Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS Stated as N1 with no other information	N1	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

MelanomaCiliaryBody**Reg LN Pos**

Note: Record this field even if there has been preoperative treatment.

See Standard Table

MelanomaCiliaryBody**Reg LN Exam**

See Standard Table

**MelanomaCiliaryBody
CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No; none	M0	M0	NONE	NONE
10	Distant lymph node(s)	^	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	^	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	^	M1	D	D
52	Stated as M1a with no other information on metastasis	^	M1	D	D
54	Stated as M1b with no other information on metastasis	^	M1	D	D
56	Stated as M1c with no other information on metastasis	^	M1	D	D
60	Distant Metastasis, NOS Stated as M1, NOS	^	M1	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	M0	MX	U	U

^ For Mets at DX codes 10 through 60, the M value is assigned based on the value of the size of largest metastasis, recorded in SSF4, for AJCC 7th Edition staging as shown in the Size Metastasis AJCC 7 Table.

MelanomaCiliaryBody**CS Site-Specific Factor 25****Schema Discriminator: Melanoma Ciliary Body/Melanoma Iris**

Note: For cases coded to melanoma of primary site code C694 [Ciliary Body], code the site in which the tumor arose. This information will be used to determine which of two CS schemas will be used to assign staging values to the case.

Code	Description	Schema
010	Ciliary Body Crystalline lens Sclera Uveal tract Intraocular Eyeball	MelanomaCiliaryBody
020	Iris	MelanomaIris
100	OBSOLETE DATA RETAINED V0200 C69.4 - originally coded in CSv1	MelanomaCiliaryBody