

Pharyngeal Tonsil (excluding Malignant Melanoma)**C11.1**

C11.1 Posterior wall of nasopharynx

Note: CS Site-Specific Factor 25 is used to discriminate between posterior wall of nasopharynx, staged with nasopharynx, and pharyngeal tonsil, staged with oropharynx. Both sites are coded to ICD-O-3 code C11.1.

Pharyngeal Tonsil**CS Tumor Size**

Note: The assignment of T1 and T2 categories for tumors of the oropharynx is based on tumor size. A physician's statement of the T category may be used to code CS Tumor Size and/or CS Extension if this is the only information in the medical record regarding one or both of these fields. However the two fields are coded independently: for example the record may document size but not extension, other than the physician's statement of the T category. Use codes 992 and 994 as appropriate to code CS Tumor Size based on a statement of T when no other size information is available.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (mm) (Exact size in mm)
989	989 mm or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1 centimeter (cm)"
992	Described as "less than 2 cm," or "greater than 1 cm," or "between 1 cm and 2 cm" Stated as T1 with no other information on size
993	Described as "less than 3 cm," or "greater than 2 cm," or "between 2 cm and 3 cm"
994	Described as "less than 4 cm," or "greater than 3 cm," or "between 3 cm and 4 cm" Stated as T2 with no other information on size
995	Described as "less than 5 cm," or "greater than 4 cm," or "between 4 cm and 5 cm"
996	Described as "greater than 5cm"
999	Unknown; size not stated Size of tumor cannot be assessed Not documented in patient record

Pharyngeal Tonsil**CS Extension**

Note 1: AJCC stages carcinoma of pharyngeal tonsil using schema for oropharynx.

Note 2: The assignment of T1 and T2 categories for tumors of the oropharynx is based on tumor size. A physician's statement of the T category may be used to code CS Tumor Size and/or CS Extension if this is the only information in the medical record regarding one or both of these fields. However the two fields are coded independently: for example the record may document size but not extension, other than the physician's statement of the T category. Use codes 330, 350, 575, 665, 810, or 815 as appropriate to code CS Extension based on a statement of T when no other extension information is available.

Note 3: Use code 305 for localized tumor only if no information is available to assign code 100, 200, 305, or 310.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	Tis	Tis	IS	IS
100	OBSOLETE DATA RETAINED V0200 Invasive tumor confined to one of the following subsites: Inferior wall (superior surface of soft palate) One lateral wall Posterior superior wall (vault)	ERROR	*	L	L
105	Invasive tumor confined to: Pharyngeal tonsil (nasopharyngeal tonsil) Adenoid Posterior superior wall (vault)	^	*	L	L
200	OBSOLETE DATA RETAINED V0200 Involvement of two or more subsites: Lateral wall extending into Eustachian tube/middle ear Posterior, inferior, or lateral wall(s)	ERROR	*	L	L
205	Involvement of inferior wall of nasopharynx (superior surface of soft palate)	^	*	L	L
300	OBSOLETE DATA RETAINED	ERROR	*	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
300 cont'd	V0200 Confined to nasopharynx Localized, NOS	ERROR	*	L	L
305	Confined to pharyngeal tonsil Localized, NOS	^	*	L	L
330	Stated as T1 with no other information on extension	^	*	L	L
350	Stated as T2 with no other information on extension	^	*	L	L
400	Oropharynx Soft palate, inferior surface including uvula	^	*	RE	RE
500	Nasal cavity	^	*	RE	RE
530	Pterygopalatine fossa	^	*	RE	RE
550	OBSOLETE DATA RETAINED V0200 Any extension coded in 100-500 WITH fixation or tumor Described only as FIXED	ERROR	*	RE	RE
555	Any extension coded in 105, 205, 305, 400, 500, or 530 WITH fixation or tumor described only as FIXED	^	*	RE	RE
560	OBSOLETE DATA RETAINED V0200 Any extension coded in 100-500 WITH parapharyngeal extension	ERROR	*	RE	RE
565	OBSOLETE DATA RETAINED AND REVIEWED V0203 See code 566 Any extension coded in 100, 200, 400, 500, or 530 WITH parapharyngeal	^	*	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
565 cont'd	extension	^	*	RE	RE
566	Any extension coded in 105, 205, 305, 400, 500, or 530 WITH parapharyngeal extension	^	*	RE	RE
568	Lingual surface of epiglottis	T3	*	D	D
570	OBSOLETE DATA CONVERTED V0200 Site/histology moved to new schema V0200 See code 610 Hard palate	ERROR	ERROR	ERROR	ERROR
575	Stated as T3 with no other information on extension	T3	*	L	L
580	OBSOLETE DATA RETAINED V0200 Site/histology moved to new schema V0200 See code 530 Pterygopalatine fossa	ERROR	*	RE	RE
600	OBSOLETE DATA RETAINED V0200; See code 760 Site/histology moved to new schema V0200 Bone including skull	ERROR	T4b	RE	RE
610	Hard palate	T4a	T4a	D	RE
620	Paranasal sinus	T4a	T4a	D	RE
640	(610, 620) + 568 Any structure in code 610 or 620 plus lingual surface of epiglottis	T4a	T4a	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
645	Larynx Hypopharynx Extrinsic muscle of tongue Medial pterygoid muscle Mandible	T4a	T4a	D	D
650	OBSOLETE DATA REVIEWED AND CHANGED V0200 In CS version 1, extension to the orbit was included in both codes 650 and 700. In addition, the instructions for coding invasion of orbital bone were not clear. Codes 650 and 700 should be reviewed for orbital involvement. Involvement of bone of floor of orbit should be coded 760, and other orbit involvement should be coded 780. Orbit	ERROR	ERROR	ERROR	ERROR
665	Stated as T4a with no other information on extension	T4a	T4a	RE	RE
700	OBSOLETE DATA REVIEWED AND CHANGED V0200 See Note 4 Brain Cranial nerves Hypopharynx Infratemporal fossa Orbit Intracranial extension, NOS	ERROR	ERROR	ERROR	ERROR
710	Lateral nasopharynx	T4b	T4b	L	L
715	710 + (400 - 550) Lateral nasopharynx plus any structure in codes 400 through 530	T4b	T4b	RE	RE
718	710 + (610, 620) Lateral nasopharynx plus hard palate or paranasal sinus	T4b	T4b	D	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
730	710 + 568 Lateral nasopharynx plus lingual surface of epiglottis	T4b	T4b	D	D
740	Lateral pterygoid muscle Pterygoid plates	T4b	T4b	D	D
750	OBSOLETE DATA RETAINED V0200 Site/histology moved to new schema V0200; See code 780 Masticator space	ERROR	T4b	D	D
760	Bony structures of skull base Floor of orbit	T4b	T4b	RE	RE
765	760 + (610, 620) Any structure in 760 plus hard palate or paranasal sinus	T4b	T4b	D	RE
770	760 + 568 Any structure in 760 plus lingual surface of epiglottis	T4b	T4b	D	D
780	Brain Cranial nerve involvement Hypopharynx Infratemporal fossa/Masticator space Orbit	T4b	T4b	D	D
790	Carotid artery (encased)	T4b	T4b	D	D
800	Further contiguous extension including: Soft tissues of the neck	T4b	T4b	D	D
810	Stated as T4b with no other information on extension	T4b	T4b	D	D
815	Stated as T4 [NOS] with no other information on extension	T4NOS	T4NOS	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

^ For CS Extension codes 105, 205, 305, 330, 350, 400, 500, 530, 555, and 565 ONLY, the T category for AJCC 7 staging is assigned based on the value of CS Tumor Size as shown in the Extension Size Table AJCC 7 for this schema.

*For CS Extension codes 100 through 568, 575, and 580 ONLY, the T category for AJCC 6 staging is assigned based on the value of CS Tumor Size as shown in the Extension Size Table AJCC 6 for this schema.

Pharyngeal Tonsil

CS Tumor Size/Ext Eval

See Standard Table

Pharyngeal Tonsil

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Rules, Section 2.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, levels involved, and location of involved nodes above or below the lower border of the cricoid cartilage) is coded in CS Site-Specific Factors 1, 3-9.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Note 4: For head and neck cancers, if lymph nodes are described only as "supraclavicular", try to determine if they are in Level IV (deep to the sternocleidomastoid muscle, in the lower jugular chain) or Level V (in the posterior triangle, inferior to the transverse cervical artery) and code appropriately. If the specific level cannot be determined, consider them as Level V nodes.

Note 5: The description of lymph nodes has been standardized across the head and neck schemas. All lymph node levels and groups listed here are considered regional nodes for AJCC staging. Summary Stage 1977 and Summary Stage 2000 divide these nodes into regional and distant groups.

Note 6: Retropharyngeal nodes have been moved from code 120 in CS Version 1 to code 050. Siplinal accessory nodes have been moved from code 750 to code 110. Lower deep cervical and transverse cervical nodes have been moved from code 750 to code 120. Mandibular nodes are included with Facial nodes.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100	<p>OBSOLETE DATA RETAINED V0200</p> <p>Single positive ipsilateral regional node: Level II node Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III node Middle deep cervical Mid jugular Level IV node Lower deep cervical Lower jugular Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Mandibular Regional lymph node, NOS</p>	ERROR	**	RN	RN
105	<p>Single positive ipsilateral regional node: Level II - Upper jugular: Jugulodigastric (subdigastric) Upper deep cervical Level IIA - Anterior Level IIB - Posterior Retropharyngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS</p>	^	*	RN	RN
110	<p>OBSOLETE DATA RETAINED V0200</p> <p>Single positive ipsilateral regional node: Level I node Submandibular (submaxillary) Submental</p>	ERROR	**	D	RN
115	<p>Single positive ipsilateral regional node: Level I: Level IA - Submental</p>	^	*	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
115 cont'd	Level IB - Submandibular (submaxillary), sublingual Level VA - Spinal accessory	^	*	D	RN
120	<p>OBSOLETE DATA RETAINED V0200</p> <p>Single positive ipsilateral regional node:</p> <ul style="list-style-type: none"> Level V node <ul style="list-style-type: none"> Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VI node <ul style="list-style-type: none"> Anterior deep cervical Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Level VII node <ul style="list-style-type: none"> Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups <ul style="list-style-type: none"> Intraparotid Parapharyngeal Periparotid Retropharyngeal Sub-occipital Supraclavicular fossa 	ERROR	**	D	D
125	<p>Single positive ipsilateral regional node:</p> <ul style="list-style-type: none"> Level III - Middle jugular: <ul style="list-style-type: none"> Middle deep cervical Level IV - Lower jugular: <ul style="list-style-type: none"> Jugulo-omohyoid (supraomohyoid) Lower deep cervical Virchow node Level V - Posterior triangle group: <ul style="list-style-type: none"> Posterior cervical 	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
125 cont'd	<p>Level VB - Transverse cervical, supraclavicular (see Note 4)</p> <p>Level VI - Anterior compartment group:</p> <p>Laterotracheal</p> <p>Paralaryngeal</p> <p>Paratracheal - above suprasternal notch</p> <p>Perithyroidal</p> <p>Precricoid (Delphian)</p> <p>Prelaryngeal</p> <p>Pretracheal - above suprasternal notch</p> <p>Recurrent laryngeal</p> <p>Level VII node - Superior mediastinal group (for other mediastinal nodes see CS Mets at DX):</p> <p>Esophageal groove</p> <p>Paratracheal - below suprasternal notch</p> <p>Pretracheal - below suprasternal notch</p> <p>Other groups:</p> <p>Facial:</p> <p>Buccinator (buccal)</p> <p>Mandibular</p> <p>Nasolabial</p> <p>Parotid:</p> <p>Infraauricular</p> <p>Intraparotid</p> <p>Periparotid</p> <p>Preauricular</p> <p>Parapharyngeal</p> <p>Retroauricular(mastoid)</p> <p>Suboccipital</p>	^	*	D	D
180	Stated as N1 with no other information on regional lymph nodes	^	*	RN	RN
190	Stated as N2a with no other information on regional lymph nodes	^	*	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
200	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 100	ERROR	**	RN	RN
205	Multiple positive ipsilateral nodes listed in code 105	^	*	RN	RN
210	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 110	ERROR	**	RN	RN
215	Multiple positive ipsilateral nodes, any listed in code 115 WITH or WITHOUT nodes listed in code 105	^	*	D	RN
220	OBSOLETE DATA RETAINED V0200 Multiple positive ipsilateral nodes listed in code 120	ERROR	**	D	D
225	Multiple positive ipsilateral nodes, any listed in code 125 WITH or WITHOUT nodes listed in code 105 or 115	^	*	D	D
290	Stated as N2b with no other information on regional lymph nodes	^	*	D	D
300	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 100: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	RN	RN
305	Positive ipsilateral node(s) listed in code 105, not stated if single or multiple	^	*	RN	RN
310	OBSOLETE DATA RETAINED	ERROR	**	D	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
310 cont'd	V0200 Regional lymph nodes as listed in code 110: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	D	RN
315	Positive ipsilateral node(s) listed in code 115, not stated if single or multiple	^	*	D	RN
320	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive ipsilateral node(s), not stated if single or multiple	ERROR	**	D	D
325	Positive ipsilateral node(s) listed in code 125, not stated if single or multiple	^	*	D	D
400	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 100: Positive bilateral nodes	ERROR	**	RN	RN
405	Positive bilateral or contralateral nodes listed in code 105	^	*	RN	RN
410	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 110: Positive bilateral nodes	ERROR	**	D	RN
415	Positive bilateral or contralateral nodes, any listed in code 115 WITH or WITHOUT nodes listed in code 105	^	*	D	RN
420	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 120: Positive bilateral nodes	ERROR	**	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
425	Positive bilateral or contralateral nodes, any listed in code 125(WITH or WITHOUT nodes listed in code 105 or 115	^	*	D	D
490	Stated as N2c with no other information on regional lymph nodes	^	*	RN	RN
500	OBSOLETE DATA RETAINED V0200 Regional lymph nodes listed in code 100: Positive node(s), not stated if unilateral, or bilateral	ERROR	**	RN	RN
505	Positive node(s) listed in code 105, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	RN	RN
510	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 110: Positive node(s), not stated if unilateral, or bilateral	ERROR	**	D	RN
515	Positive node(s) listed in code 115, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	RN
520	OBSOLETE DATA RETAINED V0200 Regional lymph nodes as listed in code 120: Positive node(s), not stated if unilateral or bilateral	ERROR	**	D	D
525	Positive node(s) listed in code 125, not stated if ipsilateral, or bilateral, or contralateral, AND not stated if single or multiple	^	*	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
600	Stated as N2 [NOS] with no other information on regional lymph nodes	^	*	RN	RN
700	Stated as N3 with no other information on regional lymph nodes	^	*	RN	RN
750	OBSOLETE DATA RETAINED V0200 Regional lymph nodes in the supraclavicular fossa Inferior deep cervical (scalene) Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) (See Note 4)	ERROR	**	D	D
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	NX	U	U

^ For CS Lymph Nodes codes 105, 115, 125-190, 205, 215, 225, 290, 305, 315, 325, 405, 415, 425, 490, 505, 515, 525-700 ONLY, the N category for AJCC 7 staging is assigned based on the value of CS Site-Specific Factor 1, Size of Lymph Nodes, as shown in the Lymph Nodes Size Table CSv2 for this schema.

* For CSLymph Nodes codes 105, 115, 125-190, 205, 215, 225, 290, 305, 315, 325, 405, 415, 425, 490, 505, 515, and 525-700 ONLY, the N category for AJCC 6 staging is assigned based on the value of CS Site-Specific Factor 1, Size of Lymph Nodes, as shown in the Lymph Nodes Size Table CSv2 for this schema.

**For OBSOLETE codes 100, 110, 120, 200, 210, 220, 300, 310, 320, 400, 410, 420, 500, 510, 520, and 750 ONLY, the N category for AJCC 6 staging for cases collected in CSv1 is assigned based on the value of CS Site-Specific Factor 1, Size of Lymph Nodes, as shown in the Lymph Nodes Size Table CSv1, for this schema.

Pharyngeal Tonsil
CS Lymph Nodes Eval
See Standard Table

Pharyngeal Tonsil**Regional Nodes Positive****See Standard Table**

Note: Record this field even if there has been preoperative treatment

Pharyngeal Tonsil**Regional Nodes Examined****See Standard Table****Pharyngeal Tonsil****CS Mets at DX**

Note: Supraclavicular and transverse cervical lymph nodes are coded in CS Lymph Nodes because they are categorized as N rather than M in AJCC TNM.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
10	Distant lymph node(s): Mediastinal (excluding superior mediastinal nodes) Distant lymph node(s), NOS	M1	M1	D	D
40	Distant metastases except distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	40+10 Distant metastasis plus distant lymph node(s)	M1	M1	D	D
60	Distant metastasis, NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Pharyngeal Tonsil**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed

Pharyngeal Tonsil**CS Site-Specific Factor 1****Note: See page A-96****Size of Lymph Nodes****Note:** Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-979	001 - 979 millimeters (mm); (Exact size of lymph node to nearest mm)
980	980 mm or larger; (Includes cases converted from codes 981-989 during conversion to V0200)
981-987	OBSOLETE DATA CONVERTED V0200 See code 980 981 - 987 mms
988	Not applicable: Information not collected for this case; (If this item is required by your standard setter, use of code 988 will result in an edit error)
989	OBSOLETE DATA CONVERTED V0200 See code 980 989 mm or larger
990	Microscopic focus or foci only and no size of focus given
991	Described as "less than 1centimeter (cm)"
992	Described as "less than 2cm" or "greater than 1cm" or "between 1cm and 2cm"
993	Described as "less than 3cm" or "greater than 2cm" or "between 2cm and 3cm"
994	Described as "less than 4cm" or "greater than 3cm" or "between 3cm and 4cm"
995	Described as "less than 5cm" or "greater than 4cm" or "between 4cm and 5cm"
996	Described as "less than 6cm" or "greater than 5cm" or "between 5cm and 6cm"
997	Described as "more than 6cm"

Code	Description
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph nodes involved Not documented in patient record

Pharyngeal Tonsil**CS Site-Specific Factor 25****Schema Discriminator: Nasopharynx/PharyngealTonsil****Note: See page A-97**

Note: For cases coded to primary site code C11.1 (Posterior wall of nasopharynx), code the specific site in which the tumor arose.

Code	Description	Schema
010	Posterior wall of nasopharynx Posterior wall of nasopharynx, NOS	Nasopharynx
020	Adenoid Pharyngeal tonsil Nasopharyngeal tonsil	PharyngealTonsil 1
100	OBSOLETE DATA RETAINED V0200 C11.1 - originally coded in CSv1 and case diagnosed before 1/1/2010	Nasopharynx
981	Nasopharynx cases coded to C11.0, C11.2, C11.3, C11.8, C11.9 Note: May include cases which were converted to this code from a blank	Nasopharynx