

Small Intestine**Small Intestine (excluding Gastrointestinal Stromal Tumor and Neuroendocrine Tumor)****C17.0-C17.3, C17.8-C17.9****M-8000-8152, 8154-8231, 8243-8245, 8247-8248, 8250-8576, 8940-8950, 8980-8981**

C17.0 Duodenum

C17.1 Jejunum

C17.2 Ileum (excluding ileocecal valve C18.0)

C17.3 Meckel diverticulum (site of neoplasm)

C17.8 Overlapping lesion of small intestine

C17.9 Small intestine, NOS

Small Intestine**CS Tumor Size****See Standard Table****Small Intestine****CS Extension**

Note 1: The nonperitonealized perimuscular tissue is, for jejunum and ileum, part of the mesentery and, for duodenum in areas where serosa is lacking, part of the interface with the pancreas.

Note 2: Codes 100-200 take priority over code 300. Code depth of invasion in preference to intraluminal spread or lateral extension to adjacent segment(s) of small intestine or cecum.

Note 3: High-grade dysplasia is not always collected by cancer registries but, if collected, it should be coded 000.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	Tis	Tis	IS	IS
050	(Adeno)carcinoma, noninvasive, in a polyp	Tis	Tis	IS	IS
095	OBSOLETE DATA CONVERTED V0203; See Code 155 Stated as T1a with no other information on extension	ERROR	ERROR	ERROR	ERROR
100	Invasive tumor confined to mucosa, NOS, including intramucosal, NOS	T1a	T1	L	L
110	Invasion of lamina propria	T1a	T1	L	L
120	Invasion of muscularis mucosae	T1a	T1	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
125	OBSOLETE DATA CONVERTED V0203 ; See code 165 Stated as T1b with no other information on extension	ERROR	ERROR	ERROR	ERROR
130	Invasive tumor confined to head of polyp	T1a	T1	L	L
140	Invasive tumor onfined to stalk of polyp	T1a	T1	L	L
150	Invasion of polyp, NOS	T1a	T1	L	L
155	Stated as T1a with no other information on extension	T1a	T1	L	L
160	Invasion of submucosa (superficial invasion)	T1b	T1	L	L
165	Stated as T1b with no other information on extension	T1b	T1	L	L
170	Stated as T1 [NOS] with no other information on extension	T1NOS	T1	L	L
200	Muscularis propria invaded Stated as T2, NOS with no other information on extension	T2	T2	L	L
300	Intraluminal spread to other segments of small intestine or cecum Localized, NOS	T1NOS	T1	L	L
400	Invasion through muscularis propria or muscularis, NOS Extension through wall, NOS Subserosal tissue/(sub)serosal fat invaded Transmural, NOS Wall, NOS	T3	T3	L	L

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
400 cont'd	Stated as T3 with no other information on extension	T3	T3	L	L
420	OBSOLETE DATA CONVERTED V0203 ; See code 458 Fat, NOS	ERROR	ERROR	ERROR	ERROR
450	Adjacent connective tissue Adjacent tissue(s), NOS Mesentery, including mesenteric fat, invaded 2 centimeters (cm) or less in depth, or invaded, NOS (depth of invasion not specified) Nonperitonealized perimuscular tissue invaded 2 cm or less in depth, or invaded, NOS (depth of invasion not specified) Retroperitoneum invaded 2 cm or less in depth, or invaded, NOS (depth of invasion not specified)	T3	T3	RE	RE
458	Fat, NOS	T3	T3	RE	RE
500	Invasion of/through serosa (mesothelium) (tunica serosa) (visceral peritoneum)	T4	T4	L	RE
550	500 + (450 or 458)	T4	T4	RE	RE
600	For duodenum primary only: Ampulla of Vater Diaphragm Extrahepatic bile duct(s) Gallbladder Pancreas Pancreatic duct	T4	T4	RE	RE
650	For duodenum primary only: Blood vessel(s), major: Aorta	T4	T4	RE	RE

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
650 cont'd	Gastroduodenal artery Portal vein Renal vein Superior mesenteric artery or vein Vena cava Greater omentum Hepatic flexure Kidney, NOS Kidney, right Liver, NOS Liver, quadrate lobe Liver, right lobe Omentum, NOS Transverse colon Ureter, right For jejunum or ileum primary only: Colon, including appendix	T4	T4	RE	RE
660	For duodenum primary only: Stomach	T4	T4	RE	RE
670	For all small intestine sites: Abdominal wall via serosa Mesentery invaded greater than 2 cm in depth Nonperitonealized perimuscular tissue invaded greater than 2 cm in depth Retroperitoneum invaded greater than 2 cm in depth	T4	T4	RE	RE
680	For all small intestine sites: Other segments of the small intestine via serosa	T4	T4	RE	RE
690	OBSOLETE DATA CONVERTED V0203 ; See code 805 Stated as T4, NOS	ERROR	ERROR	ERROR	ERROR
700	For jejunum or ileum primary only:	T4	T4	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
700 cont'd	Bladder Fallopian tube(s) Ovary(ies) Uterus	T4	T4	D	D
800	Further contiguous extension	T4	T4	D	D
805	Stated as T4 with no other information on extension	T4	T4	RE	RE
950	No evidence of primary tumor	T0	T0	U	U
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	TX	TX	U	U

Small Intestine**CS Tumor Size/Ext Eval**

See Standard Table

Small Intestine**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS in this field. Distant nodes are coded in CS Mets at DX.

Note 2: Pericholedochal nodes are coded in CS Mets at DX for jejunum and ileum primaries.

Note 3: The number of positive regional nodes is required to calculate the correct N category for this site. If information about the number of positive nodes is available, use code 100, 200, or 300. Use code 400 or 450 when the record identifies an N1 or N2 category but the specific information about the number of nodes involved is not available.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	N0	N0	NONE	NONE
100	Regional lymph node(s): For duodenum primaries only: Duodenal Gastroduodenal Hepatic	^	N1	RN	RN

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
100 cont'd	Pancreaticoduodenal Pyloric: Infrapyloric (subpyloric) For jejunum or ileum primaries only: Mesenteric, NOS: Superior mesenteric For ileum primary only: Cecal (anterior, posterior or retrocecal) Ileocecal	^	N1	RN	RN
200	Regional lymph node(s): For duodenum primaries only: Pericholodochal (common bile duct) Superior mesenteric	^	N1	D	RN
300	Regional lymph node(s), NOS	^	N1	RN	RN
400	Stated as N1 pathologic with no other information on regional lymph nodes	N1	N1	RN	RN
450	Stated as N2 pathologic with no other information on regional lymph nodes	N2	N1	RN	RN
800	Lymph nodes, NOS	N1	N1	RN	RN
999	Unknown; regional lymph nodes not stated Regional lymph nodes cannot be assessed Not documented in patient record	NX	NX	U	U

^ For CS Lymph Nodes codes 100-300 ONLY, when CS Lymph Nodes Eval is 0, 1, 5, or 9, the N category for AJCC 7 staging is assigned as shown in the Lymph Nodes Clinical Evaluation AJCC 7 Table, using Regional Nodes Positive and CS Site-Specific Factor 2, Clinical Assessment of Regional Nodes; when CS Lymph Nodes Eval is 2, 3, 6, 8, or not coded, the N category for AJCC 7 staging is assigned as shown in the Lymph Nodes Pathologic Evaluation AJCC 7 Table Also Used When CS Lymph Nodes Eval Is Not Coded, using Regional Nodes Positive.

Small Intestine
CS Lymph Nodes Eval
See Standard Table

Small Intestine
Regional Nodes Positive
See Standard Table

Note: Record this field even if there has been preoperative treatment

Small Intestine
Regional Nodes Examined
See Standard Table

Small Intestine
CS Mets at DX

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	M0	M0	NONE	NONE
08	For jejunum and ileum primaries only: Pericholedochal lymph node(s)	M1	M1	D	RN
10	Distant lymph node(s) other than those in code 08: Celiac lymph nodes Distant lymph node(s), NOS	M1	M1	D	D
11	OBSOLETE DATA CONVERTED V0203; See code 08 For jejunum and ileum primaries only: Pericholodochal (For duodenal primary, see Lymph Nodes field)	ERROR	ERROR	ERROR	ERROR
40	Distant metastasis excluding distant lymph node(s) Carcinomatosis	M1	M1	D	D
50	40 + (08 and/or 10) Distant metastasis plus distant lymph node(s)	M1	M1	D	D

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
60	Distant metastasis , NOS Stated as M1 with no other information on distant metastasis	M1	M1	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	M0	MX	U	U

Small Intestine**CS Mets Eval****See Standard Table**

Note: This item reflects the validity of the classification of the item CS Mets at DX only according to the diagnostic methods employed

Small Intestine**CS Site-Specific Factor 2****Clinical Assessment of Regional Lymph Nodes****Note: See page A-98**

Note 1: Only include information from imaging and physical examination in this item. Do not include information on regional lymph nodes that is based on surgical observation or diagnostic lymph node biopsy.

Note 2: In the rare instance that the number of clinically positive nodes is stated but a clinical N category is not stated, code 1-3 nodes as 100 (clinical N1), and 4 or more nodes as 200 (clinical N2).

Note 3: If there is no diagnostic work-up to assess regional lymph nodes, use code 999. Do not apply the inaccessible nodes rule that presumes unmentioned nodes to be negative.

Code	Description
000	Nodes not clinically evident; imaging of regional nodes performed and nodes not mentioned
100	Metastasis in 1 - 3 regional lymph nodes, determined clinically Stated as clinical N1
200	Metastasis in 4 or more regional lymph nodes, determined clinically Stated as clinical N2
400	Clinically positive regional nodes, NOS
888	OBSOLETE DATA CONVERTED V0200

Code	Description
888 cont'd	See code 988 Not applicable for this site
988	Not applicable: Information not collected for this case (May include cases converted from code 888 used in CSv1 for "Not applicable" or when the item was not collected. If this item is required to derive T, N, M, or any stage, use of code 988 may result in an error.)
999	Regional lymph node(s) involved, clinical assessment not stated Unknown if regional nodes clinically evident Not documented in patient record