

Digestive Other**Other and Ill-Defined Digestive Organs****C26.0, C26.8-C26.9**

C26.0 Intestinal tract, NOS

C26.8 Overlapping lesion of digestive system

C26.9 Gastrointestinal tract, NOS

Note: AJCC does not define TNM staging for this site.**Digestive Other****CS Tumor Size****See Standard Table****Digestive Other****CS Extension**

Note 1: Definition of Adjacent Connective Tissue: Some of the schemes for ill-defined or non-specific sites in this manual contain a code 400, adjacent connective tissue, which is defined here as the unnamed tissues that immediately surround an organ or structure containing a primary cancer. Use this code when a tumor has invaded past the outer border (capsule, serosa, or other edge) of the primary organ into the organ's surrounding supportive structures but has not invaded into larger structures or adjacent organs.

Note 2: Definition of Adjacent Structures: Connective tissues large enough to be given a specific name would be considered adjacent structures. For example, the brachial artery has a name, as does the broad ligament. Continuous tumor growth from one organ into an adjacent named structure would be coded to 600 in the schemas for ill-defined or non-specific sites.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	In situ, intraepithelial, noninvasive	NA	NA	IS	IS
100	Invasion of submucosa	NA	NA	L	L
300	Localized, NOS	NA	NA	L	L
400	Adjacent connective tissue(s); (See Note 1)	NA	NA	RE	RE
600	Adjacent organ(s)/structure(s); (See Note 2)	NA	NA	RE	RE
700	Regional extension, NOS	NA	NA	RE	RE
800	Further contiguous extension	NA	NA	D	D
950	No evidence of primary tumor	NA	NA	U	U

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
999	Unknown; extension not stated Primary tumor cannot be assessed Not documented in patient record	NA	NA	U	U

Digestive Other**CS Tumor Size/Ext Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Digestive Other**CS Lymph Nodes**

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
000	No regional lymph node involvement	NA	NA	NONE	NONE
100	Regional lymph nodes Intra-abdominal Paracaval Pelvic Subdiaphragmatic Regional lymph nodes, NOS	NA	NA	RN	RN
800	Lymph nodes, NOS	NA	NA	RN	RN
999	Unknown; not stated Regional lymph nodes cannot be assessed Not documented in patient record	NA	NA	U	U

Digestive Other**CS Lymph Nodes Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	

Digestive Other**Regional Nodes Positive**

See Standard Table

Note: Record this field even if there has been preoperative treatment.

Digestive Other**Regional Nodes Examined**

See Standard Table

Digestive Other**CS Mets at DX**

Code	Description	TNM 7 Map	TNM 6 Map	SS77 Map	SS2000 Map
00	No distant metastasis	NA	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	NA	D	D
40	Distant metastasis except distant lymph node(s) Carcinomatosis	NA	NA	D	D
50	40 + 10 Distant metastasis plus distant lymph node(s)	NA	NA	D	D
60	Distant metastasis, NOS	NA	NA	D	D
99	Unknown; distant metastasis not stated Distant metastasis cannot be assessed Not documented in patient record	NA	NA	U	U

Digestive Other**CS Mets Eval**

Note: The staging basis for this schema is blank because AJCC stage is not applicable.

Code	Description	Staging Basis
9	Not applicable for this schema	